Length of Stay by Diagnosis, Southern Region, 1982

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1983

LENGTH OF STAY

Copyright 1983 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1982
. . . by Diagnosis, United States, North Central Region, 1982
. . . by Diagnosis, United States, Northeastern Region, 1982
. . . by Diagnosis, United States, Southern Region, 1982
. . . by Diagnosis, United States, Western Region, 1982
. . . by Diagnosis, Canada, 1982

. . . by Operation, United States, 1982
. . . by Operation, United States, North Central Region, 1982
. . . by Operation, United States, Northeastern Region, 1982
. . . by Operation, United States, Southern Region, 1982
. . . by Operation, United States, Western Region, 1982
. . . by Operation, Canada, 1982

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1982
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1982

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1982 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1982 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1982 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Carol A. Prevost, Research Assistant

CONTENTS

Preface iii
Discussion of the Data 1
  Source of the Data. 1
  Data Quality. 2
  Coverage 3
  Organization of Length of Stay Tables. 5
    Definition of Multiple Diagnosis Patients 5
    Definition of Operated Patients 5
  Explanation of Statistics. 6
  Defining the Extended Stay Case 7
Length of Stay Tables 17
  Summary of All Patients. 18
  Summary of All Patients Except Newborn 19
  Diagnosis Groups 1-398 20
Appendix: *ICD-9-CM* Codes for Selected Diagnosis Groups 219
Index to Length of Stay Tables 223

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Colorado Hospital Association, Kansas Hospital Association, Kaiser Foundation Hospitals, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.



** Includes Alaska and Hawaii

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1982

	Short-Term Nonfederal Hospitals			Beds		
Hospital Class (1)	U.S. Total[2] (2)	Number in Books (3)	Percent in Books (4)	U.S. Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
6-24 beds	254	35	13.8	4,814	696	14.5
25-49	971	180	18.5	35,155	6,841	19.5
50-99	1,432	318	22.2	103,270	23,365	22.6
100-199	1,374	357	26.0	193,551	50,983	26.3
200-299	712	227	31.9	172,913	55,670	32.2
300-399	423	136	32.2	144,133	46,500	32.3
400-499	267	94	35.2	117,869	41,567	35.3
500 or more	328	84	25.6	226,214	55,946	24.7
Total	5,761	1,431	24.8	997,919	281,568	28.2
Region and Census Division						
Northeast	828	283	34.2	213,258	67,701	31.7
New England	244	61	25.0	49,916	13,631	27.3
Middle Atlantic	584	222	38.0	163,342	54,070	33.1
North Central	1,694	571	33.7	295,316	110,053	37.3
East North Central	897	350	39.0	195,881	77,902	39.8
West North Central	797	221	27.7	99,435	32,151	32.3
South	2,162	306	14.2	340,530	61,715	18.1
South Atlantic	815	211	25.9	160,263	42,298	26.4
East South Central	500	30	6.0	73,359	7,375	10.1
West South Central	847	65	7.7	106,908	12,042	11.3
West	1,077	271	25.2	148,815	42,099	28.3
Mountain	369	92	24.9	41,978	14,587	34.7
Pacific	708	179	25.3	106,837	27,512	25.8
Total	5,761	1,431	24.8	997,919	281,568	28.2

The Pediatric book was compiled from the data of 1,428 hospitals. The Geriatric book was compiled from the data of 1,427 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1981 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each diagnosis group, patients are further stratified by single or multiple diagnoses, operation status, and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Diagnosis information for all patient data included in this book was coded using *ICD-9-CM.*

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[2])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

Definition of Operated Patients

Operated patients are patients who had at least one UHDDS[3] Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] Additional information regarding classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Explanation of Statistics

The *List A* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in that *List A* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N-1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups*[1]) that contains the admission diagnosis in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.

b. Diagnoses can also be found in the Alphabetic Index at the back of the length of stay books.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[1] That code can then be located in *List A* or in the heading of the length of stay table.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 47-year-old patient is admitted to a hospital for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening.* The length of stay table is number 215.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Cervix, cervical			
chronic erosion and ulceration	2		252
stricture of os	2		252
Chest pain	3		335
Criteria for admission			
1. Suspicion of life threatening disease, e.g.			
a. acute myocardial infarction			
b. dissecting aortic aneurysm			
c. acute pericarditis			
2. Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)			
3.			
4.			
Choking sensation	4		340
Cholangitis, acute			
with calculus	1		217
without mention of calculus	1		218
Cholecystitis			
acute			
with calculus	1		215
without mention of calculus	1		216
chronic or unspecified			
with calculus	2		215
without mention of calculus	2		216
Choledocholithiasis	2		217
Cholelithiasis	2		215
Cholesteatoma, ear	2		134

b. The Alphabetic Index at the back of the length of stay book that cholelithiasis is included in diagnosis group 215.



DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

shows

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.



Cholangitis **INDEX TO DISEASES**

- **Cholangitis** (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
  - chronic nonsuppurative destructive 571.6
  - nonsuppurative destructive (chronic) 571.6
- **Cholecystdocholithiasis** — *see* Choledocholithiasis
- **Cholecystitis** (chronic) 575.1

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with
    - calculus, stones in
      - bile duct (common) (hepatic) 574.4
      - gallbladder 574.1
    - choledocholithiasis 574.4
    - cholelithiasis 574.1
  - acute 575.0
    - with
      - calculus, stones in
        - bile duct (common) (hepatic) 574.3
        - gallbladder 574.0
      - choledocholithiasis 574.3
      - cholelithiasis 574.0
  - emphysematous (acute) *(see also* Cholecystitis, acute) 575.0
  - gangrenous *(see also* Cholecystitis, acute) 575.0
  - paratyphoidal, current *(see also* Fever, paratyphoid) 002.9
  - suppurative *(see also* cholecystitis, acute) 575.0
  - typhoidal 002.0
- **Choledochitis** (suppurative) 576.1
- **Choledocholith** — *see* Choledocholithiasis
- **Choledocholithiasis** 574.5

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.4
    - acute 574.3
- **Cholelithiasis** (impacted) (multiple) 574.2

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.1
    - acute 574.0
- **Cholemia** *(see also* Jaundice) 782.4
  - familial 277.4
  - Gilbert's (familial nonhemolytic) 277.4
- **Cholemic gallstone** — *see* Cholelithiasis
- **Choleperitoneum, choleperitonitis** *(see also* Disease, gallbladder) 567.8
- **Cholera** (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
  - antimonial 985.4
  - carrier (suspected) of V02.0
  - classical 001.0
  - contact V01.0
  - due to
    - Vibrio
      - cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
        - El Tor 001.1
  - El Tor 001.1
  - exposure to V01.0
  - vaccination, prophylactic (against) V03.0
- **Cholerine** *(see also* Cholera) 001.9
- **Cholestasis** *(see also* Disease, gallbladder) 575.8
- **Cholesteatoma** (ear) 385.30
  - attic (primary) 385.31
  - diffuse 385.35
  - external ear (canal) 380.21
  - marginal (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
    - secondary (with middle ear involvement) 385.33
  - mastoid cavity 385.30
  - middle ear 385.30
    - secondary 385.32
      - with involvement of mastoid cavity 385.33
  - postmastoidectomy cavity (recurrent) 383.32
  - primary 385.31
  - recurrent, postmastoidectomy cavity 383.32
  - secondary (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
- **Cholesteatosis** (middle ear) *(see also* Cholesteatoma) 385.30
  - diffuse 385.35

Step 2. Find the table for group 215 in the length of stay book.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156	4.7	10	1	2	4	6	9	11	15
20-34	1472	4.4	10	1	1	4	6	8	10	16
35-49	1964	5.2	14	1	2	4	7	9	12	17
50-64	3826	5.8	15	2	2	5	7	10	13	19
65+	7503	7.6	32	2	3	6	10	14	17	28
B. *Operated*										
0-19 YRS	671	9.6	30	5	5	8	11	15	17	32
20-34	9073	9.2	24	5	5	8	11	14	17	27
35-49	11544	9.9	27	5	6	8	12	16	19	30
50-64	17699	11.4	41	5	6	10	13	18	23	35
65+	18538	15.1	82	6	7	13	18	25	32	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6693	4.1	9	1	1	3	5	8	9	14
B. *Operated*	50291	8.3	14	5	5	7	9	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	14921	6.5	24	2	2	5	8	12	15	25
B. *Operated*	57525	11.9	54	5	6	10	14	20	25	41
1. SINGLE DX	56984	7.8	15	3	4	7	9	12	14	21
2. MULTIPLE DX	72446	10.8	53	3	5	9	13	19	24	39
A. NOT OPERATED	21614	5.7	21	1	2	5	7	11	14	22
B. OPERATED	107816	10.2	38	5	6	8	12	17	21	34
TOTAL 0-19 YRS	2325	7.5	19	2	3	7	9	12	14	22
20-34	27293	7.6	16	3	4	7	9	12	14	21
35-49	28151	8.3	21	3	4	7	10	13	16	24
50-64	36761	9.4	31	3	5	8	11	16	19	30
65+	34900	12.1	68	3	5	10	15	21	27	44
GRAND TOTAL	**129430**	**9.5**	**38**	**3**	**4**	**8**	**11**	**16**	**20**	**33**

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top ten lines of the table (1. Single Dx).



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 4. Since surgery is scheduled, use the second five lines of the table (Section 1.B.).



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 5. The patient is 47-years-old and therefore falls in the age group 35-49.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 6. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the seventh day after admission to be the day that this patient comes up for extended stay review.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

The patient was admitted on 3 November; therefore, the seventh day will fall on 10 November. Prior to or on 10 November, the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	228072	3.3	7	1	2	3	4	5	6	12
20-34	116206	4.0	19	1	1	3	4	7	10	24
35-49	56402	5.4	31	1	1	4	7	11	15	28
50-64	48904	6.1	34	1	2	4	8	12	16	29
65+	48199	7.1	43	1	2	5	9	14	19	34
B. *Operated*										
0-19 YRS	74521	2.9	9	<1	1	2	3	5	7	15
20-34	140558	3.8	11	1	1	3	5	7	9	16
35-49	77153	5.1	21	1	1	4	7	10	13	22
50-64	70102	6.1	32	1	2	4	8	12	16	27
65+	70623	7.1	49	1	2	5	9	16	20	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	135031	4.6	26	1	2	3	5	8	11	27
20-34	105417	5.0	30	1	1	3	6	10	13	29
35-49	103237	6.4	36	1	2	5	8	12	17	30
50-64	163338	7.3	42	2	2	6	9	14	18	33
65+	296145	9.0	61	2	3	7	11	17	23	41
B. *Operated*										
0-19 YRS	56494	5.1	63	1	1	3	5	10	16	49
20-34	160758	5.4	32	1	2	4	6	9	13	30
35-49	103732	7.4	55	1	2	6	9	14	19	41
50-64	112719	9.6	89	2	2	7	12	19	27	51
65+	151898	12.4	128	2	2	9	16	25	34	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	497783	4.3	21	1	1	3	5	8	12	24
B. *Operated*	432957	4.8	24	1	1	3	6	10	14	24
2. MULTIPLE DX										
A. *Not Operated*	803168	7.1	47	1	2	5	9	14	19	35
B. *Operated*	585601	8.3	83	1	2	6	10	18	25	49
1. SINGLE DX	930740	4.5	22	1	1	3	5	9	13	24
2. MULTIPLE DX	1388769	7.6	63	1	2	5	9	16	22	42
A. NOT OPERATED	1300951	6.0	39	1	2	4	7	12	17	32
B. OPERATED	1018558	6.8	61	1	2	4	8	15	21	41
TOTAL 0-19 YRS	494118	3.8	20	1	1	3	4	6	9	22
20-34	522939	4.6	24	1	1	3	5	8	12	25
35-49	340524	6.3	38	1	2	5	8	12	16	31
50-64	395063	7.6	54	1	2	6	10	15	20	38
65+	566865	9.5	80	2	2	7	12	19	26	47
GRAND TOTAL	**2319509**	**6.4**	**49**	**1**	**2**	**4**	**8**	**13**	**18**	**36**

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	83130	3.6	16	1	1	3	4	6	9	19
20-34	116206	4.0	19	1	1	3	4	7	10	24
35-49	56402	5.4	31	1	1	4	7	11	15	28
50-64	48904	6.1	34	1	2	4	8	12	16	29
65+	48199	7.1	43	1	2	5	9	14	19	34
B. *Operated*										
0-19 YRS	74434	2.9	9	<1	1	2	3	5	7	15
20-34	140558	3.8	11	1	1	3	5	7	9	16
35-49	77153	5.1	21	1	1	4	7	10	13	22
50-64	70102	6.1	32	1	2	4	8	12	16	27
65+	70623	7.1	49	1	2	5	9	16	20	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	82715	4.3	24	1	1	3	5	8	11	25
20-34	105417	5.0	30	1	1	3	6	10	13	29
35-49	103237	6.4	36	1	2	5	8	12	17	30
50-64	163338	7.3	42	2	2	6	9	14	18	33
65+	296145	9.0	61	2	3	7	11	17	23	41
B. *Operated*										
0-19 YRS	54303	4.4	37	1	1	3	5	9	13	33
20-34	160758	5.4	32	1	2	4	6	9	13	30
35-49	103732	7.4	55	1	2	6	9	14	19	41
50-64	112719	9.6	89	2	2	7	12	19	27	51
65+	151898	12.4	128	2	2	9	16	25	34	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	352841	4.9	27	1	1	3	6	10	14	27
B. *Operated*	432870	4.8	24	1	1	3	6	10	14	24
2. MULTIPLE DX										
A. *Not Operated*	750852	7.2	48	1	2	5	9	14	19	35
B. *Operated*	583410	8.3	81	1	2	6	10	18	25	48
1. SINGLE DX	785711	4.8	26	1	1	3	6	10	14	25
2. MULTIPLE DX	1334262	7.7	63	1	2	5	9	16	22	42
A. NOT OPERATED	1103693	6.5	43	1	2	5	8	13	18	33
B. OPERATED	1016280	6.8	60	1	2	4	8	15	20	40
TOTAL 0-19 YRS	294582	3.8	21	1	1	3	4	7	10	23
20-34	522939	4.6	24	1	1	3	5	8	12	25
35-49	340524	6.3	38	1	2	5	8	12	16	31
50-64	395063	7.6	54	1	2	6	10	15	20	38
65+	566865	9.5	80	2	2	7	12	19	26	47
GRAND TOTAL	**2119973**	**6.6**	**51**	**1**	**2**	**4**	**8**	**14**	**19**	**37**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2451	3.3	5	1	1	3	4	6	7	12
20-34	1105	3.3	5	1	1	3	4	6	7	11
35-49	444	3.7	6	1	2	3	4	6	8	14
50-64	284	4.1	8	1	1	4	5	7	9	13
65+	215	4.7	10	1	2	4	6	8	11	16
B. *Operated*										
0-19 YRS	38	4.7	4	2	2	4	6	8	9	10
20-34	57	5.5	8	2	2	5	7	9	11	15
35-49	24	8.4	32	2	4	7	10	17	21	27
50-64	15	12.4	146	4	4	9	13	16	44	54
65+	5	8.4	33	4	4	7	11	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2449	3.8	9	1	2	3	4	6	8	14
20-34	955	3.9	7	1	1	3	5	7	9	14
35-49	657	4.8	11	1	2	4	6	9	11	20
50-64	734	5.2	11	1	2	4	6	9	11	17
65+	1090	6.6	28	2	2	5	8	12	16	26
B. *Operated*										
0-19 YRS	52	9.1	171	2	3	6	9	17	21	93
20-34	69	7.8	23	3	3	6	10	14	17	28
35-49	58	10.1	93	3	3	7	12	17	26	56
50-64	41	9.7	36	3	4	8	12	19	23	26
65+	68	13.6	183	4	4	10	16	24	35	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4499	3.4	6	1	1	3	4	6	8	12
B. *Operated*	139	6.7	31	2	3	5	8	11	15	30
2. MULTIPLE DX										
A. *Not Operated*	5885	4.6	14	1	2	4	6	8	11	18
B. *Operated*	288	10.1	106	3	3	8	12	19	24	54
1. SINGLE DX	4638	3.5	7	1	1	3	4	6	8	13
2. MULTIPLE DX	6173	4.9	19	1	2	4	6	9	12	21
A. NOT OPERATED	10384	4.1	11	1	2	3	5	7	10	16
B. OPERATED	427	9.0	84	2	3	7	10	17	21	50
TOTAL 0-19 YRS	4990	3.6	9	1	1	3	4	6	8	14
20-34	2186	3.7	7	1	1	3	5	7	9	14
35-49	1183	4.7	16	1	2	4	6	9	11	20
50-64	1074	5.2	15	1	2	4	6	9	12	20
65+	1378	6.6	36	2	2	5	8	12	16	29
GRAND TOTAL	**10811**	**4.3**	**14**	**1**	**2**	**3**	**5**	**8**	**10**	**18**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	7.3	33	2	3	4	9	15	21	24
20-34	33	10.5	46	1	3	10	14	19	22	32
35-49	32	10.0	81	1	2	7	14	24	31	37
50-64	54	11.5	139	2	2	10	15	21	22	79
65+	42	12.6	70	2	3	12	17	21	28	42
B. *Operated*										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	16	8.9	29	1	2	10	13	16	17	17
35-49	28	15.4	122	2	4	14	20	23	33	59
50-64	39	12.6	58	2	3	12	17	22	26	34
65+	28	12.1	99	2	4	8	17	25	32	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	7.8	95	3	3	4	8	22	35	35
20-34	48	14.6	164	4	5	10	18	32	52	99+
35-49	78	13.2	126	2	3	10	16	24	36	64
50-64	109	12.8	114	2	3	9	17	26	37	53
65+	156	15.6	116	3	4	13	21	29	39	97
B. *Operated*										
0-19 YRS	2	13.5	41	9	9	13	18	18	18	18
20-34	25	15.6	67	6	7	13	20	23	29	44
35-49	52	20.3	268	4	5	16	29	55	63	99+
50-64	90	15.9	147	3	6	14	19	28	48	91
55+	134	19.3	194	4	7	15	24	37	52	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	178	10.9	85	2	2	9	15	21	25	41
B. *Operated*	112	12.7	82	2	3	11	17	22	27	51
2. MULTIPLE DX										
A. *Not Operated*	401	14.1	124	3	4	11	18	27	40	68
B. *Operated*	303	18.1	183	4	6	15	22	37	53	99+
1. SINGLE DX	290	11.6	84	2	3	10	15	21	27	44
2. MULTIPLE DX	704	15.8	153	3	4	13	20	31	46	91
A. NOT OPERATED	579	13.1	114	2	3	10	17	25	34	67
B. OPERATED	415	16.6	161	3	5	14	21	31	49	90
TOTAL 0-19 YRS	30	8.2	54	3	3	5	9	17	24	35
20-34	122	12.9	99	2	4	12	16	22	32	77
35-49	190	14.9	168	2	3	12	18	31	52	86
50-64	292	13.5	123	2	3	11	17	23	35	70
65+	360	16.3	144	3	5	14	22	31	43	84
GRAND TOTAL	**994**	**14.6**	**137**	**2**	**4**	**12**	**19**	**28**	**41**	**77**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	22.0		22	22	22	22	22	22	22
20-34	5	6.8	83	2	2	3	9	23	23	23
35-49	3	5.7	25	1	1	5	9	11	11	11
50-64	11	13.1	550	2	2	5	9	42	79	83
65+	10	10.4	26	1	3	11	14	16	17	17
B. *Operated*										
0-19 YRS	8	5.3	93	1	1	2	3	21	29	29
20-34	7	6.6	54	2	2	5	5	19	23	23
35-49	8	14.8	114	3	3	14	21	31	33	33
50-64	3	6.0	7	3	3	7	8	8	8	8
65+	9	13.1	53	3	5	12	18	24	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	9.8	91	4	4	5	15	24	24	24
20-34	9	11.7	43	3	5	9	17	21	23	23
35-49	11	9.0	54	1	1	8	14	19	25	25
50-64	12	12.9	69	3	3	11	14	29	30	30
65+	22	12.8	86	4	5	10	17	23	32	45
B. *Operated*										
0-19 YRS	5	8.2	31	2	2	8	12	16	16	16
20-34	11	16.3	252	1	1	14	22	39	53	54
35-49	13	20.2	333	6	6	16	31	75	94	99+
50-64	18	14.7	149	2	2	14	19	25	42	52
65+	29	28.5	460	3	7	23	36	55	83	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	10.7	223	1	2	7	13	19	23	83
B. *Operated*	35	9.8	82	1	2	6	15	25	28	33
2. MULTIPLE DX										
A. *Not Operated*	58	11.7	68	2	3	10	15	23	27	44
B. *Operated*	76	20.7	339	2	3	17	26	48	68	98
1. SINGLE DX	65	10.2	145	1	2	7	14	23	27	75
2. MULTIPLE DX	134	16.8	240	2	3	13	23	35	51	93
A. NOT OPERATED	88	11.4	119	2	2	9	14	23	25	69
B. OPERATED	111	17.3	283	2	2	14	23	37	54	95
TOTAL 0-19 YRS	18	8.0	77	1	1	4	11	23	27	29
20-34	32	11.4	130	1	2	7	18	23	28	54
35-49	35	14.2	188	1	2	12	19	33	61	99+
50-64	44	13.2	209	2	3	10	16	26	37	83
65+	70	19.0	288	3	5	14	23	40	48	90
GRAND TOTAL	**199**	**14.7**	**218**	**2**	**2**	**11**	**20**	**30**	**46**	**88**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	283	2.9	3	1	1	3	3	5	6	9
20-34	130	3.5	2	2	2	3	4	5	6	9
35-49	40	3.3	1	2	2	3	4	5	5	6
50-64	20	4.4	4	1	2	4	5	7	9	10
65+	9	4.6	2	2	2	5	6	6	6	6
B. *Operated*										
0-19 YRS	23	2.1	1	<1	1	2	2	3	4	4
20-34	5	2.0		2	2	2	2	2	2	2
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	380	3.2	4	1	1	3	4	6	7	13
20-34	154	4.1	7	2	2	4	4	6	9	11
35-49	75	4.3	4	2	2	4	5	7	8	10
50-64	50	4.9	5	2	2	5	7	8	9	11
65+	35	7.0	14	3	4	6	10	13	15	16
B. *Operated*										
0-19 YRS	14	4.9	15	2	2	4	7	9	14	16
20-34	8	5.8	29	1	1	4	8	15	17	17
35-49	3	4.3	2	3	3	4	5	6	6	6
50-64	2	11.0	128	3	3	11	19	19	19	19
65+	1	5.0		5	5	5	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	482	3.2	3	1	2	3	4	5	6	9
B. *Operated*	29	2.1		1	1	2	2	3	4	4
2. MULTIPLE DX										
A. *Not Operated*	694	3.8	6	1	2	3	5	6	8	13
B. *Operated*	28	5.5	22	2	2	4	7	14	17	19
1. SINGLE DX	511	3.1	2	1	2	3	4	5	6	9
2. MULTIPLE DX	722	3.9	7	1	2	3	5	7	8	14
A. NOT OPERATED	1176	3.6	5	1	2	3	4	6	7	12
B. OPERATED	57	3.8	14	1	2	2	4	7	14	19
TOTAL 0-19 YRS	700	3.1	4	1	1	3	4	5	6	11
20-34	297	3.8	6	2	2	3	4	6	8	11
35-49	119	3.9	3	2	2	4	5	6	7	9
50-64	72	4.9	8	2	2	4	6	8	10	17
65+	45	6.4	12	3	3	5	7	12	14	16
GRAND TOTAL	**1233**	**3.6**	**5**	**1**	**2**	**3**	**4**	**6**	**7**	**12**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	336	5.3	12	2	2	5	7	9	11	19
20-34	26	6.4	16	2	3	5	9	12	15	16
35-49	15	10.8	49	3	4	8	15	18	27	30
50-64	25	7.4	13	2	4	7	10	12	14	16
65+	106	10.2	38	3	4	9	13	17	21	35
B. *Operated*										
0-19 YRS	8	6.8	9	3	3	6	9	11	11	11
20-34	5	8.8	29	4	4	8	11	18	18	18
35-49	2	12.0	18	9	9	12	15	15	15	15
50-64	4	26.5	222	15	15	22	37	47	47	47
65+	7	17.1	118	6	7	18	29	82	99+	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	366	6.4	27	2	2	5	8	11	14	24
20-34	101	9.1	74	2	3	6	12	17	20	51
35-49	124	10.7	61	3	4	8	13	24	29	36
50-64	265	11.9	65	4	5	10	14	21	26	43
65+	1054	13.6	85	4	6	11	16	24	31	48
B. *Operated*										
0-19 YRS	19	9.0	24	1	2	10	13	15	16	16
20-34	19	24.4	442	3	6	17	50	85	99+	99+
35-49	41	19.3	344	5	5	14	23	41	87	99+
50-64	87	22.8	337	5	7	17	34	56	87	99+
65+	253	22.9	212	7	8	19	31	44	53	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	508	6.7	23	2	2	5	8	12	16	25
B. *Operated*	26	13.4	113	4	4	10	18	37	55	99+
2. MULTIPLE DX										
A. *Not Operated*	1910	11.5	77	3	4	10	14	21	28	44
B. *Operated*	419	22.0	259	5	7	17	31	46	62	99+
1. SINGLE DX	534	7.0	29	2	2	5	9	13	17	30
2. MULTIPLE DX	2329	13.4	125	3	4	11	16	27	35	68
A. NOT OPERATED	2418	10.5	69	2	3	8	13	20	26	43
B. OPERATED	445	21.5	255	5	7	17	30	46	61	99+
TOTAL 0-19 YRS	729	6.0	20	2	2	5	7	11	13	20
20-34	151	10.5	135	2	3	7	13	19	41	99
35-49	182	12.7	134	3	4	9	16	26	31	91
50-64	381	14.2	149	4	5	11	17	31	41	95
65+	1420	15.0	118	4	6	12	18	29	37	59
GRAND TOTAL	**2863**	**12.2**	**114**	**3**	**3**	**9**	**15**	**24**	**33**	**62**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	205	7.2	30	2	2	6	10	13	15	26
20-34	51	5.7	12	2	2	4	8	12	13	14
35-49	42	6.1	14	2	3	5	7	11	15	18
50-64	36	6.7	40	2	3	5	8	12	16	38
65+	22	10.4	81	2	2	8	11	24	32	36
B. *Operated*										
0-19 YRS	9	9.8	28	4	4	11	15	16	17	17
20-34	5	11.4	111	2	2	9	16	29	29	29
35-49	13	15.9	194	3	4	10	27	36	43	45
50-64	8	18.6	102	5	6	17	26	33	34	34
65+	8	16.1	93	6	6	13	22	31	33	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	215	7.3	20	2	2	6	10	12	16	22
20-34	79	6.5	14	2	2	5	9	13	14	16
35-49	55	7.6	32	2	3	6	9	12	19	31
50-64	84	7.8	27	2	3	6	10	15	21	75
65+	141	9.9	48	3	4	8	12	18	24	38
B. *Operated*										
0-19 YRS	18	17.1	135	3	6	14	20	29	44	54
20-34	16	16.9	427	3	4	9	14	53	72	78
35-49	20	19.7	474	3	4	13	26	37	69	99
50-64	25	18.4	173	3	4	18	25	42	45	50
65+	35	23.1	346	5	5	19	30	44	68	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	356	7.0	31	2	2	5	9	13	15	33
B. *Operated*	43	14.7	114	3	4	12	19	33	34	45
2. MULTIPLE DX										
A. *Not Operated*	574	7.9	29	2	3	7	10	14	18	30
B. *Operated*	114	19.6	304	4	5	14	25	40	56	89
1. SINGLE DX	399	7.8	45	2	2	6	10	15	18	35
2. MULTIPLE DX	688	9.9	93	2	3	7	11	19	27	56
A. NOT OPERATED	930	7.6	30	2	3	6	10	14	16	31
B. OPERATED	157	18.3	256	4	4	13	24	36	48	83
TOTAL 0-19 YRS	447	7.7	33	2	2	7	10	14	16	28
20-34	151	7.5	68	2	2	5	9	13	15	57
35-49	130	9.8	131	2	3	6	11	20	31	56
50-64	153	9.9	77	2	3	7	12	22	30	50
65+	206	12.4	127	3	4	9	15	26	34	65
GRAND TOTAL	**1087**	**9.1**	**77**	**2**	**3**	**7**	**11**	**17**	**24**	**45**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	803	4.0	5	1	2	3	5	7	8	12
20-34	418	4.4	6	1	2	4	6	8	9	12
35-49	83	4.7	6	1	2	4	6	8	10	13
50-64	19	8.1	33	2	3	6	11	18	20	21
65+	4	8.3	126	2	2	3	14	25	25	25
B. *Operated*										
0-19 YRS	10	4.6	2	3	3	4	6	7	7	7
20-34	2	6.5	41	2	2	6	11	11	11	11
35-49	4	7.3	36	2	2	6	12	15	15	15
50-64	1	7.0		7	7	7	7	7	7	7
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	261	4.7	10	2	2	4	5	8	11	19
20-34	194	5.0	10	2	2	4	6	9	11	16
35-49	42	7.5	17	3	3	6	10	14	15	17
50-64	21	15.5	415	2	3	8	15	46	73	75
65+	16	17.3	118	7	8	13	22	28	43	50
B. *Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	9	15.4	331	3	3	11	15	44	62	62
35-49	3	8.0	49	3	3	5	13	16	16	16
50-64	3	15.3	102	9	9	10	23	27	27	27
65+	2	22.0	128	14	14	22	30	30	30	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1327	4.2	7	1	2	4	5	7	9	14
B. *Operated*	17	5.6	12	2	2	4	7	11	14	15
2. MULTIPLE DX										
A. *Not Operated*	534	5.8	37	2	2	4	7	11	14	25
B. *Operated*	19	13.8	195	3	3	10	16	29	48	62
1. SINGLE DX	1344	4.2	7	1	2	4	5	7	9	14
2. MULTIPLE DX	553	6.1	45	2	2	4	7	12	15	29
A. NOT OPERATED	1861	4.7	16	1	2	4	6	8	11	18
B. OPERATED	36	9.9	123	2	3	6	12	18	29	62
TOTAL 0-19 YRS	1076	4.2	7	1	2	4	5	7	9	14
20-34	623	4.7	14	1	2	4	6	8	10	15
35-49	132	5.8	12	2	2	5	7	11	14	16
50-64	44	12.1	226	2	3	7	14	22	42	75
65+	22	16.0	124	2	3	13	23	29	38	50
GRAND TOTAL	**1897**	**4.8**	**19**	**2**	**2**	**4**	**6**	**8**	**11**	**20**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	350	3.4	6	1	1	3	4	6	7	13
20-34	78	4.7	8	2	2	4	6	8	9	18
35-49	42	5.5	12	<1	2	5	8	11	12	14
50-64	102	6.6	31	2	2	5	8	10	15	34
65+	192	7.6	47	2	3	6	8	14	22	32
B. *Operated*										
0-19 YRS	4	9.5	78	2	2	7	15	22	22	22
20-34	4	5.0	21	<1	<1	4	8	11	11	11
35-49	7	6.6	34	<1	1	5	7	17	19	19
50-64	11	11.3	73	3	4	9	12	25	32	33
65+	22	8.7	57	1	2	7	13	21	24	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	528	3.9	6	1	2	3	5	6	8	15
20-34	103	5.0	8	2	2	4	6	9	11	13
35-49	79	7.5	30	2	3	6	9	13	15	34
50-64	231	7.8	42	2	3	6	10	14	18	41
65+	733	10.1	60	3	3	8	12	20	28	41
B. *Operated*										
0-19 YRS	17	12.5	181	3	4	8	11	41	47	47
20-34	9	7.1	17	2	2	8	9	13	15	15
35-49	11	13.5	163	3	3	10	16	30	47	49
50-64	21	15.2	221	2	3	11	20	39	51	55
65+	80	16.4	154	3	4	13	23	36	46	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	764	5.1	23	1	2	4	6	9	12	28
B. *Operated*	48	8.8	55	1	2	7	12	20	23	33
2. MULTIPLE DX										
A. *Not Operated*	1674	7.4	43	2	2	5	9	14	20	36
B. *Operated*	138	14.9	162	2	3	11	20	34	48	99+
1. SINGLE DX	812	5.3	26	1	2	4	6	10	13	28
2. MULTIPLE DX	1812	7.9	56	2	2	6	10	16	23	43
A. NOT OPERATED	2438	6.7	38	2	2	5	8	13	18	34
B. OPERATED	186	13.3	141	2	3	10	18	31	44	87
TOTAL 0-19 YRS	899	3.9	11	1	2	3	4	6	8	17
20-34	194	5.0	9	2	2	4	6	9	10	14
35-49	139	7.3	38	2	3	6	9	13	15	36
50-64	365	8.0	53	2	3	6	9	14	19	47
65+	1027	10.1	69	3	3	8	12	21	29	44
GRAND TOTAL	**2624**	**7.1**	**48**	**2**	**2**	**5**	**9**	**14**	**21**	**39**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	159	6.1	16	2	2	5	8	11	14	19
20-34	511	6.9	19	2	3	6	9	12	15	22
35-49	168	7.6	22	2	3	7	10	13	17	25
50-64	61	8.4	36	1	3	7	11	15	22	30
65+	30	10.6	23	4	5	11	13	16	20	24
B. *Operated*										
0-19 YRS	3	6.0	4	4	4	6	7	8	8	8
20-34	22	7.2	53	1	1	4	11	17	24	28
35-49	20	6.9	18	2	2	6	11	12	13	13
50-64	8	8.8	87	2	2	5	13	25	28	28
65+	9	11.7	8	8	8	12	13	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	7.8	46	2	3	6	9	13	15	42
20-34	233	7.7	19	3	3	7	10	14	17	23
35-49	109	8.8	38	2	3	7	12	17	20	33
50-64	116	10.8	112	3	3	8	13	20	26	73
65+	74	10.2	46	3	4	8	12	19	21	39
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	30	9.6	36	2	3	7	13	19	22	24
35-49	22	9.7	29	2	3	10	14	17	18	19
50-64	24	11.5	116	1	2	8	14	30	37	38
65+	16	17.8	272	5	8	12	19	39	62	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	929	7.1	21	2	3	6	9	13	15	24
B. *Operated*	62	7.9	38	2	2	7	11	15	19	28
2. MULTIPLE DX										
A. *Not Operated*	590	8.8	48	3	3	7	11	16	20	35
B. *Operated*	93	11.5	100	2	3	9	15	20	29	58
1. SINGLE DX	991	7.2	22	2	2	6	9	13	16	25
2. MULTIPLE DX	683	9.2	56	2	3	8	11	17	20	38
A. NOT OPERATED	1519	7.8	32	2	3	7	10	14	17	28
B. OPERATED	155	10.1	78	2	2	9	13	19	26	41
TOTAL 0-19 YRS	221	6.6	24	2	2	6	8	12	14	33
20-34	796	7.3	21	2	3	6	9	13	16	22
35-49	319	8.1	28	2	3	7	11	15	18	26
50-64	209	10.1	89	2	3	8	12	19	27	51
65+	129	11.3	70	3	4	10	13	19	21	47
GRAND TOTAL	**1674**	**8.0**	**37**	**2**	**3**	**7**	**10**	**15**	**18**	**30**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	482	4.1	5	1	2	4	5	7	9	11
20-34	143	4.9	12	2	2	4	6	8	9	25
35-49	25	5.7	9	2	3	5	7	10	12	13
50-64	8	6.3	9	3	3	6	8	10	11	11
65+										
B. *Operated*										
0-19 YRS	9	6.1	16	2	2	4	10	12	13	13
20-34	5	6.2	15	4	4	5	7	13	13	13
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	473	4.7	7	2	2	4	6	8	10	14
20-34	178	5.3	10	2	2	4	7	10	12	16
35-49	33	7.5	15	2	3	7	9	13	14	19
50-64	10	6.2	9	2	3	6	7	11	13	13
65+	2	18.0	162	9	9	18	27	27	27	27
B. *Operated*										
0-19 YRS	11	4.5	4	1	2	4	6	7	9	9
20-34	11	9.2	19	4	4	9	11	15	19	19
35-49	3	8.7	24	3	3	11	12	12	12	12
50-64	2	6.5	5	5	5	6	8	8	8	8
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	658	4.4	7	2	2	4	5	7	9	12
B. *Operated*	14	6.1	15	2	2	5	10	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	696	5.0	9	2	2	4	6	9	11	15
B. *Operated*	27	7.0	16	2	3	6	9	12	14	19
1. SINGLE DX	672	4.4	7	2	2	4	5	8	9	13
2. MULTIPLE DX	723	5.1	9	2	2	4	7	9	11	15
A. NOT OPERATED	1354	4.7	8	2	2	4	6	8	10	14
B. OPERATED	41	6.7	15	2	3	5	9	12	13	19
TOTAL 0-19 YRS	975	4.4	6	2	2	4	6	8	9	12
20-34	337	5.3	12	2	2	4	7	9	12	18
35-49	61	6.8	13	2	3	6	9	12	13	18
50-64	20	6.3	8	2	3	6	8	10	12	13
65+	2	18.0	162	9	9	18	27	27	27	27
GRAND TOTAL	**1395**	**4.8**	**8**	**2**	**2**	**4**	**6**	**8**	**10**	**15**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.8	1	<1	<1	<1	3	3	3	3
20-34	6	1.8	1	1	1	2	2	4	4	4
35-49	4	1.8	1	<1	<1	1	2	3	3	3
50-64	1	5.0		5	5	5	5	5	5	5
65+										
B. *Operated*										
0-19 YRS	261	2.0	3	<1	<1	2	2	3	4	8
20-34	536	2.4	7	<1	1	2	3	4	5	8
35-49	147	2.5	3	<1	1	2	3	5	6	8
50-64	40	2.3	1	<1	<1	2	3	4	5	5
65+	16	4.4	19	<1	2	3	6	7	15	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	12	3.5	13	<1	<1	3	4	8	13	14
35-49	2	1.0		1	1	1	1	1	1	1
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	47	4.0	69	1	1	2	3	6	9	58
20-34	171	3.4	5	1	1	3	5	7	8	12
35-49	80	4.2	9	1	2	3	5	8	11	14
50-64	47	5.3	26	1	1	4	6	11	15	27
65+	21	6.2	21	1	2	5	7	14	16	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	2.0	2	<1	<1	2	3	4	5	5
B. *Operated*	1000	2.4	5	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	17	2.9	10	<1	1	2	3	5	11	14
B. *Operated*	366	4.1	18	1	1	3	5	7	10	18
1. SINGLE DX	1016	2.4	5	<1	<1	2	3	4	5	8
2. MULTIPLE DX	383	4.0	18	1	1	3	5	7	10	17
A. NOT OPERATED	33	2.5	6	<1	<1	2	3	5	5	14
B. OPERATED	1366	2.8	9	<1	1	2	3	5	7	13
TOTAL 0-19 YRS	314	2.3	13	<1	<1	2	2	4	5	10
20-34	725	2.7	7	<1	1	2	3	5	6	10
35-49	233	3.1	6	<1	1	2	3	6	8	13
50-64	89	3.9	17	<1	1	3	5	7	11	25
65+	38	5.3	20	1	2	4	7	13	17	19
GRAND TOTAL	**1399**	**2.8**	**9**	**<1**	**1**	**2**	**3**	**5**	**7**	**13**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1778	3.0	3	1	1	3	4	5	6	9
20-34	512	3.7	5	1	1	3	4	6	8	11
35-49	210	4.1	7	1	2	3	5	7	10	14
50-64	125	4.7	9	2	2	4	6	9	10	17
65+	115	4.7	9	1	2	4	6	8	11	16
B. *Operated*										
0-19 YRS	48	4.5	45	1	1	3	5	8	9	47
20-34	25	6.0	45	1	2	4	6	12	23	31
35-49	7	6.3	22	1	1	4	10	12	13	13
50-64	7	7.0	17	3	3	6	9	14	15	15
65+	3	12.0	148	4	4	6	21	26	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1501	3.4	6	1	1	3	4	6	7	13
20-34	675	4.1	7	1	2	4	5	7	9	15
35-49	468	4.8	12	2	2	4	6	8	10	21
50-64	444	5.5	12	2	2	5	7	10	12	16
65+	669	6.1	15	2	3	5	7	12	14	20
B. *Operated*										
0-19 YRS	46	6.3	58	1	2	4	6	10	24	39
20-34	43	7.1	24	2	3	5	9	13	17	24
35-49	28	10.0	64	3	3	7	11	17	33	36
50-64	35	10.1	67	3	3	8	11	21	26	44
65+	38	14.8	159	5	5	11	17	26	42	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2740	3.3	4	1	1	3	4	6	7	11
B. *Operated*	90	5.5	44	1	1	4	6	10	15	41
2. MULTIPLE DX										
A. *Not Operated*	3757	4.4	11	1	2	4	5	8	11	17
B. *Operated*	190	9.4	81	2	3	7	11	18	26	49
1. SINGLE DX	2830	3.4	6	1	1	3	4	6	8	12
2. MULTIPLE DX	3947	4.7	15	1	2	4	6	9	11	21
A. NOT OPERATED	6497	4.0	8	1	2	3	5	7	9	15
B. OPERATED	280	8.2	72	1	2	6	10	17	25	46
TOTAL 0-19 YRS	3373	3.2	6	1	1	3	4	5	7	12
20-34	1255	4.1	8	1	2	3	5	7	9	15
35-49	713	4.8	14	1	2	4	6	9	11	20
50-64	611	5.6	16	2	2	5	7	10	13	20
65+	825	6.3	25	2	2	5	8	12	15	24
GRAND TOTAL	**6777**	**4.1**	**12**	**1**	**2**	**3**	**5**	**7**	**10**	**17**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	207	4.2	6	2	2	4	5	7	9	15
20-34	101	4.4	6	2	2	4	6	8	9	13
35-49	40	4.3	8	1	2	4	5	7	10	15
50-64	32	5.9	11	2	2	5	7	11	13	14
65+	18	6.8	27	2	2	6	8	12	19	24
B. *Operated*										
0-19 YRS	8	3.8	5	2	2	3	5	7	8	8
20-34	3	8.7	65	4	4	4	15	18	18	18
35-49	3	9.0	31	3	3	10	13	14	14	14
50-64	2	14.5	181	5	5	14	24	24	24	24
65+	2	4.5	1	4	4	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	5.1	6	1	2	5	7	8	10	14
20-34	56	5.7	22	2	2	5	8	9	10	33
35-49	26	5.0	4	2	3	4	7	8	9	11
50-64	27	7.1	10	3	4	6	9	13	13	13
65+	20	11.7	191	3	4	7	13	19	43	66
B. *Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	1	15.0		15	15	15	15	15	15	15
35-49	3	12.7	72	4	4	13	19	21	21	21
50-64	5	14.8	107	4	4	12	18	32	32	32
65+	2	11.5	113	4	4	11	19	19	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	398	4.5	8	2	2	4	5	8	10	15
B. *Operated*	18	6.7	38	2	2	4	8	17	22	24
2. MULTIPLE DX										
A. *Not Operated*	186	6.3	34	2	3	5	7	10	13	29
B. *Operated*	12	13.6	64	4	4	13	17	24	31	32
1. SINGLE DX	416	4.6	9	2	2	4	5	8	10	16
2. MULTIPLE DX	198	6.7	38	2	3	5	8	12	15	33
A. NOT OPERATED	584	5.1	17	2	2	4	6	9	11	18
B. OPERATED	30	9.5	58	2	2	6	14	20	24	32
TOTAL 0-19 YRS	273	4.4	7	2	2	4	5	7	9	14
20-34	161	5.0	13	2	2	4	6	8	10	18
35-49	72	5.1	12	2	2	4	6	9	13	20
50-64	66	7.3	25	2	3	6	9	13	14	31
65+	42	9.2	109	2	3	6	10	19	22	66
GRAND TOTAL	**614**	**5.3**	**20**	**2**	**2**	**4**	**6**	**9**	**13**	**20**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	101	5.5	16	2	2	5	7	9	11	25
20-34	184	4.7	5	2	2	4	6	7	9	11
35-49	24	5.1	25	1	1	4	7	10	14	24
50-64	17	4.2	11	1	1	3	6	10	11	11
65+	14	3.9	19	<1	1	2	5	8	15	17
B. *Operated*										
0-19 YRS	29	3.5	8	1	1	2	4	9	10	12
20-34	57	3.0	16	<1	1	2	3	5	7	29
35-49	27	3.5	8	<1	1	2	5	8	10	10
50-64	17	4.8	21	2	2	3	5	12	16	18
65+	3	4.0	13	<1	<1	3	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	72	5.4	7	2	2	5	7	9	11	14
20-34	127	5.8	14	2	3	5	6	10	13	22
35-49	26	8.6	50	2	2	6	10	19	27	28
50-64	24	9.4	97	1	1	8	11	15	26	50
65+	38	11.0	73	2	3	9	13	20	34	39
B. *Operated*										
0-19 YRS	13	4.9	12	1	1	5	7	10	12	12
20-34	54	6.6	81	1	1	5	7	10	26	55
35-49	23	5.4	15	2	2	4	8	11	14	15
50-64	23	12.2	376	1	2	5	12	28	51	91
65+	12	11.0	61	1	2	10	15	23	26	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	340	4.9	10	1	2	4	6	8	10	16
B. *Operated*	133	3.5	13	<1	1	2	3	7	10	20
2. MULTIPLE DX										
A. *Not Operated*	287	7.0	34	2	3	5	9	13	16	34
B. *Operated*	125	7.7	117	1	2	5	9	14	27	65
1. SINGLE DX	473	4.5	11	1	2	4	6	8	10	17
2. MULTIPLE DX	412	7.2	59	2	2	5	9	13	19	37
A. NOT OPERATED	627	5.8	22	1	2	5	7	10	13	27
B. OPERATED	258	5.5	68	1	1	3	6	10	16	33
TOTAL 0-19 YRS	215	5.2	12	2	2	4	7	9	11	15
20-34	422	5.1	20	1	2	4	6	9	11	26
35-49	100	5.7	27	1	1	4	8	10	15	27
50-64	81	8.1	148	1	1	4	10	16	27	78
65+	67	9.2	65	1	1	7	13	17	27	38
GRAND TOTAL	**885**	**5.7**	**35**	**1**	**2**	**4**	**7**	**10**	**13**	**30**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	5.7	14	2	2	5	7	12	14	16
20-34	12	4.6	4	2	2	4	6	7	8	8
35-49	32	3.9	18	1	1	2	6	9	16	17
50-64	12	8.7	278	1	1	3	7	25	56	61
65+	8	8.3	23	3	3	7	10	16	18	18
B. *Operated*										
0-19 YRS	6	15.8	351	<1	<1	10	18	49	52	52
20-34	18	12.0	300	1	2	6	12	19	55	78
35-49	25	6.8	21	1	2	6	9	14	15	16
50-64	30	7.4	67	1	1	6	10	12	16	45
65+	28	10.5	167	<1	2	6	13	28	47	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	4.3	11	1	1	3	5	9	9	21
20-34	34	8.7	73	2	3	6	10	19	26	46
35-49	48	10.7	263	2	2	5	9	26	53	82
50-64	58	12.6	266	2	2	7	13	24	57	84
65+	86	12.4	235	3	3	8	12	20	50	89
B. *Operated*										
0-19 YRS	6	13.0	60	7	7	9	17	26	27	27
20-34	15	12.1	265	1	2	7	15	30	55	64
35-49	38	13.8	260	1	2	8	13	46	50	56
50-64	46	15.2	286	3	3	11	17	26	48	99
65+	32	16.8	504	2	2	8	20	38	85	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	88	5.5	51	1	1	4	7	10	16	45
B. *Operated*	107	9.3	137	<1	2	6	11	17	31	63
2. MULTIPLE DX										
A. *Not Operated*	285	10.0	188	2	2	6	10	19	35	81
B. *Operated*	137	14.7	312	2	3	9	17	38	50	94
1. SINGLE DX	195	7.6	101	1	1	5	9	16	18	57
2. MULTIPLE DX	422	11.5	233	2	2	7	12	24	47	87
A. NOT OPERATED	373	8.9	159	1	2	5	9	16	29	76
B. OPERATED	244	12.4	242	1	2	8	14	28	47	90
TOTAL 0-19 YRS	95	5.9	44	1	2	4	7	10	17	41
20-34	79	9.5	151	2	2	6	10	19	29	74
35-49	143	9.3	176	1	1	5	9	19	47	60
50-64	146	12.0	236	2	2	8	13	23	46	87
65+	154	12.7	269	2	2	7	14	29	48	93
GRAND TOTAL	**617**	**10.3**	**194**	**1**	**2**	**6**	**11**	**20**	**42**	**80**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	4.3	18	1	1	3	5	11	15	17
20-34	1	4.0		4	4	4	4	4	4	4
35-49	3	4.3	2	3	3	4	5	6	6	6
50-64	3	3.7	2	2	2	4	5	5	5	5
65+	3	1.7	1	<1	<1	1	2	3	3	3
B. *Operated*										
0-19 YRS	12	3.6	3	1	1	3	5	6	6	6
20-34	5	2.6	5	<1	<1	1	4	6	6	6
35-49	3	5.7	2	4	4	6	7	7	7	7
50-64	1	6.0		6	6	6	6	6	6	6
65+	2	5.5	5	4	4	5	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	4.3	11	1	2	4	5	7	12	16
20-34	15	7.1	37	2	2	5	9	14	22	25
35-49	1	4.0		4	4	4	4	4	4	4
50-64	8	7.0	32	3	3	4	10	16	17	17
65+	9	7.3	22	3	3	6	9	15	17	17
B. *Operated*										
0-19 YRS	14	4.9	3	2	3	5	6	7	7	7
20-34	10	12.6	99	2	3	8	16	29	33	33
35-49	4	8.8	122	1	1	4	15	25	25	25
50-64	4	7.8	10	5	5	8	10	11	11	11
65+	7	6.4	13	2	2	6	10	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	3.9	12	<1	1	3	5	7	12	17
B. *Operated*	23	3.9	4	<1	1	4	6	6	7	7
2. MULTIPLE DX										
A. *Not Operated*	51	6.1	24	2	2	4	7	14	17	25
B. *Operated*	39	7.8	46	2	2	6	9	15	26	33
1. SINGLE DX	49	3.9	8	1	1	3	5	7	8	17
2. MULTIPLE DX	90	6.8	34	2	2	5	8	15	17	30
A. NOT OPERATED	77	5.3	21	1	2	4	6	13	16	23
B. OPERATED	62	6.4	34	1	2	5	7	11	20	32
TOTAL 0-19 YRS	60	4.3	9	1	2	4	5	7	9	17
20-34	31	8.0	60	1	1	5	9	20	26	33
35-49	11	6.3	42	1	2	4	6	14	24	25
50-64	16	6.5	20	2	3	5	8	15	16	17
65+	21	6.0	17	1	2	5	8	12	15	17
GRAND TOTAL	**139**	**5.8**	**27**	**1**	**2**	**4**	**6**	**11**	**16**	**27**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	3.6	5	1	1	3	4	6	9	12
20-34	49	3.9	4	1	2	3	5	7	8	10
35-49	32	5.8	17	1	2	5	8	10	14	21
50-64	8	6.5	17	3	3	5	9	13	14	14
65+	3	5.3	2	4	4	5	6	7	7	7
B. *Operated*										
0-19 YRS	12	4.3	9	<1	1	4	6	9	10	10
20-34	137	5.8	35	1	2	4	7	11	16	31
35-49	66	6.2	16	2	2	5	8	11	14	20
50-64	21	5.4	23	1	2	4	8	12	17	20
65+	8	11.3	172	1	1	6	15	34	40	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	4.6	19	2	2	3	5	9	15	22
20-34	125	7.2	29	2	3	5	9	13	18	30
35-49	94	7.6	27	2	3	6	9	15	18	27
50-64	61	11.7	84	3	4	10	15	18	26	53
65+	41	8.8	36	2	4	7	11	21	23	23
B. *Operated*										
0-19 YRS	23	7.8	30	1	2	6	13	15	17	21
20-34	221	7.2	31	2	2	6	9	14	17	28
35-49	137	8.9	50	2	3	7	11	17	22	36
50-64	69	13.9	147	2	4	11	19	26	39	95
65+	25	14.5	128	3	5	13	21	26	33	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	121	4.5	10	1	2	4	5	8	10	16
B. *Operated*	244	5.9	33	1	2	4	8	11	16	29
2. MULTIPLE DX										
A. *Not Operated*	356	8.0	41	2	2	6	10	15	20	33
B. *Operated*	475	9.1	65	2	2	7	12	19	22	47
1. SINGLE DX	365	5.5	25	1	2	4	7	11	14	27
2. MULTIPLE DX	831	8.6	55	2	2	7	11	17	22	40
A. NOT OPERATED	477	7.1	35	2	2	5	9	14	18	28
B. OPERATED	719	8.0	56	2	2	6	10	16	21	42
TOTAL 0-19 YRS	99	5.0	18	1	2	4	6	12	15	22
20-34	532	6.5	30	2	2	5	8	12	16	28
35-49	329	7.7	35	2	2	6	9	15	19	33
50-64	159	11.6	108	2	3	9	15	22	28	74
65+	77	10.8	83	2	3	8	13	23	25	50
GRAND TOTAL	**1196**	**7.6**	**48**	**2**	**2**	**6**	**9**	**15**	**20**	**37**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49										
50-64	1	27.0		27	27	27	27	27	27	27
65+	2	14.5	61	9	9	14	20	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	2	1	1	3	4	4	4	4
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	5.0		5	5	5	5	5	5	5
50-64	11	5.5	10	2	2	4	7	11	11	11
65+	11	13.1	118	2	3	9	15	33	35	35
B. *Operated*										
0-19 YRS										
20-34	3	11.3	72	5	5	14	60	99+	99+	99+
35-49	3	3.7	8	2	2	2	6	7	7	7
50-64	3	10.7	86	3	3	8	18	21	21	21
65+	5	6.0	33	2	2	4	8	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*	4	15.8	89	7	7	14	23	27	27	27
2. MULTIPLE DX										
A. *Not Operated*	27	8.1	68	2	2	5	10	15	32	35
B. *Operated*	14	7.6	46	2	2	5	14	21	80	99+
1. SINGLE DX	6	11.3	101	1	1	8	20	26	27	27
2. MULTIPLE DX	41	8.0	59	2	2	5	10	21	33	99+
A. NOT OPERATED	29	7.8	65	1	2	5	9	15	32	35
B. OPERATED	18	9.4	63	2	2	7	19	25	67	99+
TOTAL 0-19 YRS	3	2.7	2	1	1	3	4	4	4	4
20-34	5	8.8	50	3	3	7	21	92	99+	99+
35-49	4	4.0	6	2	2	4	6	7	7	7
50-64	15	7.9	52	2	2	5	10	21	25	27
65+	20	10.4	90	1	2	8	15	26	33	35
GRAND TOTAL	**47**	**8.4**	**64**	**2**	**2**	**5**	**10**	**21**	**32**	**99+**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0	4	1	1	1	3	5	5	5
20-34	12	3.7	3	1	1	4	5	6	6	6
35-49	20	4.4	13	1	1	3	6	10	13	14
50-64	54	6.8	163	1	1	3	7	14	24	86
65+	71	5.5	53	1	2	4	5	10	16	49
B. *Operated*										
0-19 YRS	5	4.8	22	2	2	3	6	13	13	13
20-34	25	5.5	21	1	2	3	7	14	15	19
35-49	75	6.4	35	1	2	3	10	14	19	27
50-64	249	6.8	55	1	2	4	9	15	21	34
65+	328	6.9	49	1	2	4	9	17	23	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	8	4.6	7	2	2	4	6	9	10	10
35-49	33	6.1	30	1	1	4	9	12	15	28
50-64	145	7.6	65	1	2	4	10	18	23	34
65+	165	8.8	88	1	2	6	11	20	28	51
B. *Operated*										
0-19 YRS	4	4.8	12	2	2	4	7	9	9	9
20-34	15	7.9	53	2	2	4	14	20	22	23
35-49	97	14.1	202	2	2	10	19	33	44	67
50-64	296	14.3	270	2	2	9	18	36	48	91
65+	456	12.4	205	2	2	8	15	28	43	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	161	5.6	80	1	1	4	6	11	16	54
B. *Operated*	682	6.7	48	1	2	4	9	16	21	33
2. MULTIPLE DX										
A. *Not Operated*	353	7.9	72	1	2	5	10	18	23	37
B. *Operated*	868	13.1	224	2	2	8	16	31	44	87
1. SINGLE DX	843	6.5	55	1	2	4	8	15	20	33
2. MULTIPLE DX	1221	11.6	186	2	2	7	14	27	39	76
A. NOT OPERATED	514	7.2	75	1	2	4	9	16	22	43
B. OPERATED	1550	10.3	157	2	2	6	13	24	34	72
TOTAL 0-19 YRS	15	3.9	11	1	1	2	5	9	12	13
20-34	60	5.6	25	2	2	4	6	14	18	23
35-49	225	9.5	120	1	2	5	12	24	32	51
50-64	744	9.9	163	1	2	5	12	23	33	75
65+	1020	9.6	132	2	2	5	12	22	31	69
GRAND TOTAL	**2064**	**9.5**	**138**	**1**	**2**	**5**	**12**	**22**	**31**	**68**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	12	6.8	9	2	3	7	8	11	12	12
50-64	35	5.5	23	1	1	4	8	12	16	20
65+	34	7.8	45	1	2	6	11	16	19	35
B. *Operated*										
0-19 YRS										
20-34										
35-49	15	12.2	283	1	1	8	13	22	56	68
50-64	74	14.0	127	2	2	11	19	28	35	89
65+	97	14.3	136	2	2	12	21	36	40	75
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	21	8.0	45	1	2	6	9	20	24	25
50-64	93	10.3	98	2	2	7	13	21	30	54
65+	98	9.9	84	2	3	7	11	22	31	44
B. *Operated*										
0-19 YRS										
20-34	3	10.0	169	2	2	3	19	25	25	25
35-49	32	18.0	304	3	4	12	25	48	72	99+
50-64	170	18.6	225	3	4	16	25	36	43	74
65+	184	16.8	220	3	4	12	23	36	53	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	6.7	31	1	2	5	9	12	17	30
B. *Operated*	186	14.0	142	2	2	11	19	30	39	88
2. MULTIPLE DX										
A. *Not Operated*	214	9.8	86	2	3	7	12	22	29	44
B. *Operated*	389	17.6	228	3	4	13	24	37	53	80
1. SINGLE DX	267	11.8	120	2	2	9	17	25	37	66
2. MULTIPLE DX	603	14.8	191	2	3	10	20	32	43	75
A. NOT OPERATED	295	9.0	73	2	2	7	11	18	28	43
B. OPERATED	575	16.4	203	2	3	13	23	36	46	80
TOTAL 0-19 YRS										
20-34	5	7.4	98	2	2	3	10	25	25	25
35-49	80	12.6	205	2	3	8	15	29	52	92
50-64	372	14.3	173	2	2	10	20	30	39	72
65+	413	13.8	163	2	3	10	19	32	42	80
GRAND TOTAL	**870**	**13.9**	**171**	**2**	**3**	**9**	**19**	**30**	**40**	**75**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	11	7.9	49	2	2	5	11	20	24	24
50-64	26	8.8	70	<1	1	6	11	20	29	34
65+	65	7.2	36	1	1	6	10	15	20	28
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	3	18.3	17	15	15	17	21	23	23	23
35-49	16	13.0	136	2	3	9	15	26	42	49
50-64	65	15.1	93	2	3	13	19	31	35	43
65+	134	17.1	85	3	7	15	23	30	32	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	26	6.3	33	1	2	5	7	12	21	27
50-64	88	7.4	43	1	1	6	10	17	21	32
65+	202	9.9	110	2	2	7	12	19	29	61
B. *Operated*										
0-19 YRS	3	20.3	49	13	13	21	25	27	27	27
20-34	11	16.5	127	3	3	15	23	34	39	39
35-49	47	15.2	77	3	6	13	19	25	29	51
50-64	175	17.3	111	6	7	16	22	30	36	54
65+	399	19.7	182	4	7	17	26	37	44	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	104	7.6	45	1	1	6	10	17	23	31
B. *Operated*	219	16.2	91	3	6	14	21	29	33	45
2. MULTIPLE DX										
A. *Not Operated*	317	8.9	86	1	2	6	11	18	26	52
B. *Operated*	635	18.6	154	4	7	16	24	34	41	73
1. SINGLE DX	323	13.4	92	2	3	12	18	28	31	43
2. MULTIPLE DX	952	15.4	153	2	3	12	21	31	38	62
A. NOT OPERATED	421	8.6	76	1	2	6	11	18	25	41
B. OPERATED	854	18.0	139	3	7	15	23	32	39	62
TOTAL 0-19 YRS	4	17.5	65	9	9	17	24	27	27	27
20-34	17	14.5	111	2	3	15	18	30	36	39
35-49	100	11.7	85	2	3	10	15	24	27	50
50-64	354	13.8	105	2	3	12	19	28	34	43
65+	800	15.7	158	2	3	13	21	31	38	66
GRAND TOTAL	**1275**	**14.9**	**138**	**2**	**3**	**12**	**20**	**29**	**36**	**61**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	1.0		1	1	1	1	1	1	1
50-64	1	4.0		4	4	4	4	4	4	4
65+	4	9.8	6	8	8	9	11	13	13	13
B. *Operated*										
0-19 YRS										
20-34	2	14.5	113	7	7	14	22	22	22	22
35-49	1	10.0		10	10	10	10	10	10	10
50-64	9	16.7	42	9	10	15	19	28	30	30
65+	8	17.6	50	9	9	17	21	28	31	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	6	2.7	3	1	1	2	3	6	6	6
50-64	12	9.7	152	1	2	6	9	21	44	48
65+	17	7.3	76	3	3	4	7	14	31	39
B. *Operated*										
0-19 YRS										
20-34	2	12.0	18	9	9	12	15	15	15	15
35-49	14	18.1	58	9	10	16	21	27	36	39
50-64	23	18.3	121	5	7	17	24	30	41	53
65+	62	21.2	174	8	10	18	25	43	53	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	6.4	21	1	1	8	10	12	13	13
B. *Operated*	20	16.5	45	8	9	15	21	27	30	31
2. MULTIPLE DX										
A. *Not Operated*	36	7.2	89	1	2	5	7	10	32	48
B. *Operated*	101	19.9	144	8	9	17	23	37	49	59
1. SINGLE DX	27	13.9	58	1	5	13	18	24	30	31
2. MULTIPLE DX	137	16.6	160	3	4	14	22	36	46	56
A. NOT OPERATED	43	7.1	77	1	2	5	8	11	23	48
B. OPERATED	121	19.3	128	8	9	17	23	35	45	57
TOTAL 0-19 YRS										
20-34	5	11.4	51	4	4	9	17	22	22	22
35-49	23	12.2	93	1	1	12	17	23	31	39
50-64	45	15.3	123	4	5	13	20	29	38	53
65+	91	17.8	167	3	4	15	22	37	47	60
GRAND TOTAL	**164**	**16.1**	**144**	**3**	**4**	**13**	**21**	**30**	**43**	**54**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	18	6.2	33	1	1	5	7	14	20	23
50-64	82	7.6	115	1	1	5	7	14	26	61
65+	129	7.0	39	2	2	5	8	14	20	31
B. *Operated*										
0-19 YRS	5	6.2	14	2	2	7	9	11	11	11
20-34	23	12.9	73	5	7	10	16	22	30	44
35-49	82	11.8	25	3	6	11	14	18	21	27
50-64	302	12.5	29	5	7	12	15	19	22	31
65+	614	15.8	64	7	9	14	19	26	29	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	26	8.2	114	2	2	5	9	13	28	56
35-49	67	7.0	39	1	2	5	9	14	17	36
50-64	317	7.3	34	1	2	5	9	15	20	28
65+	723	9.4	91	2	3	7	11	19	27	55
B. *Operated*										
0-19 YRS	2	17.5	1	17	17	17	18	18	18	18
20-34	32	12.4	19	6	7	12	15	18	19	27
35-49	191	14.0	57	5	7	13	16	22	27	48
50-64	913	16.3	90	6	8	14	19	27	32	54
65+	2424	19.3	117	7	10	17	23	33	41	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	231	7.1	65	1	2	5	8	14	22	50
B. *Operated*	1026	14.4	54	6	8	13	17	23	28	41
2. MULTIPLE DX										
A. *Not Operated*	1134	8.7	74	2	2	6	10	17	24	47
B. *Operated*	3562	18.2	109	7	9	16	22	30	38	60
1. SINGLE DX	1257	13.1	64	2	4	12	16	22	27	43
2. MULTIPLE DX	4696	15.9	117	3	4	14	20	28	36	58
A. NOT OPERATED	1365	8.4	72	2	2	6	10	17	23	48
B. OPERATED	4588	17.3	99	6	9	15	21	29	36	57
TOTAL 0-19 YRS	8	8.6	39	2	2	7	14	18	18	18
20-34	83	11.0	68	3	4	10	14	19	22	52
35-49	358	11.8	53	2	4	11	15	19	24	38
50-64	1614	13.4	83	2	4	12	17	24	29	47
65+	3890	16.5	119	3	5	15	21	29	37	60
GRAND TOTAL	**5953**	**15.3**	**107**	**3**	**4**	**13**	**19**	**27**	**34**	**56**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	8.0	63	2	2	5	14	17	17	17
35-49	15	4.5	9	1	1	4	7	8	10	10
50-64	35	7.7	53	1	1	5	10	23	24	27
65+	97	8.0	77	1	2	5	10	18	24	47
B. *Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	10	13.1	58	1	2	13	18	23	25	25
35-49	76	13.7	49	3	3	13	17	22	26	37
50-64	241	13.2	38	3	5	13	17	20	22	33
65+	428	15.6	96	3	4	14	20	27	34	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	12	11.8	146	3	3	8	12	31	43	45
35-49	38	7.4	38	2	2	6	10	13	17	35
50-64	165	8.0	48	1	2	6	11	18	20	46
65+	392	10.4	121	2	2	7	13	23	32	58
B. *Operated*										
0-19 YRS	4	14.3	241	3	3	8	24	37	37	37
20-34	15	14.9	97	4	6	13	17	26	39	44
35-49	99	14.5	102	2	4	12	18	25	37	57
50-64	491	17.1	119	4	6	15	21	31	39	60
65+	999	19.4	163	4	6	17	24	33	44	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	150	7.6	64	1	1	5	10	18	24	47
B. *Operated*	756	14.6	73	3	4	13	18	24	30	43
2. MULTIPLE DX										
A. *Not Operated*	607	9.6	98	1	2	6	12	20	29	54
B. *Operated*	1608	18.3	147	4	6	16	23	32	41	70
1. SINGLE DX	906	13.5	78	2	3	13	17	23	29	44
2. MULTIPLE DX	2215	15.9	149	2	4	14	21	30	39	67
A. NOT OPERATED	757	9.2	92	1	2	6	11	19	28	52
B. OPERATED	2364	17.1	127	3	5	15	21	30	37	62
TOTAL 0-19 YRS	5	14.2	181	3	3	11	20	37	37	37
20-34	40	13.0	97	2	3	11	16	25	35	45
35-49	228	12.4	78	2	3	12	16	22	28	44
50-64	932	14.1	96	2	4	13	18	25	32	53
65+	1916	16.1	151	2	3	14	21	30	39	67
GRAND TOTAL	**3121**	**15.2**	**130**	**2**	**3**	**13**	**20**	**28**	**36**	**60**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7	9	<1	<1	3	6	7	7	7
20-34	9	7.8	29	2	2	6	11	17	17	17
35-49	13	7.8	95	1	1	4	8	22	33	36
50-64	20	5.6	26	1	1	4	7	13	18	21
65+	49	6.8	45	1	2	5	8	13	17	38
B. *Operated*										
0-19 YRS	3	8.7	30	5	5	6	13	15	15	15
20-34	7	17.9	81	7	8	19	23	31	33	33
35-49	18	12.7	41	4	5	13	16	20	25	28
50-64	43	14.3	48	3	7	14	17	23	27	32
65+	94	13.4	86	2	3	11	20	27	29	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	6.8	9	4	4	6	9	11	11	11
20-34	10	6.1	33	2	2	4	6	14	22	22
35-49	23	9.1	82	1	1	7	14	21	30	36
50-64	78	9.0	53	1	2	7	12	17	22	39
65+	155	10.1	86	1	2	8	13	18	24	49
B. *Operated*										
0-19 YRS	3	19.0	271	9	9	10	31	38	38	38
20-34	16	16.2	86	4	8	14	21	33	34	34
35-49	31	17.1	110	7	8	15	23	28	38	54
50-64	118	19.4	174	6	8	16	24	34	51	67
65+	281	20.2	159	7	8	17	26	35	47	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	94	6.7	44	1	2	5	8	15	18	37
B. *Operated*	165	13.7	70	2	3	12	18	25	29	40
2. MULTIPLE DX										
A. *Not Operated*	270	9.5	73	1	2	7	13	18	24	47
B. *Operated*	449	19.6	157	7	8	16	24	35	46	70
1. SINGLE DX	259	11.1	72	2	2	9	16	23	28	38
2. MULTIPLE DX	719	15.8	149	2	4	13	20	32	40	64
A. NOT OPERATED	364	8.8	67	1	2	7	11	17	22	45
B. OPERATED	614	18.0	140	4	7	15	22	33	41	66
TOTAL 0-19 YRS	13	9.3	88	<1	2	6	10	20	35	38
20-34	42	12.3	81	2	3	10	17	25	33	34
35-49	85	12.6	97	1	2	10	17	26	31	49
50-64	259	14.3	131	2	3	12	18	29	35	60
65+	579	15.2	143	2	3	13	20	30	38	63
GRAND TOTAL	**978**	**14.6**	**133**	**2**	**3**	**12**	**19**	**29**	**36**	**59**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	15.0		15	15	15	15	15	15	15
35-49	11	5.4	4	3	3	5	6	8	11	11
50-64	28	7.5	38	1	1	6	9	17	24	24
65+	71	8.8	80	2	2	6	11	19	26	52
B. *Operated*										
0-19 YRS										
20-34	2	14.0	128	6	6	14	22	22	22	22
35-49	15	24.4	484	5	5	17	28	50	81	92
50-64	47	17.6	80	7	8	16	22	27	40	45
65+	103	19.7	153	5	8	17	23	33	44	70
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	6	7.3	33	2	2	6	8	17	18	18
35-49	31	8.2	82	1	2	6	8	15	17	52
50-64	136	8.8	42	1	2	7	12	18	22	30
65+	288	9.5	74	2	2	7	12	19	28	45
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	7	15.4	119	4	5	10	24	32	34	34
35-49	32	17.0	91	5	8	15	21	26	42	45
50-64	200	21.0	140	7	9	19	26	37	51	99+
65+	474	21.4	190	6	8	18	28	37	44	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	111	8.2	62	1	2	6	10	18	24	42
B. *Operated*	167	19.4	161	5	8	17	23	32	43	81
2. MULTIPLE DX										
A. *Not Operated*	463	9.2	64	2	2	7	12	18	26	44
B. *Operated*	714	21.0	171	6	8	18	27	36	45	83
1. SINGLE DX	278	14.9	152	2	4	12	20	27	37	57
2. MULTIPLE DX	1177	16.3	162	3	4	14	22	33	40	70
A. NOT OPERATED	574	9.0	64	2	2	6	12	18	24	44
B. OPERATED	881	20.7	170	6	8	18	26	36	45	83
TOTAL 0-19 YRS	3	4.0	4	2	2	4	5	6	6	6
20-34	16	12.2	83	2	3	9	17	26	32	34
35-49	89	13.7	180	3	4	9	17	26	44	76
50-64	411	15.6	128	2	4	14	21	30	40	69
65+	936	16.6	174	3	3	14	22	33	40	69
GRAND TOTAL	**1455**	**16.1**	**161**	**3**	**4**	**13**	**21**	**32**	**40**	**69**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	6.6	25	1	1	7	9	14	14	14
35-49	137	6.2	49	1	1	3	7	16	21	34
50-64	462	5.6	35	1	1	4	7	12	16	33
65+	505	7.5	61	1	1	5	10	16	21	42
B. *Operated*										
0-19 YRS	2	20.0	50	15	15	20	25	25	25	25
20-34	11	15.2	32	8	9	15	17	24	27	27
35-49	185	11.6	62	3	4	10	14	21	25	40
50-64	818	11.9	60	2	3	11	16	21	25	36
65+	978	11.9	71	2	3	10	16	22	27	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	15	10.1	72	1	2	7	16	20	28	31
35-49	351	7.0	46	1	1	5	9	16	20	32
50-64	1689	8.5	72	1	2	6	11	18	25	41
65+	2234	9.8	77	2	2	7	13	20	26	42
B. *Operated*										
0-19 YRS	3	13.7	36	8	8	13	18	20	20	20
20-34	22	11.0	86	2	3	8	13	27	31	36
35-49	385	14.2	129	3	4	11	18	27	34	59
50-64	2132	14.3	110	3	4	12	18	27	35	54
65+	2638	15.3	129	3	4	13	20	29	37	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1109	6.6	49	1	1	4	8	14	20	37
B. *Operated*	1994	11.9	65	2	3	10	16	22	26	39
2. MULTIPLE DX										
A. *Not Operated*	4291	9.1	73	1	2	7	12	19	25	41
B. *Operated*	5180	14.8	121	3	4	12	19	28	36	57
1. SINGLE DX	3103	10.0	66	1	2	8	14	20	24	39
2. MULTIPLE DX	9471	12.2	108	2	3	10	16	24	32	52
A. NOT OPERATED	5400	8.5	69	1	2	6	11	18	24	41
B. OPERATED	7174	14.0	107	3	4	12	18	26	33	53
TOTAL 0-19 YRS	7	12.4	70	2	2	13	19	24	25	25
20-34	53	11.2	68	2	3	10	16	23	28	36
35-49	1058	10.3	91	1	2	8	14	21	28	44
50-64	5101	11.2	92	2	2	9	15	23	29	47
65+	6355	12.2	104	2	3	10	16	24	31	50
GRAND TOTAL	**12574**	**11.6**	**98**	**2**	**2**	**9**	**16**	**23**	**30**	**49**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	5.0	16	<1	1	4	6	12	14	14
35-49	5	7.6	77	2	2	5	10	23	23	23
50-64	38	6.0	43	1	2	4	7	12	18	37
65+	38	8.8	93	1	1	6	11	18	31	47
B. *Operated*										
0-19 YRS	5	14.8	485	<1	<1	2	26	52	52	52
20-34	11	9.6	76	1	1	9	13	24	25	25
35-49	64	9.3	127	1	1	4	14	21	30	61
50-64	264	8.0	88	1	1	3	12	21	25	48
65+	253	6.8	65	1	1	3	10	17	24	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	6.2	7	3	3	5	9	9	9	9
35-49	24	7.9	50	2	2	6	9	18	24	33
50-64	73	8.9	139	1	2	5	9	23	29	67
65+	115	8.5	126	1	1	5	10	17	23	66
B. *Operated*										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	8	14.4	56	4	5	14	19	26	27	27
35-49	52	14.3	271	2	2	11	15	31	48	80
50-64	239	14.1	176	2	2	11	20	30	41	71
65+	258	14.0	190	2	2	11	19	30	42	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	89	7.2	64	1	1	4	9	14	23	43
B. *Operated*	597	7.7	85	1	1	3	12	20	26	45
2. MULTIPLE DX										
A. *Not Operated*	217	8.5	119	1	2	5	9	18	27	66
B. *Operated*	559	14.1	188	2	2	11	20	30	42	79
1. SINGLE DX	686	7.6	83	1	1	3	12	19	26	45
2. MULTIPLE DX	776	12.5	175	1	2	9	17	27	37	70
A. NOT OPERATED	306	8.1	103	1	2	5	9	17	27	65
B. OPERATED	1156	10.8	145	1	2	6	16	25	33	61
TOTAL 0-19 YRS	7	11.9	350	<1	<1	2	15	45	52	52
20-34	32	9.1	55	1	2	7	14	23	25	27
35-49	145	10.8	169	1	2	6	14	25	33	74
50-64	614	10.4	134	1	2	6	15	24	33	59
65+	664	10.0	136	1	2	5	15	24	31	62
GRAND TOTAL	**1462**	**10.2**	**137**	**1**	**2**	**5**	**15**	**24**	**32**	**62**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	2.4	3	<1	<1	1	4	5	6	6
20-34	15	4.9	4	1	3	5	6	8	8	8
35-49	12	6.3	24	1	1	4	10	14	15	15
50-64	17	8.6	59	2	2	7	9	23	26	27
65+	31	8.7	68	3	3	6	11	20	29	38
B. *Operated*										
0-19 YRS	34	7.2	27	2	2	6	9	15	17	23
20-34	47	8.6	47	1	2	7	10	18	21	35
35-49	43	9.3	109	<1	1	5	12	25	34	42
50-64	85	8.8	62	1	2	6	12	22	28	32
65+	95	10.2	87	2	3	8	13	22	29	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	4.8	28	1	1	3	5	11	15	30
20-34	31	5.5	22	2	2	4	7	13	19	20
35-49	26	10.6	103	3	3	6	16	26	35	41
50-64	46	7.0	43	2	2	5	7	14	18	37
65+	70	9.2	77	2	2	6	12	19	27	45
B. *Operated*										
0-19 YRS	14	12.7	189	2	2	8	12	30	47	52
20-34	20	11.3	163	1	1	9	15	44	72	99+
35-49	35	14.2	156	3	3	11	20	30	45	55
50-64	78	13.7	97	3	4	13	19	25	33	50
65+	142	14.6	148	2	2	12	18	30	38	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	102	6.2	41	<1	1	4	7	12	22	33
B. *Operated*	304	9.1	70	1	2	6	12	20	28	40
2. MULTIPLE DX										
A. *Not Operated*	220	7.4	58	1	2	5	8	16	24	40
B. *Operated*	289	14.0	137	2	3	11	18	29	38	60
1. SINGLE DX	406	8.4	64	1	2	6	11	18	26	38
2. MULTIPLE DX	509	11.2	113	2	2	8	15	24	33	53
A. NOT OPERATED	322	7.0	53	1	2	5	8	15	23	38
B. OPERATED	593	11.5	108	2	2	9	15	25	32	53
TOTAL 0-19 YRS	122	5.8	48	<1	1	4	7	13	18	36
20-34	113	7.7	59	1	2	5	10	18	21	67
35-49	116	10.8	117	1	2	7	15	25	33	51
50-64	226	10.1	76	2	2	7	14	23	28	39
65+	338	11.7	114	2	2	9	15	26	33	53
GRAND TOTAL	**915**	**9.9**	**93**	**1**	**2**	**7**	**13**	**22**	**30**	**50**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	7	4.3	25	1	1	2	5	13	15	15
35-49	22	5.4	28	<1	1	4	6	10	18	25
50-64	22	5.1	11	1	1	5	7	10	11	11
65+	14	4.3	3	1	2	5	6	6	7	7
B. *Operated*										
0-19 YRS	7	4.3	16	2	2	2	5	11	13	13
20-34	119	5.6	21	1	2	4	8	11	13	26
35-49	153	5.7	30	1	1	4	7	11	14	30
50-64	161	6.0	17	1	2	5	8	11	14	21
65+	147	6.6	34	1	2	5	9	14	20	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	9.0	98	2	2	9	16	16	16	16
20-34	19	4.7	29	<1	<1	2	6	10	18	24
35-49	25	5.1	14	1	2	4	6	9	14	18
50-64	57	7.6	39	1	2	6	9	16	23	28
65+	71	8.2	67	2	2	5	9	20	28	41
B. *Operated*										
0-19 YRS	3	11.3	114	2	2	9	19	23	23	23
20-34	35	7.1	39	1	2	6	9	11	24	29
35-49	62	7.6	39	2	2	6	9	16	19	34
50-64	110	10.4	76	2	2	8	14	22	25	43
65+	157	10.5	110	2	2	8	13	22	26	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	67	4.9	15	1	1	4	6	10	11	23
B. *Operated*	587	5.9	25	1	2	4	8	12	15	26
2. MULTIPLE DX										
A. *Not Operated*	174	7.2	47	1	2	5	8	14	24	32
B. *Operated*	367	9.7	82	2	2	7	13	21	25	44
1. SINGLE DX	654	5.8	24	1	2	4	8	11	15	25
2. MULTIPLE DX	541	8.9	72	2	2	6	11	19	25	40
A. NOT OPERATED	241	6.5	39	1	2	5	8	13	21	31
B. OPERATED	954	7.4	51	1	2	5	9	15	21	34
TOTAL 0-19 YRS	14	6.4	43	2	2	3	9	17	22	23
20-34	180	5.7	25	1	1	4	8	11	14	29
35-49	262	6.1	31	1	2	4	7	13	16	29
50-64	350	7.6	43	1	2	6	10	15	21	35
65+	389	8.4	73	1	2	6	10	19	25	40
GRAND TOTAL	**1195**	**7.2**	**48**	**1**	**2**	**5**	**9**	**15**	**21**	**32**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34										
35-49	7	2.3	1	1	1	2	3	4	4	4
50-64	7	3.9	6	1	1	4	6	7	7	7
65+	17	11.0	191	1	1	4	17	38	41	42
B. *Operated*										
0-19 YRS	5	2.4	7	<1	<1	1	3	7	7	7
20-34	31	3.1	12	<1	<1	2	3	6	6	20
35-49	128	2.8	5	<1	<1	2	4	6	8	11
50-64	302	2.8	7	<1	1	2	3	6	8	11
65+	723	3.4	17	<1	1	2	4	7	10	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	5.5	25	2	2	5	9	9	9	9
35-49	5	7.8	28	2	2	7	11	16	16	16
50-64	21	6.6	33	1	2	4	10	13	19	25
65+	53	8.8	108	1	2	7	10	15	34	54
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	24	8.6	160	1	1	4	9	24	37	58
35-49	95	4.0	17	<1	1	2	4	10	12	22
50-64	342	4.6	27	1	1	3	5	10	16	25
65+	893	6.2	48	1	2	3	8	14	22	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	7.6	117	1	1	3	7	21	39	42
B. *Operated*	1189	3.2	13	<1	1	2	3	6	9	19
2. MULTIPLE DX										
A. *Not Operated*	82	8.0	81	1	2	6	10	15	21	52
B. *Operated*	1355	5.7	43	1	1	3	7	13	19	33
1. SINGLE DX	1221	3.3	16	<1	1	2	4	7	9	20
2. MULTIPLE DX	1437	5.8	45	1	1	3	7	13	19	34
A. NOT OPERATED	114	7.9	90	1	2	4	9	15	30	51
B. OPERATED	2544	4.5	31	<1	1	2	5	10	14	30
TOTAL 0-19 YRS	8	4.6	24	<1	<1	2	8	12	14	14
20-34	57	5.5	80	<1	<1	3	5	12	23	56
35-49	235	3.4	11	<1	1	2	4	7	10	16
50-64	672	3.9	19	<1	1	2	4	8	12	24
65+	1686	5.2	40	1	1	3	6	12	17	34
GRAND TOTAL	**2658**	**4.7**	**34**	**<1**	**1**	**3**	**5**	**10**	**15**	**31**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	14	2.9	8	1	1	2	3	7	9	10
35-49	113	4.7	23	1	1	3	7	11	15	22
50-64	133	4.5	22	1	1	3	6	9	13	28
65+	105	6.1	51	1	1	4	7	14	24	36
B. *Operated*										
0-19 YRS	8	4.1	6	2	2	4	5	8	9	9
20-34	181	6.2	9	1	2	6	8	10	11	15
35-49	788	6.8	11	2	3	6	9	11	12	17
50-64	1179	7.7	14	2	4	7	9	12	13	19
65+	1249	8.4	19	3	4	8	10	13	16	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	42	7.5	96	1	1	4	10	16	34	43
35-49	298	7.7	88	1	1	5	9	19	25	46
50-64	608	8.8	68	1	1	6	12	20	26	40
65+	779	10.1	113	1	2	7	13	22	30	66
B. *Operated*										
0-19 YRS	4	8.8	8	6	6	8	11	12	12	12
20-34	112	8.8	21	3	5	8	11	13	14	30
35-49	679	9.3	45	2	4	8	11	15	22	37
50-64	1266	11.0	72	3	5	9	12	19	25	53
65+	1749	12.0	81	4	5	10	14	21	29	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	366	5.0	31	1	1	3	6	11	15	30
B. *Operated*	3405	7.7	15	2	3	7	9	12	14	21
2. MULTIPLE DX										
A. *Not Operated*	1728	9.2	93	1	2	6	12	21	28	49
B. *Operated*	3810	11.1	71	3	5	9	13	19	26	51
1. SINGLE DX	3771	7.4	18	2	3	7	9	12	14	22
2. MULTIPLE DX	5538	10.5	79	2	3	8	12	19	27	50
A. NOT OPERATED	2094	8.4	85	1	1	6	11	19	27	47
B. OPERATED	7215	9.5	48	3	4	8	11	15	21	40
TOTAL 0-19 YRS	14	5.0	12	<1	1	5	7	10	12	12
20-34	349	7.1	25	1	2	7	9	12	13	28
35-49	1878	7.7	38	1	2	7	9	13	18	33
50-64	3186	9.1	51	2	3	8	11	15	21	40
65+	3882	10.3	69	2	3	8	12	18	25	49
GRAND TOTAL	**9309**	**9.2**	**56**	**2**	**3**	**8**	**11**	**16**	**22**	**43**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	56	3.8	7	1	1	3	4	7	10	15
35-49	86	4.3	12	1	2	3	4	7	12	20
50-64	119	4.4	18	1	2	3	4	7	14	26
65+	119	4.5	16	2	2	4	4	5	10	28
B. *Operated*										
0-19 YRS	5	4.2	10	1	1	3	7	8	8	8
20-34	158	5.0	15	1	2	4	7	10	12	17
35-49	154	6.1	26	1	2	5	8	12	17	23
50-64	132	6.1	39	2	2	4	8	13	20	32
65+	131	7.2	87	2	2	4	8	15	24	55
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	37	5.4	25	1	1	4	7	12	18	23
35-49	84	5.5	26	1	1	4	7	11	14	29
50-64	130	7.2	58	2	2	4	8	14	20	42
65+	117	6.7	59	1	2	4	7	14	20	44
B. *Operated*										
0-19 YRS	2	9.0	18	6	6	9	12	12	12	12
20-34	98	9.0	72	1	2	7	11	16	22	53
35-49	171	10.4	103	2	2	7	11	24	30	47
50-64	186	12.4	133	2	2	9	15	26	37	57
65+	173	10.8	104	2	3	8	14	22	29	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	380	4.3	14	1	2	3	4	7	12	23
B. *Operated*	580	6.0	40	1	2	4	7	12	17	33
2. MULTIPLE DX										
A. *Not Operated*	368	6.5	48	1	2	4	8	13	20	38
B. *Operated*	630	10.9	108	2	2	8	13	23	30	55
1. SINGLE DX	960	5.4	30	1	2	4	6	10	15	29
2. MULTIPLE DX	998	9.3	90	2	2	7	11	19	27	53
A. NOT OPERATED	748	5.4	32	1	2	4	5	10	16	31
B. OPERATED	1210	8.6	81	2	2	6	10	18	25	48
TOTAL 0-19 YRS	7	5.6	15	1	1	6	8	11	12	12
20-34	349	6.0	34	1	2	4	7	12	16	24
35-49	495	7.2	56	1	2	5	8	15	22	43
50-64	567	8.1	80	2	2	4	10	18	26	46
65+	540	7.7	76	2	2	4	8	16	23	53
GRAND TOTAL	**1958**	**7.3**	**65**	**1**	**2**	**5**	**8**	**15**	**22**	**45**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	6.0	12	4	4	4	9	10	10	10
35-49	8	3.3	1	2	2	3	4	4	4	4
50-64	71	3.9	9	1	2	3	4	6	8	21
65+	83	3.9	10	1	2	3	4	6	9	20
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	10	5.1	10	<1	<1	5	8	9	10	10
35-49	41	6.6	9	2	2	7	9	10	11	11
50-64	291	6.6	16	1	2	7	9	11	14	19
65+	295	7.3	28	2	2	7	10	14	16	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	23.2	1411	2	2	10	31	90	90	90
35-49	10	5.7	17	1	2	4	8	12	15	15
50-64	97	6.2	38	1	1	4	7	14	20	32
65+	195	8.2	75	1	2	5	10	18	29	37
B. *Operated*										
0-19 YRS	6	10.0	30	3	3	9	16	17	17	17
20-34	22	8.1	28	1	2	7	9	15	21	23
35-49	104	8.3	21	2	4	7	9	14	18	25
50-64	439	9.0	41	1	2	8	11	16	21	34
65+	575	10.6	84	2	2	9	13	20	27	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	165	3.9	9	1	2	3	4	6	9	21
B. *Operated*	638	6.9	21	1	2	7	9	12	15	24
2. MULTIPLE DX										
A. *Not Operated*	307	7.7	84	1	2	5	9	17	26	37
B. *Operated*	1146	9.7	61	2	2	8	12	18	24	39
1. SINGLE DX	803	6.3	20	1	2	5	9	11	14	23
2. MULTIPLE DX	1453	9.3	67	2	2	8	11	18	24	38
A. NOT OPERATED	472	6.4	61	1	2	4	7	14	22	35
B. OPERATED	1784	8.7	49	2	2	8	11	16	20	35
TOTAL 0-19 YRS	7	8.9	34	2	2	9	14	17	17	17
20-34	40	9.1	193	1	2	7	9	12	21	90
35-49	163	7.5	18	2	3	7	9	12	16	24
50-64	898	7.5	32	1	2	7	9	14	18	31
65+	1148	8.9	67	2	2	7	11	18	25	39
GRAND TOTAL	**2256**	**8.2**	**52**	**1**	**2**	**7**	**10**	**15**	**21**	**35**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	4.9	3	1	2	6	6	6	6	6
20-34	25	2.9	3	<1	<1	2	5	5	6	6
35-49	116	2.9	13	1	1	2	3	4	11	20
50-64	268	2.5	6	1	1	2	2	4	7	15
65+	180	4.0	31	1	1	2	4	11	14	27
B. *Operated*										
0-19 YRS	3	11.0	75	6	6	6	17	21	21	21
20-34	19	8.0	9	5	5	7	9	12	15	17
35-49	40	11.0	24	3	5	10	14	16	20	27
50-64	108	10.6	29	4	6	9	13	17	19	32
65+	77	13.2	59	3	5	12	16	22	29	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.7	6	2	2	5	6	7	7	7
20-34	12	3.9	4	1	2	4	5	7	8	8
35-49	114	4.2	27	1	1	2	4	8	12	34
50-64	315	4.4	38	1	1	2	5	9	15	23
65+	301	7.0	79	1	1	4	9	17	23	54
B. *Operated*										
0-19 YRS	3	9.7	16	5	5	12	12	12	12	12
20-34	43	10.7	48	4	5	8	12	19	28	34
35-49	141	12.4	64	5	6	10	15	22	28	56
50-64	305	14.4	104	5	7	12	17	25	32	61
65+	283	17.6	129	7	8	15	21	34	43	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	597	3.1	15	1	1	2	3	6	11	20
B. *Operated*	247	11.3	38	4	5	10	14	19	22	35
2. MULTIPLE DX										
A. *Not Operated*	745	5.4	54	1	1	3	6	12	18	35
B. *Operated*	775	15.0	107	5	7	12	18	26	37	65
1. SINGLE DX	844	5.5	36	1	1	2	8	13	17	27
2. MULTIPLE DX	1520	10.3	104	1	2	8	14	21	29	57
A. NOT OPERATED	1342	4.4	38	1	1	2	4	10	15	28
B. OPERATED	1022	14.1	93	5	6	11	17	25	34	58
TOTAL 0-19 YRS	17	6.8	21	1	2	6	7	12	18	21
20-34	99	7.4	35	1	2	6	9	14	18	33
35-49	411	7.3	54	1	1	5	10	16	21	40
50-64	996	7.6	74	1	1	4	11	17	21	46
65+	841	10.5	114	1	2	8	15	23	30	60
GRAND TOTAL	**2364**	**8.6**	**85**	**1**	**1**	**6**	**12**	**19**	**25**	**48**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	7.0	32	3	3	7	11	11	11	11
50-64	12	3.4	3	2	2	3	4	5	8	8
65+	18	3.6	6	1	2	3	4	5	9	12
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	7	4.1	8	1	1	3	6	9	9	9
35-49	21	8.2	117	1	2	4	10	15	33	51
50-64	30	5.9	25	1	1	4	8	13	14	23
65+	53	8.4	98	2	2	5	11	15	22	66
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	4.0	18	1	1	4	7	7	7	7
35-49	6	3.2	1	2	2	3	3	5	5	5
50-64	18	7.7	66	1	1	4	11	18	27	32
65+	43	10.2	104	2	3	8	15	22	26	57
B. *Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	6	7.2	24	2	2	6	9	15	16	16
35-49	26	10.0	80	1	2	8	13	23	27	40
50-64	37	12.2	100	2	3	8	17	27	33	43
65+	93	13.3	86	3	4	11	18	25	34	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	3.6	6	1	2	3	4	6	10	12
B. *Operated*	112	7.4	76	1	2	5	10	13	19	57
2. MULTIPLE DX										
A. *Not Operated*	69	8.8	86	1	2	5	12	19	25	52
B. *Operated*	163	12.3	86	2	3	10	16	24	34	43
1. SINGLE DX	146	6.5	62	1	2	4	8	13	17	52
2. MULTIPLE DX	232	11.3	89	2	3	9	15	24	32	43
A. NOT OPERATED	103	7.1	65	1	2	3	9	16	23	44
B. OPERATED	275	10.3	88	2	2	8	13	23	28	44
TOTAL 0-19 YRS	3	7.7	36	2	2	7	12	14	14	14
20-34	16	5.1	16	1	1	4	7	9	14	16
35-49	55	8.5	85	1	2	5	11	19	24	50
50-64	97	8.3	68	1	2	5	11	21	27	39
65+	207	10.6	94	2	3	8	15	22	29	50
GRAND TOTAL	**378**	**9.4**	**84**	**2**	**2**	**6**	**13**	**21**	**27**	**44**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	2	3.5	13	1	1	3	6	6	6	6
50-64	55	5.5	23	2	2	4	7	10	16	25
65+	218	7.3	44	1	2	5	9	14	21	34
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	1	6.0		6	6	6	6	6	6	6
35-49	20	7.3	53	1	2	5	8	16	24	31
50-64	495	7.9	34	2	2	7	10	15	19	29
65+	1807	8.0	33	2	2	7	10	15	18	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	8.8	44	2	2	8	14	17	17	17
20-34										
35-49	23	4.8	23	1	2	3	5	14	17	18
50-64	203	8.0	54	1	2	6	10	15	19	41
65+	1305	9.4	81	2	2	7	11	20	26	45
B. *Operated*										
0-19 YRS	5	13.4	61	8	8	9	18	26	26	26
20-34	1	4.0		4	4	4	4	4	4	4
35-49	16	9.5	79	2	3	7	12	16	32	39
50-64	552	9.9	52	2	3	8	13	19	24	33
65+	3211	11.1	65	3	4	9	14	21	26	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	276	6.9	40	1	2	5	8	14	21	33
B. *Operated*	2324	8.0	34	2	2	7	10	15	18	29
2. MULTIPLE DX										
A. *Not Operated*	1535	9.2	77	2	2	7	11	19	26	44
B. *Operated*	3785	10.9	63	3	4	9	14	20	26	44
1. SINGLE DX	2600	7.9	34	2	2	7	10	15	18	30
2. MULTIPLE DX	5320	10.4	68	2	3	8	13	20	26	44
A. NOT OPERATED	1811	8.8	72	2	2	6	11	18	25	43
B. OPERATED	6109	9.8	54	2	3	8	12	18	24	39
TOTAL 0-19 YRS	11	10.2	52	1	2	9	15	21	26	26
20-34	2	5.0	2	4	4	5	6	6	6	6
35-49	61	6.8	49	1	2	4	8	16	17	38
50-64	1305	8.7	46	2	2	7	11	17	22	33
65+	6541	9.8	60	2	3	8	12	19	24	42
GRAND TOTAL	**7920**	**9.6**	**58**	**2**	**3**	**8**	**12**	**18**	**24**	**40**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	6.4	1	5	5	6	7	8	8	8
20-34	34	4.9	15	1	1	5	6	8	14	19
35-49	8	4.1	13	1	1	3	6	10	11	11
50-64	1	14.0		14	14	14	14	14	14	14
65+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	10	4.9	10	2	2	4	7	10	12	12
20-34	125	6.0	15	2	3	5	7	12	14	22
35-49	43	5.2	12	1	2	4	6	11	14	15
50-64	27	5.3	25	1	2	3	6	12	15	25
65+	30	5.9	19	2	2	4	7	13	16	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	4.4	2	2	3	4	5	6	8	8
20-34	52	5.8	22	1	2	5	6	11	13	27
35-49	22	7.5	46	<1	1	5	10	16	24	28
50-64	2	4.0	8	2	2	4	6	6	6	6
65+	6	6.5	33	2	2	4	11	15	16	16
B. *Operated*										
0-19 YRS	5	11.6	55	4	4	9	19	20	20	20
20-34	40	9.0	40	2	3	8	12	19	22	25
35-49	33	8.9	28	2	2	8	13	16	16	22
50-64	19	9.6	63	2	3	8	11	21	30	33
65+	25	9.2	57	2	3	6	11	20	28	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	5.1	14	1	1	5	6	9	14	19
B. *Operated*	235	5.7	16	2	2	4	7	12	14	21
2. MULTIPLE DX										
A. *Not Operated*	96	6.0	25	1	2	5	7	11	15	28
B. *Operated*	122	9.2	43	2	3	8	12	18	22	31
1. SINGLE DX	288	5.6	15	2	2	5	7	12	14	20
2. MULTIPLE DX	218	7.8	38	2	2	5	10	16	21	29
A. NOT OPERATED	149	5.7	21	1	1	5	6	11	14	27
B. OPERATED	357	6.9	28	2	2	5	9	14	17	27
TOTAL 0-19 YRS	37	5.9	16	2	3	5	7	9	17	20
20-34	251	6.3	22	2	2	5	8	12	16	24
35-49	106	6.8	26	1	2	5	10	14	16	25
50-64	49	7.1	43	2	2	5	9	13	25	33
65+	63	7.1	37	2	2	5	10	16	19	30
GRAND TOTAL	**506**	**6.5**	**26**	**2**	**2**	**5**	**8**	**13**	**16**	**27**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.7		4	4	5	5	5	5	5
20-34	1	2.0		2	2	2	2	2	2	2
35-49	7	4.7	19	2	2	3	5	12	14	14
50-64	33	3.8	19	1	1	2	4	8	15	20
65+	83	5.5	42	1	1	3	6	11	23	30
B. *Operated*										
0-19 YRS	3	8.3	70	3	3	4	14	18	18	18
20-34	18	4.9	15	1	1	4	8	10	13	15
35-49	127	5.2	17	1	2	4	7	10	14	22
50-64	642	5.4	27	1	2	4	6	12	16	25
65+	1377	6.2	35	1	2	4	7	13	17	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	4.0		4	4	4	4	4	4	4
20-34	1	3.0		3	3	3	3	3	3	3
35-49	11	5.4	18	1	1	4	7	13	14	14
50-64	74	6.5	57	1	1	4	9	14	20	44
65+	269	9.2	100	2	2	6	11	20	29	53
B. *Operated*										
0-19 YRS	4	10.8	81	3	3	9	18	22	22	22
20-34	9	8.3	74	1	1	6	11	23	29	29
35-49	69	8.2	145	1	2	5	8	15	24	77
50-64	466	9.1	99	2	2	6	11	21	29	45
65+	1669	10.1	94	2	3	7	13	21	28	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	127	4.9	33	1	1	3	6	11	20	29
B. *Operated*	2167	5.9	31	1	2	4	7	13	17	26
2. MULTIPLE DX										
A. *Not Operated*	360	8.4	88	1	2	5	10	18	26	50
B. *Operated*	2217	9.9	97	2	2	7	12	21	28	49
1. SINGLE DX	2294	5.8	31	1	2	4	7	12	17	27
2. MULTIPLE DX	2577	9.7	96	2	2	6	12	21	28	50
A. NOT OPERATED	487	7.5	76	1	2	5	9	16	25	47
B. OPERATED	4384	7.9	68	2	2	5	9	17	23	42
TOTAL 0-19 YRS	15	6.8	36	3	3	4	5	18	21	22
20-34	29	5.8	33	1	1	4	8	12	16	29
35-49	214	6.2	60	1	2	4	7	12	15	39
50-64	1215	6.9	59	1	2	4	8	15	22	38
65+	3398	8.3	73	2	2	6	10	18	24	45
GRAND TOTAL	**4871**	**7.9**	**69**	**1**	**2**	**5**	**9**	**17**	**23**	**44**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.3	2	1	1	2	3	4	4	4
20-34	3	8.0	61	3	3	4	14	17	17	17
35-49	7	4.4	10	1	1	4	7	9	9	9
50-64	18	6.2	92	1	1	3	6	10	31	43
65+	33	7.8	138	1	1	5	8	18	28	63
B. *Operated*										
0-19 YRS	5	12.6	9	8	8	13	14	16	16	16
20-34	8	14.1	40	7	7	13	18	23	25	25
35-49	46	11.5	18	6	7	11	15	17	19	24
50-64	125	11.4	26	3	5	11	15	18	20	24
65+	166	12.9	59	3	5	12	15	22	26	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	14	4.4	16	1	1	3	6	12	13	13
35-49	26	7.5	74	1	1	5	8	25	30	31
50-64	111	8.7	68	1	2	6	11	18	24	44
65+	173	8.7	67	2	2	6	10	19	24	41
B. *Operated*										
0-19 YRS	7	8.4	17	3	3	8	12	14	14	14
20-34	15	14.4	131	2	3	13	17	34	41	44
35-49	67	14.0	82	3	4	12	18	24	33	48
50-64	203	15.2	70	4	6	14	19	26	30	48
65+	397	17.4	129	3	5	16	22	31	39	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	6.6	99	1	1	4	6	16	22	60
B. *Operated*	350	12.2	41	3	5	12	15	19	23	31
2. MULTIPLE DX										
A. *Not Operated*	325	8.4	66	1	2	6	10	18	24	41
B. *Operated*	689	16.3	108	3	5	15	20	29	35	53
1. SINGLE DX	415	11.3	54	2	3	11	15	19	23	36
2. MULTIPLE DX	1014	13.7	108	2	3	12	18	26	33	50
A. NOT OPERATED	390	8.1	71	1	2	5	10	18	24	42
B. OPERATED	1039	14.9	89	3	5	13	18	25	31	52
TOTAL 0-19 YRS	17	7.8	26	1	1	8	12	14	15	16
20-34	40	10.4	85	1	2	8	15	19	29	44
35-49	146	11.6	65	2	3	10	15	22	26	40
50-64	457	12.2	67	2	3	11	16	22	28	43
65+	769	14.1	114	2	3	12	19	26	33	54
GRAND TOTAL	**1429**	**13.0**	**93**	**2**	**3**	**11**	**17**	**24**	**31**	**50**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	11.0		11	11	11	11	11	11	11
B. *Operated*										
0-19 YRS	3	4.3	12	1	1	4	7	8	8	8
20-34	3	5.3	8	2	2	7	7	7	7	7
35-49	8	2.9	2	<1	<1	3	4	4	4	4
50-64	12	3.1	5	1	1	2	4	7	7	7
65+	18	5.0	33	1	1	3	6	9	20	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	10.8	54	5	5	8	16	21	21	21
50-64	4	5.8	7	3	3	6	8	8	8	8
65+	9	6.0	28	1	1	5	8	14	18	18
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	12	6.5	31	2	2	4	11	16	16	16
65+	16	6.2	33	<1	1	4	8	16	20	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	4.8	12	3	3	3	6	11	11	11
B. *Operated*	44	4.1	17	1	1	3	5	7	9	26
2. MULTIPLE DX										
A. *Not Operated*	17	7.1	30	1	2	6	8	17	20	21
B. *Operated*	28	6.3	31	1	1	4	8	16	17	21
1. SINGLE DX	49	4.1	16	1	1	3	5	8	10	26
2. MULTIPLE DX	45	6.6	30	1	2	5	8	16	19	21
A. NOT OPERATED	22	6.5	26	1	2	5	8	13	19	21
B. OPERATED	72	4.9	23	1	1	3	6	10	16	25
TOTAL 0-19 YRS	4	4.0	9	1	1	3	6	8	8	8
20-34	3	5.3	8	2	2	7	7	7	7	7
35-49	14	5.2	26	<1	1	4	5	12	19	21
50-64	29	4.9	18	1	1	3	7	12	16	16
65+	44	5.8	31	1	1	4	8	12	19	26
GRAND TOTAL	**94**	**5.3**	**24**	**1**	**1**	**4**	**7**	**11**	**17**	**24**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	5.8	31	1	1	3	8	14	18	22
20-34	17	8.3	165	1	1	6	7	10	41	57
35-49	36	8.4	89	1	2	5	8	18	29	47
50-64	66	9.5	147	2	2	5	12	24	34	96
65+	51	8.8	111	2	2	5	9	20	25	65
B. *Operated*										
0-19 YRS	29	13.6	109	4	7	10	16	19	40	55
20-34	35	16.6	95	7	8	15	22	28	50	99+
35-49	50	14.2	67	5	7	12	18	22	25	55
50-64	88	17.5	128	5	8	15	20	32	44	65
65+	47	19.8	144	5	8	15	28	41	44	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	9.4	177	1	1	4	13	24	42	58
20-34	25	7.8	59	1	2	5	8	20	24	35
35-49	41	9.5	226	1	2	6	12	17	51	99+
50-64	92	9.7	86	2	2	7	11	22	28	82
65+	86	13.4	194	3	3	9	16	29	43	71
B. *Operated*										
0-19 YRS	26	18.9	193	6	7	14	22	46	53	60
20-34	30	20.0	266	4	5	18	23	33	54	85
35-49	35	17.6	287	3	4	14	25	35	78	99+
50-64	81	24.8	278	7	9	20	31	51	63	74
65+	65	23.1	231	6	7	21	29	51	69	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	189	8.6	115	1	2	5	9	20	30	73
B. *Operated*	249	16.7	115	5	8	14	19	30	43	56
2. MULTIPLE DX										
A. *Not Operated*	266	10.7	149	2	2	7	13	22	40	94
B. *Operated*	237	22.0	259	5	7	18	28	49	60	99+
1. SINGLE DX	438	13.2	130	2	3	11	17	27	39	66
2. MULTIPLE DX	503	16.0	233	2	3	11	21	35	51	99
A. NOT OPERATED	455	9.8	136	2	2	6	11	22	33	78
B. OPERATED	486	19.3	192	5	7	16	24	39	51	91
TOTAL 0-19 YRS	96	12.5	151	1	2	9	16	22	45	59
20-34	107	14.2	168	2	3	11	19	29	37	91
35-49	162	12.5	169	2	3	9	17	25	32	99+
50-64	327	15.5	195	2	3	12	20	33	[illegible]	76
65+	249	16.2	204	3	4	12	23	40	[illegible]	75
GRAND TOTAL	**941**	**14.7**	**187**	**2**	**3**	**11**	**19**	**31**	**47**	**85**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	5.0	1	4	4	5	6	6	6	6
35-49	1	19.0		19	19	19	19	19	19	19
50-64										
65+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-19 YRS	2	14.5	1	14	14	14	15	15	15	15
20-34	4	15.0	81	6	6	13	21	27	27	27
35-49	3	18.3	17	15	15	17	21	23	23	23
50-64	9	23.0	491	3	6	18	22	59	79	79
65+	2	23.5	221	13	13	23	34	34	34	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	6.0	8	4	4	6	8	8	8	8
35-49	3	12.0	100	2	2	12	19	22	22	22
50-64										
65+	8	12.6	43	6	6	11	18	22	23	23
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	6	25.0	127	8	9	28	33	37	37	37
35-49	7	22.4	285	8	8	19	27	51	57	57
50-64	5	12.0	86	2	2	14	19	23	23	23
65+	7	28.0	166	9	11	33	35	45	47	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	7.2	39	1	1	5	8	18	19	19
B. *Operated*	20	19.9	247	4	8	16	21	31	56	79
2. MULTIPLE DX										
A. *Not Operated*	13	11.5	49	2	4	9	16	22	23	23
B. *Operated*	26	21.8	193	3	4	19	33	37	49	57
1. SINGLE DX	26	17.0	226	3	4	15	19	29	43	79
2. MULTIPLE DX	39	18.4	167	3	4	15	25	35	42	57
A. NOT OPERATED	19	10.1	47	1	3	8	14	22	23	23
B. OPERATED	46	21.0	212	3	6	18	29	36	49	79
TOTAL 0-19 YRS	4	8.5	50	1	1	9	14	15	15	15
20-34	15	15.8	138	4	4	11	27	33	36	37
35-49	14	19.1	167	3	7	18	22	32	51	57
50-64	14	19.1	358	2	3	17	19	34	69	79
65+	18	19.6	151	6	7	17	33	35	43	47
GRAND TOTAL	**65**	**17.8**	**188**	**3**	**4**	**15**	**23**	**33**	**39**	**76**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.6	2	2	2	4	5	5	5	5
20-34	19	3.4	4	1	1	3	4	5	7	9
35-49	30	3.3	2	2	2	3	4	5	6	8
50-64	20	8.2	180	1	2	3	7	21	43	58
65+	16	4.6	5	2	2	5	6	8	9	9
B. *Operated*										
0-19 YRS	15	9.9	97	3	3	5	11	29	34	36
20-34	68	5.8	12	3	3	5	7	10	15	18
35-49	69	5.5	8	3	3	5	6	9	10	18
50-64	52	7.0	52	3	3	5	6	11	19	46
65+	36	9.1	23	3	5	7	11	16	20	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	2.4	1	1	1	2	3	4	4	4
20-34	14	3.1	8	1	1	2	3	6	11	12
35-49	20	3.5	4	1	2	3	4	6	8	9
50-64	39	7.3	139	2	2	4	7	16	18	73
65+	54	10.1	80	2	3	7	14	23	29	43
B. *Operated*										
0-19 YRS	8	7.4	25	3	3	6	9	16	18	18
20-34	43	7.2	19	3	3	6	9	13	15	26
35-49	56	8.2	50	2	3	6	9	17	26	37
50-64	61	10.3	77	3	4	7	13	24	31	40
65+	55	13.3	190	3	4	9	14	29	37	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	90	4.7	44	1	2	3	5	7	9	46
B. *Operated*	240	6.7	28	3	3	5	8	11	16	30
2. MULTIPLE DX										
A. *Not Operated*	135	7.1	81	1	2	4	8	17	23	48
B. *Operated*	223	9.8	89	3	3	7	10	20	30	41
1. SINGLE DX	330	6.2	33	2	2	5	7	10	15	30
2. MULTIPLE DX	358	8.8	87	2	2	6	10	18	28	42
A. NOT OPERATED	225	6.1	68	1	2	4	6	14	19	47
B. OPERATED	463	8.2	60	3	3	6	9	16	24	39
TOTAL 0-19 YRS	36	6.8	54	1	2	4	7	14	26	36
20-34	144	5.7	14	2	2	5	7	10	13	18
35-49	175	5.7	23	2	2	4	7	10	14	30
50-64	172	8.4	96	2	2	5	9	17	28	55
65+	161	10.4	103	2	3	7	12	23	29	44
GRAND TOTAL	**688**	**7.5**	**63**	**2**	**2**	**5**	**8**	**15**	**23**	**40**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	6.3	37	1	1	6	11	12	12	12
20-34	14	6.1	44	<1	1	3	8	16	23	25
35-49	64	6.9	59	1	1	5	9	12	19	49
50-64	192	7.5	63	1	2	5	8	16	24	43
65+	279	9.1	84	1	2	6	13	21	29	40
B. *Operated*										
0-19 YRS	7	5.6	30	1	1	3	9	15	16	16
20-34	33	8.3	42	1	2	7	11	17	18	29
35-49	100	6.0	39	1	2	4	8	12	15	36
50-64	277	9.4	70	1	2	7	13	20	26	43
65+	384	10.4	108	1	2	8	14	23	30	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	4.2	10	1	1	3	6	8	11	13
20-34	129	7.3	123	1	1	4	7	14	23	67
35-49	479	7.1	58	1	2	5	9	15	22	39
50-64	1536	8.2	68	1	2	6	10	18	23	38
65+	2249	10.0	99	2	2	7	13	21	29	52
B. *Operated*										
0-19 YRS	13	11.0	49	2	4	8	13	22	27	28
20-34	115	9.8	94	2	2	7	12	19	25	58
35-49	442	12.1	111	2	3	9	16	26	35	53
50-64	1433	13.6	139	2	3	11	18	28	36	66
65+	1974	14.4	135	2	3	11	19	29	37	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	553	8.2	73	1	2	5	10	19	26	41
B. *Operated*	801	9.4	85	1	2	7	13	20	27	44
2. MULTIPLE DX										
A. *Not Operated*	4418	8.9	85	1	2	6	11	19	26	49
B. *Operated*	3977	13.7	134	2	3	11	18	28	36	63
1. SINGLE DX	1354	8.9	80	1	2	6	12	19	27	43
2. MULTIPLE DX	8395	11.2	114	2	2	8	15	24	31	56
A. NOT OPERATED	4971	8.9	84	1	2	6	11	19	26	48
B. OPERATED	4778	13.0	128	2	3	10	17	27	35	59
TOTAL 0-19 YRS	49	6.4	32	1	1	5	9	13	16	28
20-34	291	8.3	99	1	2	6	10	16	24	58
35-49	1085	9.0	85	1	2	6	12	20	28	48
50-64	3438	10.5	105	1	2	7	14	23	30	55
65+	4886	11.8	118	2	2	9	16	25	33	55
GRAND TOTAL	**9749**	**10.9**	**110**	**2**	**2**	**8**	**14**	**23**	**31**	**54**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	3.0	3	<1	1	3	4	5	7	7
20-34	89	2.8	4	1	1	2	4	6	7	9
35-49	25	3.2	6	1	1	2	4	7	8	10
50-64	19	3.4	11	<1	<1	2	4	8	11	14
65+	25	5.8	15	1	1	5	8	11	14	16
B. *Operated*										
0-19 YRS	59	7.0	33	1	2	5	9	14	19	31
20-34	143	7.7	33	2	2	6	10	15	21	27
35-49	63	6.8	25	1	2	5	10	15	18	20
50-64	37	10.9	213	2	2	8	13	17	30	87
65+	28	10.3	98	2	2	8	11	20	26	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	5.3	45	2	2	3	5	9	22	31
20-34	69	6.9	37	1	1	5	10	16	18	30
35-49	18	7.4	55	2	3	5	8	17	27	32
50-64	23	9.5	51	1	2	8	16	20	22	25
65+	52	9.2	101	2	2	6	10	20	34	51
B. *Operated*										
0-19 YRS	13	11.2	46	3	3	8	18	20	22	22
20-34	61	12.0	185	2	2	9	14	26	32	87
35-49	31	12.9	136	2	3	13	17	22	39	57
50-64	31	13.1	125	3	4	9	15	26	44	48
65+	32	20.2	384	4	4	14	25	56	87	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	172	3.4	8	1	1	3	4	7	9	14
B. *Operated*	330	8.0	58	2	2	6	10	15	21	30
2. MULTIPLE DX										
A. *Not Operated*	180	7.8	61	1	2	5	10	17	23	39
B. *Operated*	168	13.9	198	2	3	10	17	29	45	93
1. SINGLE DX	502	6.4	45	1	1	5	8	14	17	29
2. MULTIPLE DX	348	10.7	136	2	2	7	14	23	32	62
A. NOT OPERATED	352	5.6	39	1	1	4	7	12	18	32
B. OPERATED	498	10.0	113	2	2	7	13	20	27	60
TOTAL 0-19 YRS	104	6.7	36	1	2	4	9	14	20	31
20-34	362	7.1	60	1	1	5	9	15	22	32
35-49	137	7.6	60	1	2	5	10	17	20	42
50-64	110	9.9	127	1	2	7	13	20	28	64
65+	137	11.4	174	2	2	7	13	24	46	92
GRAND TOTAL	**850**	**8.2**	**87**	**1**	**2**	**5**	**10**	**17**	**23**	**51**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	5.8	28	<1	<1	4	8	14	18	20
20-34	9	11.3	452	<1	<1	1	11	48	65	65
35-49	9	6.9	79	1	1	4	6	21	30	30
50-64	19	4.4	25	1	1	3	4	11	17	21
65+	56	8.0	64	1	1	5	11	19	29	35
B. *Operated*										
0-19 YRS	24	8.8	205	1	1	4	10	15	36	72
20-34	10	12.3	88	2	2	10	21	25	27	27
35-49	17	10.3	93	1	2	7	16	24	31	35
50-64	25	6.4	48	2	2	4	6	11	23	34
65+	38	7.6	36	2	2	6	10	15	19	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	4.8	16	<1	1	4	6	12	13	16
20-34	15	7.1	35	<1	1	4	11	18	18	18
35-49	14	7.4	19	2	2	6	8	15	16	16
50-64	94	7.6	60	1	1	5	10	15	20	44
65+	266	9.6	69	1	2	7	13	21	26	40
B. *Operated*										
0-19 YRS	20	14.8	157	2	3	8	24	36	39	40
20-34	8	9.9	91	2	2	8	10	26	32	32
35-49	11	11.5	70	1	2	10	15	25	28	28
50-64	49	11.5	64	2	3	9	16	26	28	34
65+	151	13.7	131	2	3	10	18	32	38	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	144	6.9	70	<1	1	4	8	15	21	37
B. *Operated*	114	8.4	87	2	2	5	11	20	25	48
2. MULTIPLE DX										
A. *Not Operated*	437	8.5	60	1	2	6	11	18	23	38
B. *Operated*	239	13.1	115	2	3	10	17	28	37	47
1. SINGLE DX	258	7.6	78	1	1	4	9	17	23	35
2. MULTIPLE DX	676	10.1	84	1	2	7	13	22	29	44
A. NOT OPERATED	581	8.1	63	1	1	6	10	17	23	37
B. OPERATED	353	11.6	111	2	3	9	15	25	34	46
TOTAL 0-19 YRS	143	7.2	80	<1	1	4	9	15	21	42
20-34	42	9.8	140	<1	1	6	12	23	29	65
35-49	51	9.1	65	1	2	6	13	22	28	35
50-64	187	8.1	60	1	2	6	11	18	26	34
65+	511	10.5	88	2	3	8	14	22	32	44
GRAND TOTAL	**934**	**9.4**	**84**	**1**	**2**	**7**	**12**	**20**	**28**	**44**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	5.7	16	<1	1	5	7	10	13	21
20-34	43	7.4	134	1	1	4	7	16	27	67
35-49	42	6.2	37	<1	1	5	8	16	18	27
50-64	72	6.1	68	1	1	3	7	15	27	38
65+	107	6.8	82	1	1	4	8	16	25	49
B. *Operated*										
0-19 YRS	15	10.8	87	1	2	10	15	26	27	28
20-34	22	14.5	211	1	2	8	26	39	41	42
35-49	30	12.4	194	1	2	7	14	38	44	51
50-64	48	16.7	294	3	4	9	23	43	53	69
65+	58	11.8	123	2	3	8	14	30	37	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	6.7	48	1	1	3	9	18	23	27
20-34	36	9.3	113	1	1	6	10	27	37	40
35-49	76	9.5	96	<1	2	6	12	25	30	43
50-64	124	8.7	68	1	1	7	11	20	27	37
65+	275	6.7	61	1	1	4	8	15	22	37
B. *Operated*										
0-19 YRS	15	27.3	325	2	3	32	40	46	59	63
20-34	30	23.5	280	3	4	20	33	51	56	59
35-49	52	18.0	298	1	2	13	27	35	42	89
50-64	72	19.0	258	3	4	13	28	43	53	63
65+	159	17.5	221	3	4	13	25	41	49	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	296	6.5	72	1	1	4	8	14	23	39
B. *Operated*	173	13.5	191	2	2	8	18	38	42	60
2. MULTIPLE DX										
A. *Not Operated*	542	7.7	71	1	1	5	9	18	26	38
B. *Operated*	328	18.9	254	3	4	14	28	42	52	66
1. SINGLE DX	469	9.1	127	1	1	5	10	26	37	52
2. MULTIPLE DX	870	11.9	169	1	1	7	16	31	40	59
A. NOT OPERATED	838	7.3	72	1	1	5	9	17	25	38
B. OPERATED	501	17.0	238	2	3	11	26	40	48	64
TOTAL 0-19 YRS	93	10.3	142	1	2	5	12	27	39	56
20-34	131	12.8	210	1	1	6	19	37	42	61
35-49	200	11.5	167	1	1	7	15	28	37	62
50-64	316	11.7	171	1	1	7	14	31	41	61
65+	599	10.1	135	1	1	6	12	27	36	53
GRAND TOTAL	**1339**	**10.9**	**156**	**1**	**1**	**6**	**14**	**28**	**38**	**58**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	5.1	19	1	2	4	6	10	16	19
20-34	45	4.2	36	1	1	2	5	9	11	38
35-49	82	6.2	154	1	1	2	6	13	22	94
50-64	203	5.3	31	1	1	3	6	11	16	31
65+	337	6.9	59	1	1	5	8	17	22	39
B. *Operated*										
0-19 YRS	18	9.3	106	1	1	4	15	26	33	36
20-34	50	8.0	57	1	2	5	11	19	25	30
35-49	109	6.4	33	1	2	5	8	15	18	28
50-64	305	8.5	63	1	2	5	12	19	23	36
65+	419	10.0	78	2	2	8	14	21	26	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	5.4	9	2	2	4	8	10	11	12
20-34	43	6.1	58	1	1	4	8	11	20	43
35-49	137	7.7	74	1	2	5	10	16	23	39
50-64	514	7.6	68	1	1	5	9	16	22	38
65+	885	9.6	86	1	2	7	12	20	27	49
B. *Operated*										
0-19 YRS	6	7.2	32	1	1	6	9	16	17	17
20-34	33	11.6	109	2	2	9	15	31	36	39
35-49	117	15.7	295	2	3	10	18	38	61	80
50-64	338	13.8	176	2	3	10	17	28	38	68
65+	748	15.5	149	3	4	13	20	33	40	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	684	6.1	60	1	1	4	7	14	20	38
B. *Operated*	901	8.9	68	1	2	6	12	20	25	38
2. MULTIPLE DX										
A. *Not Operated*	1597	8.6	79	1	2	6	11	18	25	46
B. *Operated*	1242	14.9	169	2	3	12	19	32	40	77
1. SINGLE DX	1585	7.7	66	1	1	5	10	18	23	38
2. MULTIPLE DX	2839	11.4	128	1	2	8	15	25	34	63
A. NOT OPERATED	2281	7.9	74	1	1	5	10	17	24	44
B. OPERATED	2143	12.4	135	2	2	9	16	26	35	65
TOTAL 0-19 YRS	59	6.7	45	1	2	4	8	16	21	35
20-34	171	7.2	67	1	1	4	9	18	27	39
35-49	445	9.2	151	1	1	5	10	20	32	73
50-64	1360	9.0	96	1	2	6	11	19	27	46
65+	2389	11.1	110	1	2	8	15	24	33	53
GRAND TOTAL	**4424**	**10.1**	**109**	**1**	**2**	**7**	**13**	**22**	**30**	**54**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	4	1	1	2	4	5	5	5
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	2	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	50	3.0	8	<1	1	2	3	6	9	15
20-34	115	3.1	2	1	2	3	4	4	5	11
35-49	125	3.4	3	1	2	3	4	5	6	9
50-64	156	3.7	6	1	2	3	4	6	7	13
65+	115	4.2	6	2	2	4	5	6	7	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	1	3.0		3	3	3	3	3	3	3
35-49	3	2.0	1	1	1	2	3	3	3	3
50-64	2	3.5	1	3	3	3	4	4	4	4
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	7	2.7	2	2	2	2	3	5	6	6
20-34	30	3.1	3	1	2	3	3	4	7	10
35-49	42	3.7	3	1	2	4	5	6	7	9
50-64	85	4.7	8	2	2	4	5	9	11	15
65+	74	6.0	30	2	2	5	7	12	13	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.0	2	<1	<1	2	2	4	5	5
B. *Operated*	561	3.6	5	1	2	3	4	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	9	2.8	2	1	1	3	3	5	6	6
B. *Operated*	238	4.7	14	2	2	4	5	8	11	15
1. SINGLE DX	568	3.5	5	1	2	3	4	5	7	14
2. MULTIPLE DX	247	4.6	14	2	2	4	5	8	11	15
A. NOT OPERATED	16	2.4	2	<1	1	2	3	5	6	6
B. OPERATED	799	3.9	8	1	2	3	4	6	9	15
TOTAL 0-19 YRS	62	2.9	7	<1	1	2	3	5	8	15
20-34	147	3.0	2	1	2	3	4	4	5	10
35-49	170	3.5	3	1	2	3	4	6	7	9
50-64	244	4.1	7	1	2	4	4	7	9	14
65+	192	4.9	16	2	2	4	5	8	13	17
GRAND TOTAL	**815**	**3.9**	**8**	**1**	**2**	**3**	**4**	**6**	**8**	**14**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	2.2	2	<1	<1	2	3	4	5	6
20-34	12	2.7	2	1	1	3	4	5	5	5
35-49	44	2.7	4	1	1	2	3	4	9	10
50-64	82	2.5	4	<1	1	2	3	5	7	11
65+	96	3.2	17	1	1	2	3	6	8	26
B. *Operated*										
0-19 YRS	52	3.1	5	1	1	2	4	7	8	9
20-34	68	5.5	23	1	1	4	8	12	14	23
35-49	212	4.3	16	1	1	2	6	10	12	20
50-64	462	3.9	14	1	1	2	5	10	12	15
65+	563	4.4	19	1	1	2	5	11	13	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	3.3	6	1	1	3	5	7	7	7
20-34	14	3.5	6	1	1	3	4	8	8	8
35-49	54	3.6	5	1	1	3	4	7	8	11
50-64	163	4.5	14	1	1	4	6	8	10	20
65+	243	5.3	20	1	1	4	7	11	14	21
B. *Operated*										
0-19 YRS	29	4.9	11	1	1	4	7	9	11	15
20-34	68	5.9	20	1	2	5	7	12	16	21
35-49	224	6.4	31	1	2	4	9	13	18	26
50-64	704	6.0	32	1	1	4	8	12	16	28
65+	1217	7.7	60	1	2	5	10	17	22	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	252	2.8	9	1	1	2	3	5	7	13
B. *Operated*	1357	4.2	17	1	1	2	5	10	12	20
2. MULTIPLE DX										
A. *Not Operated*	481	4.8	16	1	1	4	6	9	12	20
B. *Operated*	2242	6.9	47	1	2	5	9	16	20	32
1. SINGLE DX	1609	4.0	16	1	1	2	5	10	12	19
2. MULTIPLE DX	2723	6.6	42	1	1	4	9	15	19	31
A. NOT OPERATED	733	4.1	14	1	1	3	5	8	11	18
B. OPERATED	3599	5.9	37	1	1	4	8	13	18	29
TOTAL 0-19 YRS	106	3.4	7	1	1	3	4	7	8	13
20-34	162	5.3	20	1	1	4	7	12	15	22
35-49	534	5.0	22	1	1	3	7	11	14	22
50-64	1411	5.0	24	1	1	3	7	11	14	23
65+	2119	6.3	45	1	1	4	9	15	19	32
GRAND TOTAL	**4332**	**5.6**	**34**	**1**	**1**	**3**	**8**	**12**	**17**	**28**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.2	5	<1	<1	1	3	6	6	6
20-34	2	1.0		1	1	1	1	1	1	1
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64										
65+	4	6.3	15	2	2	6	9	10	10	10
B. *Operated*										
0-19 YRS	38	1.9	2	<1	1	2	2	3	4	9
20-34	49	3.3	15	<1	<1	2	3	7	10	24
35-49	58	3.9	11	1	1	2	5	9	11	17
50-64	76	4.6	20	1	2	2	6	12	15	17
65+	51	7.3	58	1	1	4	11	19	24	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49										
50-64	3	5.3	2	4	4	5	6	7	7	7
65+	5	9.8	29	3	3	9	14	17	17	17
B. *Operated*										
0-19 YRS	7	4.9	72	1	1	2	3	20	24	24
20-34	14	4.9	25	2	2	3	4	14	18	19
35-49	18	5.3	18	<1	1	4	9	12	13	13
50-64	35	5.5	27	1	1	3	9	12	17	21
65+	46	8.2	55	1	2	6	10	17	25	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	3.2	10	<1	<1	2	4	9	10	10
B. *Operated*	272	4.4	24	1	1	2	4	11	15	24
2. MULTIPLE DX										
A. *Not Operated*	11	6.7	23	1	2	6	9	15	17	17
B. *Operated*	120	6.4	40	1	1	4	10	13	20	30
1. SINGLE DX	285	4.3	24	1	1	2	4	10	15	24
2. MULTIPLE DX	131	6.4	38	1	1	4	10	13	19	29
A. NOT OPERATED	24	4.8	19	<1	1	3	7	10	14	17
B. OPERATED	392	5.0	30	1	1	2	6	12	16	26
TOTAL 0-19 YRS	51	2.3	11	<1	1	2	2	3	6	24
20-34	67	3.6	17	<1	1	2	3	7	13	23
35-49	78	4.2	13	1	1	2	6	10	12	16
50-64	114	4.9	22	1	2	2	7	12	15	20
65+	106	7.8	53	1	2	4	10	17	24	34
GRAND TOTAL	**416**	**5.0**	**29**	**1**	**1**	**2**	**6**	**12**	**16**	**25**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.3	1	<1	<1	2	3	4	4	4
20-34	7	3.6	5	1	1	3	4	7	8	8
35-49	10	3.0	2	1	1	3	4	5	5	5
50-64	14	6.2	31	1	1	4	11	16	16	16
65+	6	2.7	1	<1	<1	3	3	4	4	4
B. *Operated*										
0-19 YRS	494	2.8	3	1	1	2	3	5	6	9
20-34	595	2.9	4	<1	1	2	3	5	7	12
35-49	727	3.0	6	<1	1	2	3	5	7	14
50-64	724	3.2	9	1	1	2	4	6	8	14
65+	360	3.6	9	<1	1	3	4	7	10	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	2.0	2	<1	<1	2	3	4	5	5
20-34	12	2.8	2	1	1	3	4	5	5	5
35-49	17	3.9	8	1	1	4	6	8	9	9
50-64	20	4.7	8	1	1	4	6	9	10	10
65+	32	5.1	16	1	1	4	7	10	12	19
B. *Operated*										
0-19 YRS	69	3.6	8	1	2	3	4	8	11	83
20-34	208	4.9	29	1	2	3	6	10	16	32
35-49	368	4.3	13	1	2	3	5	9	11	18
50-64	471	5.0	20	1	2	3	6	10	14	23
65+	312	6.2	36	2	2	4	7	13	19	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	4.0	14	<1	1	3	4	10	13	16
B. *Operated*	2900	3.1	6	<1	1	2	3	5	8	14
2. MULTIPLE DX										
A. *Not Operated*	89	4.2	10	1	1	4	5	9	10	16
B. *Operated*	1428	5.0	23	1	2	3	6	10	14	28
1. SINGLE DX	2943	3.1	6	<1	1	2	3	5	8	14
2. MULTIPLE DX	1517	5.0	22	1	2	3	6	10	14	27
A. NOT OPERATED	132	4.1	11	1	1	3	5	9	11	17
B. OPERATED	4328	3.7	13	1	1	3	4	7	10	19
TOTAL 0-19 YRS	577	2.9	4	1	1	2	3	5	6	12
20-34	822	3.4	11	1	1	2	4	6	8	18
35-49	1122	3.4	9	<1	1	2	4	6	9	15
50-64	1229	4.0	14	1	1	3	4	8	11	19
65+	710	4.8	23	1	2	3	6	10	15	26
GRAND TOTAL	**4460**	**3.7**	**13**	**1**	**1**	**3**	**4**	**7**	**10**	**19**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	2.8	3	<1	1	2	4	6	6	6
20-34	7	2.9	1	1	1	3	4	4	4	4
35-49	5	2.2	5	1	1	1	3	6	6	6
50-64	2	2.5	1	2	2	2	3	3	3	3
65+	4	5.0	30	1	1	3	8	13	13	13
B. *Operated*										
0-19 YRS	426	2.2	5	<1	<1	2	2	4	5	12
20-34	217	2.8	4	<1	1	2	3	5	7	11
35-49	191	3.4	13	<1	1	2	3	7	9	19
50-64	172	3.7	13	1	1	3	4	7	10	20
65+	111	4.1	18	1	1	3	4	9	12	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	3.8	19	<1	<1	2	5	9	15	19
20-34	10	3.0	5	<1	<1	3	3	6	8	8
35-49	7	2.6	2	<1	<1	2	4	5	5	5
50-64	15	9.1	55	2	2	6	13	16	26	29
65+	24	10.0	155	2	2	6	10	23	39	59
B. *Operated*										
0-19 YRS	119	3.0	11	<1	1	2	3	6	7	50
20-34	136	4.5	51	<1	1	3	5	9	14	35
35-49	160	4.1	19	1	1	2	5	8	14	22
50-64	167	5.1	23	1	1	4	7	11	15	24
65+	129	8.4	154	1	2	4	9	20	25	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	3.0	6	1	1	2	4	6	6	13
B. *Operated*	1117	2.9	9	<1	1	2	3	5	8	16
2. MULTIPLE DX										
A. *Not Operated*	78	6.5	73	<1	1	4	7	15	21	51
B. *Operated*	711	5.0	52	1	1	3	6	11	17	30
1. SINGLE DX	1147	2.9	9	<1	1	2	3	5	8	16
2. MULTIPLE DX	789	5.1	54	1	1	3	6	11	17	31
A. NOT OPERATED	108	5.5	56	1	1	3	6	12	17	43
B. OPERATED	1828	3.7	27	<1	1	2	4	7	12	24
TOTAL 0-19 YRS	579	2.4	6	<1	<1	2	2	4	6	15
20-34	370	3.4	22	<1	1	2	4	6	9	20
35-49	363	3.7	16	<1	1	2	4	7	11	21
50-64	356	4.6	21	1	1	3	5	10	15	24
65+	268	6.7	100	1	1	3	7	16	22	65
GRAND TOTAL	**1936**	**3.8**	**29**	**<1**	**1**	**2**	**4**	**8**	**12**	**24**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	2.0		2	2	2	2	2	2	2
35-49	4	1.5	1	<1	<1	1	2	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	389	1.9	1	<1	1	2	2	3	3	4
20-34	709	2.0	1	<1	1	2	2	3	3	6
35-49	410	2.1	1	<1	1	2	2	3	4	6
50-64	182	2.5	2	1	1	2	3	4	5	7
65+	109	2.6	1	1	2	2	3	4	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	7.0	8	5	5	7	9	9	9	9
35-49	4	3.5	10	1	1	2	5	8	8	8
50-64	2	4.5	1	4	4	4	5	5	5	5
65+	3	5.7	41	<1	<1	3	10	13	13	13
B. *Operated*										
0-19 YRS	57	2.2	2	<1	1	2	2	3	4	10
20-34	220	2.7	4	1	1	2	3	5	7	10
35-49	265	3.0	5	1	2	2	3	6	7	11
50-64	157	3.7	8	2	2	3	4	7	11	15
65+	112	4.0	8	2	2	3	5	9	10	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	1.8	1	<1	<1	1	3	3	3	3
B. *Operated*	1799	2.1	1	<1	1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	12	4.7	13	<1	1	4	7	10	13	13
B. *Operated*	811	3.2	6	1	2	2	3	6	8	13
1. SINGLE DX	1808	2.1	1	<1	1	2	2	3	4	6
2. MULTIPLE DX	823	3.2	6	1	2	2	3	6	8	13
A. NOT OPERATED	21	3.4	10	<1	<1	3	4	8	11	13
B. OPERATED	2610	2.4	3	<1	1	2	3	4	5	10
TOTAL 0-19 YRS	448	2.0	1	<1	1	2	2	3	3	5
20-34	932	2.2	2	<1	1	2	2	3	4	7
35-49	683	2.5	3	<1	1	2	3	4	6	9
50-64	342	3.0	5	1	2	2	3	5	7	14
65+	226	3.3	5	1	2	3	4	6	9	13
GRAND TOTAL	**2631**	**2.4**	**3**	**<1**	**1**	**2**	**3**	**4**	**5**	**10**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	32	3.6	4	1	1	3	5	6	7	8
35-49	32	3.3	5	<1	1	3	4	6	7	12
50-64	9	2.0	1	<1	<1	2	3	4	4	4
65+	2	9.0	18	6	6	9	12	12	12	12
B. *Operated*										
0-19 YRS	3	5.0	13	1	1	6	7	8	8	8
20-34	583	5.9	6	1	2	6	7	8	9	13
35-49	1424	6.2	5	1	2	6	7	9	9	12
50-64	228	6.3	10	<1	2	7	8	10	11	16
65+	30	8.0	11	2	3	8	10	12	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	59	3.3	5	1	1	3	5	6	8	9
35-49	120	4.1	12	1	1	3	6	8	9	17
50-64	41	3.1	7	<1	1	2	4	7	8	12
65+	31	6.7	16	2	2	7	9	12	15	18
B. *Operated*										
0-19 YRS	9	6.7	16	1	1	6	9	13	13	13
20-34	1764	6.7	9	2	3	6	8	10	11	17
35-49	6513	7.2	8	3	5	7	8	10	12	18
50-64	1216	7.8	16	2	3	7	9	12	14	22
65+	189	10.4	41	3	5	9	12	17	20	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	75	3.4	5	<1	1	3	5	6	7	12
B. *Operated*	2268	6.2	6	1	2	6	7	9	10	13
2. MULTIPLE DX										
A. *Not Operated*	251	4.1	11	1	1	3	6	8	9	15
B. *Operated*	9691	7.3	10	2	5	7	8	10	12	19
1. SINGLE DX	2343	6.1	6	1	2	6	7	9	10	13
2. MULTIPLE DX	9942	7.2	11	2	4	7	8	10	12	19
A. NOT OPERATED	326	3.9	10	1	1	3	5	8	9	14
B. OPERATED	11959	7.1	10	2	4	7	8	10	12	18
TOTAL 0-19 YRS	12	6.3	15	1	1	6	8	12	13	13
20-34	2438	6.4	8	2	2	6	8	9	11	16
35-49	8089	7.0	8	2	5	7	8	10	11	17
50-64	1494	7.4	16	1	2	7	9	11	14	21
65+	252	9.6	36	2	4	9	11	15	18	34
GRAND TOTAL	**12285**	**7.0**	**10**	**2**	**4**	**7**	**8**	**10**	**12**	**18**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	26	4.1	4	1	2	4	5	7	8	8
35-49	20	4.9	9	<1	<1	6	7	9	10	10
50-64	10	3.5	18	<1	<1	2	3	11	14	14
65+	7	4.4	18	<1	<1	2	8	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS										
20-34	33	6.8	10	2	4	6	7	10	14	19
35-49	72	6.8	14	2	2	6	8	11	14	19
50-64	29	8.0	24	2	2	7	10	15	16	24
65+	13	7.1	28	<1	1	8	9	12	19	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*	64	4.3	9	<1	1	4	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*	147	7.0	16	2	2	7	9	11	15	21
1. SINGLE DX	66	4.2	9	<1	1	4	6	8	10	14
2. MULTIPLE DX	149	7.0	16	2	2	7	8	11	15	21
A. NOT OPERATED	4	2.5	2	1	1	2	3	4	4	4
B. OPERATED	211	6.2	16	1	2	6	8	10	14	20
TOTAL 0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	61	5.5	9	1	2	5	7	8	10	18
35-49	93	6.3	13	1	2	6	8	10	14	19
50-64	39	6.8	26	1	1	7	9	14	16	24
65+	21	5.9	25	<1	<1	4	9	10	15	21
GRAND TOTAL	**215**	**6.1**	**16**	**1**	**2**	**6**	**8**	**10**	**14**	**20**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49										
50-64	1	7.0		7	7	7	7	7	7	7
65+	2	4.0	18	1	1	4	7	7	7	7
B. *Operated*										
0-19 YRS	80	5.7	3	3	4	6	7	8	8	12
20-34	348	5.8	3	4	4	6	6	8	8	11
35-49	94	6.6	4	4	4	6	8	9	10	14
50-64	69	8.6	16	5	5	7	9	15	17	23
65+	62	9.5	17	5	6	8	11	15	19	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	4	6.0	39	1	1	4	10	15	15	15
50-64	1	16.0		16	16	16	16	16	16	16
65+	2	10.0	50	5	5	10	15	15	15	15
B. *Operated*										
0-19 YRS	49	6.7	7	4	4	6	8	10	12	15
20-34	336	6.6	5	4	4	6	8	9	11	14
35-49	262	7.5	10	4	5	7	8	10	14	20
50-64	187	9.4	20	6	6	8	11	14	16	32
65+	132	12.1	56	6	6	11	14	18	23	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	3.6	10	1	1	2	7	7	7	7
B. *Operated*	653	6.5	7	4	4	6	7	9	11	19
2. MULTIPLE DX										
A. *Not Operated*	8	8.0	39	1	2	5	15	16	16	16
B. *Operated*	966	8.1	20	4	5	7	9	12	15	26
1. SINGLE DX	658	6.5	7	4	4	6	7	9	11	19
2. MULTIPLE DX	974	8.1	20	4	5	7	9	13	15	25
A. NOT OPERATED	13	6.3	31	1	1	5	9	15	16	16
B. OPERATED	1619	7.5	15	4	5	7	8	11	14	21
TOTAL 0-19 YRS	129	6.1	5	4	4	6	7	8	11	13
20-34	687	6.2	4	4	4	6	7	8	10	14
35-49	360	7.2	9	4	5	7	8	10	12	19
50-64	258	9.2	19	5	6	8	10	14	16	28
65+	198	11.2	45	6	6	10	13	17	21	39
GRAND TOTAL	**1632**	**7.5**	**15**	**4**	**5**	**7**	**8**	**11**	**14**	**21**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	7	2.6	4	1	1	2	3	6	7	7
20-34	24	3.3	5	<1	<1	3	5	6	7	8
35-49	26	3.2	7	<1	<1	2	6	8	8	9
50-64	11	3.5	5	<1	1	2	5	7	8	8
65+	5	3.8	27	<1	<1	2	5	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	4	2.8	3	1	1	2	4	5	5	5
20-34	14	5.6	7	2	2	6	7	8	10	11
35-49	17	6.2	13	1	2	6	7	12	14	15
50-64	16	3.9	9	1	1	3	6	9	10	10
65+	14	5.1	18	1	1	3	9	10	14	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	6.0		6	6	6	6	6	6	6
B. *Operated*	73	3.2	7	<1	<1	2	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	2	1.0		1	1	1	1	1	1	1
B. *Operated*	65	5.0	12	1	1	5	7	9	11	15
1. SINGLE DX	74	3.3	7	<1	<1	2	5	7	8	12
2. MULTIPLE DX	67	4.9	12	1	1	4	7	9	11	15
A. NOT OPERATED	3	2.7	8	1	1	1	5	6	6	6
B. OPERATED	138	4.1	10	<1	1	3	6	8	10	15
TOTAL 0-19 YRS	11	2.6	3	1	1	2	3	6	7	7
20-34	41	4.0	7	<1	1	3	6	7	8	11
35-49	43	4.4	11	<1	1	3	7	8	11	15
50-64	27	3.7	7	1	1	3	6	8	9	10
65+	19	4.8	19	<1	1	2	8	12	14	15
GRAND TOTAL	**141**	**4.1**	**10**	**<1**	**1**	**3**	**6**	**8**	**10**	**15**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	20	3.4	9	1	1	2	3	8	11	13
35-49	18	3.6	4	<1	1	3	5	6	8	9
50-64	8	2.9	3	2	2	2	3	6	7	7
65+	13	4.2	8	2	2	3	5	9	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
0-19 YRS										
20-34	4	2.5	2	1	1	2	3	4	4	4
35-49	11	3.7	5	1	1	3	5	7	8	8
50-64	8	4.4	13	1	1	3	6	10	12	12
65+	11	8.0	90	2	2	4	9	23	33	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	6.0		6	6	6	6	6	6	6
B. *Operated*	62	3.5	6	1	1	3	4	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	2	6.5	13	4	4	6	9	9	9	9
B. *Operated*	34	5.1	36	1	2	3	6	9	14	34
1. SINGLE DX	63	3.5	6	1	1	3	4	7	9	13
2. MULTIPLE DX	36	5.2	35	1	2	3	6	9	14	34
A. NOT OPERATED	3	6.3	6	4	4	6	8	9	9	9
B. OPERATED	96	4.0	17	1	1	3	4	8	11	25
TOTAL 0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	25	3.3	8	1	1	2	3	6	11	13
35-49	29	3.6	5	1	1	3	5	7	8	9
50-64	17	3.6	7	1	2	3	4	7	10	12
65+	25	6.1	45	2	2	3	8	11	20	34
GRAND TOTAL	**99**	**4.1**	**17**	**1**	**1**	**3**	**5**	**8**	**11**	**25**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	2	6.5	25	3	3	6	10	10	10	10
20-34	8	3.3	3	2	2	3	4	6	7	7
35-49	13	4.0	8	1	1	3	5	9	10	10
50-64	30	4.1	12	<1	1	3	6	10	12	13
65+	44	3.2	5	1	1	3	4	5	9	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	19.0		19	19	19	19	19	19	19
B. *Operated*										
0-19 YRS										
20-34	7	5.7	10	1	1	6	7	10	11	11
35-49	13	5.7	16	2	2	4	9	11	14	15
50-64	30	5.6	21	2	2	4	6	12	17	20
65+	46	4.5	11	1	2	4	5	10	11	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	97	3.7	8	1	1	3	4	8	10	13
2. MULTIPLE DX										
A. *Not Operated*	1	19.0		19	19	19	19	19	19	19
B. *Operated*	96	5.1	15	1	2	4	6	11	13	19
1. SINGLE DX	98	3.7	7	1	1	3	4	8	10	13
2. MULTIPLE DX	97	5.2	17	1	2	4	6	11	14	20
A. NOT OPERATED	2	10.5	145	2	2	10	19	19	19	19
B. OPERATED	193	4.4	12	1	2	3	5	10	11	18
TOTAL 0-19 YRS	2	6.5	25	3	3	6	10	10	10	10
20-34	15	4.4	7	1	2	3	6	7	10	11
35-49	26	4.8	12	1	2	4	7	10	11	15
50-64	60	4.9	17	1	1	4	6	11	13	20
65+	92	4.0	11	1	1	3	4	8	11	19
GRAND TOTAL	**195**	**4.4**	**13**	**1**	**2**	**3**	**5**	**10**	**11**	**19**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	25	1.6	1	<1	1	1	2	2	3	5
20-34	12	2.0	1	1	1	2	3	4	4	4
35-49	3	2.0	1	<1	<1	2	3	3	3	3
50-64	1	7.0		7	7	7	7	7	7	7
65+	8	3.3	7	1	1	2	5	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	1	7.0		7	7	7	7	7	7	7
50-64	2	7.0	2	6	6	7	8	8	8	8
65+	2	5.0	2	4	4	5	6	6	6	6
B. *Operated*										
0-19 YRS	7	1.7		1	1	2	2	2	2	2
20-34	3	3.7		3	3	4	4	4	4	4
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	5	2.2	2	1	1	2	3	4	4	4
65+	2	6.0	32	2	2	6	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*	49	2.1	3	1	1	2	2	4	7	8
2. MULTIPLE DX										
A. *Not Operated*	6	5.3	6	1	1	6	7	8	8	8
B. *Operated*	19	2.6	4	1	1	2	3	4	7	10
1. SINGLE DX	51	2.1	3	1	1	2	2	4	7	8
2. MULTIPLE DX	25	3.2	6	1	1	2	4	7	8	10
A. NOT OPERATED	8	4.5	7	1	1	5	7	8	8	8
B. OPERATED	68	2.2	3	1	1	2	2	4	7	10
TOTAL 0-19 YRS	34	1.6	1	1	1	1	2	2	3	5
20-34	15	2.3	2	1	1	2	4	4	4	4
35-49	7	2.7	4	<1	<1	2	3	6	7	7
50-64	8	4.0	7	1	1	3	6	8	8	8
65+	12	4.0	9	1	1	2	6	9	10	10
GRAND TOTAL	**76**	**2.5**	**4**	**1**	**1**	**2**	**3**	**6**	**7**	**10**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	2.7	6	1	1	2	4	7	7	7
35-49	12	2.1	1	<1	<1	2	3	3	3	3
50-64	9	2.8	5	<1	<1	2	3	7	8	8
65+	20	4.0	4	1	2	4	5	7	8	9
B. *Operated*										
0-19 YRS	4	11.3	11	9	9	10	13	16	16	16
20-34	31	10.4	20	2	4	11	12	14	18	24
35-49	58	12.2	76	2	2	10	15	24	28	44
50-64	70	14.3	81	2	4	12	19	24	27	49
65+	64	19.1	156	4	7	17	25	30	39	74
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	3	2.3		2	2	2	3	3	3	3
35-49	8	6.5	48	2	2	4	8	19	22	22
50-64	19	10.6	241	1	2	5	10	34	53	58
65+	50	10.5	82	2	3	8	14	19	25	49
B. *Operated*										
0-19 YRS	4	16.8	83	7	7	17	24	25	25	25
20-34	17	17.8	167	4	7	12	22	35	48	54
35-49	40	21.0	253	3	4	16	28	47	52	72
50-64	65	22.0	203	5	8	18	29	47	65	99+
65+	76	29.1	391	9	10	21	45	64	73	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	3.1	4	<1	1	3	4	7	7	9
B. *Operated*	227	14.5	100	2	4	12	18	26	30	52
2. MULTIPLE DX										
A. *Not Operated*	82	9.6	112	2	2	6	11	19	31	55
B. *Operated*	202	24.0	291	6	9	19	32	54	66	99+
1. SINGLE DX	274	12.6	102	1	2	11	17	26	28	49
2. MULTIPLE DX	284	19.9	281	2	3	15	26	49	59	92
A. NOT OPERATED	129	7.2	82	1	2	5	8	16	20	51
B. OPERATED	429	19.0	212	3	6	15	24	39	54	78
TOTAL 0-19 YRS	10	11.9	58	2	3	10	16	24	25	25
20-34	57	11.4	85	1	2	11	13	22	30	53
35-49	118	13.8	161	1	2	11	18	29	43	60
50-64	163	16.3	170	2	2	13	22	32	49	95
65+	210	19.2	283	3	4	15	25	46	59	79
GRAND TOTAL	**558**	**16.3**	**206**	**2**	**3**	**12**	**21**	**35**	**50**	**77**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	2	2.5	5	<1	<1	2	4	4	4	4
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	32	3.5	1	2	2	4	4	5	5	6
20-34	261	3.9	2	2	3	4	4	5	6	7
35-49	299	4.1	2	3	3	4	5	5	6	10
50-64	212	4.3	6	2	3	4	5	6	7	10
65+	88	5.3	14	3	3	4	6	8	13	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	4.5	1	4	4	4	5	5	5	5
35-49	4	7.5	10	3	3	8	9	10	10	10
50-64	6	3.8	3	2	2	4	5	6	6	6
65+	5	9.6	19	6	6	8	13	16	16	16
B. *Operated*										
0-19 YRS	10	5.4	24	2	2	4	5	12	19	19
20-34	72	4.5	9	2	3	4	5	6	7	23
35-49	121	5.0	7	3	3	4	5	8	11	16
50-64	148	6.6	35	3	3	5	7	13	15	25
65+	96	8.8	60	3	4	6	10	16	22	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	3.4	4	<1	<1	4	5	6	6	6
B. *Operated*	892	4.2	4	2	3	4	5	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	18	6.3	14	2	2	5	8	11	14	16
B. *Operated*	447	6.3	30	3	3	5	6	12	15	25
1. SINGLE DX	897	4.2	4	2	3	4	5	6	7	12
2. MULTIPLE DX	465	6.3	30	3	3	5	7	12	15	25
A. NOT OPERATED	23	5.7	13	1	2	5	7	10	13	16
B. OPERATED	1339	4.9	14	3	3	4	5	7	10	20
TOTAL 0-19 YRS	43	3.9	7	2	2	4	4	5	6	19
20-34	335	4.1	3	2	3	4	4	5	6	10
35-49	426	4.3	4	3	3	4	5	6	8	13
50-64	368	5.2	18	3	3	4	5	8	12	24
65+	190	7.1	40	3	3	5	8	13	19	28
GRAND TOTAL	**1362**	**4.9**	**14**	**2**	**3**	**4**	**5**	**7**	**10**	**20**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.3		3	3	3	4	4	4	4
20-34	13	2.8	2	1	1	2	4	5	6	6
35-49	5	2.8	2	1	1	3	4	4	4	4
50-64	6	7.2	9	3	3	7	10	11	11	11
65+	5	4.8	6	2	2	5	6	8	8	8
B. *Operated*										
0-19 YRS	7	12.1	28	9	9	10	12	22	24	24
20-34	28	9.3	15	3	4	9	11	16	18	18
35-49	43	9.6	52	3	4	7	12	22	25	37
50-64	53	9.1	69	3	3	6	12	16	22	51
65+	33	11.1	61	3	4	9	16	20	23	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	12	5.7	6	3	3	5	7	10	11	11
35-49	13	7.1	30	2	2	7	8	13	21	23
50-64	21	9.9	60	1	2	8	13	21	26	32
65+	14	7.9	47	3	3	5	8	17	26	28
B. *Operated*										
0-19 YRS	1	28.0		28	28	28	28	28	28	28
20-34	24	12.5	132	3	5	9	13	27	40	53
35-49	36	13.9	221	3	4	10	15	21	39	86
50-64	62	13.5	90	4	5	12	16	28	38	94
65+	67	13.1	97	4	5	10	17	26	34	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	4.0	6	1	2	3	5	7	10	11
B. *Operated*	164	9.8	52	3	4	8	12	18	23	40
2. MULTIPLE DX										
A. *Not Operated*	62	7.9	40	2	3	6	9	15	22	32
B. *Operated*	190	13.4	121	4	4	11	16	26	37	72
1. SINGLE DX	197	8.8	49	2	3	7	11	18	22	39
2. MULTIPLE DX	252	12.0	107	3	4	9	15	25	33	53
A. NOT OPERATED	95	6.5	31	2	2	4	8	13	20	30
B. OPERATED	354	11.7	92	3	4	9	15	22	30	52
TOTAL 0-19 YRS	14	9.7	59	3	3	9	11	24	27	28
20-34	77	8.6	58	2	3	7	10	15	21	48
35-49	97	10.5	117	2	3	8	13	21	25	65
50-64	142	11.0	78	3	4	9	14	22	31	56
65+	119	11.6	81	3	4	8	16	23	29	46
GRAND TOTAL	**449**	**10.6**	**84**	**3**	**3**	**8**	**13**	**21**	**28**	**52**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	1.7	3	<1	<1	1	1	5	5	5
35-49										
50-64	2	4.5	25	1	1	4	8	8	8	8
65+	3	3.3	1	2	2	4	4	4	4	4
B. *Operated*										
0-19 YRS	16	2.1	2	1	1	2	3	3	5	6
20-34	721	4.1	5	1	1	4	6	7	8	10
35-49	246	5.0	7	1	2	5	7	8	9	11
50-64	69	4.8	9	<1	2	4	7	8	10	15
65+	35	5.6	11	1	2	6	8	10	10	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	10	2.2	3	<1	<1	2	2	5	6	6
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	4	10.3	145	1	1	6	19	27	27	27
65+	2	6.0	2	5	5	6	7	7	7	7
B. *Operated*										
0-19 YRS	12	4.9	16	2	2	3	7	10	14	15
20-34	510	5.2	7	2	2	5	7	8	9	13
35-49	322	6.7	8	2	3	6	8	9	11	17
50-64	105	6.4	9	2	2	7	8	9	12	16
65+	59	7.3	24	2	3	7	9	11	15	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	2.6	5	<1	<1	1	4	6	8	8
B. *Operated*	1087	4.4	6	1	1	4	6	8	9	11
2. MULTIPLE DX										
A. *Not Operated*	18	4.4	39	<1	1	2	5	10	21	27
B. *Operated*	1008	5.9	9	2	2	6	7	9	11	15
1. SINGLE DX	1098	4.4	6	1	1	4	6	8	9	11
2. MULTIPLE DX	1026	5.9	9	2	2	6	7	9	11	15
A. NOT OPERATED	29	3.7	27	<1	1	2	5	8	12	27
B. OPERATED	2095	5.1	8	1	2	5	7	8	10	13
TOTAL 0-19 YRS	28	3.3	10	1	1	2	3	8	9	15
20-34	1247	4.6	6	1	2	5	6	8	9	12
35-49	570	5.9	8	1	2	6	7	9	10	16
50-64	180	5.9	12	1	2	6	8	9	11	17
65+	99	6.5	19	2	2	6	8	10	13	26
GRAND TOTAL	**2124**	**5.1**	**8**	**1**	**2**	**5**	**7**	**8**	**10**	**13**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	3.0		3	3	3	3	3	3	3
50-64	5	11.8	47	5	5	9	18	21	21	21
65+	4	5.3	11	2	2	5	8	9	9	9
B. *Operated*										
0-19 YRS	2	7.5	13	5	5	7	10	10	10	10
20-34	36	3.3	5	<1	1	3	5	7	8	9
35-49	69	5.4	12	1	1	5	8	11	12	14
50-64	91	5.4	16	1	2	4	8	11	12	20
65+	138	5.9	28	1	2	4	8	14	17	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	5.0		5	5	5	5	5	5	5
35-49	3	4.0	3	3	3	3	5	6	6	6
50-64	7	11.3	231	1	1	3	15	38	43	43
65+	16	7.8	24	2	3	7	10	15	19	20
B. *Operated*										
0-19 YRS										
20-34	28	4.2	12	1	1	3	6	8	11	16
35-49	65	5.8	16	2	2	5	8	9	16	19
50-64	121	7.3	37	2	2	5	10	16	19	32
65+	200	8.8	73	2	2	7	11	19	23	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	7.6	40	1	2	7	9	19	21	21
B. *Operated*	336	5.4	19	1	2	4	7	11	14	22
2. MULTIPLE DX										
A. *Not Operated*	28	7.9	71	1	2	5	10	17	22	43
B. *Operated*	414	7.6	51	2	2	6	9	17	21	32
1. SINGLE DX	347	5.4	20	1	2	4	7	11	14	22
2. MULTIPLE DX	442	7.6	52	2	2	6	9	17	20	32
A. NOT OPERATED	39	7.8	61	1	2	6	10	17	21	43
B. OPERATED	750	6.6	38	1	2	5	9	14	18	30
TOTAL 0-19 YRS	3	5.7	16	2	2	5	9	10	10	10
20-34	66	3.7	8	1	1	3	5	7	9	15
35-49	138	5.5	13	1	2	5	8	10	12	18
50-64	224	6.8	36	2	2	5	9	13	18	32
65+	358	7.6	55	2	2	5	10	17	21	31
GRAND TOTAL	**789**	**6.7**	**39**	**1**	**2**	**5**	**9**	**14**	**18**	**30**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	5.8	147	<1	1	3	6	9	13	78
20-34	49	4.2	19	1	1	3	4	8	10	29
35-49	59	4.0	44	1	1	2	5	6	10	47
50-64	74	4.3	19	1	1	3	5	10	13	24
65+	118	5.3	22	1	1	4	6	11	16	25
B. *Operated*										
0-19 YRS	132	4.1	18	<1	1	2	5	10	12	22
20-34	204	4.9	20	1	1	4	6	9	13	25
35-49	217	5.5	33	1	1	3	7	13	15	34
50-64	258	5.3	22	1	1	3	8	12	14	21
65+	299	6.5	35	1	2	4	9	14	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	6.5	76	<1	1	4	8	11	35	37
20-34	52	5.2	61	1	1	3	7	10	11	55
35-49	71	6.1	36	<1	1	4	7	12	16	35
50-64	190	6.0	25	1	1	4	8	11	17	24
65+	386	8.3	58	1	2	6	10	18	25	40
B. *Operated*										
0-19 YRS	34	10.1	114	1	2	6	12	26	31	51
20-34	134	7.4	55	1	2	5	9	15	22	38
35-49	203	7.0	36	2	2	6	8	13	18	32
50-64	317	9.2	79	2	2	7	12	18	21	46
65+	554	10.5	80	2	2	8	14	21	28	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	340	4.8	39	1	1	3	5	9	13	26
B. *Operated*	1110	5.5	27	1	1	3	7	12	16	25
2. MULTIPLE DX										
A. *Not Operated*	730	7.2	49	1	1	5	9	15	22	38
B. *Operated*	1242	9.2	72	2	2	7	12	19	25	43
1. SINGLE DX	1450	5.3	30	1	1	3	7	12	15	26
2. MULTIPLE DX	1972	8.5	65	1	2	6	11	18	23	41
A. NOT OPERATED	1070	6.4	47	1	1	4	8	13	19	37
B. OPERATED	2352	7.5	55	1	2	5	10	16	20	37
TOTAL 0-19 YRS	237	5.6	64	<1	1	3	6	11	16	39
20-34	439	5.6	37	1	1	4	7	11	15	30
35-49	550	6.0	36	1	1	4	7	12	16	36
50-64	839	6.8	47	1	2	5	9	14	19	31
65+	1357	8.5	62	1	2	6	12	19	24	39
GRAND TOTAL	**3422**	**7.1**	**53**	**1**	**2**	**5**	**9**	**15**	**20**	**37**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.7	1	1	1	3	4	4	4	4
20-34	17	2.5	1	1	1	2	3	4	4	4
35-49	27	3.2	2	1	2	3	4	5	6	7
50-64	17	4.0	6	1	1	4	6	8	9	9
65+	11	3.7	4	1	1	4	5	7	8	8
B. *Operated*										
0-19 YRS	28	3.7	4	1	2	3	4	6	7	11
20-34	206	4.2	4	2	3	4	5	6	7	11
35-49	322	4.2	2	2	3	4	5	6	7	10
50-64	314	4.8	6	3	3	4	5	7	9	14
65+	139	5.3	11	3	3	4	6	9	12	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.5	3	1	1	4	5	5	5	5
20-34	41	4.1	23	1	1	3	4	7	8	32
35-49	53	4.7	10	1	2	4	5	8	13	15
50-64	82	4.7	17	1	1	4	5	9	13	23
65+	83	6.2	19	2	2	4	8	12	15	23
B. *Operated*										
0-19 YRS	8	5.1	2	4	4	5	6	7	8	8
20-34	90	4.9	6	3	3	4	5	7	10	15
35-49	164	5.4	9	3	3	5	6	10	13	17
50-64	215	6.3	16	3	3	5	7	11	13	25
65+	180	9.5	48	3	4	7	12	17	23	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	79	3.2	3	1	1	3	4	6	7	9
B. *Operated*	1009	4.5	5	2	3	4	5	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	265	5.0	17	1	2	4	6	9	14	24
B. *Operated*	657	6.7	24	3	3	5	8	13	16	29
1. SINGLE DX	1088	4.4	5	2	3	4	5	6	8	13
2. MULTIPLE DX	922	6.3	23	2	3	5	7	12	15	27
A. NOT OPERATED	344	4.6	15	1	2	4	5	8	12	20
B. OPERATED	1666	5.4	14	3	3	4	6	9	12	22
TOTAL 0-19 YRS	49	3.8	3	1	2	4	5	6	6	11
20-34	354	4.3	7	2	2	4	5	6	8	14
35-49	566	4.6	5	2	3	4	5	7	9	14
50-64	628	5.3	11	2	3	4	6	9	12	19
65+	413	7.2	32	3	3	5	9	15	17	32
GRAND TOTAL	**2010**	**5.3**	**14**	**2**	**3**	**4**	**6**	**9**	**12**	**21**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	50	4.4	9	1	1	4	6	8	12	13
20-34	176	4.9	20	1	2	4	6	8	12	16
35-49	130	4.9	12	2	2	4	6	8	12	20
50-64	88	6.1	29	1	2	5	8	11	13	34
65+	61	6.6	13	2	3	6	8	12	13	19
B. *Operated*										
0-19 YRS	33	6.2	21	3	3	5	6	12	19	22
20-34	210	5.2	7	3	3	5	6	8	11	15
35-49	193	4.8	6	3	3	4	5	7	10	15
50-64	99	5.2	9	2	3	5	5	8	11	19
65+	49	5.8	11	3	3	5	6	10	11	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	4.7	11	<1	1	4	6	11	12	13
20-34	203	5.7	19	2	2	5	7	9	14	25
35-49	313	6.7	23	2	3	5	9	12	14	26
50-64	386	7.1	28	2	3	6	9	13	17	28
65+	497	10.1	59	3	4	8	12	19	25	39
B. *Operated*										
0-19 YRS	12	4.8	10	1	2	4	6	9	12	13
20-34	93	7.9	40	3	4	5	9	16	21	32
35-49	115	6.7	29	2	2	5	8	12	16	32
50-64	140	9.5	67	2	3	7	12	18	25	43
65+	111	12.3	101	4	4	9	15	25	34	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	505	5.3	18	1	2	4	7	9	12	18
B. *Operated*	584	5.2	8	3	3	4	6	8	11	16
2. MULTIPLE DX										
A. *Not Operated*	1425	7.8	39	2	3	6	9	14	20	31
B. *Operated*	471	9.0	63	2	3	6	11	19	25	42
1. SINGLE DX	1089	5.2	13	2	2	4	6	9	12	17
2. MULTIPLE DX	1896	8.1	45	2	3	6	10	15	21	34
A. NOT OPERATED	1930	7.1	35	2	2	6	9	13	18	30
B. OPERATED	1055	6.9	36	3	3	5	7	13	18	34
TOTAL 0-19 YRS	121	5.0	13	1	2	4	6	10	13	21
20-34	682	5.6	19	2	2	5	6	9	14	26
35-49	751	5.9	19	2	3	5	7	10	13	24
50-64	713	7.2	35	2	3	5	9	13	18	31
65+	718	9.8	61	3	3	8	12	19	25	43
GRAND TOTAL	**2985**	**7.1**	**35**	**2**	**3**	**5**	**8**	**13**	**18**	**30**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	290	6.2	13	2	3	6	8	10	12	14
20-34	281	5.5	8	2	2	5	7	9	11	15
35-49	402	6.4	11	2	3	6	8	10	12	17
50-64	521	6.3	15	2	3	6	8	10	12	20
65+	473	7.3	19	2	3	6	9	12	15	25
B. *Operated*										
0-19 YRS										
20-34	5	12.6	85	2	2	13	17	27	27	27
35-49	7	6.0	7	3	3	6	7	10	11	11
50-64	13	8.8	32	2	2	8	12	18	18	18
65+	18	13.1	111	3	4	10	15	30	40	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	247	5.8	20	2	2	5	7	11	13	21
20-34	576	6.1	21	2	2	5	8	11	14	27
35-49	1402	7.3	28	2	3	6	9	12	15	27
50-64	2830	7.7	25	2	3	7	10	13	16	27
65+	3773	8.8	41	3	3	7	11	16	20	34
B. *Operated*										
0-19 YRS	15	5.5	4	2	2	6	7	8	8	8
20-34	73	8.7	35	2	3	7	12	19	22	82
35-49	208	11.6	100	2	3	10	14	19	27	55
50-64	468	12.3	104	2	4	10	15	24	31	60
65+	480	15.8	200	3	4	12	19	31	46	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1967	6.4	14	2	3	6	8	10	13	20
B. *Operated*	43	10.6	70	2	3	9	13	18	30	44
2. MULTIPLE DX										
A. *Not Operated*	8828	8.0	33	2	3	7	10	14	18	29
B. *Operated*	1244	13.2	140	2	4	10	16	26	35	68
1. SINGLE DX	2010	6.5	16	2	3	6	8	11	13	20
2. MULTIPLE DX	10072	8.6	49	2	3	7	10	15	20	37
A. NOT OPERATED	10795	7.7	30	2	3	7	9	13	17	28
B. OPERATED	1287	13.1	138	2	4	10	16	25	35	68
TOTAL 0-19 YRS	552	6.0	16	2	2	5	8	10	12	16
20-34	935	6.2	20	2	2	5	8	11	14	26
35-49	2019	7.6	34	2	3	6	9	13	17	28
50-64	3832	8.1	36	2	3	7	10	14	18	32
65+	4744	9.4	60	3	3	7	11	17	22	44
GRAND TOTAL	**12082**	**8.3**	**44**	**2**	**3**	**7**	**10**	**15**	**19**	**35**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	537	4.8	16	1	2	4	6	8	10	17
20-34	418	4.8	11	2	2	4	6	8	11	17
35-49	176	7.0	18	2	3	6	9	13	16	21
50-64	116	6.6	14	2	3	6	9	11	14	19
65+	82	9.5	108	1	2	7	12	16	27	61
B. *Operated*										
0-19 YRS	4	7.5	14	5	5	6	10	13	13	13
20-34	4	18.3	439	4	4	10	31	49	49	49
35-49	4	8.8	7	5	5	9	10	11	11	11
50-64	1	10.0		10	10	10	10	10	10	10
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	386	5.6	22	1	2	4	7	10	12	21
20-34	514	6.5	26	2	2	5	8	12	16	29
35-49	410	8.5	43	2	3	7	10	16	22	35
50-64	385	9.2	34	3	4	8	11	16	21	30
65+	457	12.3	87	3	4	10	15	23	29	52
B. *Operated*										
0-19 YRS	21	10.7	22	3	3	12	14	16	17	17
20-34	52	12.3	119	2	3	9	16	24	28	64
35-49	37	21.5	407	5	6	13	34	73	92	99+
50-64	42	29.2	481	9	11	21	35	65	79	94
65+	56	22.4	314	5	7	16	24	52	63	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1329	5.5	22	1	2	4	7	10	12	20
B. *Operated*	13	11.4	138	4	5	9	11	21	44	49
2. MULTIPLE DX										
A. *Not Operated*	2152	8.4	48	2	3	7	10	16	21	36
B. *Operated*	208	19.9	323	4	5	14	24	47	66	96
1. SINGLE DX	1342	5.6	23	1	2	4	7	10	13	20
2. MULTIPLE DX	2360	9.4	83	2	3	7	11	18	25	52
A. NOT OPERATED	3481	7.3	40	2	2	6	9	14	18	32
B. OPERATED	221	19.4	316	4	5	14	23	46	66	96
TOTAL 0-19 YRS	948	5.3	19	1	2	4	7	10	12	19
20-34	988	6.1	29	2	2	5	7	11	15	28
35-49	627	8.8	67	2	3	7	10	16	23	50
50-64	544	10.2	95	3	3	8	11	18	24	64
65+	595	12.8	121	3	4	10	15	24	32	61
GRAND TOTAL	**3702**	**8.0**	**65**	**2**	**2**	**6**	**10**	**15**	**21**	**46**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	196	5.6	8	2	2	5	7	10	11	15
20-34	277	6.1	14	2	3	5	7	10	12	21
35-49	364	6.3	11	2	3	6	8	10	12	17
50-64	530	6.8	21	3	3	6	8	11	14	24
65+	513	7.7	19	3	3	7	10	13	15	23
B. *Operated*										
0-19 YRS	2	13.0	288	1	1	13	25	25	25	25
20-34	10	8.3	12	2	2	9	10	12	13	13
35-49	14	14.0	90	2	4	12	18	24	35	38
50-64	37	9.7	95	2	2	6	12	24	35	40
65+	27	17.9	344	2	2	14	22	44	52	83
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	169	5.5	10	1	2	5	7	10	11	16
20-34	662	7.1	38	2	2	6	8	13	16	35
35-49	1549	7.5	25	2	3	6	9	13	16	27
50-64	3064	8.3	33	3	3	7	10	14	17	30
65+	3812	9.3	47	3	4	8	11	16	21	35
B. *Operated*										
0-19 YRS	18	8.9	17	2	3	9	10	14	17	19
20-34	196	10.7	111	2	2	8	14	20	29	53
35-49	413	13.7	166	3	3	10	16	27	44	75
50-64	946	15.7	193	3	4	11	20	34	46	80
65+	1264	18.4	223	3	4	14	25	38	53	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1880	6.7	17	2	3	6	8	11	13	22
B. *Operated*	90	12.8	171	2	2	9	17	26	40	69
2. MULTIPLE DX										
A. *Not Operated*	9256	8.4	38	3	3	7	10	15	19	32
B. *Operated*	2837	16.2	201	3	4	12	21	35	47	80
1. SINGLE DX	1970	7.0	25	2	3	6	8	12	15	25
2. MULTIPLE DX	12093	10.3	87	3	3	8	12	19	27	54
A. NOT OPERATED	11136	8.1	35	3	3	7	10	14	18	31
B. OPERATED	2927	16.1	201	3	4	12	21	35	47	80
TOTAL 0-19 YRS	385	5.8	11	1	2	5	7	10	11	16
20-34	1145	7.5	47	2	3	6	9	13	17	36
35-49	2340	8.4	55	2	3	7	10	15	20	43
50-64	4577	9.6	75	3	3	7	11	17	24	49
65+	5616	11.2	101	3	4	8	13	22	31	57
GRAND TOTAL	**14063**	**9.8**	**80**	**3**	**3**	**7**	**11**	**18**	**26**	**51**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	3.1	2	1	1	3	4	5	5	5
20-34	11	3.5	4	<1	1	3	5	6	8	8
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	36	3.6	5	1	1	3	5	6	6	11
20-34	168	3.9	6	1	1	4	6	6	7	13
35-49	14	4.6	4	<1	2	5	6	7	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.7	5	1	1	3	4	8	8	8
20-34	35	4.1	7	1	2	3	5	6	11	14
35-49	11	6.2	18	1	2	4	10	12	12	12
50-64	1	4.0		4	4	4	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	38	4.1	5	<1	1	4	6	7	7	8
20-34	290	4.5	8	1	1	5	6	7	9	13
35-49	46	6.5	11	2	2	6	8	10	13	18
50-64	2	7.0	32	3	3	7	11	11	11	11
65+	3	13.0	39	8	8	11	18	20	20	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	3.4	3	<1	1	3	4	5	7	8
B. *Operated*	218	3.9	6	1	1	4	6	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	53	4.5	10	1	2	3	6	9	12	14
B. *Operated*	379	4.7	9	1	1	5	6	8	9	14
1. SINGLE DX	237	3.8	5	1	1	4	5	6	7	12
2. MULTIPLE DX	432	4.7	9	1	1	5	6	8	10	14
A. NOT OPERATED	72	4.2	8	1	2	3	5	8	12	14
B. OPERATED	597	4.4	8	1	1	5	6	7	9	13
TOTAL 0-19 YRS	88	3.7	5	1	1	4	5	6	7	10
20-34	504	4.2	7	1	1	4	6	7	8	13
35-49	71	6.1	11	2	2	6	8	10	13	17
50-64	3	6.0	19	3	3	4	9	11	11	11
65+	3	13.0	39	8	8	11	18	20	20	20
GRAND TOTAL	**669**	**4.4**	**8**	**1**	**1**	**4**	**6**	**7**	**9**	**13**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	120	4.0	15	1	1	3	4	8	12	20
20-34	162	4.7	12	1	2	4	6	9	12	18
35-49	127	4.7	9	1	2	4	6	8	10	17
50-64	92	5.1	18	1	2	4	6	10	15	22
65+	132	6.1	51	1	1	4	6	12	19	44
B. *Operated*										
0-19 YRS	10	4.5	6	1	1	4	6	8	8	8
20-34	24	8.5	21	3	4	8	11	12	16	25
35-49	19	8.8	88	2	3	8	10	15	31	44
50-64	41	7.4	34	2	3	6	8	14	23	28
65+	25	9.0	47	3	3	7	11	15	23	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	150	4.2	17	1	1	3	5	8	11	23
20-34	358	4.9	19	1	2	4	6	9	12	23
35-49	436	6.0	32	1	2	4	7	12	15	31
50-64	652	6.1	21	2	2	5	7	11	15	25
65+	1225	8.0	50	2	2	6	10	16	21	35
B. *Operated*										
0-19 YRS	14	7.1	32	2	3	6	10	13	21	23
20-34	45	9.6	57	3	4	8	11	17	18	49
35-49	76	11.2	149	3	4	7	11	27	39	71
50-64	114	13.6	177	3	4	9	16	29	44	67
65+	130	15.7	226	3	5	11	18	30	49	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	633	4.9	21	1	2	4	6	9	12	22
B. *Operated*	119	7.9	41	2	3	6	10	14	22	37
2. MULTIPLE DX										
A. *Not Operated*	2821	6.7	36	1	2	5	8	13	18	31
B. *Operated*	379	13.1	173	3	4	9	15	28	43	74
1. SINGLE DX	752	5.4	25	1	2	4	6	10	15	25
2. MULTIPLE DX	3200	7.4	57	2	2	5	9	14	20	41
A. NOT OPERATED	3454	6.4	34	1	2	5	8	13	17	29
B. OPERATED	498	11.9	146	3	3	8	13	24	37	62
TOTAL 0-19 YRS	294	4.2	17	1	1	3	5	8	11	23
20-34	589	5.4	22	1	2	4	7	10	13	22
35-49	658	6.4	46	1	2	5	8	11	16	39
50-64	899	7.0	47	2	2	5	8	13	19	42
65+	1512	8.5	70	2	2	6	11	17	23	45
GRAND TOTAL	**3952**	**7.0**	**51**	**1**	**2**	**5**	**8**	**14**	**19**	**39**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	9.7	84	2	2	6	12	26	30	30
20-34	3	9.7	154	2	2	3	19	24	24	24
35-49	7	5.7	8	3	3	5	7	10	11	11
50-64	4	8.0	21	4	4	7	11	14	14	14
65+	16	11.7	135	2	2	5	18	31	36	38
B. *Operated*										
0-19 YRS										
20-34	4	2.5	2	1	1	2	3	4	4	4
35-49	3	16.3	197	3	3	15	27	31	31	31
50-64	2	7.5	41	3	3	7	12	12	12	12
65+	2	7.0	2	6	6	7	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	7.9	93	2	2	6	8	14	20	54
20-34	26	11.9	175	2	3	5	16	30	37	57
35-49	40	10.2	63	2	2	8	14	23	27	31
50-64	84	14.5	205	4	4	10	16	25	43	85
65+	352	12.7	99	3	4	9	15	25	32	56
B. *Operated*										
0-19 YRS	4	29.6	1430	5	5	14	53	85	85	85
20-34	9	9.8	53	2	2	9	18	62	99+	99+
35-49	16	19.9	230	3	4	15	29	37	52	59
50-64	27	13.0	84	1	2	11	21	26	42	99+
65+	69	21.5	193	5	6	19	31	43	48	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	9.6	87	2	2	5	11	25	31	38
B. *Operated*	11	8.0	77	1	2	4	11	21	30	31
2. MULTIPLE DX										
A. *Not Operated*	532	12.5	118	3	3	9	15	25	31	58
B. *Operated*	125	18.9	210	3	5	16	28	39	51	99+
1. SINGLE DX	50	9.3	84	2	2	5	11	25	31	38
2. MULTIPLE DX	657	13.7	141	3	3	10	17	28	37	59
A. NOT OPERATED	571	12.3	116	3	3	9	15	25	31	58
B. OPERATED	136	18.0	208	2	3	15	26	38	49	99+
TOTAL 0-19 YRS	43	10.3	221	2	2	6	9	20	38	85
20-34	42	10.4	133	1	2	5	15	28	41	99+
35-49	66	12.4	120	2	3	9	16	30	32	55
50-64	117	13.8	169	3	4	10	17	25	37	96
65+	439	14.0	125	3	4	10	18	30	37	56
GRAND TOTAL	**707**	**13.4**	**138**	**3**	**3**	**9**	**17**	**28**	**37**	**59**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	8.5	24	3	3	6	13	14	16	22
20-34	10	12.1	66	1	3	11	14	24	31	31
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	2	58.0	2738	21	21	58	95	95	95	95
20-34	2	6.0	32	2	2	6	10	10	10	10
35-49	8	2.8	2	1	1	3	4	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	101	10.1	34	3	4	9	13	20	21	26
20-34	35	9.9	43	1	3	8	15	17	24	28
35-49	4	6.3	9	2	2	7	8	9	9	9
50-64										
65+										
B. *Operated*										
0-19 YRS	7	22.7	317	3	4	17	33	51	55	55
20-34	10	10.1	107	2	2	7	12	25	38	38
35-49	5	5.4	5	3	3	6	7	8	8	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	9.3	35	2	3	8	13	15	20	31
B. *Operated*	12	12.5	706	1	1	3	7	43	88	95
2. MULTIPLE DX										
A. *Not Operated*	140	9.9	36	3	4	8	14	19	21	27
B. *Operated*	22	13.0	187	2	3	8	13	37	45	55
1. SINGLE DX	54	10.0	176	2	2	6	13	16	22	92
2. MULTIPLE DX	162	10.3	56	3	3	8	14	20	24	38
A. NOT OPERATED	182	9.8	36	3	4	8	13	18	21	28
B. OPERATED	34	12.9	354	2	2	6	12	36	52	95
TOTAL 0-19 YRS	141	11.0	103	3	4	9	14	21	23	59
20-34	57	10.2	56	1	2	8	14	17	27	38
35-49	18	4.3	6	1	2	4	7	8	9	9
50-64										
65+										
GRAND TOTAL	**216**	**10.2**	**86**	**2**	**3**	**8**	**13**	**20**	**23**	**44**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	3.0	1	1	1	3	4	5	5	5
20-34	19	3.8	7	<1	1	3	5	9	10	10
35-49	9	3.2	5	<1	<1	3	5	6	7	7
50-64	8	2.9	3	<1	<1	2	4	6	6	6
65+	2	3.5	1	3	3	3	4	4	4	4
B. *Operated*										
0-19 YRS	22	7.7	4	5	6	7	8	11	12	13
20-34	299	8.2	5	5	6	8	9	11	12	16
35-49	204	8.6	5	6	6	8	10	12	13	15
50-64	32	10.1	15	7	7	9	11	15	16	26
65+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	3.5	3	2	2	3	4	5	6	10
20-34	83	4.8	27	1	1	3	5	11	14	31
35-49	131	7.3	122	1	1	4	7	16	22	72
50-64	99	6.3	16	2	2	6	8	11	13	23
65+	46	8.9	43	2	3	7	10	17	22	37
B. *Operated*										
0-19 YRS	23	7.6	25	2	4	6	8	15	21	22
20-34	454	8.5	25	5	5	8	9	11	15	33
35-49	506	9.1	36	5	5	8	10	13	18	35
50-64	122	10.0	71	3	5	8	10	16	26	54
65+	20	12.1	166	2	3	9	12	26	46	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56	3.3	4	<1	1	3	4	6	8	10
B. *Operated*	558	8.4	6	5	6	8	9	12	13	16
2. MULTIPLE DX										
A. *Not Operated*	389	6.4	58	1	2	4	7	12	17	36
B. *Operated*	1125	9.0	38	5	5	8	10	13	17	38
1. SINGLE DX	614	8.0	8	3	5	8	9	11	13	16
2. MULTIPLE DX	1514	8.3	44	2	3	7	9	13	17	37
A. NOT OPERATED	445	6.0	52	1	2	4	7	11	17	34
B. OPERATED	1683	8.8	27	5	5	8	10	12	15	32
TOTAL 0-19 YRS	93	5.4	13	2	2	5	7	9	12	22
20-34	855	7.9	19	3	5	7	9	11	13	26
35-49	850	8.7	42	3	4	8	10	13	17	33
50-64	261	8.4	45	2	3	7	10	13	18	33
65+	69	9.6	78	2	3	7	11	17	26	53
GRAND TOTAL	**2128**	**8.2**	**34**	**2**	**3**	**7**	**9**	**12**	**15**	**33**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	65	4.0	18	1	1	2	5	9	12	25
20-34	55	5.9	53	1	2	4	5	10	18	47
35-49	41	4.4	9	1	2	3	5	9	12	15
50-64	43	6.0	43	1	2	4	7	12	16	39
65+	33	6.2	32	1	2	4	7	15	21	22
B. *Operated*										
0-19 YRS	30	3.4	8	1	1	3	4	6	9	15
20-34	46	4.3	9	1	2	4	6	7	9	17
35-49	49	6.3	46	1	2	4	8	11	22	38
50-64	47	4.7	31	1	1	3	5	13	17	29
65+	28	8.8	68	1	2	4	16	22	23	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	109	5.8	60	1	1	4	7	11	19	47
20-34	125	5.1	20	1	2	4	6	9	13	31
35-49	215	6.1	40	1	2	4	7	11	14	30
50-64	233	6.1	18	2	2	5	8	12	14	22
65+	298	8.4	42	2	3	7	10	16	19	35
B. *Operated*										
0-19 YRS	25	10.4	90	1	3	8	12	23	29	43
20-34	92	7.2	16	2	2	7	9	13	15	20
35-49	150	8.1	33	2	2	7	9	15	22	30
50-64	165	10.0	90	2	2	7	12	21	32	57
65+	133	12.6	94	2	3	10	17	25	31	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	237	5.2	32	1	1	3	6	11	15	29
B. *Operated*	200	5.4	34	1	2	3	6	12	19	29
2. MULTIPLE DX										
A. *Not Operated*	980	6.6	36	2	2	5	8	13	16	29
B. *Operated*	565	9.7	67	2	2	8	12	20	26	43
1. SINGLE DX	437	5.3	32	1	1	3	6	11	17	29
2. MULTIPLE DX	1545	7.7	50	2	2	6	9	15	21	40
A. NOT OPERATED	1217	6.3	36	1	2	5	8	12	16	28
B. OPERATED	765	8.6	62	2	2	7	10	18	25	41
TOTAL 0-19 YRS	229	5.5	48	1	1	3	6	11	18	39
20-34	318	5.7	24	1	2	5	7	10	14	28
35-49	455	6.6	37	2	2	5	8	12	16	30
50-64	488	7.3	50	2	2	5	9	15	19	41
65+	492	9.4	61	2	3	7	12	20	24	41
GRAND TOTAL	**1982**	**7.2**	**47**	**1**	**2**	**5**	**9**	**15**	**20**	**38**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	12	3.1	1	2	2	3	4	5	5	5
35-49	43	5.3	20	1	2	4	6	9	13	26
50-64	58	4.8	11	1	2	4	6	8	9	23
65+	58	6.3	13	2	2	6	8	11	13	20
B. *Operated*										
0-19 YRS										
20-34	4	4.3	3	2	2	4	5	6	6	6
35-49	11	2.6	5	1	1	2	3	7	8	8
50-64	8	2.4	1	1	1	2	3	4	4	4
65+	14	6.4	33	1	2	3	11	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	21	4.4	7	1	1	4	6	9	10	10
35-49	79	6.4	18	2	3	5	8	12	17	22
50-64	207	6.6	23	2	2	5	8	13	16	25
65+	384	7.9	42	2	3	7	10	14	18	35
B. *Operated*										
0-19 YRS										
20-34	4	3.8	4	2	2	4	5	6	6	6
35-49	20	7.7	39	2	2	5	11	16	20	24
50-64	28	10.2	105	2	2	8	12	21	25	54
65+	63	12.5	91	2	3	10	17	25	35	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	171	5.3	14	2	2	4	7	9	11	23
B. *Operated*	37	4.2	17	1	1	2	5	11	15	17
2. MULTIPLE DX										
A. *Not Operated*	691	7.3	33	2	3	6	9	13	17	26
B. *Operated*	115	10.8	86	2	2	9	15	22	26	46
1. SINGLE DX	208	5.1	15	1	2	4	6	9	11	22
2. MULTIPLE DX	806	7.8	42	2	2	6	10	15	19	34
A. NOT OPERATED	862	6.9	30	2	2	6	8	13	16	26
B. OPERATED	152	9.2	77	2	2	6	12	20	25	42
TOTAL 0-19 YRS										
20-34	41	4.0	5	1	2	4	5	7	9	10
35-49	153	6.0	21	1	2	5	8	11	17	24
50-64	301	6.5	30	2	2	5	8	12	16	25
65+	519	8.3	47	2	3	7	10	15	21	40
GRAND TOTAL	**1014**	**7.2**	**38**	**2**	**2**	**6**	**9**	**14**	**18**	**29**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	106	3.0	7	1	1	2	3	5	7	17
20-34	37	3.9	18	1	2	3	4	6	11	26
35-49	75	3.8	6	<1	1	3	5	7	9	11
50-64	79	4.9	8	1	2	4	6	9	10	15
65+	201	6.6	22	2	2	5	8	12	18	30
B. *Operated*										
0-19 YRS	5	2.6	2	1	1	2	4	4	4	4
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64	4	10.3	18	4	4	12	13	13	13	13
65+	7	13.0	87	2	3	12	22	26	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	733	3.7	7	1	2	3	4	7	9	14
20-34	353	4.2	9	1	1	3	5	8	10	15
35-49	563	5.4	18	2	2	4	7	10	13	19
50-64	1107	7.[illegible]	32	2	2	6	9	13	16	28
65+	4130	9.9	66	2	3	8	12	19	25	43
B. *Operated*										
0-19 YRS	19	14.4	261	2	4	9	15	43	53	59
20-34	32	7.3	57	1	2	5	9	16	21	38
35-49	52	11.9	159	1	2	8	17	22	25	73
50-64	106	12.2	146	2	2	9	15	27	38	64
65+	303	18.4	213	4	6	15	22	37	49	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	498	5.0	16	1	2	4	6	9	12	22
B. *Operated*	17	8.7	59	1	2	5	12	23	26	26
2. MULTIPLE DX										
A. *Not Operated*	6886	8.1	53	2	2	6	10	16	21	38
B. *Operated*	512	15.6	197	2	3	11	20	32	45	75
1. SINGLE DX	515	5.1	18	1	2	4	6	10	13	25
2. MULTIPLE DX	7398	8.6	67	2	2	6	11	17	23	43
A. NOT OPERATED	7384	7.9	51	2	2	6	10	16	21	37
B. OPERATED	529	15.4	194	2	3	11	20	32	45	74
TOTAL 0-19 YRS	863	3.8	15	1	1	3	4	7	9	20
20-34	423	4.4	14	1	1	3	5	8	11	20
35-49	690	5.7	31	1	2	4	7	11	14	23
50-64	1296	7.4	42	2	2	6	9	14	18	32
65+	4641	10.3	79	2	3	8	13	20	26	47
GRAND TOTAL	**7913**	**8.4**	**64**	**2**	**2**	**6**	**10**	**17**	**23**	**42**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	4.4	8	1	2	4	5	8	11	14
20-34	49	3.9	4	1	2	4	5	6	6	12
35-49	61	4.4	10	1	1	3	5	8	10	18
50-64	56	5.5	8	2	3	5	7	9	10	16
65+	142	5.0	14	1	1	4	7	8	10	19
B. *Operated*										
0-19 YRS	10	4.7	2	3	3	5	6	7	7	7
20-34	12	4.1	5	<1	1	4	6	7	7	7
35-49	17	6.9	16	2	3	6	9	13	15	16
50-64	17	6.8	34	1	2	6	8	11	21	26
65+	31	6.3	14	1	2	5	8	10	14	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	66	5.2	13	1	2	5	6	9	11	21
20-34	106	4.5	6	1	2	4	6	8	10	11
35-49	198	5.5	13	1	2	5	7	10	12	17
50-64	361	6.4	23	1	2	5	8	11	14	24
65+	1343	7.4	32	2	3	6	9	13	17	30
B. *Operated*										
0-19 YRS	18	6.5	13	2	3	5	9	12	14	14
20-34	53	7.8	35	1	2	7	10	14	24	28
35-49	118	8.5	30	2	3	7	11	15	20	30
50-64	164	9.0	32	3	3	8	11	16	20	31
65+	443	11.0	55	4	4	9	13	18	24	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	357	4.7	10	1	2	4	6	8	10	16
B. *Operated*	87	6.0	16	1	2	5	7	11	13	23
2. MULTIPLE DX										
A. *Not Operated*	2074	6.8	28	2	2	6	8	12	16	27
B. *Operated*	796	9.9	46	3	4	8	12	17	22	38
1. SINGLE DX	444	5.0	12	1	2	4	6	8	11	18
2. MULTIPLE DX	2870	7.7	34	2	3	6	9	14	18	31
A. NOT OPERATED	2431	6.5	26	2	2	5	8	11	15	26
B. OPERATED	883	9.5	44	3	3	8	12	17	22	37
TOTAL 0-19 YRS	143	5.1	11	1	2	4	6	9	12	16
20-34	220	5.1	15	1	2	4	6	10	12	25
35-49	394	6.3	20	1	2	5	8	12	15	21
50-64	598	7.1	26	2	2	6	9	12	16	27
65+	1959	8.0	39	2	3	7	10	15	18	36
GRAND TOTAL	**3314**	**7.3**	**32**	**2**	**2**	**6**	**9**	**13**	**17**	**29**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	494	4.2	11	<1	1	3	6	8	10	15
20-34	535	5.8	17	1	2	5	7	10	13	21
35-49	132	5.9	13	2	2	6	8	10	12	20
50-64	8	4.9	6	2	2	4	6	9	10	10
65+	2	8.0	8	6	6	8	10	10	10	10
B. *Operated*										
0-19 YRS	2	7.0	2	6	6	7	8	8	8	8
20-34	5	11.6	25	6	6	12	14	19	19	19
35-49	3	11.7	142	2	2	8	21	25	25	25
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	435	5.6	19	1	2	4	7	10	14	22
20-34	614	7.1	29	2	2	6	9	13	16	26
35-49	163	7.1	20	2	2	6	9	12	15	26
50-64	44	6.0	18	1	2	5	7	11	15	20
65+	18	5.6	8	2	2	5	7	10	11	12
B. *Operated*										
0-19 YRS	22	14.4	158	2	2	13	22	31	40	52
20-34	64	15.3	144	4	5	12	20	28	36	74
35-49	10	14.2	55	6	6	13	17	25	29	29
50-64	7	11.9	192	2	2	4	21	35	37	37
65+	2	14.0	162	5	5	14	23	23	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1171	5.1	15	1	1	4	7	9	12	18
B. *Operated*	10	10.7	47	2	4	8	13	22	25	25
2. MULTIPLE DX										
A. *Not Operated*	1274	6.5	24	2	2	5	8	12	15	25
B. *Operated*	105	14.7	137	3	4	12	20	29	35	65
1. SINGLE DX	1181	5.2	15	1	1	4	7	9	12	19
2. MULTIPLE DX	1379	7.2	37	2	2	6	9	14	18	32
A. NOT OPERATED	2445	5.9	20	1	2	5	8	11	14	21
B. OPERATED	115	14.4	130	2	4	12	20	28	34	62
TOTAL 0-19 YRS	953	5.1	20	1	1	4	7	10	13	23
20-34	1218	7.0	34	2	2	6	8	13	17	30
35-49	308	6.9	21	2	2	6	9	12	16	26
50-64	59	6.6	38	1	2	5	7	12	20	36
65+	22	6.5	21	2	3	5	8	11	16	23
GRAND TOTAL	**2560**	**6.2**	**28**	**1**	**2**	**5**	**8**	**12**	**15**	**27**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	174	2.2	6	<1	<1	1	2	6	7	11
20-34	75	4.4	19	1	1	3	5	9	15	23
35-49	57	4.8	16	1	1	4	6	11	14	20
50-64	131	4.2	18	<1	1	3	5	9	12	24
65+	484	4.1	23	1	1	3	5	9	12	20
B. *Operated*										
0-19 YRS	25	7.3	27	2	3	6	8	13	20	25
20-34	20	7.7	44	<1	1	7	10	17	24	27
35-49	37	8.2	22	2	3	7	11	14	17	21
50-64	63	5.8	14	1	2	5	8	10	13	19
65+	114	8.4	26	2	3	7	11	15	18	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	141	4.0	33	<1	1	2	5	7	13	31
20-34	163	6.2	29	1	2	4	7	11	19	26
35-49	228	5.8	23	1	1	5	8	11	16	23
50-64	602	6.1	31	1	1	5	8	12	16	28
65+	2210	7.4	47	1	2	6	9	14	19	34
B. *Operated*										
0-19 YRS	30	5.5	10	1	2	5	8	9	11	14
20-34	59	8.6	62	1	2	7	11	14	19	53
35-49	100	10.4	64	2	4	8	12	20	24	45
50-64	259	11.1	75	2	3	9	15	21	28	47
65+	782	12.2	101	3	4	10	15	22	30	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	921	3.8	19	<1	<1	2	5	8	12	20
B. *Operated*	259	7.6	25	2	2	7	10	14	18	25
2. MULTIPLE DX										
A. *Not Operated*	3344	6.9	42	1	1	5	9	14	18	33
B. *Operated*	1230	11.5	90	3	4	9	14	22	29	51
1. SINGLE DX	1180	4.7	23	<1	1	3	6	10	14	21
2. MULTIPLE DX	4574	8.1	59	1	2	6	10	16	21	38
A. NOT OPERATED	4265	6.2	38	1	1	5	8	13	17	30
B. OPERATED	1489	10.8	81	2	3	8	13	21	27	48
TOTAL 0-19 YRS	370	3.5	20	<1	<1	2	5	7	10	24
20-34	317	6.3	35	1	1	4	8	13	18	26
35-49	422	7.0	36	1	1	6	9	14	18	29
50-64	1055	7.0	45	1	1	5	9	15	20	33
65+	3590	8.1	61	1	2	6	10	16	21	38
GRAND TOTAL	**5754**	**7.4**	**53**	**1**	**1**	**6**	**10**	**15**	**20**	**36**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	3.1	4	1	1	3	4	5	8	10
20-34	7	2.7	1	1	1	3	3	4	4	4
35-49	9	7.6	17	1	1	9	11	11	11	11
50-64	1	3.0		3	3	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	2	12.0	32	8	8	12	16	16	16	16
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	15.0		15	15	15	15	15	15	15
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	5.8	29	1	2	4	6	11	15	30
20-34	33	6.7	75	1	1	4	8	17	20	45
35-49	18	7.3	37	2	3	4	11	15	21	24
50-64	5	8.2	5	5	5	9	10	11	11	11
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	6	6.3	29	<1	<1	4	12	14	14	14
20-34	8	9.8	79	2	2	5	16	24	26	26
35-49	3	18.0	244	8	8	10	29	36	36	36
50-64	3	12.3	25	7	7	13	16	17	17	17
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	4.1	10	1	1	3	5	10	11	11
B. *Operated*	4	10.8	33	4	4	11	15	16	16	16
2. MULTIPLE DX										
A. *Not Operated*	94	6.5	44	1	2	4	8	14	18	38
B. *Operated*	20	10.4	80	1	2	7	14	22	31	36
1. SINGLE DX	43	4.7	15	1	1	3	6	11	13	16
2. MULTIPLE DX	114	7.2	52	1	2	5	9	16	20	39
A. NOT OPERATED	133	5.8	35	1	1	4	7	11	16	33
B. OPERATED	24	10.4	70	1	2	8	15	19	29	36
TOTAL 0-19 YRS	67	5.1	23	1	1	3	6	11	14	28
20-34	49	6.6	65	1	1	4	7	17	20	45
35-49	31	8.7	53	1	2	8	11	15	24	36
50-64	9	9.0	18	3	4	9	11	15	17	17
65+	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**157**	**6.5**	**43**	**1**	**1**	**4**	**8**	**15**	**18**	**36**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	164	4.5	24	1	1	3	5	8	11	28
20-34	40	4.0	11	1	1	3	5	7	10	18
35-49	37	4.4	6	1	2	4	6	8	9	10
50-64	41	5.9	30	<1	1	4	8	15	18	23
65+	112	4.2	20	1	1	3	5	10	13	22
B. *Operated*										
0-19 YRS	81	5.8	25	1	1	5	7	11	14	28
20-34	70	6.7	13	2	3	6	8	12	15	16
35-49	52	6.5	15	2	2	6	8	10	16	20
50-64	55	7.5	14	2	3	7	9	13	15	18
65+	60	9.3	61	2	3	7	13	17	21	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	148	4.8	23	1	1	3	6	10	13	23
20-34	86	5.1	15	1	1	4	7	10	11	23
35-49	183	6.1	16	1	2	5	8	11	14	21
50-64	258	6.3	27	1	1	5	8	12	17	29
65+	522	7.9	50	1	2	6	10	15	22	37
B. *Operated*										
0-19 YRS	51	6.8	22	2	2	5	8	14	15	27
20-34	75	9.7	52	3	4	8	12	18	27	37
35-49	96	10.9	93	2	3	8	15	23	33	78
50-64	154	11.7	72	2	4	10	16	23	30	97
65+	285	13.1	118	3	4	10	16	26	35	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	394	4.5	20	1	1	3	6	9	13	24
B. *Operated*	318	7.1	27	2	2	6	8	13	16	24
2. MULTIPLE DX										
A. *Not Operated*	1197	6.7	36	1	2	5	8	13	19	31
B. *Operated*	661	11.6	92	3	4	9	15	22	32	67
1. SINGLE DX	712	5.6	25	1	1	4	7	11	15	24
2. MULTIPLE DX	1858	8.4	61	1	2	6	11	17	23	43
A. NOT OPERATED	1591	6.1	33	1	1	5	8	12	16	30
B. OPERATED	979	10.1	75	2	3	8	13	19	28	56
TOTAL 0-19 YRS	444	5.1	24	1	1	4	6	10	13	27
20-34	271	6.6	29	1	2	5	8	12	15	30
35-49	368	7.2	40	2	2	6	9	14	20	40
50-64	508	8.1	46	1	2	6	10	17	22	43
65+	979	9.1	75	1	2	7	12	18	25	51
GRAND TOTAL	**2570**	**7.7**	**53**	**1**	**2**	**6**	**10**	**15**	**21**	**40**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	552	2.1	2	1	1	2	3	4	4	6
20-34	108	2.4	2	1	1	2	3	4	5	9
35-49	27	3.2	3	1	1	3	4	6	7	7
50-64	9	3.8	4	2	2	3	5	7	8	8
65+	3	2.3	1	<1	<1	3	3	3	3	3
B. *Operated*										
0-19 YRS	428	3.8	3	2	2	3	4	6	6	9
20-34	130	4.2	5	2	2	4	5	6	8	15
35-49	17	4.9	8	2	3	4	6	10	11	12
50-64	5	5.0	1	4	4	5	6	6	6	6
65+	6	9.3	23	3	3	10	12	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	235	2.9	6	1	1	2	4	5	6	11
20-34	59	3.4	6	1	1	3	4	6	7	16
35-49	19	4.9	12	1	2	4	6	12	13	13
50-64	6	7.2	19	3	3	6	12	13	13	13
65+	5	7.0	3	6	6	6	8	10	10	10
B. *Operated*										
0-19 YRS	148	4.6	6	2	3	4	5	8	10	15
20-34	60	5.4	10	2	3	5	6	10	12	17
35-49	18	5.6	9	3	3	5	7	9	13	15
50-64	1	12.0		12	12	12	12	12	12	12
65+	3	9.3	[illegible]	6	6	8	12	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	699	2.2	2	1	1	2	3	4	5	7
B. *Operated*	586	4.0	4	2	2	3	5	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	324	3.2	7	1	1	3	4	6	7	14
B. *Operated*	230	5.0	8	2	3	4	6	9	11	15
1. SINGLE DX	1285	3.0	4	1	1	3	4	5	6	10
2. MULTIPLE DX	554	4.0	8	1	1	3	5	7	10	15
A. NOT OPERATED	1023	2.5	4	1	1	2	3	4	6	11
B. OPERATED	816	4.3	5	2	2	4	5	6	9	15
TOTAL 0-19 YRS	1363	3.0	4	1	1	3	4	5	6	10
20-34	357	3.7	6	1	1	3	5	6	8	16
35-49	81	4.5	8	1	2	4	5	8	11	14
50-64	21	5.4	11	2	2	5	6	12	13	13
65+	17	7.4	17	1	3	6	10	14	15	16
GRAND TOTAL	**1839**	**3.3**	**5**	**1**	**1**	**3**	**4**	**6**	**7**	**12**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	173	4.4	5	1	2	4	5	7	9	10
20-34	26	3.9	7	1	1	4	5	6	9	14
35-49	9	5.0	7	1	1	6	7	8	8	8
50-64	3	4.3	2	3	3	4	5	6	6	6
65+	3	5.7	4	4	4	5	7	8	8	8
B. *Operated*										
0-19 YRS	139	3.2	7	<1	1	2	4	8	9	12
20-34	100	3.5	14	1	1	3	4	6	10	22
35-49	42	3.0	5	<1	1	2	4	6	7	12
50-64	32	3.3	6	1	2	2	4	7	9	11
65+	15	4.3	14	1	1	3	6	11	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	106	4.7	10	1	2	4	6	8	11	19
20-34	21	5.9	9	2	2	5	8	10	11	12
35-49	10	4.8	10	2	2	3	8	9	10	10
50-64	15	5.4	10	1	2	5	8	9	12	13
65+	9	7.8	41	3	3	7	9	18	23	23
B. *Operated*										
0-19 YRS	79	3.5	8	<1	1	2	4	8	10	13
20-34	53	6.3	24	1	2	5	9	13	16	23
35-49	42	4.3	12	2	2	4	5	8	11	21
50-64	25	6.4	22	2	2	5	9	14	16	16
65+	15	6.1	17	1	2	5	8	11	15	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	214	4.4	5	1	2	4	5	8	9	11
B. *Operated*	328	3.3	9	1	1	2	4	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	161	5.1	12	2	2	4	6	9	11	21
B. *Operated*	214	4.9	16	1	2	4	6	11	14	20
1. SINGLE DX	542	3.7	8	1	1	3	5	7	9	13
2. MULTIPLE DX	375	5.0	14	1	2	4	6	10	13	21
A. NOT OPERATED	375	4.7	8	1	2	4	6	8	10	14
B. OPERATED	542	3.9	13	1	1	3	5	8	11	16
TOTAL 0-19 YRS	497	4.0	8	1	1	3	5	8	9	13
20-34	200	4.5	17	1	1	3	5	10	13	21
35-49	103	3.9	9	1	2	3	5	8	10	16
50-64	75	4.8	14	2	2	3	6	11	13	16
65+	42	5.8	20	1	1	4	8	11	15	23
GRAND TOTAL	**917**	**4.2**	**11**	**1**	**1**	**3**	**5**	**8**	**11**	**16**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	5.8	69	<1	1	3	6	15	28	33
20-34	21	10.6	169	1	1	8	11	28	47	49
35-49	6	2.8	5	<1	<1	2	3	7	7	7
50-64	18	10.4	79	<1	1	8	12	24	30	33
65+	21	13.0	88	2	3	11	19	25	30	35
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	6.7	81	1	1	5	6	18	31	34
20-34	29	9.3	70	1	2	8	11	19	23	42
35-49	24	8.8	66	1	1	6	14	16	25	36
50-64	49	12.9	135	2	3	9	16	29	42	52
65+	103	12.9	143	2	3	10	15	27	38	65
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	7	14.4	48	5	6	13	20	23	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	9.7	103	1	1	6	13	24	33	48
B. *Operated*	2	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	218	11.6	122	1	2	8	14	25	35	56
B. *Operated*	7	14.4	48	5	6	15	22	77	99+	99+
1. SINGLE DX	83	9.6	101	1	2	6	13	24	33	48
2. MULTIPLE DX	225	11.7	119	1	2	9	15	25	36	63
A. NOT OPERATED	299	11.1	117	1	2	8	14	25	34	53
B. OPERATED	9	12.3	53	5	5	12	21	62	99+	99+
TOTAL 0-19 YRS	28	6.2	72	1	1	3	6	15	33	34
20-34	50	9.9	109	1	2	8	12	21	45	99+
35-49	31	7.5	57	1	1	5	11	15	21	36
50-64	67	12.3	119	1	2	9	16	27	35	51
65+	132	12.9	128	2	3	10	15	26	35	63
GRAND TOTAL	**308**	**11.1**	**115**	**1**	**2**	**8**	**14**	**25**	**34**	**57**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	95	2.5	9	1	1	2	3	4	7	18
20-34	95	4.7	23	1	2	3	5	10	15	27
35-49	49	7.4	48	1	1	6	9	16	20	34
50-64	144	9.6	70	1	2	7	14	22	28	35
65+	805	11.3	96	2	3	8	15	24	32	48
B. *Operated*										
0-19 YRS	3	4.0	1	3	3	4	5	5	5	5
20-34	4	5.5	6	2	2	6	7	8	8	8
35-49	2	6.0	32	2	2	6	10	10	10	10
50-64	3	9.7	36	4	4	9	14	16	16	16
65+	25	14.4	91	3	5	12	19	32	36	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	116	5.7	67	1	1	3	7	11	20	46
20-34	233	7.8	50	1	2	5	10	17	23	30
35-49	159	11.3	146	2	3	9	13	20	29	85
50-64	387	11.9	109	2	3	9	15	25	33	57
65+	3491	12.9	137	3	3	9	16	26	36	71
B. *Operated*										
0-19 YRS	5	9.4	87	1	1	6	16	24	24	24
20-34	6	6.2	21	2	2	4	9	13	14	14
35-49	17	14.6	278	2	3	9	19	60	89	99+
50-64	37	15.3	141	3	4	12	22	31	40	54
65+	302	20.3	297	4	5	14	28	45	58	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1188	9.7	86	1	2	7	13	22	29	45
B. *Operated*	37	11.7	80	2	3	10	15	23	34	36
2. MULTIPLE DX										
A. *Not Operated*	4386	12.3	130	2	3	9	15	25	34	65
B. *Operated*	367	19.1	279	3	5	13	25	44	57	86
1. SINGLE DX	1225	9.8	86	1	2	7	13	22	29	44
2. MULTIPLE DX	4753	12.8	145	2	3	9	16	27	37	70
A. NOT OPERATED	5574	11.7	122	2	3	9	15	24	33	63
B. OPERATED	404	18.5	266	3	4	13	23	42	54	85
TOTAL 0-19 YRS	219	4.4	44	1	1	2	4	10	15	38
20-34	338	6.9	43	1	2	4	9	15	21	30
35-49	227	10.6	136	1	2	6	13	20	29	91
50-64	571	11.6	102	2	3	8	15	25	31	54
65+	4623	13.1	144	2	3	9	16	27	37	68
GRAND TOTAL	**5978**	**12.2**	**135**	**2**	**3**	**9**	**15**	**26**	**35**	**65**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	3	14.7	200	6	6	7	25	31	31	31
65+	30	9.6	49	2	2	8	15	19	20	30
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	3	13.0	28	9	9	11	17	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	60.0		60	60	60	60	60	60	60
35-49	1	10.0		10	10	10	10	10	10	10
50-64	17	14.6	201	2	3	11	15	29	50	61
65+	181	12.0	80	3	4	9	15	24	31	45
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	13	12.4	103	2	3	10	16	27	37	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	9.8	59	2	2	7	15	19	28	31
B. *Operated*	3	13.0	28	9	9	11	17	19	19	19
2. MULTIPLE DX										
A. *Not Operated*	200	12.5	101	3	4	10	15	25	32	59
B. *Operated*	13	12.4	103	2	3	10	16	27	37	39
1. SINGLE DX	37	10.1	56	2	2	8	15	19	26	31
2. MULTIPLE DX	213	12.5	100	3	4	10	15	25	33	59
A. NOT OPERATED	234	12.1	95	3	4	9	15	25	31	58
B. OPERATED	16	12.5	86	2	3	10	16	23	34	39
TOTAL 0-19 YRS										
20-34	1	60.0		60	60	60	60	60	60	60
35-49	2	6.0	32	2	2	6	10	10	10	10
50-64	20	14.7	190	2	3	10	15	30	46	61
65+	227	11.7	76	3	4	9	15	23	30	41
GRAND TOTAL	**250**	**12.1**	**94**	**3**	**4**	**9**	**15**	**24**	**31**	**58**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.9	2	1	1	1	3	4	4	4
20-34	72	4.3	18	<1	1	3	5	11	15	21
35-49	165	4.4	14	1	1	3	5	9	12	19
50-64	132	5.2	14	2	2	4	6	11	12	21
65+	33	8.0	168	2	2	5	7	14	17	77
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	19.0		19	19	19	19	19	19	19
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	11.3	179	2	2	8	11	26	48	52
20-34	315	6.7	36	1	2	5	8	14	19	31
35-49	786	6.7	30	1	2	5	9	13	16	26
50-64	670	7.2	38	2	2	5	9	14	18	33
65+	254	9.1	55	2	2	7	12	17	23	41
B. *Operated*										
0-19 YRS										
20-34	10	21.6	265	4	5	19	32	44	56	56
35-49	27	17.0	277	3	4	11	24	39	49	78
50-64	28	14.6	70	3	5	12	20	24	30	36
65+	9	14.1	46	6	6	13	18	25	26	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	410	4.9	28	1	1	4	6	10	13	20
B. *Operated*	1	19.0		19	19	19	19	19	19	19
2. MULTIPLE DX										
A. *Not Operated*	2037	7.2	38	1	2	6	9	14	19	32
B. *Operated*	74	16.4	168	3	4	12	23	31	40	73
1. SINGLE DX	411	4.9	28	1	1	4	6	10	13	20
2. MULTIPLE DX	2111	7.5	45	1	2	6	10	15	20	33
A. NOT OPERATED	2447	6.8	37	1	2	5	9	14	18	31
B. OPERATED	75	16.4	166	3	4	13	22	31	40	72
TOTAL 0-19 YRS	20	7.6	127	1	1	4	9	13	33	52
20-34	397	6.7	44	1	1	5	8	14	20	33
35-49	978	6.6	38	1	2	5	8	13	17	29
50-64	831	7.2	37	2	2	5	9	15	19	32
65+	296	9.1	68	2	2	7	12	17	23	41
GRAND TOTAL	**2522**	**7.1**	**43**	**1**	**2**	**5**	**9**	**14**	**19**	**33**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	8.6	65	1	1	5	16	21	24	25
20-34	44	4.7	24	1	1	3	5	10	13	29
35-49	7	4.4	6	1	1	4	6	8	8	8
50-64	11	4.1	10	1	1	3	6	9	10	10
65+	7	8.9	44	2	2	7	13	20	21	21
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	8.6	65	1	2	7	10	25	57	99+
20-34	99	7.1	49	1	1	5	10	15	21	39
35-49	45	8.0	20	2	3	7	10	15	16	19
50-64	61	7.6	32	2	2	6	10	16	20	25
65+	79	10.1	70	2	2	8	13	21	31	38
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	40.0		40	40	40	40	40	40	40
50-64	2	11.5	1	11	11	11	12	12	12	12
65+	7	19.3	172	5	5	15	30	38	40	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	85	5.7	32	1	1	4	7	14	19	28
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	305	8.2	48	1	2	6	11	16	22	37
B. *Operated*	10	19.8	176	5	5	14	32	40	40	40
1. SINGLE DX	85	5.7	32	1	1	4	7	14	19	28
2. MULTIPLE DX	315	8.6	56	1	2	7	11	18	24	40
A. NOT OPERATED	390	7.6	46	1	2	6	10	16	21	35
B. OPERATED	10	19.8	176	5	5	14	32	40	40	40
TOTAL 0-19 YRS	37	8.6	63	1	1	6	14	23	27	99+
20-34	143	6.3	42	1	1	4	8	13	18	32
35-49	53	8.1	39	2	3	7	10	15	16	39
50-64	74	7.2	30	1	2	6	10	14	20	25
65+	93	10.7	79	2	3	8	14	22	33	40
GRAND TOTAL	**400**	**7.9**	**52**	**1**	**2**	**6**	**10**	**16**	**23**	**39**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	70	18.3	389	2	3	13	23	42	77	99
20-34	937	11.5	127	1	2	8	15	26	34	55
35-49	519	12.3	127	1	2	10	17	26	33	54
50-64	239	12.7	117	2	3	9	17	26	31	51
65+	61	16.3	155	1	2	14	23	33	37	59
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	5.5	25	2	2	5	9	9	9	9
50-64	1	21.0		21	21	21	21	21	21	21
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	20.4	310	2	3	14	26	50	56	62
20-34	253	12.8	183	2	2	9	16	25	36	97
35-49	189	14.2	136	2	4	11	18	29	39	67
50-64	144	15.5	122	2	4	13	21	29	37	57
65+	58	13.4	51	4	5	12	16	25	28	35
B. *Operated*										
0-19 YRS										
20-34	10	13.1	186	2	2	6	20	36	38	38
35-49	12	25.9	410	9	10	22	29	52	79	83
50-64	11	19.7	120	6	7	17	31	36	36	36
65+	5	32.2	419	9	9	35	42	63	63	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1826	12.3	139	1	2	9	17	27	34	59
B. *Operated*	3	10.7	92	2	2	9	18	21	21	21
2. MULTIPLE DX										
A. *Not Operated*	689	14.3	157	2	3	11	18	28	39	67
B. *Operated*	38	21.6	287	2	4	18	34	37	53	83
1. SINGLE DX	1829	12.3	139	1	2	9	17	27	34	59
2. MULTIPLE DX	727	14.7	166	2	3	11	19	30	39	71
A. NOT OPERATED	2515	12.8	145	1	2	10	17	28	35	60
B. OPERATED	41	20.8	278	2	3	17	30	37	50	83
TOTAL 0-19 YRS	115	19.1	356	2	3	14	25	47	63	98
20-34	1200	11.8	140	1	2	8	15	26	35	57
35-49	722	13.0	137	1	2	10	17	28	34	61
50-64	395	13.9	121	2	3	11	18	28	36	53
65+	124	15.6	126	2	4	13	20	29	35	62
GRAND TOTAL	**2556**	**13.0**	**148**	**1**	**2**	**10**	**17**	**28**	**36**	**61**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	13.8	142	2	3	11	17	33	39	42
20-34	81	8.5	57	1	2	7	10	17	23	39
35-49	24	10.6	133	1	2	7	12	21	36	56
50-64	10	7.6	28	<1	<1	6	13	14	14	14
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	20.6	673	3	4	8	22	71	76	76
20-34	11	14.7	120	2	4	12	21	33	37	37
35-49	8	11.4	55	3	4	9	16	23	25	25
50-64	6	9.5	41	2	2	8	13	19	20	20
65+	2	20.0	722	1	1	20	39	39	39	39
B. *Operated*										
0-19 YRS										
20-34	2	12.5	113	5	5	12	20	20	20	20
35-49	1	14.0		14	14	14	14	14	14	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	139	9.7	85	1	2	7	12	19	31	44
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	38	15.2	268	2	3	10	17	35	56	76
B. *Operated*	3	13.0	57	5	5	14	18	20	20	20
1. SINGLE DX	139	9.7	85	1	2	7	12	19	31	44
2. MULTIPLE DX	41	15.0	252	2	3	11	18	33	52	76
A. NOT OPERATED	177	10.9	128	1	2	7	13	24	36	64
B. OPERATED	3	13.0	57	5	5	14	18	20	20	20
TOTAL 0-19 YRS	35	15.9	304	2	3	11	17	38	61	76
20-34	94	9.3	67	2	2	7	11	19	29	39
35-49	33	10.9	108	1	3	8	14	21	28	56
50-64	16	8.3	32	<1	1	6	13	14	18	20
65+	2	20.0	722	1	1	20	39	39	39	39
GRAND TOTAL	**180**	**10.9**	**127**	**1**	**2**	**7**	**13**	**23**	**36**	**64**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	207	17.8	287	2	3	12	27	47	62	99+
20-34	1626	12.7	158	1	2	9	17	28	37	67
35-49	955	12.2	110	1	2	9	17	27	33	52
50-64	483	13.5	114	1	2	11	19	28	34	54
65+	131	14.8	110	2	3	13	21	27	34	49
B. *Operated*										
0-19 YRS										
20-34	4	25.0	291	12	12	19	35	50	50	50
35-49	6	31.3	606	5	6	26	51	66	68	68
50-64	1	12.0		12	12	12	12	12	12	12
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	110	17.7	276	2	4	11	25	44	56	92
20-34	642	13.6	176	2	2	10	18	27	38	77
35-49	555	13.9	145	2	3	10	18	30	41	62
50-64	405	14.2	141	2	3	11	18	30	38	64
65+	190	14.6	132	3	3	12	21	30	37	55
B. *Operated*										
0-19 YRS	1	28.0		28	28	28	28	28	28	28
20-34	26	20.7	328	4	5	14	22	43	56	85
35-49	37	23.8	285	8	8	18	33	48	58	78
50-64	30	27.0	350	8	10	21	29	64	69	72
65+	11	24.7	262	2	5	25	42	65	95	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3402	13.1	146	1	2	10	18	28	37	65
B. *Operated*	11	27.3	426	5	9	18	46	58	67	68
2. MULTIPLE DX										
A. *Not Operated*	1902	14.1	162	2	3	10	19	30	39	69
B. *Operated*	105	24.1	306	6	8	19	30	50	67	92
1. SINGLE DX	3413	13.1	147	1	2	10	18	28	37	66
2. MULTIPLE DX	2007	14.7	174	2	3	11	19	30	42	72
A. NOT OPERATED	5304	13.5	152	1	2	10	18	29	38	66
B. OPERATED	116	24.4	314	6	8	19	31	51	68	90
TOTAL 0-19 YRS	318	17.8	282	2	3	12	27	45	61	99+
20-34	2298	13.1	166	1	2	9	17	28	38	71
35-49	1553	13.2	133	2	2	10	18	28	37	60
50-64	919	14.2	139	2	3	11	19	29	37	63
65+	332	15.0	130	2	3	13	21	30	39	59
GRAND TOTAL	**5420**	**13.7**	**158**	**1**	**2**	**10**	**18**	**29**	**39**	**69**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	8.3	178	1	1	4	8	21	45	51
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	9.9	111	1	1	6	23	50	93	99+
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	8.3	178	1	1	4	8	21	45	51
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	11	9.9	111	1	1	6	23	50	93	99+
B. *Operated*				99+	99+	99+	99+	99+	99+	99+
1. SINGLE DX	13	8.3	178	1	1	4	8	21	45	51
2. MULTIPLE DX	11	9.9	111	1	1	7	26	99+	99+	99+
A. NOT OPERATED	24	9.0	142	1	1	4	12	29	63	99+
B. OPERATED				99+	99+	99+	99+	99+	99+	99+
TOTAL 0-19 YRS	24	9.0	142	1	1	5	14	49	99+	99+
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**24**	**9.0**	**142**	**1**	**1**	**5**	**14**	**49**	**99+**	**99+**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	73	13.6	261	1	2	8	21	29	48	83
20-34	782	12.4	115	2	3	9	17	27	34	52
35-49	828	13.1	139	2	3	10	17	28	35	68
50-64	635	15.0	132	2	4	13	20	29	39	63
65+	382	20.0	182	4	6	17	28	37	46	60
B. *Operated*										
0-19 YRS										
20-34	8	26.5	212	3	7	25	34	47	52	52
35-49	8	17.8	133	6	6	14	28	35	35	35
50-64	9	18.1	159	5	6	15	24	39	45	45
65+	5	25.4	265	4	4	26	40	43	43	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	109	14.6	268	1	2	9	20	42	63	99+
20-34	645	13.5	166	2	3	10	18	30	40	61
35-49	869	13.3	135	2	3	10	17	27	35	64
50-64	775	16.5	162	3	4	13	22	34	43	61
65+	673	18.3	199	4	5	14	24	39	50	70
B. *Operated*										
0-19 YRS	4	19.3	54	10	10	19	24	28	28	28
20-34	51	24.8	270	5	7	23	33	49	60	73
35-49	62	24.1	337	4	5	18	32	55	67	98
50-64	73	25.2	350	6	8	20	30	54	72	98
65+	68	27.0	311	7	10	22	34	50	65	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2700	14.4	146	2	3	11	19	30	37	60
B. *Operated*	30	21.5	181	4	5	20	32	41	45	52
2. MULTIPLE DX										
A. *Not Operated*	3071	15.3	171	2	3	11	20	32	42	65
B. *Operated*	258	25.2	314	5	7	21	33	51	64	97
1. SINGLE DX	2730	14.4	147	2	3	11	19	30	37	60
2. MULTIPLE DX	3329	16.1	189	3	4	12	21	34	45	69
A. NOT OPERATED	5771	14.8	159	2	3	11	20	31	41	64
B. OPERATED	288	24.9	301	5	7	21	33	50	63	96
TOTAL 0-19 YRS	186	14.3	259	1	2	9	21	38	58	99+
20-34	1486	13.4	148	2	3	10	18	29	38	60
35-49	1767	13.6	148	2	3	10	18	28	36	68
50-64	1492	16.[illegible]	163	3	4	13	21	32	43	64
65+	1128	19.5	204	4	5	16	26	40	50	69
GRAND TOTAL	**6059**	**15.3**	**171**	**2**	**3**	**12**	**20**	**32**	**42**	**66**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	67	15.4	197	2	4	12	20	28	47	80
20-34	665	13.0	128	1	3	10	18	28	34	57
35-49	577	13.9	106	2	3	12	19	28	33	51
50-64	433	15.6	139	2	3	13	21	29	37	62
65+	171	18.4	202	3	5	15	24	39	47	72
B. *Operated*										
0-19 YRS										
20-34	2	27.5	85	21	21	27	34	34	34	34
35-49	1	9.0		9	9	9	9	9	9	9
50-64	2	8.5	25	5	5	8	12	12	12	12
65+	3	21.3	206	5	5	27	31	32	32	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	17.0	276	1	2	14	22	34	39	97
20-34	335	15.3	198	2	3	12	20	31	39	78
35-49	384	14.0	121	2	3	11	19	28	33	56
50-64	376	17.8	177	3	4	14	24	35	45	64
65+	200	17.5	151	3	5	15	22	34	40	66
B. *Operated*										
0-19 YRS	1	52.0		52	52	52	52	52	52	52
20-34	17	26.7	416	4	5	24	31	76	94	99+
35-49	36	23.9	236	8	10	20	30	49	69	99+
50-64	31	27.3	334	9	10	20	39	57	62	76
65+	26	23.7	206	9	9	16	34	42	55	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1913	14.4	135	2	3	12	20	29	36	56
B. *Operated*	8	18.1	142	5	5	16	29	33	34	34
2. MULTIPLE DX										
A. *Not Operated*	1343	16.0	168	2	4	13	21	32	40	65
B. *Operated*	111	25.5	283	7	9	20	34	53	62	99+
1. SINGLE DX	1921	14.4	135	2	3	12	20	29	36	56
2. MULTIPLE DX	1454	16.7	183	2	4	13	22	34	43	74
A. NOT OPERATED	3256	15.1	149	2	3	12	20	30	37	59
B. OPERATED	119	25.0	276	7	9	20	33	53	61	99+
TOTAL 0-19 YRS	116	16.4	238	1	3	13	21	34	47	88
20-34	1019	14.0	159	2	3	10	18	29	36	60
35-49	998	14.3	120	2	3	12	19	28	34	54
50-64	842	17.0	168	3	4	14	22	34	43	63
65+	400	18.3	177	3	5	15	24	35	44	67
GRAND TOTAL	**3375**	**15.4**	**157**	**2**	**3**	**13**	**21**	**31**	**39**	**61**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	90	10.3	104	<1	1	7	15	22	26	52
20-34	387	9.1	81	1	1	7	12	18	24	45
35-49	278	9.9	85	1	1	8	13	21	26	54
50-64	189	11.8	105	1	2	9	15	29	33	55
65+	201	12.7	112	2	3	10	18	27	31	46
B. *Operated*										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64	4	4.8		4	4	5	5	5	5	5
65+	4	6.3	23	2	2	5	9	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	12.9	255	1	1	6	18	28	48	76
20-34	240	10.2	99	1	2	7	13	23	31	87
35-49	230	11.7	125	1	2	8	14	27	33	55
50-64	353	12.7	116	2	3	10	17	25	30	57
65+	774	11.4	98	2	3	8	14	24	32	58
B. *Operated*										
0-19 YRS										
20-34	9	16.8	480	<1	2	8	23	53	71	71
35-49	17	19.2	186	4	5	18	22	44	46	47
50-64	32	16.4	152	4	6	13	22	39	54	99+
65+	75	16.4	156	3	6	12	22	34	47	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1145	10.5	95	1	2	8	14	22	29	50
B. *Operated*	11	5.1	9	2	2	5	6	9	13	13
2. MULTIPLE DX										
A. *Not Operated*	1657	11.6	112	2	3	9	15	24	32	60
B. *Operated*	133	16.8	176	4	5	13	22	38	49	99+
1. SINGLE DX	1156	10.4	94	1	2	8	14	22	29	50
2. MULTIPLE DX	1790	12.0	118	2	3	9	15	25	33	63
A. NOT OPERATED	2802	11.1	105	1	2	8	14	23	30	55
B. OPERATED	144	15.9	172	3	4	12	21	36	48	99+
TOTAL 0-19 YRS	152	11.3	163	1	1	6	16	23	33	73
20-34	637	9.6	93	1	2	7	13	21	28	55
35-49	525	11.0	108	1	2	8	14	23	30	54
50-64	578	12.6	114	2	3	10	17	26	33	56
65+	1054	12.0	106	2	3	9	15	25	33	60
GRAND TOTAL	**2946**	**11.4**	**109**	**1**	**2**	**8**	**15**	**24**	**31**	**58**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	92	3.8	14	<1	1	3	4	8	12	21
20-34	369	5.9	44	1	1	4	7	14	18	31
35-49	327	5.6	39	1	1	3	6	11	19	31
50-64	187	5.7	29	1	1	4	7	13	18	28
65+	73	4.8	15	1	1	4	6	10	13	20
B. *Operated*										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	3	4.0	9	<1	<1	4	6	7	7	7
35-49	4	4.0	7	1	1	4	6	7	7	7
50-64	7	6.3	9	2	2	6	8	10	11	11
65+	3	4.7	9	2	2	4	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	108	5.4	61	1	1	3	6	11	23	69
20-34	568	6.8	60	1	1	4	8	15	21	37
35-49	684	7.1	57	1	2	5	8	16	21	43
50-64	510	7.0	45	1	2	5	8	15	20	35
65+	468	7.2	36	1	2	5	9	14	20	31
B. *Operated*										
0-19 YRS	3	14.0	217	5	5	6	25	31	31	31
20-34	24	10.7	99	2	2	8	14	19	30	49
35-49	52	9.4	59	2	3	7	11	21	25	42
50-64	35	10.8	100	2	2	8	12	23	30	49
65+	22	11.5	78	3	4	9	14	22	33	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1048	5.5	35	1	1	4	6	12	18	30
B. *Operated*	19	5.1	7	<1	1	5	7	8	10	11
2. MULTIPLE DX										
A. *Not Operated*	2338	6.9	51	1	2	5	8	15	21	36
B. *Operated*	136	10.4	81	2	3	8	12	22	29	49
1. SINGLE DX	1067	5.5	35	1	1	4	7	12	18	30
2. MULTIPLE DX	2474	7.1	53	1	2	5	8	15	22	37
A. NOT OPERATED	3386	6.5	47	1	1	4	8	14	20	34
B. OPERATED	155	9.8	75	2	3	7	11	21	29	48
TOTAL 0-19 YRS	205	4.8	42	<1	1	3	5	10	18	45
20-34	964	6.5	55	1	1	4	7	14	20	37
35-49	1067	6.7	52	1	2	5	8	15	21	34
50-64	739	6.9	44	1	2	5	8	15	20	33
65+	566	7.0	36	1	2	5	9	14	19	31
GRAND TOTAL	**3541**	**6.6**	**48**	**1**	**1**	**4**	**8**	**14**	**20**	**34**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	225	12.5	279	1	1	6	17	45	99	99+
20-34	1331	9.2	94	1	2	6	12	21	28	48
35-49	1176	10.3	98	1	2	7	13	22	29	52
50-64	658	11.3	100	2	3	8	14	23	31	49
65+	263	15.1	191	2	3	11	19	35	44	69
B. *Operated*										
0-19 YRS										
20-34	10	14.0	276	3	4	9	19	75	98	99+
35-49	13	18.5	135	7	7	15	22	33	47	50
50-64	3	11.7	33	5	5	15	15	15	15	15
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	220	13.5	303	1	2	8	17	42	77	99+
20-34	1407	10.3	104	1	2	7	13	23	29	49
35-49	1524	10.8	91	2	3	7	15	24	29	43
50-64	1093	11.3	97	2	3	8	15	25	32	47
65+	865	12.1	103	3	3	9	15	26	33	49
B. *Operated*										
0-19 YRS	13	28.7	694	5	6	17	45	67	89	94
20-34	103	19.0	299	3	4	13	26	39	56	97
35-49	141	20.4	212	5	5	16	29	41	46	71
50-64	104	19.7	253	4	5	15	25	41	50	77
65+	56	17.3	183	4	6	13	21	34	41	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3653	10.6	117	1	2	7	14	24	32	58
B. *Operated*	26	16.0	173	4	5	14	21	46	65	99+
2. MULTIPLE DX										
A. *Not Operated*	5109	11.1	108	2	3	8	15	25	30	52
B. *Operated*	417	19.7	255	4	5	15	26	40	50	82
1. SINGLE DX	3679	10.6	117	1	2	7	14	24	33	60
2. MULTIPLE DX	5526	11.7	124	2	3	8	15	26	33	58
A. NOT OPERATED	8762	10.9	111	2	2	7	14	24	31	54
B. OPERATED	443	19.5	251	4	5	15	26	40	51	93
TOTAL 0-19 YRS	458	13.4	307	1	2	7	17	45	83	99+
20-34	2851	10.2	110	1	2	7	13	23	30	51
35-49	2854	11.1	105	2	2	7	15	24	30	49
50-64	1858	11.8	110	2	3	8	15	26	33	50
65+	1184	13.0	128	3	3	9	17	28	37	54
GRAND TOTAL	**9205**	**11.3**	**122**	**2**	**2**	**8**	**15**	**25**	**31**	**58**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	195	7.2	92	1	1	4	8	16	29	49
20-34	466	7.1	83	1	1	4	8	16	23	53
35-49	319	6.9	61	1	1	4	9	15	20	39
50-64	137	8.7	72	1	2	6	11	20	27	43
65+	64	9.9	89	1	2	6	15	21	30	48
B. *Operated*										
0-19 YRS	4	4.5	4	3	3	4	6	7	7	7
20-34	14	8.6	92	1	2	5	10	25	33	35
35-49	21	4.6	16	2	2	3	5	11	15	16
50-64	23	6.0	10	2	3	5	7	10	12	14
65+	9	5.9	12	2	2	5	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	269	10.2	165	1	1	5	12	26	35	66
20-34	765	8.8	89	1	2	6	11	19	29	49
35-49	488	8.8	91	1	2	6	11	20	26	48
50-64	315	8.9	77	2	2	6	11	18	31	43
65+	190	9.3	66	2	2	7	12	18	26	41
B. *Operated*										
0-19 YRS	7	30.3	831	3	4	13	59	66	67	67
20-34	45	13.5	234	2	3	8	15	43	61	99+
35-49	40	12.9	83	3	4	9	17	28	30	36
50-64	44	10.6	99	2	3	7	13	24	33	47
65+	33	11.3	79	3	3	8	18	26	35	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1181	7.4	78	1	1	4	9	17	23	49
B. *Operated*	71	6.0	28	2	2	5	7	11	15	33
2. MULTIPLE DX										
A. *Not Operated*	2027	9.0	95	1	2	6	11	20	29	49
B. *Operated*	169	12.9	165	3	3	8	16	30	47	94
1. SINGLE DX	1252	7.3	75	1	1	4	9	16	23	46
2. MULTIPLE DX	2196	9.3	102	1	2	6	12	21	30	54
A. NOT OPERATED	3208	8.4	90	1	1	5	11	18	27	49
B. OPERATED	240	10.8	134	2	3	7	14	26	36	75
TOTAL 0-19 YRS	475	9.2	151	1	1	5	11	24	35	61
20-34	1290	8.3	93	1	1	5	10	18	28	56
35-49	868	8.2	80	1	2	5	10	18	25	47
50-64	519	8.9	75	2	2	6	11	19	29	43
65+	296	9.5	71	2	2	7	13	20	28	46
GRAND TOTAL	**3448**	**8.6**	**93**	**1**	**1**	**5**	**11**	**19**	**28**	**52**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	79	6.2	93	<1	1	2	6	18	29	50
20-34	688	9.5	109	1	1	5	13	28	29	40
35-49	1081	7.8	85	1	1	4	8	27	28	35
50-64	752	7.1	65	1	1	4	7	21	28	32
65+	184	9.0	95	1	2	5	10	27	28	42
B. *Operated*										
0-19 YRS	1	27.0		27	27	27	27	27	27	27
20-34										
35-49	3	8.0	76	2	2	4	14	18	18	18
50-64	3	5.7	1	5	5	5	7	7	7	7
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	101	16.6	219	1	1	12	30	38	42	46
20-34	1276	11.3	130	1	2	6	19	29	33	43
35-49	2320	10.1	95	1	2	6	13	28	30	39
50-64	2084	10.0	96	2	2	6	12	28	30	42
65+	905	11.4	98	2	3	8	15	28	30	42
B. *Operated*										
0-19 YRS	4	20.5	442	<1	<1	19	38	42	42	42
20-34	50	16.2	118	2	3	15	27	30	34	36
35-49	118	15.9	142	2	4	11	25	32	38	55
50-64	126	16.4	180	3	3	13	24	32	38	69
65+	74	22.7	242	3	6	18	31	48	51	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2784	8.1	85	1	1	4	9	27	28	37
B. *Operated*	8	8.8	81	2	2	5	12	24	27	27
2. MULTIPLE DX										
A. *Not Operated*	6686	10.6	105	1	2	6	14	28	30	42
B. *Operated*	372	17.5	179	2	4	14	27	35	42	66
1. SINGLE DX	2792	8.1	85	1	1	4	9	27	28	37
2. MULTIPLE DX	7058	10.9	112	1	2	6	15	28	30	42
A. NOT OPERATED	9470	9.8	101	1	2	6	12	28	30	42
B. OPERATED	380	17.3	178	2	4	13	27	34	42	66
TOTAL 0-19 YRS	185	12.3	195	<1	1	4	24	35	41	47
20-34	2014	10.8	124	1	1	6	17	28	31	42
35-49	3522	9.6	95	1	2	5	12	28	30	38
50-64	2965	9.6	95	1	2	6	11	28	29	42
65+	1164	11.7	115	2	2	7	16	28	32	48
GRAND TOTAL	**9850**	**10.1**	**106**	**1**	**2**	**6**	**13**	**28**	**30**	**42**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	71	9.1	70	1	2	6	12	22	30	37
35-49	15	13.0	92	2	3	11	16	22	37	42
50-64	1	13.0		13	13	13	13	13	13	13
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	98	9.8	88	1	2	7	11	19	35	43
35-49	24	15.0	162	3	4	11	17	42	43	46
50-64	14	9.2	46	<1	1	9	15	17	22	24
65+	6	12.8	91	4	4	10	17	29	30	30
B. *Operated*										
0-19 YRS										
20-34	9	23.3	237	6	8	16	30	49	56	56
35-49	5	15.8	202	4	4	14	21	40	40	40
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	88	9.7	74	1	2	7	13	22	30	40
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	142	10.7	99	1	2	8	14	24	37	43
B. *Operated*	14	20.6	222	4	6	16	28	42	53	56
1. SINGLE DX	88	9.7	74	1	2	7	13	22	30	40
2. MULTIPLE DX	156	11.6	117	1	2	9	15	27	41	46
A. NOT OPERATED	230	10.3	89	1	2	8	14	23	34	43
B. OPERATED	14	20.6	222	4	6	16	28	42	53	56
TOTAL 0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	178	10.2	96	1	2	7	14	23	34	43
35-49	44	14.4	136	3	4	11	16	40	42	46
50-64	15	9.5	44	<1	1	10	14	16	22	24
65+	6	12.8	91	4	4	10	17	29	30	30
GRAND TOTAL	**244**	**10.9**	**102**	**1**	**2**	**8**	**14**	**24**	**36**	**43**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	12.6	124	2	2	9	20	30	34	35
20-34	80	13.2	193	<1	1	8	16	38	42	56
35-49	23	11.9	117	2	3	6	17	28	34	42
50-64	4	11.5	108	2	2	11	20	21	21	21
65+	3	24.0	112	12	12	28	31	32	32	32
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	1	16.0		16	16	16	16	16	16	16
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	24.3	277	5	8	19	42	44	56	56
20-34	115	16.0	229	1	2	9	26	42	42	56
35-49	62	13.7	149	2	3	9	19	32	40	55
50-64	21	11.0	80	1	2	9	15	27	30	31
65+	13	13.4	52	4	4	15	17	22	27	28
B. *Operated*										
0-19 YRS										
20-34	6	9.5	38	2	2	11	13	17	17	17
35-49	1	16.0		16	16	16	16	16	16	16
50-64	4	38.0	311	21	21	35	51	61	61	61
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	123	13.1	166	1	2	8	19	32	41	56
B. *Operated*	2	11.0	50	6	6	11	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*	236	15.7	199	1	2	11	23	42	42	56
B. *Operated*	11	20.5	309	2	2	16	26	50	60	61
1. SINGLE DX	125	13.1	164	1	2	8	19	32	41	56
2. MULTIPLE DX	247	15.9	203	2	2	11	24	42	42	56
A. NOT OPERATED	359	14.8	189	1	2	9	22	40	42	56
B. OPERATED	13	19.0	275	2	2	16	23	46	58	61
TOTAL 0-19 YRS	39	19.9	250	2	3	12	31	42	50	56
20-34	202	14.7	209	1	2	8	22	42	42	56
35-49	86	13.2	138	2	3	8	18	30	39	53
50-64	29	14.8	191	2	2	10	21	30	43	61
65+	16	15.4	75	4	4	15	20	28	31	32
GRAND TOTAL	**372**	**14.9**	**191**	**1**	**2**	**10**	**22**	**41**	**42**	**56**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	113	1.3	1	<1	<1	1	1	2	3	5
20-34	91	2.1	10	<1	<1	1	2	4	5	21
35-49	57	3.9	18	<1	1	3	4	8	11	23
50-64	48	3.6	7	1	1	3	5	7	8	14
65+	15	5.4	54	<1	<1	3	5	21	24	25
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	14.0		14	14	14	14	14	14	14
50-64	1	8.0		8	8	8	8	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	2.7	9	<1	1	2	3	5	7	19
20-34	154	3.4	13	<1	<1	2	4	8	12	17
35-49	174	4.6	26	<1	1	3	6	9	14	19
50-64	171	4.5	16	1	1	3	5	8	11	19
65+	65	5.4	30	1	1	4	7	11	14	33
B. *Operated*										
0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	11	7.9	85	<1	<1	4	12	24	26	26
35-49	8	11.1	51	3	3	10	19	19	19	19
50-64	8	6.5	53	<1	<1	4	8	19	23	23
65+	4	15.0	419	1	1	11	59	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	324	2.5	11	<1	<1	1	3	5	7	22
B. *Operated*	2	11.0	18	8	8	11	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*	628	4.2	19	<1	1	3	5	8	13	19
B. *Operated*	33	9.0	98	<1	1	5	13	24	41	99+
1. SINGLE DX	326	2.6	11	<1	<1	1	3	5	8	22
2. MULTIPLE DX	661	4.4	24	<1	1	3	5	9	14	23
A. NOT OPERATED	952	3.6	17	<1	1	2	4	7	11	20
B. OPERATED	35	9.1	93	<1	1	6	13	23	39	99+
TOTAL 0-19 YRS	179	1.8	4	<1	<1	1	2	3	5	10
20-34	256	3.2	16	<1	<1	2	3	7	12	23
35-49	240	4.7	26	<1	1	3	6	10	14	21
50-64	228	4.4	16	1	1	3	5	8	11	20
65+	84	5.9	52	1	1	4	7	11	23	81
GRAND TOTAL	**987**	**3.8**	**21**	**<1**	**1**	**2**	**4**	**8**	**12**	**23**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54	6.9	90	<1	1	3	9	23	29	44
20-34	119	7.0	61	<1	1	4	8	22	26	30
35-49	29	8.3	65	2	2	5	9	20	30	30
50-64	11	8.5	46	3	3	6	10	19	26	27
65+	5	8.4	81	2	2	4	12	24	24	24
B. *Operated*										
0-19 YRS	1	34.0		34	34	34	34	34	34	34
20-34	2	11.0	162	2	2	11	20	20	20	20
35-49	1	8.0		8	8	8	8	8	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	53	9.6	174	<1	1	4	12	23	25	79
20-34	204	9.1	92	1	1	6	11	27	30	37
35-49	78	7.4	49	1	1	6	9	16	25	34
50-64	31	7.3	37	1	2	7	10	15	21	26
65+	35	8.6	65	2	2	6	10	21	28	36
B. *Operated*										
0-19 YRS										
20-34	5	32.0	239	7	7	36	42	47	47	47
35-49	7	18.3	243	2	2	13	31	41	43	43
50-64	6	18.0	193	6	6	11	29	40	41	41
65+	3	20.7	44	15	15	19	26	28	28	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	218	7.3	68	<1	1	4	9	22	27	31
B. *Operated*	4	16.0	200	2	2	14	27	34	34	34
2. MULTIPLE DX										
A. *Not Operated*	401	8.7	88	1	1	6	10	23	28	38
B. *Operated*	21	21.8	208	3	5	19	35	42	45	47
1. SINGLE DX	222	7.4	70	<1	1	4	9	23	28	33
2. MULTIPLE DX	422	9.3	101	1	1	6	11	25	30	41
A. NOT OPERATED	619	8.2	81	1	1	5	10	23	28	37
B. OPERATED	25	20.9	203	2	3	19	34	41	44	47
TOTAL 0-19 YRS	108	8.5	137	<1	1	4	11	24	29	60
20-34	330	8.7	91	1	1	5	10	25	30	38
35-49	115	8.3	69	1	2	6	9	20	28	39
50-64	48	8.9	66	1	2	7	11	19	27	41
65+	43	9.4	72	2	2	6	11	24	28	36
GRAND TOTAL	**644**	**8.7**	**91**	**1**	**1**	**5**	**10**	**24**	**29**	**41**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	76	4.0	58	1	1	2	4	6	7	54
20-34	128	4.2	8	1	2	4	5	7	9	15
35-49	94	3.9	8	1	1	3	5	8	10	15
50-64	61	4.1	7	1	1	3	5	8	10	14
65+	35	4.9	7	2	2	4	7	9	10	12
B. *Operated*										
0-19 YRS	5	5.8	16	1	1	6	9	11	11	11
20-34	7	4.1	5	2	2	3	6	8	8	8
35-49	10	7.4	14	3	3	6	11	12	13	13
50-64	4	7.0	31	2	2	5	10	15	15	15
65+	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	87	4.0	9	1	1	3	5	7	10	16
20-34	212	5.5	21	1	2	4	7	10	14	22
35-49	215	6.0	25	1	2	5	8	11	15	31
50-64	157	6.1	24	2	3	5	7	10	13	29
65+	177	6.7	26	2	2	5	8	12	17	27
B. *Operated*										
0-19 YRS	5	4.6	9	1	1	6	7	8	8	8
20-34	29	10.0	67	2	3	8	10	24	31	34
35-49	26	8.3	22	2	3	8	11	15	17	18
50-64	26	8.3	42	2	3	7	9	14	20	34
65+	10	12.0	54	4	4	10	16	24	26	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	394	4.2	17	1	1	3	5	7	10	16
B. *Operated*	27	6.3	14	2	2	5	9	12	13	15
2. MULTIPLE DX										
A. *Not Operated*	848	5.8	23	1	2	5	7	11	14	27
B. *Operated*	96	9.0	45	2	3	8	11	16	24	34
1. SINGLE DX	421	4.3	17	1	1	3	5	8	10	16
2. MULTIPLE DX	944	6.2	26	2	2	5	8	11	15	30
A. NOT OPERATED	1242	5.3	22	1	2	4	6	10	13	26
B. OPERATED	123	8.4	39	2	3	7	11	15	22	34
TOTAL 0-19 YRS	173	4.1	30	1	1	3	5	7	9	25
20-34	376	5.4	21	1	2	4	7	10	14	24
35-49	345	5.7	21	1	2	4	7	11	14	30
50-64	248	5.8	23	2	2	5	7	10	13	29
65+	223	6.7	26	2	2	5	8	12	17	26
GRAND TOTAL	**1365**	**5.6**	**24**	**1**	**2**	**4**	**7**	**10**	**14**	**27**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	508	9.7	183	1	1	6	13	34	99+	99+
20-34	740	5.5	32	<1	1	4	7	13	18	30
35-49	395	6.7	64	1	1	4	8	14	22	36
50-64	140	6.3	41	1	1	5	8	13	18	34
65+	63	11.6	150	1	2	8	16	27	39	57
B. *Operated*										
0-19 YRS	2	2.5	1	2	2	3	76	99+	99+	99+
20-34	2	16.5	181	7	7	16	26	26	26	26
35-49	4	4.8	3	3	3	4	6	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	505	10.3	187	1	1	6	11	27	41	97
20-34	937	7.2	66	1	1	5	9	15	21	41
35-49	595	7.7	62	1	2	5	10	16	22	41
50-64	285	8.4	61	1	2	6	11	18	26	34
65+	197	8.9	56	2	2	7	12	19	24	37
B. *Operated*										
0-19 YRS	10	23.4	556	8	9	15	63	99+	99+	99+
20-34	30	12.1	145	<1	2	8	14	39	48	99+
35-49	21	15.7	154	4	5	13	21	31	42	55
50-64	17	9.9	42	2	2	9	14	19	23	25
65+	13	20.6	290	4	6	17	24	47	62	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1846	7.2	89	1	1	4	9	18	29	99+
B. *Operated*	8	7.1	62	2	2	5	12	70	99+	99+
2. MULTIPLE DX										
A. *Not Operated*	2519	8.2	89	1	2	5	10	18	25	52
B. *Operated*	91	15.0	203	2	3	11	18	40	64	99+
1. SINGLE DX	1854	7.2	89	1	1	4	9	18	29	99+
2. MULTIPLE DX	2610	8.4	95	1	2	5	10	18	27	56
A. NOT OPERATED	4365	7.8	89	1	1	5	9	18	27	84
B. OPERATED	99	14.3	195	2	3	10	18	40	72	99+
TOTAL 0-19 YRS	1025	10.1	190	1	1	6	13	30	67	99+
20-34	1709	6.6	54	1	1	4	8	14	20	36
35-49	1015	7.4	66	1	1	5	9	16	23	40
50-64	442	7.8	55	1	2	5	9	16	23	34
65+	273	10.1	94	2	2	7	14	22	30	50
GRAND TOTAL	**4464**	**7.9**	**93**	**1**	**1**	**5**	**10**	**18**	**28**	**90**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	552	11.2	246	1	1	5	12	29	52	99+
20-34	1186	8.2	62	1	2	5	11	18	26	39
35-49	886	9.4	91	2	2	6	12	21	28	47
50-64	487	11.3	120	2	2	8	14	25	30	63
65+	235	12.5	129	2	3	9	16	27	36	52
B. *Operated*										
0-19 YRS	10	5.2	43	1	1	2	5	16	22	22
20-34	13	8.4	46	2	2	5	12	19	21	22
35-49	20	8.7	69	1	2	5	16	21	27	30
50-64	15	13.9	179	2	4	9	21	39	40	41
65+	5	14.4	101	6	6	13	19	31	31	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	591	13.0	278	1	2	6	17	36	52	94
20-34	1405	8.1	72	1	2	5	10	17	23	50
35-49	1262	8.7	70	2	2	6	11	18	25	46
50-64	914	9.3	84	2	3	6	11	19	28	45
65+	756	10.2	90	2	3	7	12	21	30	51
B. *Operated*										
0-19 YRS	27	12.0	252	1	1	8	26	99+	99+	99+
20-34	83	13.0	150	<1	<1	10	18	32	37	56
35-49	101	15.2	234	3	4	10	19	42	56	90
50-64	86	14.5	129	4	4	10	19	29	36	57
65+	64	15.6	134	3	4	12	19	35	39	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3346	9.7	115	1	2	6	12	22	30	60
B. *Operated*	63	9.8	93	1	2	6	14	24	31	41
2. MULTIPLE DX										
A. *Not Operated*	4928	9.4	103	2	2	6	11	20	29	58
B. *Operated*	361	14.3	172	2	3	10	19	34	47	99+
1. SINGLE DX	3409	9.7	115	1	2	6	12	22	30	59
2. MULTIPLE DX	5289	9.7	110	2	2	6	12	21	30	61
A. NOT OPERATED	8274	9.5	108	1	2	6	12	21	29	59
B. OPERATED	424	13.7	163	2	2	10	18	32	46	99+
TOTAL 0-19 YRS	1180	12.1	261	1	1	6	14	35	53	99+
20-34	2687	8.3	71	1	2	5	11	18	25	43
35-49	2269	9.2	87	2	2	6	12	20	27	49
50-64	1502	10.3	101	2	3	7	12	22	29	52
65+	1060	11.0	103	2	3	8	14	24	32	51
GRAND TOTAL	**8698**	**9.7**	**112**	**1**	**2**	**6**	**12**	**21**	**30**	**60**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	5.9	47	1	1	3	7	18	23	25
20-34	11	5.5	25	1	1	3	8	13	17	17
35-49	11	7.7	45	1	1	6	15	17	19	19
50-64	1	7.0		7	7	7	7	7	7	7
65+										
B. *Operated*										
0-19 YRS	5	3.8	3	1	1	4	5	5	5	5
20-34										
35-49	1	10.0		10	10	10	10	10	10	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	9.0	57	2	2	6	14	21	24	28
20-34	84	11.0	102	1	2	8	14	25	28	55
35-49	42	12.2	264	1	2	6	13	31	57	69
50-64	32	11.3	54	4	4	9	15	22	27	31
65+	9	9.7	55	1	2	7	14	21	25	25
B. *Operated*										
0-19 YRS	14	5.4	5	2	2	5	7	8	10	10
20-34	7	7.6	24	2	2	6	10	15	16	16
35-49	5	23.8	1119	2	2	13	31	83	83	83
50-64	2	2.0		2	2	2	2	2	2	2
65+	3	22.0	259	9	9	17	34	40	40	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	6.3	38	1	1	4	9	16	19	25
B. *Operated*	6	4.8	9	1	1	4	5	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	217	10.8	113	1	2	7	14	23	28	62
B. *Operated*	31	10.3	235	2	2	6	10	16	39	83
1. SINGLE DX	48	6.1	35	1	1	4	8	15	19	25
2. MULTIPLE DX	248	10.7	128	2	2	7	13	23	28	67
A. NOT OPERATED	259	10.0	104	1	2	7	13	22	27	58
B. OPERATED	37	9.4	201	2	2	6	9	16	32	83
TOTAL 0-19 YRS	88	7.5	46	1	2	5	9	20	23	28
20-34	102	10.2	91	1	2	7	13	23	27	52
35-49	59	12.3	287	1	2	6	14	23	59	82
50-64	35	10.6	55	2	4	8	14	22	26	31
65+	12	12.8	118	1	4	8	16	29	38	40
GRAND TOTAL	**296**	**9.9**	**115**	**1**	**2**	**6**	**13**	**22**	**27**	**63**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	442	10.0	20	2	3	11	12	15	16	22
20-34	88	8.2	37	1	2	8	11	14	16	37
35-49	45	7.3	39	1	2	5	11	14	22	28
50-64	29	8.4	28	1	2	8	11	15	19	22
65+	18	10.3	32	1	3	11	16	17	18	18
B. *Operated*										
0-19 YRS	47	14.5	52	7	9	12	16	26	29	43
20-34	26	16.7	290	2	3	10	22	49	55	63
35-49	28	9.3	112	2	3	5	11	22	29	52
50-64	18	14.5	189	1	3	9	18	41	42	43
65+	8	19.0	376	3	3	12	26	51	61	61
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	371	11.6	29	2	4	11	15	18	21	29
20-34	53	8.8	38	1	2	8	12	18	21	30
35-49	45	11.3	138	2	2	9	14	30	48	99+
50-64	44	17.0	215	2	4	13	19	45	51	63
65+	56	20.1	283	4	5	16	23	41	58	89
B. *Operated*										
0-19 YRS	79	21.1	296	8	10	15	25	46	68	97
20-34	33	19.8	289	3	5	15	29	46	71	99+
35-49	39	17.0	205	3	4	12	25	30	39	78
50-64	38	18.8	232	3	4	14	34	47	76	99+
65+	20	23.4	104	8	11	21	31	43	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	622	9.5	25	2	3	10	12	15	17	24
B. *Operated*	127	14.1	155	3	3	11	18	29	43	61
2. MULTIPLE DX										
A. *Not Operated*	569	12.6	86	2	3	11	15	21	28	59
B. *Operated*	209	19.9	247	4	5	15	28	45	64	99+
1. SINGLE DX	749	10.3	50	2	3	10	12	16	21	43
2. MULTIPLE DX	778	14.6	140	2	4	12	17	28	42	89
A. NOT OPERATED	1191	11.0	56	2	3	11	14	17	21	44
B. OPERATED	336	17.7	220	3	4	13	23	41	52	99+
TOTAL 0-19 YRS	939	11.8	57	3	4	11	14	18	22	43
20-34	200	11.4	131	1	2	9	13	23	39	69
35-49	157	11.2	133	2	2	8	14	27	31	77
50-64	129	15.2	186	2	3	11	19	42	48	99+
65+	102	18.9	223	3	4	16	24	39	58	95
GRAND TOTAL	**1527**	**12.5**	**100**	**2**	**3**	**11**	**15**	**22**	**30**	**63**

114: Parkinson's disease (332)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	5.3	16	<1	<1	6	8	9	9	9
35-49	8	5.3	9	2	2	4	7	10	11	11
50-64	70	9.1	46	2	2	7	11	19	20	39
65+	174	10.6	57	2	3	9	14	20	23	40
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64										
65+	7	28.4	659	4	6	24	37	72	80	80
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	12	7.4	55	2	2	6	9	16	27	29
50-64	157	11.5	82	3	4	9	15	21	26	54
65+	938	12.2	114	3	4	9	15	24	32	58
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	11.0		11	11	11	11	11	11	11
50-64	24	17.2	275	2	3	11	22	38	50	76
65+	110	17.9	146	4	6	15	24	37	44	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	255	10.0	53	2	3	8	13	20	22	42
B. *Operated*	9	23.1	606	4	4	13	29	64	80	80
2. MULTIPLE DX										
A. *Not Operated*	1108	12.0	109	3	4	9	15	23	31	57
B. *Operated*	135	17.7	166	3	5	14	23	37	44	79
1. SINGLE DX	264	10.4	76	2	3	8	13	20	24	43
2. MULTIPLE DX	1243	12.7	118	3	4	10	16	25	33	58
A. NOT OPERATED	1363	11.7	99	3	3	9	14	22	30	55
B. OPERATED	144	18.1	191	3	5	14	24	38	44	81
TOTAL 0-19 YRS										
20-34	4	5.0	11	<1	<1	5	7	9	9	9
35-49	23	6.6	32	2	2	5	8	11	17	29
50-64	251	11.4	94	2	4	9	14	21	26	55
65+	1229	12.6	116	3	4	10	16	25	33	58
GRAND TOTAL	**1507**	**12.3**	**111**	**3**	**4**	**9**	**15**	**24**	**33**	**57**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	7.3	14	4	4	7	11	12	12	12
20-34	117	6.5	21	1	1	6	10	13	16	48
35-49	185	8.1	62	1	1	7	11	16	21	43
50-64	57	10.2	119	1	1	6	13	26	35	49
65+	13	8.7	19	3	4	7	12	15	16	16
B. *Operated*										
0-19 YRS										
20-34	32	7.4	41	1	2	5	9	13	23	31
35-49	32	7.4	33	2	2	5	10	16	21	24
50-64	12	9.8	49	2	3	9	16	19	21	21
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	16.8	269	3	3	12	28	40	40	40
20-34	96	12.7	126	2	3	10	16	27	43	99+
35-49	157	10.8	123	2	3	7	13	26	39	97
50-64	112	11.3	96	2	3	8	15	24	30	49
65+	41	13.3	163	3	4	8	16	26	43	65
B. *Operated*										
0-19 YRS										
20-34	20	14.2	199	2	3	11	16	24	48	67
35-49	35	16.9	283	2	3	11	23	49	72	99+
50-64	29	16.4	202	3	4	11	24	43	60	99+
65+	10	9.6	34	2	3	8	14	18	20	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	378	7.9	57	1	1	6	11	16	21	43
B. *Operated*	76	7.8	38	2	2	6	11	16	21	29
2. MULTIPLE DX										
A. *Not Operated*	410	11.7	121	2	3	8	15	26	39	83
B. *Operated*	94	15.4	213	2	4	11	20	38	61	99+
1. SINGLE DX	454	7.9	54	1	1	6	11	16	21	43
2. MULTIPLE DX	504	12.4	140	2	3	9	16	27	41	99+
A. NOT OPERATED	788	9.9	94	1	2	7	12	22	29	63
B. OPERATED	170	12.0	149	2	3	9	15	25	39	95
TOTAL 0-19 YRS	10	11.1	121	3	3	8	12	28	40	40
20-34	265	9.4	83	1	2	7	12	19	27	95
35-49	409	9.9	108	1	2	7	12	22	30	73
50-64	210	11.7	116	1	2	8	15	25	38	55
65+	64	11.8	116	3	4	8	14	22	35	62
GRAND TOTAL	**958**	**10.3**	**104**	**1**	**2**	**8**	**13**	**22**	**31**	**70**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	534	3.3	12	1	1	3	4	6	9	16
20-34	340	3.6	6	1	1	3	4	7	8	12
35-49	175	4.6	19	1	1	3	5	9	14	21
50-64	110	4.5	9	1	1	4	5	9	10	15
65+	103	5.5	18	1	2	4	7	10	15	21
B. *Operated*										
0-19 YRS	6	6.3	21	2	2	5	11	12	12	12
20-34	12	6.7	24	2	2	5	9	15	17	17
35-49	9	5.1	9	2	2	4	6	10	10	10
50-64	8	4.3	12	1	1	3	6	10	11	11
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	406	4.3	18	1	1	3	5	8	11	20
20-34	411	5.6	33	1	2	4	7	10	17	28
35-49	376	6.0	28	1	2	4	8	12	18	27
50-64	433	7.2	40	1	2	6	9	14	18	37
65+	525	7.6	51	2	2	6	9	15	20	38
B. *Operated*										
0-19 YRS	20	8.4	26	2	2	8	10	16	19	21
20-34	27	9.6	37	3	3	9	14	18	22	25
35-49	42	10.0	91	2	2	7	13	21	38	99+
50-64	46	13.6	210	2	3	10	14	24	50	74
65+	32	15.5	168	3	4	13	20	39	61	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1262	3.8	12	1	1	3	5	7	10	16
B. *Operated*	35	5.7	16	2	2	4	9	11	13	17
2. MULTIPLE DX										
A. *Not Operated*	2151	6.2	36	1	2	5	8	12	17	31
B. *Operated*	167	11.8	126	2	3	9	14	22	47	95
1. SINGLE DX	1297	3.9	12	1	1	3	5	8	10	17
2. MULTIPLE DX	2318	6.6	45	1	2	5	8	13	18	37
A. NOT OPERATED	3413	5.3	29	1	1	4	6	11	15	28
B. OPERATED	202	10.7	112	2	3	8	13	20	31	86
TOTAL 0-19 YRS	966	3.8	15	1	1	3	4	8	10	17
20-34	790	4.9	23	1	1	4	6	9	13	25
35-49	602	5.9	31	1	2	4	7	12	17	28
50-64	597	7.2	51	1	2	5	9	13	18	40
65+	660	7.7	55	2	2	5	9	15	21	44
GRAND TOTAL	**3615**	**5.6**	**35**	**1**	**1**	**4**	**7**	**11**	**16**	**30**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	178	3.7	13	<1	1	2	5	8	11	20
20-34	276	5.3	17	1	2	4	7	10	14	22
35-49	242	5.8	52	1	2	4	7	11	15	38
50-64	269	6.2	40	1	2	4	8	11	17	35
65+	327	7.6	36	2	2	6	10	15	18	34
B. *Operated*										
0-19 YRS	186	5.0	18	1	2	4	6	9	12	22
20-34	178	6.2	27	1	2	4	8	14	16	25
35-49	161	7.4	55	2	2	5	10	14	21	36
50-64	152	8.2	67	1	2	5	10	21	25	43
65+	153	10.4	88	2	2	7	14	22	30	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	306	5.2	43	1	1	3	6	10	14	42
20-34	361	7.9	79	1	2	5	9	16	22	48
35-49	437	9.9	126	2	2	6	11	22	32	74
50-64	628	11.4	120	2	3	8	14	25	36	54
65+	1800	12.0	129	2	3	8	15	25	36	65
B. *Operated*										
0-19 YRS	258	7.9	127	1	2	4	9	18	28	99
20-34	283	10.8	171	2	2	7	14	27	50	99+
35-49	308	14.2	231	2	2	9	19	33	47	84
50-64	360	15.7	284	2	3	10	20	39	62	99+
65+	578	15.9	209	3	3	12	21	34	45	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1292	5.9	34	1	2	4	7	12	16	31
B. *Operated*	830	7.3	52	2	2	5	9	15	22	37
2. MULTIPLE DX										
A. *Not Operated*	3532	10.6	119	2	2	7	13	23	33	60
B. *Operated*	1787	13.6	218	2	2	9	17	32	49	99+
1. SINGLE DX	2122	6.5	41	1	2	4	8	13	18	33
2. MULTIPLE DX	5319	11.6	154	2	2	8	14	26	38	79
A. NOT OPERATED	4824	9.3	100	1	2	6	11	20	29	53
B. OPERATED	2617	11.6	174	2	2	7	15	27	41	88
TOTAL 0-19 YRS	928	5.6	57	1	1	4	7	11	17	50
20-34	1098	7.7	83	1	2	5	9	16	23	60
35-49	1148	9.8	138	2	2	6	11	22	32	73
50-64	1409	11.1	152	2	2	7	13	26	37	74
65+	2858	12.2	137	2	3	9	15	26	37	70
GRAND TOTAL	**7441**	**10.1**	**127**	**2**	**2**	**7**	**12**	**23**	**33**	**68**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	246	2.9	3	1	1	2	4	5	6	9
20-34	644	3.8	9	1	1	3	5	7	9	12
35-49	464	4.1	14	1	2	3	5	8	9	17
50-64	153	4.0	9	1	1	3	5	7	9	16
65+	27	3.8	5	1	2	4	4	6	9	12
B. *Operated*										
0-19 YRS	9	3.9	2	2	2	4	5	6	6	6
20-34	40	4.9	11	2	2	4	6	8	13	16
35-49	53	5.1	19	2	2	4	6	11	12	25
50-64	18	4.7	6	2	2	4	6	9	10	10
65+	3	6.3	16	2	2	7	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	133	3.6	4	1	1	3	5	7	8	9
20-34	612	4.7	12	1	2	4	6	9	10	18
35-49	636	5.3	15	2	2	4	7	10	12	22
50-64	315	5.2	12	2	2	4	6	10	12	18
65+	98	5.7	15	2	2	5	7	10	13	21
B. *Operated*										
0-19 YRS	4	3.8	3	2	2	3	5	6	6	6
20-34	55	7.5	24	2	3	6	10	13	18	25
35-49	70	8.2	39	2	3	6	11	15	19	35
50-64	39	8.5	32	2	2	7	11	17	21	24
65+	17	7.9	27	3	3	7	9	15	20	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1534	3.8	9	1	1	3	5	7	9	13
B. *Operated*	123	4.9	13	2	2	4	6	9	11	21
2. MULTIPLE DX										
A. *Not Operated*	1794	5.0	13	1	2	4	6	9	11	20
B. *Operated*	185	7.9	31	2	3	6	10	15	19	29
1. SINGLE DX	1657	3.9	10	1	1	3	5	7	9	14
2. MULTIPLE DX	1979	5.3	15	1	2	4	7	10	12	22
A. NOT OPERATED	3328	4.4	11	1	2	4	5	8	10	18
B. OPERATED	308	6.7	26	2	2	5	8	13	17	25
TOTAL 0-19 YRS	392	3.2	3	1	1	3	4	6	7	9
20-34	1351	4.4	11	1	2	4	6	8	10	17
35-49	1223	5.0	17	1	2	4	6	9	12	22
50-64	525	5.1	14	1	2	4	6	10	12	19
65+	145	5.6	15	2	2	4	7	10	13	22
GRAND TOTAL	**3636**	**4.6**	**13**	**1**	**2**	**4**	**6**	**9**	**11**	**19**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	21	2.8	1	1	1	3	3	4	5	5
35-49	20	4.0	8	<1	<1	4	5	7	10	12
50-64	20	4.3	10	<1	1	3	6	10	10	11
65+	9	4.1	7	<1	<1	4	7	7	7	7
B. *Operated*										
0-19 YRS	28	2.0		1	1	2	2	3	3	3
20-34	556	2.3	2	<1	1	2	3	4	5	8
35-49	1010	2.3	2	<1	1	2	3	4	5	9
50-64	1068	2.4	3	<1	1	2	3	4	5	9
65+	532	2.5	4	<1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	25	3.9	8	1	2	3	4	6	9	16
35-49	41	4.2	7	<1	1	4	5	6	9	14
50-64	49	4.4	8	1	1	4	6	8	10	13
65+	32	5.7	13	<1	2	5	8	10	14	15
B. *Operated*										
0-19 YRS	9	2.0	1	1	1	2	2	3	4	4
20-34	143	3.4	12	1	1	2	4	7	9	21
35-49	337	3.9	17	1	1	3	4	8	11	20
50-64	464	4.3	16	1	2	3	5	9	11	21
65+	339	4.2	13	1	2	3	5	9	12	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	73	3.7	6	<1	1	3	5	7	9	12
B. *Operated*	3194	2.4	3	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	149	4.5	9	1	1	4	6	8	11	15
B. *Operated*	1292	4.1	15	1	2	3	5	8	11	20
1. SINGLE DX	3267	2.4	3	<1	1	2	3	4	5	10
2. MULTIPLE DX	1441	4.1	14	1	2	3	5	8	11	19
A. NOT OPERATED	222	4.2	8	1	1	4	5	8	10	15
B. OPERATED	4486	2.9	7	<1	1	2	3	5	7	14
TOTAL 0-19 YRS	42	2.0		1	1	2	2	3	3	4
20-34	745	2.6	4	<1	1	2	3	4	6	11
35-49	1408	2.8	6	<1	1	2	3	5	7	12
50-64	1601	3.0	8	1	1	2	3	5	8	14
65+	912	3.3	8	1	1	2	4	6	9	15
GRAND TOTAL	**4708**	**2.9**	**7**	**1**	**1**	**2**	**3**	**5**	**7**	**14**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	74	6.7	99	1	1	4	7	11	34	51
20-34	242	5.8	36	1	2	4	7	13	17	32
35-49	258	5.9	61	1	2	4	6	11	14	57
50-64	243	6.2	32	1	2	5	8	12	17	35
65+	202	6.6	29	2	2	5	8	15	18	24
B. *Operated*										
0-19 YRS	77	3.9	22	1	1	3	4	6	7	33
20-34	559	4.3	16	1	2	3	5	8	11	21
35-49	835	4.5	15	1	2	3	5	9	12	19
50-64	768	4.2	20	1	2	3	4	8	11	24
65+	384	4.7	33	1	2	3	5	9	12	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	6.8	63	1	2	4	8	16	18	49
20-34	175	7.2	53	1	2	5	9	14	22	42
35-49	372	6.7	26	2	2	5	8	12	17	29
50-64	540	8.1	76	2	3	6	10	15	22	46
65+	691	8.9	83	2	3	7	10	15	22	56
B. *Operated*										
0-19 YRS	64	5.0	41	1	2	3	5	9	22	91
20-34	259	6.4	34	2	2	4	8	14	19	33
35-49	415	6.4	45	2	2	4	8	12	17	41
50-64	497	7.4	69	2	2	4	9	15	22	45
65+	384	10.6	128	2	3	7	14	24	35	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1019	6.1	44	1	2	4	7	12	17	38
B. *Operated*	2623	4.4	19	1	2	3	5	8	11	22
2. MULTIPLE DX										
A. *Not Operated*	1830	8.0	66	2	2	6	10	14	20	44
B. *Operated*	1619	7.7	73	2	2	5	9	17	24	54
1. SINGLE DX	3642	4.9	27	1	2	3	6	10	13	28
2. MULTIPLE DX	3449	7.8	69	2	2	5	9	15	22	48
A. NOT OPERATED	2849	7.3	59	2	2	5	9	14	19	39
B. OPERATED	4242	5.6	42	2	2	3	6	11	17	38
TOTAL 0-19 YRS	267	5.5	57	1	1	3	6	11	18	51
20-34	1235	5.5	30	1	2	4	6	11	16	31
35-49	1880	5.6	31	2	2	4	7	11	14	31
50-64	2048	6.3	51	2	2	4	7	13	18	35
65+	1661	8.0	80	2	2	6	10	16	23	57
GRAND TOTAL	**7091**	**6.3**	**50**	**2**	**2**	**4**	**8**	**13**	**18**	**38**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49										
50-64	3	1.7		<1	<1	2	2	2	2	2
65+	4	5.5	3	3	3	6	7	7	7	7
B. *Operated*										
0-19 YRS	35	4.5	6	1	2	4	7	8	9	10
20-34	80	5.6	7	2	2	5	8	9	10	14
35-49	76	4.9	8	1	1	4	6	8	9	16
50-64	279	5.2	7	2	2	5	7	8	10	14
65+	286	5.7	9	2	3	5	7	9	11	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.2	15	1	1	1	5	10	10	10
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64	3	2.0	3	<1	<1	1	3	4	4	4
65+	5	6.6	21	3	3	4	11	13	13	13
B. *Operated*										
0-19 YRS	24	5.1	6	1	2	5	7	8	9	10
20-34	48	6.5	10	2	3	7	8	11	12	13
35-49	46	6.7	8	3	3	6	8	11	12	13
50-64	174	6.4	15	2	3	6	7	12	14	22
65+	214	6.3	10	2	3	6	8	11	12	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	3.2	6	<1	<1	2	6	7	7	7
B. *Operated*	756	5.4	8	2	2	5	7	9	10	15
2. MULTIPLE DX										
A. *Not Operated*	17	4.2	13	<1	1	3	5	10	12	13
B. *Operated*	506	6.3	11	2	3	6	8	11	12	18
1. SINGLE DX	765	5.4	8	2	2	5	7	9	10	15
2. MULTIPLE DX	523	6.2	11	2	3	6	8	11	12	18
A. NOT OPERATED	26	3.8	10	<1	<1	3	5	9	11	13
B. OPERATED	1262	5.8	9	2	2	5	7	9	11	16
TOTAL 0-19 YRS	66	4.5	7	<1	1	4	7	8	9	10
20-34	130	5.9	8	2	2	5	8	10	11	13
35-49	124	5.6	9	1	2	5	7	9	11	14
50-64	459	5.6	10	2	2	5	7	9	12	18
65+	509	6.0	9	2	3	5	7	10	12	17
GRAND TOTAL	**1288**	**5.7**	**9**	**2**	**2**	**5**	**7**	**9**	**11**	**16**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.0		1	1	1	1	1	1	1
20-34	3	3.0	3	2	2	2	4	5	5	5
35-49	4	2.0	1	1	1	2	3	3	3	3
50-64	12	2.3	1	1	1	2	3	4	4	4
65+	32	2.8	4	1	1	2	4	5	6	11
B. *Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	9	5.4	15	1	1	5	8	11	12	12
35-49	42	3.2	7	1	1	3	3	7	10	14
50-64	174	3.4	7	1	1	3	4	7	8	10
65+	294	3.1	5	1	1	3	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	9	4.2	28	1	1	2	4	13	18	18
65+	40	5.3	55	1	1	4	5	10	13	47
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	5	4.8	10	2	2	4	6	10	10	10
35-49	17	4.4	7	2	2	4	6	9	9	9
50-64	76	4.8	19	1	2	3	5	12	16	19
65+	240	4.5	12	1	2	3	5	9	11	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	2.4	3	1	1	2	3	4	5	11
B. *Operated*	521	3.3	6	1	1	3	4	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	53	4.8	47	1	1	3	5	9	13	46
B. *Operated*	339	4.5	14	1	2	3	5	9	12	18
1. SINGLE DX	579	3.2	5	1	1	3	4	6	8	12
2. MULTIPLE DX	392	4.6	18	1	2	3	5	9	12	19
A. NOT OPERATED	111	3.6	25	1	1	2	4	6	11	29
B. OPERATED	860	3.8	9	1	1	3	4	7	10	16
TOTAL 0-19 YRS	11	1.5	1	1	1	1	2	3	4	4
20-34	19	4.5	11	1	1	3	6	10	11	12
35-49	64	3.4	7	1	1	3	4	8	9	14
50-64	271	3.8	11	1	1	3	4	8	10	18
65+	606	3.8	11	1	1	3	4	7	9	16
GRAND TOTAL	**971**	**3.8**	**11**	**1**	**1**	**3**	**4**	**7**	**10**	**17**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34										
35-49	4	2.0	1	<1	<1	2	3	3	3	3
50-64	3	2.7		2	2	3	3	3	3	3
65+	12	3.5	6	1	1	3	5	8	9	9
B. *Operated*										
0-19 YRS	8	4.1	22	<1	<1	3	5	12	15	15
20-34	23	3.3	4	1	1	3	4	6	7	9
35-49	41	2.8	4	<1	1	2	3	5	6	11
50-64	72	3.5	22	1	1	2	3	7	11	29
65+	159	3.6	10	1	1	2	4	8	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.8	2	<1	<1	1	2	4	4	4
20-34	2	5.0	2	4	4	5	6	6	6	6
35-49	9	4.8	14	1	1	4	6	11	13	13
50-64	10	3.5	6	1	1	3	5	7	8	8
65+	40	5.2	18	1	1	4	6	12	14	19
B. *Operated*										
0-19 YRS	9	5.1	37	2	2	3	5	15	21	21
20-34	24	4.4	17	1	1	3	5	10	15	16
35-49	20	3.7	7	1	1	3	5	7	10	12
50-64	63	5.9	102	2	2	3	5	12	27	96
65+	163	4.5	14	1	2	3	5	8	11	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	3.1	4	<1	1	2	4	6	8	9
B. *Operated*	303	3.4	12	1	1	2	4	7	10	17
2. MULTIPLE DX										
A. *Not Operated*	65	4.6	14	1	1	4	6	10	13	18
B. *Operated*	279	4.8	34	1	2	3	5	9	13	36
1. SINGLE DX	324	3.4	11	1	1	2	4	7	10	16
2. MULTIPLE DX	344	4.7	31	1	2	3	5	9	13	28
A. NOT OPERATED	86	4.3	12	1	1	3	6	9	12	17
B. OPERATED	582	4.1	23	1	1	3	4	8	11	24
TOTAL 0-19 YRS	23	4.1	23	<1	<1	2	5	8	17	21
20-34	49	3.9	10	1	1	3	5	8	10	16
35-49	74	3.2	6	1	1	2	4	6	7	13
50-64	148	4.5	56	1	1	3	4	8	13	70
65+	374	4.1	13	1	2	3	5	9	11	18
GRAND TOTAL	**668**	**4.1**	**22**	**1**	**1**	**3**	**5**	**8**	**11**	**23**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	1.5		1	1	1	2	2	2	2
50-64	16	2.6	9	<1	<1	2	3	4	10	13
65+	82	2.3	3	<1	1	2	3	4	6	9
B. *Operated*										
0-19 YRS										
20-34										
35-49	591	2.3	1	1	1	2	3	3	4	7
50-64	3703	2.4	1	1	2	2	3	3	4	6
65+	14385	2.5	2	1	2	2	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	8	1.9	1	1	1	2	3	4	4	4
50-64	70	2.4	5	<1	1	2	3	5	9	11
65+	309	3.2	40	<1	1	2	3	6	9	27
B. *Operated*										
0-19 YRS										
20-34										
35-49	329	3.1	4	1	2	2	3	5	7	11
50-64	2356	3.0	6	2	2	2	3	5	7	12
65+	10327	3.2	9	2	2	2	3	5	7	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	102	2.3	4	<1	1	2	3	4	6	11
B. *Operated*	18679	2.5	2	1	2	2	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*	387	3.0	33	<1	1	2	3	5	9	22
B. *Operated*	13012	3.2	8	2	2	2	3	5	7	14
1. SINGLE DX	18781	2.5	2	1	2	2	3	4	4	7
2. MULTIPLE DX	13399	3.2	9	2	2	2	3	5	7	15
A. NOT OPERATED	489	2.9	27	<1	1	2	3	5	8	19
B. OPERATED	31691	2.8	4	1	2	2	3	4	5	11
TOTAL 0-19 YRS										
20-34										
35-49	932	2.6	3	1	1	2	3	4	6	10
50-64	6145	2.7	3	1	2	2	3	4	5	9
65+	25103	2.8	5	1	2	2	3	4	5	11
GRAND TOTAL	**32180**	**2.8**	**5**	**1**	**2**	**2**	**3**	**4**	**5**	**11**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	71	2.3	1	1	1	2	3	3	4	7
20-34	48	2.4	1	1	2	2	2	4	4	6
35-49	67	2.4	1	1	2	2	3	4	4	7
50-64	112	2.2	1	1	1	2	2	3	4	6
65+	186	1.8	1	1	1	2	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.8	3	<1	<1	3	4	5	5	5
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49										
50-64										
65+	5	2.4	4	<1	<1	2	3	6	6	6
B. *Operated*										
0-19 YRS	34	3.3	4	1	2	3	4	7	7	10
20-34	41	3.1	3	1	1	3	4	6	7	9
35-49	56	4.8	102	1	2	3	4	7	10	73
50-64	94	3.5	15	1	2	2	3	6	9	26
65+	154	3.0	3	1	1	2	4	5	7	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.0	1	1	1	2	3	3	3	3
B. *Operated*	484	2.1	1	1	1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	12	2.5	3	<1	<1	2	4	5	6	6
B. *Operated*	379	3.4	21	1	2	2	4	6	7	18
1. SINGLE DX	487	2.1	1	1	1	2	2	3	4	6
2. MULTIPLE DX	391	3.4	20	1	2	2	4	6	7	17
A. NOT OPERATED	15	2.4	3	<1	<1	2	3	5	6	6
B. OPERATED	863	2.7	10	1	1	2	3	4	6	10
TOTAL 0-19 YRS	110	2.6	2	1	1	2	3	4	6	8
20-34	91	2.7	2	1	2	2	3	5	6	8
35-49	124	3.5	47	1	2	2	3	5	7	34
50-64	206	2.8	8	1	1	2	3	4	6	19
65+	347	2.4	2	1	1	2	3	4	5	8
GRAND TOTAL	**878**	**2.7**	**10**	**1**	**1**	**2**	**3**	**4**	**6**	**10**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	1.8	2	<1	1	1	2	5	5	6
20-34	14	2.8	2	<1	<1	3	4	4	5	5
35-49	8	3.1	4	1	1	3	4	6	7	7
50-64	12	3.3	3	<1	1	3	4	5	6	6
65+	11	4.9	7	2	2	5	7	9	9	9
B. *Operated*										
0-19 YRS	1257	1.8		<1	1	2	2	2	2	3
20-34	245	2.0	1	1	1	2	2	3	3	5
35-49	141	2.1	1	1	1	2	2	3	4	8
50-64	75	2.1	1	1	1	2	2	3	4	6
65+	34	2.7	4	1	1	2	3	5	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	1.7	3	<1	<1	1	2	3	4	10
20-34	6	5.0	20	<1	<1	3	9	12	12	12
35-49	16	4.4	13	<1	<1	3	5	11	12	13
50-64	43	6.8	26	1	2	5	9	13	18	25
65+	39	6.4	20	1	2	5	9	13	14	21
B. *Operated*										
0-19 YRS	257	1.9		1	1	2	2	2	3	3
20-34	100	2.2	1	1	1	2	2	3	4	7
35-49	62	2.8	6	2	2	2	2	4	7	17
50-64	42	4.1	19	1	1	2	6	8	13	24
65+	43	3.9	9	2	2	3	4	8	10	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	71	2.9	4	<1	1	2	4	6	7	9
B. *Operated*	1752	1.9	1	1	1	2	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	147	4.8	20	<1	1	3	7	11	13	21
B. *Operated*	504	2.4	4	1	1	2	2	3	6	12
1. SINGLE DX	1823	1.9	1	1	1	2	2	2	3	5
2. MULTIPLE DX	651	3.0	9	1	1	2	3	6	9	16
A. NOT OPERATED	218	4.2	16	<1	1	3	5	10	12	20
B. OPERATED	2256	2.0	1	1	1	2	2	2	3	7
TOTAL 0-19 YRS	1583	1.8		<1	1	2	2	2	2	4
20-34	365	2.2	1	1	1	2	2	3	4	7
35-49	227	2.5	4	1	1	2	2	4	6	13
50-64	172	3.8	15	1	1	2	5	8	12	23
65+	127	4.4	13	1	2	3	6	10	12	17
GRAND TOTAL	**2474**	**2.2**	**3**	**1**	**1**	**2**	**2**	**3**	**5**	**11**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	196	2.0	3	<1	<1	1	2	5	6	9
20-34	36	5.0	13	1	2	4	6	10	13	17
35-49	29	5.0	14	1	1	4	6	11	13	14
50-64	41	4.7	14	1	1	4	6	9	13	18
65+	69	5.4	26	1	1	4	6	10	16	28
B. *Operated*										
0-19 YRS	235	1.9	2	<1	<1	2	2	3	3	7
20-34	229	2.3	2	<1	<1	2	3	4	5	8
35-49	312	2.0	2	<1	<1	2	2	3	4	8
50-64	396	2.1	2	<1	1	2	2	4	4	7
65+	676	2.5	3	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	128	3.7	7	<1	1	3	5	7	8	13
20-34	34	5.3	21	1	2	4	6	12	13	24
35-49	31	4.2	6	1	1	4	6	8	9	9
50-64	57	6.2	59	<1	1	4	7	11	18	49
65+	123	6.0	27	1	1	5	7	12	15	32
B. *Operated*										
0-19 YRS	78	2.6	4	<1	1	2	3	5	7	11
20-34	121	3.2	6	1	2	3	3	5	7	17
35-49	175	3.5	14	1	1	3	4	7	8	14
50-64	367	3.1	9	1	1	2	3	5	7	19
65+	722	3.4	10	1	1	2	4	6	8	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	371	3.4	12	<1	<1	2	5	7	10	18
B. *Operated*	1848	2.2	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	373	5.0	24	1	1	4	6	9	13	28
B. *Operated*	1463	3.3	10	1	1	2	4	6	8	16
1. SINGLE DX	2219	2.4	4	<1	<1	2	3	4	6	12
2. MULTIPLE DX	1836	3.6	13	1	1	3	4	7	9	17
A. NOT OPERATED	744	4.2	19	<1	1	3	6	9	12	23
B. OPERATED	3311	2.7	6	<1	1	2	3	5	6	12
TOTAL 0-19 YRS	637	2.4	4	<1	<1	2	3	5	6	10
20-34	420	3.0	7	<1	1	2	3	6	7	15
35-49	547	2.8	7	<1	<1	2	3	5	7	12
50-64	861	3.0	10	<1	1	2	3	5	7	17
65+	1590	3.3	10	1	1	2	4	6	8	16
GRAND TOTAL	**4055**	**3.0**	**9**	**<1**	**1**	**2**	**3**	**6**	**7**	**15**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	267	4.0	10	1	2	3	5	7	8	13
20-34	89	4.2	8	1	1	4	5	8	10	14
35-49	58	5.3	19	1	1	4	7	13	15	18
50-64	60	4.3	7	1	1	3	6	8	9	13
65+	75	4.2	8	1	2	4	6	7	8	18
B. *Operated*										
0-19 YRS	36	4.3	11	<1	1	3	6	8	12	14
20-34	63	2.8	3	1	1	2	3	5	7	11
35-49	85	3.0	9	1	1	2	3	5	7	20
50-64	279	2.8	6	1	2	2	3	5	7	12
65+	801	2.6	4	1	1	2	3	4	6	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	247	5.0	21	1	2	4	6	9	11	16
20-34	83	4.8	8	2	2	4	7	9	10	14
35-49	73	4.7	12	1	1	4	6	9	11	19
50-64	115	4.8	8	1	2	4	6	8	9	14
65+	170	6.1	31	1	2	5	7	11	15	35
B. *Operated*										
0-19 YRS	64	5.2	25	1	2	4	6	10	15	27
20-34	84	5.1	19	1	2	4	6	9	14	24
35-49	92	5.4	26	1	2	4	6	13	15	27
50-64	294	4.7	23	1	2	3	5	11	15	23
65+	777	4.1	30	1	2	2	4	8	13	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	549	4.3	10	1	1	3	5	7	9	15
B. *Operated*	1264	2.7	5	1	1	2	3	4	7	12
2. MULTIPLE DX										
A. *Not Operated*	688	5.2	19	1	2	4	6	9	11	19
B. *Operated*	1311	4.4	27	1	2	3	5	9	14	25
1. SINGLE DX	1813	3.2	7	1	1	2	4	6	8	14
2. MULTIPLE DX	1999	4.7	25	1	2	3	6	9	13	25
A. NOT OPERATED	1237	4.8	15	1	2	4	6	9	11	17
B. OPERATED	2575	3.6	17	1	2	2	4	7	11	20
TOTAL 0-19 YRS	614	4.6	16	1	2	4	5	8	10	16
20-34	319	4.3	11	1	2	3	5	8	11	17
35-49	308	4.5	17	1	1	3	5	10	14	20
50-64	748	4.0	14	1	2	3	5	8	11	18
65+	1823	3.6	19	1	2	2	4	7	10	20
GRAND TOTAL	**3812**	**4.0**	**17**	**1**	**2**	**3**	**5**	**8**	**11**	**20**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	2.6	3	1	1	2	4	5	6	6
20-34	23	2.7	2	1	1	3	3	4	6	8
35-49	26	4.0	6	1	2	3	5	8	10	12
50-64	22	3.5	5	1	1	3	5	6	7	9
65+	13	5.3	13	2	3	4	6	10	15	16
B. *Operated*										
0-19 YRS	12	2.8	2	1	1	2	4	5	5	5
20-34	18	3.0	4	1	2	2	3	6	8	9
35-49	13	2.7	2	1	1	2	3	5	7	7
50-64	23	3.0	2	2	2	2	4	4	6	8
65+	19	3.5	4	2	2	3	4	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	2.4	4	<1	<1	2	3	5	7	10
20-34	30	4.2	8	1	1	4	5	8	11	13
35-49	48	5.4	22	1	1	5	7	8	17	26
50-64	76	5.7	24	1	2	4	7	11	16	26
65+	84	5.3	15	1	1	4	7	10	13	19
B. *Operated*										
0-19 YRS	20	2.6	2	2	2	2	2	4	6	8
20-34	32	4.2	11	1	2	3	5	9	13	14
35-49	27	4.2	25	1	2	3	5	6	10	28
50-64	57	5.1	16	1	2	4	8	9	12	22
65+	78	5.5	30	1	2	4	6	12	16	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	101	3.5	6	1	1	3	5	6	8	14
B. *Operated*	85	3.0	3	1	2	2	4	5	7	9
2. MULTIPLE DX										
A. *Not Operated*	265	5.0	18	1	1	4	6	10	13	22
B. *Operated*	214	4.8	21	1	2	3	6	9	14	24
1. SINGLE DX	186	3.3	5	1	1	3	4	6	8	11
2. MULTIPLE DX	479	4.9	19	1	1	4	6	10	14	22
A. NOT OPERATED	366	4.6	15	1	1	4	6	9	12	20
B. OPERATED	299	4.3	16	1	2	3	5	8	12	21
TOTAL 0-19 YRS	76	2.5	3	1	1	2	3	5	6	9
20-34	103	3.7	7	1	1	3	4	7	10	14
35-49	114	4.5	17	1	2	3	6	7	9	27
50-64	178	4.9	17	1	2	4	6	9	13	22
65+	194	5.2	20	1	2	4	6	10	15	20
GRAND TOTAL	**665**	**4.4**	**15**	**1**	**1**	**3**	**5**	**9**	**12**	**20**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	736	3.1	4	1	1	3	4	5	7	12
20-34	24	3.1	4	1	1	3	4	5	7	10
35-49	17	5.9	13	1	2	5	8	10	13	15
50-64	7	4.6	6	2	2	4	7	8	8	8
65+	12	4.5	6	1	2	4	6	8	10	10
B. *Operated*										
0-19 YRS	4083	1.2	1	<1	<1	1	1	2	2	3
20-34	211	2.3	3	1	1	2	2	3	4	10
35-49	191	2.1	1	1	1	2	2	3	3	5
50-64	141	2.4	2	<1	1	2	3	4	5	9
65+	64	2.1	3	<1	1	2	2	3	4	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2310	3.4	5	1	1	3	4	6	7	11
20-34	84	4.3	7	1	2	4	6	8	9	15
35-49	52	5.4	9	2	2	5	7	10	11	14
50-64	66	6.1	10	2	3	6	8	11	11	17
65+	53	7.8	43	1	3	6	9	15	24	34
B. *Operated*										
0-19 YRS	2777	1.7	2	<1	<1	1	2	2	3	9
20-34	290	2.8	6	1	2	2	3	4	7	12
35-49	218	2.7	3	1	1	2	3	4	6	11
50-64	233	3.3	9	1	2	2	3	7	9	17
65+	99	4.1	25	2	2	2	4	8	11	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	796	3.2	5	1	1	3	4	5	7	12
B. *Operated*	4690	1.4	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	2565	3.7	7	1	1	3	4	6	8	13
B. *Operated*	3617	2.0	4	<1	<1	2	2	3	4	11
1. SINGLE DX	5486	1.6	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	6182	2.7	6	<1	1	2	3	5	7	12
A. NOT OPERATED	3361	3.6	6	1	1	3	4	6	8	13
B. OPERATED	8307	1.7	2	<1	<1	1	2	2	3	8
TOTAL 0-19 YRS	9906	2.0	3	<1	<1	1	2	4	5	9
20-34	609	2.8	5	1	1	2	3	5	7	12
35-49	478	2.9	5	1	1	2	3	5	7	13
50-64	447	3.5	8	1	1	2	4	7	10	14
65+	228	4.4	26	1	1	3	5	9	12	29
GRAND TOTAL	**11668**	**2.2**	**4**	**<1**	**<1**	**2**	**3**	**4**	**6**	**10**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	94	3.7	6	1	2	3	4	7	9	12
20-34	78	3.9	7	1	2	3	5	7	8	16
35-49	42	4.7	10	1	2	4	6	7	10	19
50-64	24	3.9	7	1	1	3	5	8	10	11
65+	13	7.6	52	3	3	4	7	22	24	24
B. *Operated*										
0-19 YRS	393	1.7	3	<1	<1	1	2	3	5	9
20-34	67	2.7	3	<1	1	2	3	4	7	8
35-49	49	3.3	10	1	2	3	3	5	9	22
50-64	61	3.1	8	1	1	3	3	5	6	21
65+	20	5.8	21	1	1	4	9	13	15	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	125	4.1	7	1	1	4	5	7	10	13
20-34	46	5.6	14	2	2	5	6	11	15	18
35-49	41	5.2	11	2	2	4	6	9	12	18
50-64	62	8.5	83	2	2	6	10	14	33	44
65+	47	9.0	41	2	3	8	11	20	22	28
B. *Operated*										
0-19 YRS	363	2.3	10	<1	<1	2	2	3	6	15
20-34	72	3.9	10	1	2	3	4	8	9	16
35-49	66	3.7	11	1	2	3	4	7	10	22
50-64	64	6.0	71	2	2	3	5	12	22	47
65+	42	12.8	214	2	2	6	16	37	44	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	251	4.1	10	1	2	3	5	7	10	19
B. *Operated*	590	2.2	5	<1	<1	2	3	4	6	12
2. MULTIPLE DX										
A. *Not Operated*	321	6.0	32	1	2	4	7	12	15	32
B. *Operated*	607	3.7	38	<1	1	2	3	7	12	40
1. SINGLE DX	841	2.8	7	<1	<1	2	3	5	8	15
2. MULTIPLE DX	928	4.5	37	1	1	3	5	9	14	38
A. NOT OPERATED	572	5.2	23	1	2	4	6	10	14	26
B. OPERATED	1197	3.0	22	<1	<1	2	3	5	9	23
TOTAL 0-19 YRS	975	2.4	7	<1	<1	2	3	5	7	12
20-34	263	3.9	9	1	2	3	5	7	9	16
35-49	198	4.1	11	1	2	3	5	8	10	21
50-64	211	5.7	53	1	2	3	5	12	17	43
65+	122	9.6	103	2	2	6	11	21	35	50
GRAND TOTAL	**1769**	**3.7**	**24**	**<1**	**1**	**2**	**4**	**7**	**11**	**24**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	3.8	8	1	1	3	4	7	8	17
20-34	173	3.8	6	1	1	3	5	7	9	12
35-49	259	3.8	7	1	1	3	5	7	8	16
50-64	321	3.9	7	1	1	3	5	7	9	14
65+	356	4.1	8	1	2	3	5	8	10	15
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	39	3.3	3	1	2	3	4	6	6	7
35-49	62	3.9	4	1	2	4	5	7	8	10
50-64	55	4.5	8	2	2	4	6	8	11	15
65+	25	4.1	7	2	2	3	5	9	10	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	3.3	3	1	1	3	4	5	7	8
20-34	166	4.5	12	1	2	4	5	8	11	18
35-49	386	4.6	9	2	2	4	6	8	10	15
50-64	757	4.9	12	2	2	4	6	9	11	18
65+	1278	5.6	14	2	2	5	7	10	12	19
B. *Operated*										
0-19 YRS	4	2.3		2	2	2	3	3	3	3
20-34	12	7.4	58	2	2	5	10	17	27	29
35-49	26	8.1	17	3	4	7	9	14	18	19
50-64	58	7.9	25	2	2	7	10	15	17	25
65+	90	8.1	49	2	3	6	10	15	17	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1144	3.9	7	1	1	3	5	7	9	15
B. *Operated*	182	3.9	5	2	2	3	5	7	9	12
2. MULTIPLE DX										
A. *Not Operated*	2605	5.2	13	2	2	4	7	9	12	18
B. *Operated*	190	7.9	37	2	2	7	10	15	17	32
1. SINGLE DX	1326	3.9	7	1	1	3	5	7	9	14
2. MULTIPLE DX	2795	5.4	15	2	2	4	7	10	12	19
A. NOT OPERATED	3749	4.8	11	1	2	4	6	9	11	17
B. OPERATED	372	6.0	25	2	2	5	8	11	15	25
TOTAL 0-19 YRS	58	3.5	6	1	1	3	4	6	8	16
20-34	390	4.1	10	1	1	3	5	7	9	15
35-49	733	4.4	9	1	2	4	5	8	10	16
50-64	1191	4.8	12	1	2	4	6	9	11	18
65+	1749	5.4	15	2	2	4	7	10	12	18
GRAND TOTAL	**4121**	**4.9**	**13**	**1**	**2**	**4**	**6**	**9**	**11**	**18**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	1.3		<1	<1	<1	2	2	2	2
35-49										
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	26	2.4	1	1	2	2	3	3	4	5
20-34	165	2.5	1	2	2	2	3	3	4	7
35-49	222	2.7	1	1	2	2	3	4	5	6
50-64	223	2.6	1	2	2	2	3	3	4	6
65+	97	2.8	1	1	2	3	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	3	4.3	10	2	2	3	7	8	8	8
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	34	3.0	3	2	2	3	3	4	5	11
35-49	64	2.9	2	2	2	3	3	5	6	7
50-64	71	3.2	7	2	2	3	3	5	6	19
65+	33	2.7	1	2	2	2	3	4	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	1.7	1	<1	<1	1	2	3	3	3
B. *Operated*	733	2.6	1	2	2	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	8	2.8	5	<1	<1	2	3	7	8	8
B. *Operated*	205	3.0	3	2	2	3	3	5	5	9
1. SINGLE DX	739	2.6	1	1	2	2	3	4	4	6
2. MULTIPLE DX	213	3.0	4	2	2	3	3	5	6	9
A. NOT OPERATED	14	2.3	3	<1	<1	2	3	4	7	8
B. OPERATED	938	2.7	2	2	2	2	3	4	5	7
TOTAL 0-19 YRS	29	2.3	1	1	1	2	3	3	4	5
20-34	204	2.6	1	2	2	2	3	3	4	7
35-49	288	2.7	1	2	2	2	3	4	5	7
50-64	299	2.7	2	2	2	2	3	4	5	7
65+	132	2.7	1	2	2	3	3	4	5	6
GRAND TOTAL	**952**	**2.7**	**2**	**2**	**2**	**2**	**3**	**4**	**5**	**7**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	3.4	12	<1	1	2	3	8	12	16
20-34	46	2.7	2	1	1	2	4	5	5	7
35-49	55	3.1	4	1	1	3	4	5	7	10
50-64	57	3.5	5	1	1	3	5	6	8	13
65+	23	3.1	4	1	1	3	4	6	7	8
B. *Operated*										
0-19 YRS	749	1.9	1	<1	1	2	2	3	3	4
20-34	443	2.3	1	1	1	2	3	3	4	5
35-49	353	2.4	3	1	2	2	3	3	4	6
50-64	277	2.4	2	1	1	2	3	3	4	8
65+	107	2.5	2	1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	3.0	7	1	1	2	4	7	10	11
20-34	35	3.5	10	<1	1	3	4	7	12	14
35-49	44	3.8	6	1	2	3	5	7	8	13
50-64	58	5.1	12	1	2	4	6	9	13	18
65+	78	7.1	35	2	2	5	9	16	18	31
B. *Operated*										
0-19 YRS	430	2.2	1	1	1	2	2	3	3	6
20-34	351	2.6	2	1	1	2	3	4	4	10
35-49	316	3.0	8	1	2	2	3	4	5	19
50-64	266	3.6	34	2	2	3	3	6	8	16
65+	132	3.6	20	1	2	3	4	5	8	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	203	3.2	5	1	1	3	4	5	7	11
B. *Operated*	1929	2.2	2	1	1	2	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*	244	5.0	20	1	1	4	6	10	14	20
B. *Operated*	1495	2.8	11	1	1	2	3	4	5	12
1. SINGLE DX	2132	2.3	2	1	1	2	3	3	4	7
2. MULTIPLE DX	1739	3.1	12	1	1	2	3	5	8	16
A. NOT OPERATED	447	4.2	14	1	1	3	5	8	11	18
B. OPERATED	3424	2.5	6	1	1	2	3	3	4	9
TOTAL 0-19 YRS	1230	2.1	2	<1	1	2	2	3	3	6
20-34	875	2.5	2	1	1	2	3	4	4	8
35-49	768	2.8	6	1	2	2	3	4	5	12
50-64	658	3.2	17	1	2	2	3	5	7	15
65+	340	4.0	20	1	2	3	4	8	11	29
GRAND TOTAL	**3871**	**2.7**	**7**	**1**	**1**	**2**	**3**	**4**	**5**	**12**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	64	6.0	18	2	2	5	8	10	14	26
20-34	12	7.7	39	3	3	6	10	16	23	24
35-49	11	6.0	32	2	2	6	6	13	21	22
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-19 YRS										
20-34	1	17.0		17	17	17	17	17	17	17
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+	1	69.0		69	69	69	69	69	69	69
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	7.2	23	2	2	6	11	15	15	19
20-34	15	6.0	10	3	3	5	7	12	13	13
35-49	32	8.3	43	1	2	6	12	20	21	25
50-64	35	7.4	37	1	2	6	9	13	21	30
65+	44	9.8	90	2	3	6	11	23	33	41.
B. *Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	8	8.5	18	2	3	8	11	14	15	15
35-49	5	7.8	30	2	2	8	12	15	15	15
50-64	22	13.1	118	2	2	11	20	27	37	42
65+	16	14.4	133	2	2	9	24	32	35	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	89	6.2	22	2	2	5	7	12	14	26
B. *Operated*	3	30.7	1132	6	6	17	56	69	69	69
2. MULTIPLE DX										
A. *Not Operated*	155	8.1	49	2	2	6	10	17	22	37
B. *Operated*	52	12.3	98	2	2	10	17	27	33	42
1. SINGLE DX	92	7.0	65	2	2	5	8	13	17	51
2. MULTIPLE DX	207	9.1	64	2	2	7	12	20	25	39
A. NOT OPERATED	244	7.4	40	2	2	6	9	15	21	31
B. OPERATED	55	13.3	153	2	2	10	17	30	35	68
TOTAL 0-19 YRS	94	6.4	20	2	2	5	8	13	15	23
20-34	36	7.4	24	3	3	6	10	13	16	24
35-49	49	7.7	38	2	2	6	9	19	21	25
50-64	58	9.5	74	2	2	7	12	22	28	41
65+	62	11.9	155	2	3	7	16	30	36	66
GRAND TOTAL	**299**	**8.5**	**65**	**2**	**2**	**6**	**10**	**18**	**24**	**39**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.2	2	1	1	2	3	4	4	4
20-34	16	5.1	20	1	2	4	5	14	16	17
35-49	38	3.4	3	1	2	3	4	7	7	7
50-64	21	3.8	4	1	2	3	5	7	8	8
65+	21	8.0	18	2	3	7	10	14	17	19
B. *Operated*										
0-19 YRS	6	1.7		1	1	2	2	2	2	2
20-34	18	9.2	58	1	2	9	12	14	26	34
35-49	55	7.7	27	1	2	8	12	15	17	18
50-64	51	7.9	30	2	2	8	11	16	18	20
65+	19	7.1	38	1	2	3	13	15	18	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	3.4	3	1	2	3	4	5	7	8
20-34	78	4.5	15	1	1	3	5	10	13	19
35-49	167	5.6	16	1	2	4	7	10	14	21
50-64	226	6.8	31	1	2	5	9	13	17	29
65+	271	9.1	50	2	3	7	11	17	23	34
B. *Operated*										
0-19 YRS	4	5.0	17	2	2	3	7	11	11	11
20-34	36	9.8	139	2	2	5	13	25	30	61
35-49	100	10.1	50	2	2	9	15	19	23	31
50-64	175	11.2	93	2	2	10	15	22	28	48
65+	113	15.4	199	2	2	13	20	29	34	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	101	4.6	12	1	2	3	6	8	13	18
B. *Operated*	149	7.6	33	2	2	8	12	15	17	20
2. MULTIPLE DX										
A. *Not Operated*	765	7.0	35	1	2	5	9	14	18	30
B. *Operated*	428	11.9	118	2	2	10	16	24	29	56
1. SINGLE DX	250	6.4	27	1	2	4	10	14	17	20
2. MULTIPLE DX	1193	8.8	70	2	2	6	11	18	24	40
A. NOT OPERATED	866	6.8	33	1	2	5	8	14	17	30
B. OPERATED	577	10.8	99	2	2	9	15	22	27	50
TOTAL 0-19 YRS	38	3.1	4	1	1	3	4	5	8	11
20-34	148	6.4	55	1	2	4	8	15	17	35
35-49	360	7.0	31	2	2	5	10	15	18	24
50-64	473	8.4	57	2	2	6	12	17	22	39
65+	424	10.6	95	2	2	8	14	21	28	50
GRAND TOTAL	**1443**	**8.4**	**63**	**2**	**2**	**6**	**11**	**17**	**23**	**34**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	80	3.9	9	1	2	3	5	7	9	19
20-34	333	3.9	7	1	2	3	5	7	9	13
35-49	672	4.2	7	1	2	4	5	8	9	13
50-64	686	4.6	9	1	2	4	6	8	10	16
65+	453	5.2	15	1	2	4	6	9	12	19
B. *Operated*										
0-19 YRS	11	3.7	6	1	1	3	5	8	8	8
20-34	26	3.6	4	1	2	3	4	6	8	9
35-49	59	4.7	10	1	2	4	6	10	12	14
50-64	57	4.9	14	1	2	4	6	10	13	18
65+	35	6.1	19	2	2	5	8	11	16	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	94	3.7	5	1	1	3	5	7	9	11
20-34	771	4.9	13	2	2	4	6	8	10	21
35-49	2327	5.6	16	2	2	4	7	10	13	22
50-64	3578	6.0	24	2	2	5	7	11	14	26
65+	4033	6.9	31	2	2	5	8	13	16	28
B. *Operated*										
0-19 YRS	20	11.8	308	2	2	5	13	22	52	81
20-34	139	5.7	15	1	2	4	8	12	13	18
35-49	387	7.9	36	2	2	7	11	15	19	32
50-64	590	9.1	60	2	2	7	12	18	23	38
65+	461	11.4	94	3	3	9	14	22	28	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2224	4.5	9	1	2	4	5	8	10	16
B. *Operated*	188	4.8	12	1	2	4	6	9	12	18
2. MULTIPLE DX										
A. *Not Operated*	10803	6.2	24	2	2	5	8	11	14	26
B. *Operated*	1597	9.2	66	2	2	7	12	18	23	38
1. SINGLE DX	2412	4.5	10	1	2	4	6	8	10	16
2. MULTIPLE DX	12400	6.5	31	2	2	5	8	12	16	28
A. NOT OPERATED	13027	5.9	22	2	2	5	7	11	14	24
B. OPERATED	1785	8.7	62	2	2	7	11	17	22	37
TOTAL 0-19 YRS	205	4.6	41	1	1	3	5	8	10	23
20-34	1269	4.7	12	1	2	4	6	9	11	19
35-49	3445	5.5	17	2	2	4	7	10	13	22
50-64	4911	6.2	27	2	2	5	8	12	15	26
65+	4982	7.2	37	2	2	5	9	13	18	31
GRAND TOTAL	**14812**	**6.2**	**28**	**2**	**2**	**5**	**8**	**12**	**15**	**27**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	7.6	27	3	3	5	11	16	16	16
20-34	24	4.5	8	1	2	4	6	7	11	14
35-49	75	4.5	5	2	2	4	6	8	10	11
50-64	173	5.2	8	2	2	4	7	9	11	15
65+	218	6.1	14	2	2	5	8	11	13	19
B. *Operated*										
0-19 YRS										
20-34	2	3.0		3	3	3	3	3	3	3
35-49	8	3.8	13	2	2	2	4	10	12	12
50-64	25	3.9	13	2	2	3	4	7	14	17
65+	13	7.2	81	2	2	4	7	17	32	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	6.8	10	3	3	7	10	10	10	10
20-34	68	6.1	13	2	2	6	7	10	14	18
35-49	448	6.8	22	2	3	6	8	12	16	28
50-64	1482	7.4	30	2	3	6	9	13	17	29
65+	3457	9.1	54	3	3	7	11	17	23	38
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	13	6.7	16	2	2	6	9	13	14	14
35-49	59	7.6	34	2	2	6	10	15	17	31
50-64	249	10.4	88	2	2	8	13	23	30	59
65+	392	13.7	118	2	4	11	18	26	34	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	495	5.5	11	2	2	5	7	10	12	17
B. *Operated*	48	4.7	32	2	2	3	5	11	14	35
2. MULTIPLE DX										
A. *Not Operated*	5461	8.4	45	2	3	7	10	15	20	35
B. *Operated*	714	11.9	103	2	3	9	15	25	31	55
1. SINGLE DX	543	5.4	13	2	2	4	7	10	12	17
2. MULTIPLE DX	6175	8.8	53	2	3	7	11	16	22	38
A. NOT OPERATED	5956	8.2	43	2	3	7	10	15	20	34
B. OPERATED	762	11.4	102	2	2	9	15	25	30	54
TOTAL 0-19 YRS	12	6.9	15	3	3	5	9	12	15	16
20-34	107	5.7	13	2	2	5	7	10	14	18
35-49	590	6.6	22	2	2	5	8	12	15	28
50-64	1929	7.5	37	2	3	6	9	14	18	32
65+	4080	9.4	61	2	3	7	11	18	24	40
GRAND TOTAL	**6718**	**8.6**	**51**	**2**	**3**	**7**	**10**	**16**	**21**	**37**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	5.0	12	1	1	7	7	7	7	7
20-34	15	4.1	4	2	2	4	6	7	8	8
35-49	22	6.1	16	2	2	5	9	13	14	14
50-64	29	5.9	24	1	1	4	7	13	18	20
65+	48	7.0	32	1	1	6	11	15	19	22
B. *Operated*										
0-19 YRS										
20-34	10	6.4	14	3	3	5	11	12	12	12
35-49	22	8.6	88	2	2	5	10	21	32	41
50-64	33	9.5	55	2	3	7	14	22	24	25
65+	18	8.3	43	1	2	7	10	18	24	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	11.3	104	4	4	7	18	26	26	26
20-34	20	5.7	19	<1	1	5	7	11	15	18
35-49	65	6.8	13	2	2	6	9	11	13	17
50-64	155	8.0	40	2	2	7	10	16	23	31
65+	309	10.7	80	2	3	9	14	20	28	52
B. *Operated*										
0-19 YRS	10	13.0	178	2	2	8	17	36	41	41
20-34	38	10.9	52	2	2	10	15	20	24	30
35-49	81	12.1	120	2	3	8	15	32	39	46
50-64	162	12.3	145	2	3	9	16	25	38	83
65+	140	15.3	170	2	3	12	21	31	42	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	117	6.1	23	1	1	5	8	13	16	21
B. *Operated*	83	8.7	55	2	2	6	12	19	25	36
2. MULTIPLE DX										
A. *Not Operated*	553	9.3	61	2	3	7	12	18	26	44
B. *Operated*	431	13.1	142	2	3	10	17	29	39	60
1. SINGLE DX	200	7.2	38	1	2	5	10	15	20	26
2. MULTIPLE DX	984	11.0	100	2	3	8	14	23	31	52
A. NOT OPERATED	670	8.8	56	2	2	7	11	17	24	42
B. OPERATED	514	12.4	131	2	3	9	17	27	36	56
TOTAL 0-19 YRS	17	11.2	130	1	2	7	12	31	38	41
20-34	83	7.9	38	1	2	6	11	18	20	29
35-49	190	9.2	73	2	2	7	11	19	31	42
50-64	379	9.8	89	2	2	7	12	20	26	50
65+	515	11.5	105	2	3	9	15	25	31	53
GRAND TOTAL	**1184**	**10.3**	**92**	**2**	**2**	**8**	**13**	**22**	**29**	**50**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	9.8	10	5	5	11	12	12	12	12
20-34	65	10.7	16	5	7	10	13	15	19	22
35-49	814	10.7	17	4	6	11	13	15	18	23
50-64	1884	11.4	19	4	6	11	14	16	19	25
65+	1708	12.2	23	6	7	12	15	18	21	28
B. *Operated*										
0-19 YRS										
20-34	18	9.0	26	2	2	8	13	17	18	18
35-49	124	11.4	62	2	2	11	14	16	19	45
50-64	289	11.6	30	2	3	11	14	18	21	25
65+	130	13.8	36	2	7	13	16	22	25	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	12.6	19	5	8	13	15	19	21	22
20-34	117	10.3	18	3	5	10	13	15	18	23
35-49	1605	11.5	23	4	6	11	14	17	20	27
50-64	5413	12.5	34	5	7	12	15	19	22	32
65+	8364	13.7	49	6	7	13	16	21	26	40
B. *Operated*										
0-19 YRS	3	15.7	97	9	9	11	23	27	27	27
20-34	44	11.1	61	2	2	10	16	23	28	29
35-49	441	11.8	62	2	2	11	15	20	24	31
50-64	1143	15.1	90	3	6	13	18	24	30	54
65+	1145	19.2	129	5	8	16	24	34	42	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4475	11.6	20	5	7	11	14	17	19	25
B. *Operated*	561	12.0	39	2	3	12	15	18	22	30
2. MULTIPLE DX										
A. *Not Operated*	15518	13.0	41	5	7	12	15	20	24	37
B. *Operated*	2776	16.2	109	2	6	14	20	28	35	60
1. SINGLE DX	5036	11.6	22	4	6	11	14	17	20	26
2. MULTIPLE DX	18294	13.5	53	5	7	12	16	21	26	41
A. NOT OPERATED	19993	12.7	37	5	7	12	15	19	23	35
B. OPERATED	3337	15.5	100	2	5	14	19	26	33	54
TOTAL 0-19 YRS	26	12.5	25	5	7	12	14	19	23	27
20-34	244	10.5	26	2	3	10	13	17	19	28
35-49	2984	11.3	29	3	5	11	14	17	20	27
50-64	8729	12.6	39	4	7	12	15	19	23	33
65+	11347	14.1	56	6	7	13	16	22	27	43
GRAND TOTAL	**23330**	**13.1**	**47**	**5**	**7**	**12**	**15**	**20**	**25**	**38**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	6.3	24	3	3	4	10	12	12	12
20-34	32	3.4	4	1	1	3	4	6	8	9
35-49	402	4.0	6	1	1	3	5	7	8	13
50-64	736	4.3	9	1	2	4	5	8	10	15
65+	707	4.9	10	1	2	4	6	9	11	17
B. *Operated*										
0-19 YRS										
20-34	6	3.0	6	2	2	2	2	7	8	8
35-49	94	4.2	13	2	2	3	5	9	12	18
50-64	159	4.4	16	2	2	2	5	12	13	18
65+	60	5.9	60	2	2	3	7	13	17	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	6.6	54	1	2	3	12	14	25	28
20-34	112	4.4	8	1	2	4	6	8	10	15
35-49	1448	5.1	10	2	2	4	6	9	11	16
50-64	4447	5.5	12	2	2	5	7	10	12	18
65+	6722	6.4	22	2	2	5	8	11	14	24
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	34	7.2	20	2	2	7	9	12	17	18
35-49	490	6.5	30	2	2	4	9	13	17	23
50-64	1495	7.4	37	2	2	6	11	15	19	27
65+	871	9.8	73	2	2	8	13	20	25	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1880	4.4	9	1	2	4	5	8	10	16
B. *Operated*	319	4.6	23	2	2	2	5	11	13	19
2. MULTIPLE DX										
A. *Not Operated*	12743	5.9	18	2	2	5	7	10	13	21
B. *Operated*	2891	8.0	48	2	2	6	11	16	20	33
1. SINGLE DX	2199	4.4	11	1	2	4	5	8	11	17
2. MULTIPLE DX	15634	6.3	24	2	2	5	8	12	15	24
A. NOT OPERATED	14623	5.7	17	2	2	5	7	10	13	21
B. OPERATED	3210	7.7	46	2	2	6	11	16	20	32
TOTAL 0-19 YRS	18	6.3	45	1	2	3	12	12	22	28
20-34	184	4.7	11	1	2	4	7	9	11	17
35-49	2434	5.1	14	1	2	4	7	10	12	18
50-64	6837	5.7	18	2	2	5	7	11	14	21
65+	8360	6.6	28	2	2	5	8	12	15	28
GRAND TOTAL	**17833**	**6.1**	**23**	**2**	**2**	**5**	**8**	**11**	**14**	**23**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	7.5	13	5	5	7	10	10	10	10
20-34	17	4.4	13	1	1	3	6	10	12	13
35-49	150	4.5	9	1	2	4	6	8	10	14
50-64	562	5.3	11	1	2	4	7	10	12	17
65+	604	5.8	13	2	2	5	7	10	12	21
B. *Operated*										
0-19 YRS										
20-34	2	6.5	13	4	4	6	9	9	9	9
35-49	26	7.4	21	2	2	8	10	11	15	22
50-64	48	8.5	25	2	2	8	12	15	16	21
65+	35	9.2	43	1	2	8	14	18	22	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	6.7	12	2	3	6	8	12	13	13
20-34	30	4.8	6	1	2	4	6	9	10	11
35-49	720	5.9	15	2	3	5	7	10	13	22
50-64	2728	6.4	15	2	3	5	8	11	14	20
65+	4550	7.3	24	2	3	6	9	13	16	25
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	17	9.1	23	2	2	11	13	14	15	15
35-49	273	9.3	39	2	2	9	12	17	20	28
50-64	825	11.0	58	2	3	10	13	19	23	40
65+	628	12.7	78	2	3	11	16	23	28	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1335	5.4	12	1	2	5	7	10	12	18
B. *Operated*	111	8.4	30	2	2	8	11	16	18	23
2. MULTIPLE DX										
A. *Not Operated*	8035	6.9	20	2	3	6	8	12	15	23
B. *Operated*	1744	11.3	63	2	3	10	14	20	24	40
1. SINGLE DX	1446	5.6	14	1	2	5	7	10	13	21
2. MULTIPLE DX	9779	7.7	31	2	3	6	10	14	18	28
A. NOT OPERATED	9370	6.7	19	2	3	6	8	12	14	23
B. OPERATED	1855	11.1	62	2	3	10	14	20	24	39
TOTAL 0-19 YRS	10	7.3	11	2	3	7	10	12	13	13
20-34	66	5.9	16	1	2	5	8	13	14	15
35-49	1169	6.5	22	2	2	5	8	12	15	23
50-64	4163	7.2	27	2	3	6	9	13	16	25
65+	5817	7.8	32	2	3	6	10	14	18	28
GRAND TOTAL	**11225**	**7.4**	**29**	**2**	**3**	**6**	**9**	**13**	**17**	**27**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	22	3.8	10	<1	1	3	4	8	11	13
35-49	271	4.3	13	1	2	3	5	9	11	19
50-64	616	4.2	10	1	2	3	5	8	10	14
65+	591	6.0	23	2	2	5	7	11	15	23
B. *Operated*										
0-19 YRS	7	9.3	94	2	2	3	18	24	25	25
20-34	56	5.2	15	2	2	3	9	11	13	15
35-49	1050	5.8	23	2	2	3	9	12	14	21
50-64	2645	6.9	29	2	2	7	10	13	16	23
65+	1069	8.3	41	2	2	9	12	16	19	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	7.8	41	2	3	5	10	18	23	25
20-34	59	5.6	25	2	2	4	7	10	16	26
35-49	1235	5.6	14	2	2	5	7	11	13	19
50-64	4679	6.5	22	2	2	5	8	12	15	25
65+	10624	8.4	43	2	3	7	10	15	20	35
B. *Operated*										
0-19 YRS	7	13.9	132	2	2	11	21	31	33	33
20-34	66	5.5	24	1	2	3	10	12	14	22
35-49	1539	6.9	43	2	2	4	10	14	18	29
50-64	4368	8.3	53	2	2	7	12	16	20	35
65+	3175	11.8	98	2	2	10	15	23	29	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1501	4.9	16	1	2	4	6	10	13	20
B. *Operated*	4827	7.0	31	2	2	7	10	14	16	23
2. MULTIPLE DX										
A. *Not Operated*	16613	7.6	36	2	3	6	9	14	18	32
B. *Operated*	9155	9.3	71	2	2	8	13	18	24	41
1. SINGLE DX	6328	6.5	28	2	2	5	10	13	16	23
2. MULTIPLE DX	25768	8.2	49	2	2	6	11	16	20	35
A. NOT OPERATED	18114	7.4	35	2	2	6	9	14	18	31
B. OPERATED	13982	8.5	58	2	2	8	12	17	21	36
TOTAL 0-19 YRS	31	9.3	74	2	2	5	14	23	25	33
20-34	203	5.3	20	2	2	3	8	11	13	24
35-49	4095	6.1	28	2	2	4	9	12	15	25
50-64	12308	7.1	35	2	2	6	10	14	17	28
65+	15459	9.0	56	2	2	7	11	17	22	38
GRAND TOTAL	**32096**	**7.9**	**45**	**2**	**2**	**6**	**10**	**15**	**19**	**33**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	12.0	41	7	7	10	16	21	21	21
20-34	111	9.7	14	4	6	9	11	14	16	22
35-49	148	10.2	20	3	5	10	12	15	17	26
50-64	175	10.7	16	3	6	11	13	15	17	22
65+	195	11.7	28	4	6	11	14	18	22	29
B. *Operated*										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	14	10.8	30	3	3	10	12	17	23	25
35-49	35	14.2	97	4	7	11	17	29	34	51
50-64	27	10.9	37	4	5	9	13	17	27	30
65+	27	12.5	17	6	8	12	14	19	21	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	8.5	8	3	4	9	10	12	13	13
20-34	134	10.9	22	3	5	10	14	16	19	26
35-49	259	11.5	29	4	5	11	14	18	22	28
50-64	539	12.0	25	5	7	11	14	18	22	26
65+	983	14.0	54	5	7	12	17	23	30	41
B. *Operated*										
0-19 YRS	4	15.5	107	5	6	13	23	29	29	29
20-34	36	12.9	50	4	6	12	15	18	23	44
35-49	68	15.7	128	4	6	12	20	28	36	52
50-64	126	17.1	96	7	9	15	20	28	36	58
65+	210	20.0	103	8	10	17	24	33	38	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	633	10.7	20	4	6	10	13	16	18	25
B. *Operated*	104	12.5	52	4	6	11	14	21	27	42
2. MULTIPLE DX										
A. *Not Operated*	1926	12.9	42	5	7	12	15	20	25	38
B. *Operated*	444	17.9	104	7	9	15	21	32	37	57
1. SINGLE DX	737	11.0	25	4	6	10	13	16	19	28
2. MULTIPLE DX	2370	13.8	57	5	7	12	16	23	28	42
A. NOT OPERATED	2559	12.3	37	4	6	11	15	19	24	36
B. OPERATED	548	16.9	99	6	8	14	20	30	35	57
TOTAL 0-19 YRS	20	11.1	38	4	5	9	13	19	25	29
20-34	295	10.7	23	3	5	10	13	16	18	26
35-49	510	11.9	47	4	5	11	14	19	24	36
50-64	867	12.4	38	4	7	11	15	19	23	36
65+	1415	14.6	63	6	7	13	17	24	32	43
GRAND TOTAL	**3107**	**13.1**	**51**	**5**	**7**	**12**	**15**	**21**	**26**	**40**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	24.3	42	18	18	24	29	31	31	31
20-34	5	17.6	126	4	4	15	28	31	31	31
35-49	4	17.0	121	3	3	18	25	28	28	28
50-64	4	24.3	331	4	4	22	36	48	48	48
65+	7	36.3	520	12	13	36	38	73	82	82
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	22.0		22	22	22	22	22	22	22
50-64	1	13.0		13	13	13	13	13	13	13
65+	1	23.0		23	23	23	23	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	28.4	214	9	10	30	42	43	43	43
20-34	31	23.7	168	2	3	25	32	41	43	51
35-49	22	27.0	156	8	11	28	36	43	50	52
50-64	40	26.1	203	6	8	28	36	45	48	55
65+	65	27.8	214	5	6	29	35	51	55	93
B. *Operated*										
0-19 YRS	1	35.0		35	35	35	35	35	35	35
20-34	11	26.4	137	13	14	23	36	45	47	47
35-49	8	43.4	157	26	27	42	53	60	62	62
50-64	15	30.9	215	4	8	34	41	49	53	55
65+	22	31.6	246	7	11	30	44	54	58	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	25.2	295	3	4	24	32	41	60	82
B. *Operated*	3	19.3	30	13	13	22	23	23	23	23
2. MULTIPLE DX										
A. *Not Operated*	165	26.5	193	5	8	29	35	45	51	59
B. *Operated*	57	32.1	215	8	13	31	44	52	58	62
1. SINGLE DX	26	24.5	265	4	5	23	31	39	55	82
2. MULTIPLE DX	222	28.0	203	5	8	29	38	47	54	60
A. NOT OPERATED	188	26.4	204	4	8	28	35	45	51	73
B. OPERATED	60	31.5	213	8	13	30	43	51	57	62
TOTAL 0-19 YRS	11	27.9	146	9	11	30	40	43	43	43
20-34	47	23.7	156	2	5	24	32	42	44	51
35-49	35	29.5	209	8	12	29	38	50	56	62
50-64	60	27.0	210	5	8	28	37	46	50	55
65+	95	29.3	240	5	8	29	38	53	57	92
GRAND TOTAL	**248**	**27.6**	**210**	**5**	**8**	**29**	**37**	**47**	**54**	**62**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	2.7	3	<1	1	2	4	6	7	8
20-34	59	2.9	4	<1	1	3	4	6	7	9
35-49	106	2.9	5	1	1	2	4	6	7	12
50-64	126	3.0	4	1	1	2	4	5	6	10
65+	103	4.3	14	1	2	3	5	8	11	22
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	8.5	1	8	8	8	9	9	9	9
50-64	3	2.0		2	2	2	2	2	2	2
65+	6	9.8	41	2	2	9	16	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	3.0	3	1	1	3	4	5	6	7
20-34	88	3.7	6	1	1	3	5	6	8	15
35-49	179	3.8	6	1	1	3	5	7	8	13
50-64	372	4.8	24	1	2	4	6	9	11	16
65+	529	6.2	24	2	2	5	8	11	14	25
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	7	6.0	37	1	1	4	6	16	18	18
35-49	4	9.8	48	5	5	7	14	20	20	20
50-64	25	7.7	23	2	2	7	11	15	15	16
65+	40	14.0	221	3	4	10	15	28	40	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	420	3.3	7	1	1	3	4	6	8	15
B. *Operated*	11	7.5	33	2	2	8	10	17	18	18
2. MULTIPLE DX										
A. *Not Operated*	1194	5.1	21	1	2	4	6	10	12	21
B. *Operated*	77	10.8	138	2	2	9	12	20	29	75
1. SINGLE DX	431	3.4	8	1	1	3	4	6	8	16
2. MULTIPLE DX	1271	5.5	30	1	2	4	7	10	13	24
A. NOT OPERATED	1614	4.7	18	1	1	4	6	9	11	19
B. OPERATED	88	10.4	125	2	2	9	12	19	28	70
TOTAL 0-19 YRS	53	2.8	3	1	1	2	4	5	6	8
20-34	154	3.5	7	1	1	3	4	7	8	15
35-49	291	3.6	7	1	1	3	4	7	8	14
50-64	526	4.5	20	1	1	4	6	9	11	16
65+	678	6.4	38	2	2	5	8	12	16	29
GRAND TOTAL	**1702**	**5.0**	**25**	**1**	**1**	**4**	**6**	**10**	**12**	**21**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.3	1	<1	<1	3	3	3	3	3
20-34	72	2.4	2	1	1	2	3	5	6	7
35-49	173	3.1	5	1	1	3	4	6	8	11
50-64	364	3.8	11	1	1	3	5	7	11	18
65+	501	4.4	10	1	2	4	6	8	10	17
B. *Operated*										
0-19 YRS										
20-34	1	9.0		9	9	9	9	9	9	9
35-49	6	4.5	4	2	2	5	6	7	7	7
50-64	18	4.1	8	1	2	3	5	9	10	11
65+	22	8.3	28	1	2	7	12	17	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	4.9	36	1	1	3	5	15	20	20
20-34	93	4.0	14	1	1	3	5	8	11	22
35-49	317	4.5	12	1	1	3	5	9	11	19
50-64	1387	5.5	23	1	2	4	7	10	13	22
65+	4004	7.1	36	2	2	6	9	13	18	31
B. *Operated*										
0-19 YRS	2	9.5	13	7	7	9	12	12	12	12
20-34	3	8.7	42	2	2	9	13	15	15	15
35-49	20	8.0	75	<1	1	6	10	12	27	41
50-64	133	9.0	34	2	2	8	12	16	18	33
65+	403	13.5	125	3	4	11	16	24	37	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1117	3.9	9	1	1	3	5	7	9	16
B. *Operated*	47	6.2	21	1	2	5	9	13	16	18
2. MULTIPLE DX										
A. *Not Operated*	5811	6.5	32	2	2	5	8	12	16	29
B. *Operated*	561	12.2	105	2	3	10	15	22	32	61
1. SINGLE DX	1164	4.0	10	1	1	3	5	8	10	17
2. MULTIPLE DX	6372	7.0	41	2	2	5	9	14	18	33
A. NOT OPERATED	6928	6.1	29	1	2	5	8	12	15	27
B. OPERATED	608	11.8	101	2	3	9	15	21	29	60
TOTAL 0-19 YRS	19	4.4	24	<1	1	3	5	11	16	20
20-34	169	3.5	11	1	1	2	4	7	9	15
35-49	516	4.1	13	1	1	3	5	8	11	18
50-64	1902	5.4	23	1	2	4	7	11	14	22
65+	4930	7.4	44	2	2	6	9	14	19	34
GRAND TOTAL	**7536**	**6.6**	**37**	**1**	**2**	**5**	**8**	**13**	**17**	**31**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	3.0	3	1	1	3	4	5	6	8
20-34	171	3.5	5	1	1	3	4	6	7	11
35-49	304	3.6	7	1	1	3	5	6	8	14
50-64	405	4.3	10	1	1	4	5	8	10	14
65+	512	5.0	14	1	2	4	6	9	12	17
B. *Operated*										
0-19 YRS										
20-34	16	5.5	24	1	1	3	9	13	16	17
35-49	51	5.3	23	1	2	3	7	11	13	25
50-64	123	6.9	20	2	2	6	9	13	16	21
65+	467	7.9	23	3	3	7	10	14	17	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	84	4.5	12	1	2	4	6	9	13	17
20-34	358	4.0	6	1	2	3	5	7	9	14
35-49	933	5.0	13	1	2	4	6	9	11	18
50-64	2170	6.1	22	2	2	5	7	11	14	24
65+	4894	7.4	32	2	3	6	9	14	18	29
B. *Operated*										
0-19 YRS	9	12.1	113	2	4	8	13	29	39	39
20-34	38	7.2	33	2	2	6	9	16	18	29
35-49	175	7.8	69	2	2	6	9	14	22	53
50-64	608	9.1	67	2	2	7	11	17	23	51
65+	2555	11.5	67	3	4	9	14	21	27	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1438	4.3	10	1	1	4	5	8	10	15
B. *Operated*	657	7.5	23	2	3	6	10	14	17	22
2. MULTIPLE DX										
A. *Not Operated*	8439	6.6	27	2	2	5	8	12	16	27
B. *Operated*	3385	10.8	68	3	4	9	13	20	26	45
1. SINGLE DX	2095	5.3	16	1	2	4	7	10	13	20
2. MULTIPLE DX	11824	7.8	43	2	2	6	10	15	20	35
A. NOT OPERATED	9877	6.3	25	1	2	5	8	12	15	26
B. OPERATED	4042	10.3	63	2	3	8	13	19	25	43
TOTAL 0-19 YRS	139	4.5	19	1	1	3	5	8	13	20
20-34	583	4.1	9	1	1	3	5	7	10	16
35-49	1463	5.1	20	1	2	4	6	9	12	22
50-64	3306	6.4	31	1	2	5	8	12	15	27
65+	8428	8.5	45	2	3	7	11	16	21	36
GRAND TOTAL	**13919**	**7.4**	**39**	**2**	**2**	**6**	**9**	**14**	**19**	**33**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	5.9	21	1	2	3	10	12	14	14
20-34	9	7.3	33	2	2	6	11	16	19	19
35-49	62	6.2	18	1	2	5	7	13	15	17
50-64	365	6.6	22	2	3	5	8	12	15	24
65+	1370	7.9	40	2	3	6	10	14	19	35
B. *Operated*										
0-19 YRS	1	26.0		26	26	26	26	26	26	26
20-34	3	6.3	85	1	1	1	13	17	17	17
35-49	12	15.4	624	2	2	9	14	40	85	93
50-64	16	6.7	41	1	1	3	14	16	16	16
65+	42	16.5	408	2	3	10	17	32	68	94
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	72	6.8	50	1	1	5	8	14	20	41
20-34	114	7.3	25	2	3	6	9	13	17	27
35-49	723	8.2	41	2	3	7	10	15	19	30
50-64	4013	8.7	44	2	3	7	11	16	21	34
65+	16808	9.8	58	3	3	8	12	18	24	40
B. *Operated*										
0-19 YRS	11	16.3	526	3	3	9	14	50	79	82
20-34	25	11.2	59	3	5	9	13	25	29	33
35-49	91	13.0	150	1	2	9	19	26	40	61
50-64	375	15.2	151	2	3	12	20	32	39	62
65+	1314	17.4	149	4	6	14	22	34	42	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1819	7.6	36	2	3	6	9	14	18	33
B. *Operated*	74	13.9	354	1	2	9	16	27	48	94
2. MULTIPLE DX										
A. *Not Operated*	21730	9.5	55	3	3	8	12	18	23	39
B. *Operated*	1816	16.6	152	3	5	14	21	32	41	67
1. SINGLE DX	1893	7.8	49	2	3	6	10	14	18	35
2. MULTIPLE DX	23546	10.1	66	3	3	8	12	19	25	42
A. NOT OPERATED	23549	9.4	53	3	3	7	11	17	23	38
B. OPERATED	1890	16.5	160	3	5	14	21	32	41	68
TOTAL 0-19 YRS	97	8.0	107	1	1	5	9	15	25	65
20-34	151	7.9	33	2	3	7	10	14	19	33
35-49	888	8.6	61	2	3	7	11	16	21	42
50-64	4769	9.0	54	2	3	7	11	17	22	39
65+	19534	10.2	67	3	3	8	12	19	25	42
GRAND TOTAL	**25439**	**9.9**	**65**	**3**	**3**	**8**	**12**	**19**	**25**	**42**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	72	5.3	21	2	2	4	7	10	15	26
20-34	222	4.7	11	1	2	4	6	8	10	18
35-49	260	4.9	20	1	2	4	6	9	11	19
50-64	290	6.2	30	2	2	5	8	12	14	34
65+	210	6.7	22	2	2	6	9	13	15	23
B. *Operated*										
0-19 YRS	39	4.3	16	2	2	2	6	10	14	17
20-34	63	4.6	15	1	2	3	8	11	14	88
35-49	165	6.3	35	2	2	3	10	15	17	30
50-64	273	6.1	29	2	2	3	10	13	17	24
65+	148	8.2	45	2	2	5	13	18	22	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	96	5.6	13	2	2	4	8	11	12	16
20-34	398	5.5	16	2	2	5	7	9	13	22
35-49	814	6.7	34	2	2	5	8	13	17	27
50-64	1449	7.7	34	2	3	6	10	14	18	29
65+	2407	9.2	53	2	3	7	11	17	23	36
B. *Operated*										
0-19 YRS	27	7.9	51	1	2	4	13	19	22	24
20-34	134	10.1	146	2	2	7	12	20	32	75
35-49	415	9.4	104	2	2	6	12	20	30	47
50-64	816	9.0	65	2	2	7	13	19	24	38
65+	816	12.7	118	2	2	10	17	25	34	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1054	5.6	22	1	2	4	7	11	13	27
B. *Operated*	688	6.3	33	2	2	3	10	15	18	25
2. MULTIPLE DX										
A. *Not Operated*	5164	8.1	43	2	3	6	10	15	20	33
B. *Operated*	2208	10.5	100	2	2	8	14	22	30	52
1. SINGLE DX	1742	5.9	27	2	2	4	8	12	15	25
2. MULTIPLE DX	7372	8.8	61	2	2	7	11	17	23	39
A. NOT OPERATED	6218	7.6	40	2	2	6	9	14	19	32
B. OPERATED	2896	9.5	87	2	2	7	13	20	27	49
TOTAL 0-19 YRS	234	5.6	21	2	2	4	8	12	15	22
20-34	817	6.0	39	1	2	4	7	11	15	33
35-49	1654	7.1	52	2	2	5	9	14	20	38
50-64	2828	7.8	43	2	2	6	10	15	20	33
65+	3581	9.8	68	2	3	8	13	19	25	41
GRAND TOTAL	**9114**	**8.2**	**56**	**2**	**2**	**6**	**11**	**16**	**22**	**37**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	1	4.0		4	4	4	4	4	4	4
35-49	16	4.1	5	1	2	4	5	6	9	11
50-64	33	5.5	14	2	2	5	7	10	13	19
65+	87	7.3	60	2	2	5	9	13	20	45
B. *Operated*										
0-19 YRS										
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	10	7.8	48	2	2	6	9	19	24	24
50-64	34	5.3	141	1	2	2	4	9	11	71
65+	26	5.7	16	2	2	5	8	12	13	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	9.2	25	5	5	7	14	17	17	17
20-34	18	5.1	11	<1	1	4	7	9	12	14
35-49	173	5.8	16	1	2	5	8	12	14	19
50-64	791	7.1	29	2	2	6	9	13	17	26
65+	2924	8.8	52	2	3	7	11	16	21	39
B. *Operated*										
0-19 YRS										
20-34	6	4.3	19	2	2	2	5	12	13	13
35-49	63	8.7	142	2	2	4	9	19	30	70
50-64	247	7.7	50	2	2	5	11	17	22	34
65+	451	14.0	152	2	3	10	17	29	38	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	138	6.5	43	2	2	5	8	11	17	44
B. *Operated*	72	5.8	78	2	2	3	7	11	14	61
2. MULTIPLE DX										
A. *Not Operated*	3912	8.3	46	2	3	7	10	16	20	36
B. *Operated*	767	11.5	127	2	2	8	15	25	32	63
1. SINGLE DX	210	6.2	55	2	2	4	8	11	15	45
2. MULTIPLE DX	4679	8.8	61	2	3	7	11	17	22	42
A. NOT OPERATED	4050	8.2	46	2	3	7	10	15	20	36
B. OPERATED	839	11.0	125	2	2	8	14	24	31	63
TOTAL 0-19 YRS	7	8.7	23	5	5	6	12	16	17	17
20-34	27	4.8	12	1	1	4	6	10	13	14
35-49	262	6.5	48	2	2	5	8	13	16	32
50-64	1105	7.1	37	2	2	5	9	14	18	29
65+	3488	9.4	68	2	3	7	11	18	24	46
GRAND TOTAL	**4889**	**8.7**	**61**	**2**	**2**	**7**	**11**	**17**	**22**	**42**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	3.6	26	<1	<1	1	3	13	15	15
35-49	10	2.1	2	<1	<1	1	3	4	5	5
50-64	6	5.3	63	1	1	2	6	19	21	21
65+	11	11.5	232	<1	<1	5	14	35	51	52
B. *Operated*										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	15	11.6	53	2	4	9	14	22	28	30
35-49	33	17.7	84	7	9	16	22	28	33	52
50-64	47	19.1	154	2	3	19	26	36	41	54
65+	16	16.9	122	4	5	13	26	34	35	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34	5	7.0	20	1	1	6	10	13	13	13
35-49	6	7.5	86	1	1	4	10	23	25	25
50-64	21	14.0	257	<1	<1	8	22	40	52	54
65+	35	22.4	282	1	2	18	32	45	68	99+
B. *Operated*										
0-19 YRS	3	7.7	2	6	6	8	9	9	9	9
20-34	17	28.7	497	3	7	25	34	55	84	98
35-49	42	33.9	605	6	12	27	57	89	99+	99+
50-64	62	26.4	361	4	6	23	36	63	78	99+
65+	42	31.1	449	8	9	26	37	58	82	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	6.0	101	<1	<1	2	5	16	23	52
B. *Operated*	112	17.4	117	3	5	15	24	33	36	53
2. MULTIPLE DX										
A. *Not Operated*	69	16.9	264	<1	1	13	27	43	54	94
B. *Operated*	166	29.4	462	6	7	25	39	67	92	99+
1. SINGLE DX	146	14.7	136	<1	1	13	22	31	35	52
2. MULTIPLE DX	235	25.7	435	2	3	22	36	62	85	99+
A. NOT OPERATED	103	13.3	235	<1	<1	7	20	35	51	84
B. OPERATED	278	24.5	357	4	6	20	33	57	72	99+
TOTAL 0-19 YRS	6	7.2	28	<1	<1	7	9	15	16	16
20-34	44	16.4	313	1	1	12	23	34	45	98
35-49	91	22.8	441	1	2	16	29	64	88	99+
50-64	136	21.0	289	1	2	19	31	43	62	99+
65+	104	23.9	358	1	4	19	34	52	66	96
GRAND TOTAL	**381**	**21.5**	**348**	**1**	**2**	**17**	**30**	**51**	**66**	**99+**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	59.0		59	59	59	59	59	59	59
35-49	1	25.0		25	25	62	99+	99+	99+	99+
50-64	5	19.6	251	7	7	15	29	45	45	45
65+	5	16.8	109	10	10	14	20	35	35	35
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	14.0	128	6	6	14	22	22	22	22
35-49	5	42.8	107	28	29	48	53	95	99+	99+
50-64	6	46.0	140	28	30	52	59	92	99+	99+
65+	4	42.0	1053	20	20	33	92	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	12	22.2	271	7	7	15	37	67	94	99+
B. *Operated*	18	38.3	429	5	14	44	55	99+	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	30	31.9	419	6	7	34	53	99+	99+	99+
A. NOT OPERATED	12	22.2	271	7	7	15	37	67	94	99+
B. OPERATED	18	38.3	429	5	14	44	55	99+	99+	99+
TOTAL 0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	3	29.0	739	6	6	22	50	59	59	59
35-49	6	39.8	139	25	26	48	76	99+	99+	99+
50-64	11	34.0	361	7	7	41	52	73	96	99+
65+	9	28.0	626	10	10	22	35	95	99+	99+
GRAND TOTAL	**30**	**31.9**	**419**	**6**	**7**	**34**	**53**	**99+**	**99+**	**99+**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	3	10.7	17	6	6	12	13	14	14	14
35-49	8	28.1	1116	1	2	14	45	85	92	92
50-64	30	10.1	69	<1	1	8	14	23	23	37
65+	66	13.1	132	1	2	11	17	30	36	53
B. *Operated*										
0-19 YRS	13	9.6	28	3	4	7	16	17	18	18
20-34	15	10.3	26	3	3	9	12	19	20	20
35-49	25	13.7	113	3	4	11	15	32	38	43
50-64	52	14.4	147	2	4	11	18	25	32	70
65+	93	15.1	94	5	6	12	19	33	40	76
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	9.0	35	3	3	8	13	17	17	17
20-34	7	8.1	98	<1	<1	5	10	25	29	29
35-49	26	13.3	156	1	1	10	21	32	42	44
50-64	69	16.9	270	3	5	14	20	30	40	95
65+	221	18.3	224	2	4	14	26	40	53	94
B. *Operated*										
0-19 YRS	12	21.8	872	3	3	6	31	75	88	90
20-34	18	20.2	277	4	6	14	33	50	57	58
35-49	28	27.6	515	6	8	17	35	69	80	86
50-64	69	27.5	443	7	9	22	37	75	86	99+
65+	147	22.6	209	7	8	20	31	49	57	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	110	13.0	192	1	1	9	17	28	37	78
B. *Operated*	198	14.0	102	4	5	11	17	27	38	62
2. MULTIPLE DX										
A. *Not Operated*	327	17.2	226	1	3	14	24	38	46	93
B. *Operated*	274	24.1	332	5	8	19	33	54	75	99+
1. SINGLE DX	308	13.6	134	2	3	11	17	27	37	69
2. MULTIPLE DX	601	20.4	286	3	5	15	28	45	59	99+
A. NOT OPERATED	437	16.2	220	1	2	12	22	35	44	92
B. OPERATED	472	19.9	260	4	6	15	26	44	60	99+
TOTAL 0-19 YRS	32	13.3	374	1	2	7	16	27	66	90
20-34	43	14.1	164	1	3	10	17	34	43	58
35-49	87	19.4	380	1	3	14	26	43	69	90
50-64	220	18.7	304	2	5	14	23	40	73	99+
65+	527	18.2	195	2	5	14	25	38	52	99+
GRAND TOTAL	**909**	**18.1**	**244**	**2**	**4**	**14**	**24**	**39**	**53**	**97**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	14.0	72	8	8	14	20	20	20	20
35-49	6	12.0	27	7	7	10	18	19	19	19
50-64	20	20.6	137	1	5	19	26	38	44	48
65+	65	22.1	190	7	8	19	27	43	62	95
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	3	32.7	126	23	23	30	41	45	45	45
35-49	6	31.3	241	18	18	27	36	58	60	60
50-64	11	41.4	715	6	9	44	65	96	99	99+
65+	18	34.6	422	10	11	39	76	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	93	21.0	170	6	8	18	26	38	50	87
B. *Operated*	39	35.2	448	9	11	35	60	99+	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	132	25.2	292	7	9	22	34	61	97	99+
A. NOT OPERATED	93	21.0	170	6	8	18	26	38	50	87
B. OPERATED	39	35.2	448	9	11	35	60	99+	99+	99+
TOTAL 0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	5	25.2	186	8	8	23	34	45	45	45
35-49	12	21.7	224	7	8	19	27	43	58	60
50-64	31	28.0	427	2	8	23	40	63	92	99+
65+	83	24.8	262	8	9	22	33	68	99+	99+
GRAND TOTAL	**132**	**25.2**	**292**	**7**	**9**	**22**	**34**	**61**	**97**	**99+**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	1	3.0		3	3	3	3	3	3	3
35-49	7	5.7	5	3	3	7	8	8	8	8
50-64	33	4.4	8	1	2	4	6	9	11	11
65+	85	4.8	24	1	1	3	6	10	15	27
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	9	6.3	18	2	2	5	8	13	15	15
35-49	55	7.6	49	2	3	6	9	13	17	48
50-64	567	7.0	21	2	2	6	9	12	15	23
65+	874	7.8	26	2	2	7	10	14	18	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	46.5	1301	21	21	46	72	72	72	72
20-34	2	8.0	8	6	6	8	10	10	10	10
35-49	10	4.7	7	2	2	4	7	8	9	9
50-64	111	6.3	18	2	2	5	9	12	15	20
65+	295	9.0	131	2	2	6	10	18	24	77
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	4	12.8	82	5	5	12	20	22	22	22
35-49	98	9.0	44	2	3	7	10	18	25	33
50-64	875	9.8	49	2	3	8	12	18	23	43
65+	1459	11.3	75	2	4	9	14	21	27	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	128	4.7	18	1	1	3	6	9	13	24
B. *Operated*	1506	7.5	25	2	2	6	9	14	17	25
2. MULTIPLE DX										
A. *Not Operated*	420	8.3	108	2	2	6	9	16	21	73
B. *Operated*	2437	10.7	65	2	3	9	13	20	25	42
1. SINGLE DX	1634	7.2	25	2	2	6	9	13	17	25
2. MULTIPLE DX	2857	10.3	72	2	3	8	13	20	25	44
A. NOT OPERATED	548	7.5	89	2	2	5	9	15	20	49
B. OPERATED	3943	9.4	52	2	3	8	12	18	23	37
TOTAL 0-19 YRS	6	18.0	750	1	1	5	21	67	72	72
20-34	16	7.9	36	2	3	6	10	19	21	22
35-49	170	8.2	43	2	3	7	9	15	19	35
50-64	1586	8.4	38	2	3	7	10	15	20	33
65+	2713	9.7	67	2	3	8	12	19	24	41
GRAND TOTAL	**4491**	**9.2**	**57**	**2**	**3**	**7**	**11**	**18**	**22**	**39**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	7.0	18	4	4	7	10	10	10	10
50-64	10	18.3	174	2	4	15	24	38	45	45
65+	21	17.0	174	4	4	11	23	36	46	54
B. *Operated*										
0-19 YRS										
20-34	1	25.0		25	25	25	25	25	25	25
35-49	8	13.5	118	4	4	7	24	29	30	30
50-64	32	15.9	169	4	5	12	22	29	52	55
65+	58	17.8	266	2	4	12	22	37	60	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	33	16.8	165	3	4	11	24	35	44	54
B. *Operated*	99	16.9	219	3	4	12	22	35	55	72
1. SINGLE DX										
2. MULTIPLE DX	132	16.9	204	3	4	12	22	35	53	67
A. NOT OPERATED	33	16.8	165	3	4	11	24	35	44	54
B. OPERATED	99	16.9	219	3	4	12	22	35	55	72
TOTAL 0-19 YRS										
20-34	1	25.0		25	25	25	25	25	25	25
35-49	10	12.2	102	4	4	7	23	28	30	30
50-64	42	16.5	167	3	5	12	22	34	49	55
65+	79	17.6	239	3	4	12	22	37	56	75
GRAND TOTAL	**132**	**16.9**	**204**	**3**	**4**	**12**	**22**	**35**	**53**	**67**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	6	9.2	115	2	2	5	11	28	30	30
35-49	20	8.8	38	1	1	8	13	18	20	21
50-64	98	10.0	89	2	2	7	12	25	28	48
65+	327	11.8	82	2	3	10	15	24	31	45
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	10	5.7	8	2	2	7	7	9	10	10
35-49	34	10.8	348	1	2	6	8	22	59	93
50-64	35	7.2	40	2	2	6	8	14	22	29
65+	76	10.9	185	2	2	7	12	25	30	81
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	6.0	21	2	2	5	9	11	11	11
20-34	19	16.6	424	3	4	10	15	36	67	92
35-49	105	10.2	59	2	4	8	12	21	28	38
50-64	501	12.4	113	3	4	9	15	25	31	61
65+	1895	13.8	127	3	4	10	17	28	36	60
B. *Operated*										
0-19 YRS	5	21.6	97	13	13	19	28	37	37	37
20-34	15	7.3	11	2	3	7	10	11	13	13
35-49	38	14.2	171	3	4	8	20	36	53	99+
50-64	194	13.7	134	2	3	10	17	29	46	99+
65+	325	16.3	211	3	4	12	20	35	49	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	452	11.2	82	2	3	9	14	24	29	44
B. *Operated*	157	9.7	175	2	2	6	9	21	28	83
2. MULTIPLE DX										
A. *Not Operated*	2523	13.4	125	3	4	10	17	28	35	60
B. *Operated*	577	15.1	179	3	4	11	19	33	49	97
1. SINGLE DX	609	10.8	107	2	2	8	13	22	29	49
2. MULTIPLE DX	3100	13.7	135	3	4	10	17	28	37	65
A. NOT OPERATED	2975	13.1	119	3	4	10	16	27	34	58
B. OPERATED	734	14.0	183	2	3	10	18	29	44	91
TOTAL 0-19 YRS	10	15.3	100	2	3	13	19	31	37	37
20-34	50	10.8	195	2	3	7	11	20	35	92
35-49	197	10.9	129	2	3	8	13	23	31	81
50-64	829	12.2	114	2	3	9	15	25	33	64
65+	2623	13.8	135	3	4	10	17	28	37	62
GRAND TOTAL	**3709**	**13.3**	**131**	**3**	**4**	**10**	**17**	**27**	**36**	**63**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	15.0		15	15	15	15	15	15	15
65+	7	6.0	7	3	3	6	8	10	10	10
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	17.2	542	2	2	10	24	58	58	58
20-34	3	14.3	9	11	11	15	16	17	17	17
35-49	31	19.6	343	3	5	12	22	45	66	80
50-64	211	17.9	269	3	4	13	21	40	67	99+
65+	797	18.6	186	5	6	15	25	38	48	87
B. *Operated*										
0-19 YRS	2	9.0	32	5	5	9	13	13	13	13
20-34	1	24.0		24	24	24	24	24	24	24
35-49	5	18.2	125	5	6	20	34	93	99+	99+
50-64	38	18.4	270	4	5	15	19	57	62	99+
65+	86	25.9	274	6	8	23	38	56	99	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	7.1	16	3	3	6	9	13	15	15
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1047	18.5	207	4	5	15	24	39	49	95
B. *Operated*	132	23.2	274	5	7	20	35	56	94	99+
1. SINGLE DX	8	7.1	16	3	3	6	9	13	15	15
2. MULTIPLE DX	1179	19.0	217	4	6	15	25	41	52	99+
A. NOT OPERATED	1055	18.4	207	4	5	14	24	39	49	95
B. OPERATED	132	23.2	274	5	7	20	35	56	94	99+
TOTAL 0-19 YRS	7	14.9	382	2	2	10	13	49	58	58
20-34	4	16.8	30	11	11	16	20	24	24	24
35-49	36	19.4	309	4	5	15	24	46	75	99+
50-64	250	18.0	267	3	4	14	21	46	66	99+
65+	890	19.2	199	5	6	16	26	40	50	99+
GRAND TOTAL	**1187**	**18.9**	**216**	**4**	**6**	**15**	**25**	**41**	**52**	**99+**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	11.7	166	1	1	8	21	26	26	26
20-34	22	4.0	11	1	2	2	5	11	12	12
35-49	97	4.7	10	1	2	4	6	9	12	15
50-64	318	4.3	7	1	2	4	5	8	10	15
65+	995	5.0	12	1	2	4	6	9	12	18
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	7	3.9	7	2	2	2	5	8	9	9
35-49	58	5.2	9	2	2	5	7	9	11	14
50-64	214	5.6	16	2	2	5	7	10	13	18
65+	247	6.0	19	2	2	5	8	12	14	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	7.8	55	2	2	4	11	20	24	25
20-34	41	3.7	5	1	1	3	4	6	8	12
35-49	223	4.9	11	1	2	4	6	9	10	16
50-64	1241	6.1	34	2	2	5	7	11	13	26
65+	5947	7.1	33	2	2	6	9	13	16	30
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	10	5.8	20	2	2	5	5	13	17	17
35-49	100	7.1	28	2	2	6	9	14	16	30
50-64	572	7.9	33	2	3	7	10	14	17	28
65+	1099	10.3	102	2	3	8	12	20	27	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1435	4.8	11	1	2	4	6	9	11	16
B. *Operated*	527	5.7	16	2	2	5	8	11	12	19
2. MULTIPLE DX										
A. *Not Operated*	7467	6.9	33	2	2	5	8	13	16	28
B. *Operated*	1782	9.3	76	2	3	7	11	17	23	45
1. SINGLE DX	1962	5.1	13	1	2	4	6	9	12	18
2. MULTIPLE DX	9249	7.3	42	2	2	6	9	13	17	32
A. NOT OPERATED	8902	6.5	30	2	2	5	8	12	15	26
B. OPERATED	2309	8.5	65	2	2	7	10	16	21	39
TOTAL 0-19 YRS	20	7.8	64	1	2	4	11	22	25	26
20-34	80	4.0	9	1	2	3	5	8	11	16
35-49	478	5.3	15	1	2	4	7	10	13	17
50-64	2345	6.2	30	2	2	5	8	11	14	23
65+	8288	7.3	41	2	2	6	9	13	17	32
GRAND TOTAL	**11211**	**6.9**	**38**	**2**	**2**	**5**	**9**	**13**	**16**	**30**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	4.0	6	1	1	4	7	82	99+	99+
20-34	18	6.2	16	1	2	6	8	10	15	18
35-49	63	6.9	47	1	1	5	7	16	23	32
50-64	302	10.1	119	2	3	7	12	21	34	67
65+	1127	12.2	107	2	3	9	16	24	32	56
B. *Operated*										
0-19 YRS	7	6.9	41	2	2	2	12	16	17	17
20-34	6	24.7	1192	8	8	11	14	87	95	95
35-49	20	12.0	132	2	3	7	14	32	38	40
50-64	45	10.8	183	2	3	7	13	18	27	85
65+	98	13.3	156	2	3	10	18	33	42	83
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	14.8	110	3	4	14	19	24	40	44
20-34	35	8.9	140	2	2	5	9	19	30	63
35-49	220	12.1	140	2	3	9	15	27	39	95
50-64	1272	12.6	122	3	4	9	15	26	36	63
65+	5790	14.5	143	3	4	11	18	29	38	67
B. *Operated*										
0-19 YRS	2	6.0	8	4	4	6	8	8	8	8
20-34	11	12.6	238	3	3	8	12	34	55	57
35-49	62	13.9	180	2	3	10	15	31	46	68
50-64	236	17.1	235	3	5	13	21	42	59	99+
65+	741	22.2	345	4	6	16	29	52	67	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1516	11.5	108	2	3	9	15	23	32	61
B. *Operated*	176	12.6	190	2	2	8	16	28	41	92
2. MULTIPLE DX										
A. *Not Operated*	7331	14.1	140	3	4	11	18	29	38	66
B. *Operated*	1052	20.5	317	4	5	15	26	47	64	99+
1. SINGLE DX	1692	11.6	116	2	3	8	15	23	33	62
2. MULTIPLE DX	8383	14.9	166	3	4	11	19	31	42	78
A. NOT OPERATED	8847	13.6	135	3	4	10	17	28	37	65
B. OPERATED	1228	19.3	306	3	5	14	25	45	62	99+
TOTAL 0-19 YRS	29	10.0	84	2	2	8	15	21	44	99+
20-34	70	10.1	218	2	2	7	10	18	31	89
35-49	365	11.5	134	2	2	8	14	27	38	69
50-64	1855	12.7	141	3	3	9	15	27	38	69
65+	7756	14.9	163	3	4	11	19	30	41	74
GRAND TOTAL	**10075**	**14.3**	**159**	**3**	**4**	**11**	**18**	**30**	**41**	**73**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	33.0		33	33	33	33	33	33	33
20-34										
35-49										
50-64	4	7.8	1	7	7	8	8	9	9	9
65+	10	12.7	114	3	4	9	18	29	39	39
B. *Operated*										
0-19 YRS										
20-34	1	32.0		32	32	32	32	32	32	32
35-49										
50-64										
65+	1	87.0		87	87	87	87	87	87	87
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	23.8	273	4	4	20	33	49	49	49
20-34	15	19.7	222	3	4	19	30	46	48	49
35-49	89	17.6	268	3	4	12	22	42	57	79
50-64	533	17.0	194	4	5	13	22	35	46	79
65+	2129	18.8	198	4	5	15	25	37	47	79
B. *Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	4	33.3	416	14	14	29	48	61	61	61
35-49	16	25.3	442	5	6	19	50	89	99+	99+
50-64	98	24.2	336	5	7	19	31	54	71	94
65+	234	26.3	330	6	8	21	38	61	73	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	12.7	110	3	5	8	16	33	37	39
B. *Operated*	2	59.5	1513	32	32	59	87	87	87	87
2. MULTIPLE DX										
A. *Not Operated*	2771	18.4	200	4	5	15	24	37	47	79
B. *Operated*	353	25.7	335	6	8	21	37	60	74	99+
1. SINGLE DX	17	18.2	432	4	5	9	22	38	70	87
2. MULTIPLE DX	3124	19.3	220	4	6	15	25	39	51	85
A. NOT OPERATED	2786	18.4	199	4	5	15	24	37	47	79
B. OPERATED	355	25.9	344	6	8	21	37	60	74	99+
TOTAL 0-19 YRS	7	23.7	212	4	6	20	32	46	49	49
20-34	20	23.0	264	3	4	20	33	47	55	61
35-49	105	18.8	298	3	4	13	26	48	61	99+
50-64	635	18.1	222	4	5	13	24	37	50	82
65+	2374	19.6	217	4	6	16	25	40	51	85
GRAND TOTAL	**3141**	**19.3**	**221**	**4**	**6**	**15**	**25**	**39**	**51**	**85**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	19	5.2	21	<1	1	4	6	13	16	17
35-49	65	4.9	8	1	2	5	6	8	9	16
50-64	124	5.3	13	2	2	4	7	10	12	19
65+	329	7.2	40	2	2	5	9	14	18	34
B. *Operated*										
0-19 YRS	5	8.2	16	4	4	6	12	13	13	13
20-34	12	9.8	32	2	2	10	12	18	21	22
35-49	35	11.0	78	3	3	8	15	25	27	41
50-64	94	9.7	127	2	2	8	12	18	23	69
65+	120	8.1	102	2	2	6	10	16	23	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	4.1	6	1	1	4	6	8	9	9
20-34	53	5.7	14	1	2	4	8	12	13	16
35-49	184	7.4	66	1	2	5	8	13	20	46
50-64	597	7.8	53	2	2	6	9	15	21	51
65+	3414	10.0	79	2	3	8	12	19	26	46
B. *Operated*										
0-19 YRS	1	4.0		4	4	52	99+	99+	99+	99+
20-34	27	10.1	77	1	2	8	14	23	27	40
35-49	80	12.8	167	2	2	9	19	28	62	99+
50-64	255	11.5	144	2	2	8	14	23	38	87
65+	546	13.8	142	2	3	11	17	31	43	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	538	6.4	30	2	2	5	8	12	17	30
B. *Operated*	266	9.1	103	2	2	7	12	17	24	40
2. MULTIPLE DX										
A. *Not Operated*	4259	9.5	75	2	3	7	11	19	25	46
B. *Operated*	909	13.0	144	2	3	10	16	29	42	99+
1. SINGLE DX	804	7.3	56	2	2	5	9	15	18	34
2. MULTIPLE DX	5168	10.1	89	2	3	7	12	20	28	54
A. NOT OPERATED	4797	9.1	71	2	3	7	11	18	24	45
B. OPERATED	1175	12.1	137	2	2	9	15	26	38	92
TOTAL 0-19 YRS	18	5.2	11	1	2	4	7	13	61	99+
20-34	111	7.1	36	1	2	5	10	14	17	30
35-49	364	8.5	86	2	2	6	9	19	25	67
50-64	1070	8.5	80	2	2	6	10	17	23	57
65+	4409	10.2	87	2	3	8	12	20	28	51
GRAND TOTAL	**5972**	**9.7**	**85**	**2**	**3**	**7**	**12**	**20**	**27**	**53**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	7	2.7	3	1	1	2	4	6	6	6
50-64	19	2.6	1	<1	1	2	3	4	5	5
65+	56	4.7	19	1	1	4	5	8	12	27
B. *Operated*										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	2	9.0	8	7	7	9	11	11	11	11
35-49	27	7.6	17	1	2	8	10	12	15	18
50-64	159	8.0	31	2	2	8	12	15	17	25
65+	185	9.4	65	2	2	8	13	21	25	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	20.0	2	19	19	20	21	21	21	21
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	26	4.8	8	1	2	4	6	8	11	13
50-64	173	7.3	42	2	2	6	9	14	17	30
65+	1079	9.8	80	2	3	7	12	19	28	50
B. *Operated*										
0-19 YRS	2	8.5	85	2	2	8	15	15	15	15
20-34	8	8.8	62	1	1	6	14	21	22	22
35-49	124	10.0	88	2	2	8	12	17	27	60
50-64	704	12.8	137	2	3	10	16	26	34	75
65+	1350	17.0	201	2	3	13	22	36	48	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	82	4.0	15	1	1	3	5	6	10	25
B. *Operated*	375	8.7	47	2	2	8	12	17	22	32
2. MULTIPLE DX										
A. *Not Operated*	1282	9.4	74	2	3	7	11	18	26	49
B. *Operated*	2188	15.2	179	2	3	12	19	32	43	71
1. SINGLE DX	457	7.8	44	2	2	6	11	16	21	31
2. MULTIPLE DX	3470	13.1	148	2	3	10	16	28	38	66
A. NOT OPERATED	1364	9.1	72	2	3	7	11	18	25	48
B. OPERATED	2563	14.2	165	2	3	11	18	29	40	69
TOTAL 0-19 YRS	6	11.0	72	2	2	11	19	21	21	21
20-34	12	7.9	45	1	2	6	10	20	22	22
35-49	184	8.6	67	2	2	7	11	15	21	50
50-64	1055	11.0	110	2	2	9	14	22	30	60
65+	2670	13.3	153	2	3	10	17	28	39	65
GRAND TOTAL	**3927**	**12.5**	**139**	**2**	**3**	**9**	**16**	**26**	**36**	**64**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49	1	6.0		6	6	6	6	6	6	6
50-64	11	2.5	7	<1	<1	1	3	7	9	9
65+	44	4.8	16	1	2	4	6	9	15	19
B. *Operated*										
0-19 YRS										
20-34	3	3.0	1	2	2	3	4	4	4	4
35-49	9	13.8	65	1	3	11	20	24	27	27
50-64	166	11.5	24	2	7	11	14	17	20	28
65+	337	13.0	48	2	5	12	15	20	25	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	5.0		5	5	5	5	5	5	5
35-49	7	6.3	13	2	2	6	9	12	12	12
50-64	58	6.0	25	1	1	5	8	14	15	24
65+	305	7.8	69	1	2	5	9	15	25	40
B. *Operated*										
0-19 YRS	2	10.5	25	7	7	10	14	14	14	14
20-34	13	11.4	56	2	2	11	16	23	25	26
35-49	20	15.1	58	6	8	13	18	26	31	35
50-64	373	14.8	108	2	5	12	17	26	35	67
65+	954	17.4	134	4	7	14	21	32	42	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	4.3	15	<1	<1	3	6	9	14	19
B. *Operated*	515	12.5	41	2	5	12	15	20	23	35
2. MULTIPLE DX										
A. *Not Operated*	372	7.5	61	1	2	5	9	15	21	38
B. *Operated*	1362	16.6	126	3	7	14	20	30	39	61
1. SINGLE DX	573	11.6	44	2	3	11	14	19	22	35
2. MULTIPLE DX	1734	14.6	126	2	3	12	18	28	37	60
A. NOT OPERATED	430	7.1	56	1	2	5	8	15	19	37
B. OPERATED	1877	15.5	106	3	6	13	18	27	36	56
TOTAL 0-19 YRS	3	8.0	31	3	3	7	12	14	14	14
20-34	19	8.7	54	1	2	7	12	20	24	26
35-49	37	12.8	60	2	4	11	18	25	27	35
50-64	608	12.9	84	2	3	11	15	23	29	51
65+	1640	14.4	117	2	3	12	18	27	36	56
GRAND TOTAL	**2307**	**13.9**	**107**	**2**	**3**	**12**	**17**	**25**	**34**	**56**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	3	2.3		2	2	2	3	3	3	3
50-64	4	3.3	10	1	1	2	5	8	8	8
65+	5	9.2	46	1	1	12	14	16	16	16
B. *Operated*										
0-19 YRS	8	2.1	2	<1	<1	2	3	4	4	4
20-34	21	10.2	100	2	2	7	12	26	36	38
35-49	19	11.0	89	2	2	7	20	25	28	30
50-64	54	13.0	134	2	3	10	15	31	38	57
65+	58	11.1	58	2	3	11	13	18	30	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	5	4.2	1	3	3	4	5	5	5	5
50-64	10	4.8	10	<1	<1	5	7	9	10	10
65+	21	5.8	18	1	2	5	7	13	15	17
B. *Operated*										
0-19 YRS										
20-34	6	11.5	128	2	2	7	17	30	32	32
35-49	30	17.3	220	4	4	12	20	39	49	65
50-64	83	16.2	218	2	4	11	20	35	44	83
65+	147	16.6	171	3	4	13	20	33	46	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	5.4	28	1	1	3	9	14	16	16
B. *Operated*	160	11.2	94	2	2	9	13	24	34	47
2. MULTIPLE DX										
A. *Not Operated*	37	5.3	13	<1	1	5	7	10	13	17
B. *Operated*	266	16.4	189	3	4	12	20	35	45	76
1. SINGLE DX	173	10.7	91	2	2	9	13	23	34	46
2. MULTIPLE DX	303	15.1	181	2	3	11	19	32	44	76
A. NOT OPERATED	50	5.3	16	1	1	4	7	12	14	17
B. OPERATED	426	14.4	159	2	3	11	18	31	41	70
TOTAL 0-19 YRS	8	2.1	2	<1	<1	2	3	4	4	4
20-34	29	10.1	97	2	2	6	12	27	35	38
35-49	57	13.2	167	2	2	9	18	29	40	64
50-64	151	14.0	179	2	2	10	17	32	39	68
65+	231	14.1	138	2	3	12	17	28	40	76
GRAND TOTAL	**476**	**13.5**	**152**	**2**	**2**	**11**	**17**	**29**	**38**	**67**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	7.8	7	5	5	8	10	10	10	10
20-34	14	8.6	27	1	2	9	12	15	17	18
35-49	19	6.8	18	1	2	6	10	13	15	16
50-64	43	6.2	32	1	1	4	9	14	17	25
65+	57	6.9	28	1	1	6	9	12	20	23
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	23	7.4	26	2	2	8	10	16	18	19
35-49	134	8.3	23	2	2	9	11	15	16	24
50-64	406	8.9	36	2	2	9	11	15	17	27
65+	455	10.1	41	2	2	10	13	17	22	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.8	20	1	1	3	8	11	11	11
20-34	10	10.3	25	1	3	11	14	16	16	16
35-49	19	6.6	27	1	2	5	8	16	18	20
50-64	79	6.7	20	1	1	6	11	13	13	19
65+	169	8.4	39	2	2	8	11	15	20	33
B. *Operated*										
0-19 YRS	9	10.8	37	3	4	12	13	20	23	23
20-34	20	10.2	94	1	2	8	12	19	34	44
35-49	193	12.0	77	2	3	11	15	23	27	41
50-64	821	13.0	97	2	3	11	16	23	31	58
65+	1296	15.0	122	2	4	13	19	28	36	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	137	6.9	27	1	1	6	10	14	17	23
B. *Operated*	1019	9.3	37	2	2	9	12	15	19	29
2. MULTIPLE DX										
A. *Not Operated*	281	7.8	33	1	2	7	11	14	17	28
B. *Operated*	2339	14.0	110	2	3	12	17	26	34	57
1. SINGLE DX	1156	9.0	36	2	2	9	12	15	19	27
2. MULTIPLE DX	2620	13.4	105	2	3	11	17	25	32	57
A. NOT OPERATED	418	7.5	31	1	2	7	11	14	17	26
B. OPERATED	3358	12.6	92	2	3	11	16	23	30	52
TOTAL 0-19 YRS	18	8.7	29	1	2	8	12	14	20	23
20-34	67	8.9	46	2	2	9	12	16	18	41
35-49	365	10.1	56	2	2	10	13	17	24	34
50-64	1349	11.2	77	2	2	10	14	19	26	47
65+	1977	13.1	101	2	3	11	16	25	32	54
GRAND TOTAL	**3776**	**12.0**	**88**	**2**	**2**	**10**	**15**	**22**	**29**	**51**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	61	7.4	55	1	2	6	9	14	19	46
20-34	32	5.4	60	1	1	3	5	11	19	42
35-49	58	4.5	8	1	1	4	6	9	10	12
50-64	87	4.3	11	1	1	3	6	8	11	17
65+	114	6.2	30	1	2	4	8	13	19	26
B. *Operated*										
0-19 YRS	19	4.4	11	1	1	3	7	10	11	11
20-34	36	6.9	45	2	2	5	9	12	19	37
35-49	119	6.7	48	2	2	5	8	12	18	36
50-64	316	8.2	59	2	2	7	11	16	21	34
65+	386	9.4	66	2	2	8	13	18	23	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	4.7	12	1	1	4	6	10	13	14
20-34	53	5.5	29	1	2	4	6	9	12	35
35-49	107	6.4	19	2	2	5	8	12	17	21
50-64	284	6.8	32	2	2	5	8	13	18	28
65+	701	8.9	59	2	3	7	11	17	24	41
B. *Operated*										
0-19 YRS	13	6.8	42	<1	1	4	10	14	22	24
20-34	54	12.4	120	3	4	8	18	24	30	67
35-49	204	9.8	71	2	2	8	13	19	29	72
50-64	776	13.0	159	2	2	10	16	26	36	71
65+	1358	15.8	186	2	3	12	20	34	46	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	352	5.6	30	1	2	4	7	11	15	28
B. *Operated*	876	8.4	60	2	2	7	11	16	21	36
2. MULTIPLE DX										
A. *Not Operated*	1176	7.9	48	2	2	6	10	16	20	36
B. *Operated*	2405	14.2	169	2	3	11	18	30	42	71
1. SINGLE DX	1228	7.6	53	2	2	6	10	15	20	35
2. MULTIPLE DX	3581	12.2	138	2	3	9	16	26	36	64
A. NOT OPERATED	1528	7.4	45	1	2	6	9	15	19	34
B. OPERATED	3281	12.7	147	2	2	9	16	26	37	67
TOTAL 0-19 YRS	124	6.2	38	1	1	5	8	12	15	35
20-34	175	7.9	74	1	2	5	9	19	24	41
35-49	488	7.7	50	2	2	6	10	16	21	45
50-64	1463	10.2	113	2	2	8	13	21	29	55
65+	2559	12.5	139	2	3	9	16	26	36	63
GRAND TOTAL	**4809**	**11.0**	**120**	**2**	**2**	**8**	**14**	**23**	**32**	**60**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	64	7.9	23	2	3	7	10	13	17	26
20-34	471	7.6	15	2	3	7	10	12	14	21
35-49	551	7.9	18	2	3	7	10	14	16	21
50-64	614	8.4	17	3	4	8	10	14	16	21
65+	587	9.4	19	4	4	9	12	15	17	23
B. *Operated*										
0-19 YRS	19	8.4	41	1	2	8	10	17	23	27
20-34	186	7.6	26	1	2	7	11	15	18	20
35-49	187	7.8	35	1	2	7	10	14	18	32
50-64	167	8.9	42	2	3	8	11	16	17	29
65+	137	10.4	60	2	3	9	13	17	25	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	7.1	16	3	3	6	9	12	16	20
20-34	361	8.9	32	2	3	8	11	14	20	31
35-49	714	9.3	28	3	4	8	11	15	19	30
50-64	1294	9.5	24	4	4	9	12	16	19	27
65+	1713	10.7	42	4	5	10	13	17	22	34
B. *Operated*										
0-19 YRS	12	12.8	183	3	4	9	12	27	50	54
20-34	145	9.8	40	2	3	9	13	17	22	29
35-49	262	10.9	56	2	4	10	14	19	24	41
50-64	418	11.8	62	3	4	10	15	22	28	39
65+	564	13.4	75	4	5	12	16	23	30	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2287	8.4	18	3	4	8	11	14	16	22
B. *Operated*	696	8.5	40	2	2	7	11	16	19	30
2. MULTIPLE DX										
A. *Not Operated*	4121	9.9	33	3	4	9	12	16	20	30
B. *Operated*	1401	12.1	66	3	4	11	15	21	27	42
1. SINGLE DX	2983	8.4	23	2	3	8	11	14	17	23
2. MULTIPLE DX	5522	10.5	43	3	4	9	13	17	22	35
A. NOT OPERATED	6408	9.4	28	3	4	8	11	15	19	28
B. OPERATED	2097	10.9	60	2	3	10	14	19	24	41
TOTAL 0-19 YRS	134	8.2	38	3	3	7	10	13	19	32
20-34	1163	8.3	26	2	3	8	10	14	17	27
35-49	1714	8.9	31	2	3	8	11	15	19	29
50-64	2493	9.6	31	3	4	9	12	16	19	29
65+	3001	11.0	46	4	5	10	14	18	23	36
GRAND TOTAL	**8505**	**9.7**	**37**	**3**	**4**	**9**	**12**	**16**	**20**	**32**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	5.6	31	2	2	3	5	15	18	18
35-49	48	7.9	46	1	1	6	10	17	22	32
50-64	49	8.4	89	<1	1	7	11	15	18	64
65+	85	12.2	96	2	3	10	16	21	26	58
B. *Operated*										
0-19 YRS	20	3.1	2	<1	1	3	4	5	5	6
20-34	482	4.2	9	2	2	4	5	6	7	22
35-49	683	4.8	11	2	2	4	5	8	10	22
50-64	594	6.9	67	2	3	5	7	12	21	47
65+	244	11.7	116	3	3	7	15	29	35	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	16.5	221	6	6	16	27	27	27	27
20-34	23	7.5	61	1	2	5	8	16	30	33
35-49	60	8.1	38	1	2	7	12	15	22	28
50-64	161	10.4	73	2	3	8	14	21	24	51
65+	419	12.8	109	3	4	10	16	24	31	62
B. *Operated*										
0-19 YRS	3	4.3	1	3	3	5	5	5	5	5
20-34	111	6.3	52	<1	1	4	7	13	22	41
35-49	290	6.8	33	2	3	5	7	14	19	30
50-64	362	9.7	88	3	3	6	11	20	33	46
65+	343	17.4	219	3	4	13	24	36	47	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	189	9.9	83	1	2	8	14	20	22	57
B. *Operated*	2023	6.1	45	2	3	4	6	11	18	38
2. MULTIPLE DX										
A. *Not Operated*	665	11.7	95	2	3	9	14	22	29	52
B. *Operated*	1109	11.0	130	2	3	6	14	26	35	59
1. SINGLE DX	2212	6.4	49	2	3	4	6	12	20	39
2. MULTIPLE DX	1774	11.2	117	2	3	7	14	24	33	58
A. NOT OPERATED	854	11.3	93	2	3	9	14	21	28	55
B. OPERATED	3132	7.8	80	2	3	5	8	18	27	46
TOTAL 0-19 YRS	25	4.3	24	1	2	3	4	6	11	27
20-34	623	4.7	20	2	2	4	5	7	10	27
35-49	1081	5.7	21	2	3	4	6	10	15	26
50-64	1166	8.3	77	2	3	5	9	17	25	48
65+	1091	14.0	149	3	3	10	18	30	38	62
GRAND TOTAL	**3986**	**8.6**	**85**	**2**	**3**	**5**	**10**	**19**	**27**	**47**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	2.5	1	1	1	2	3	4	4	4
20-34	86	2.9	3	1	1	3	4	5	7	8
35-49	120	2.8	3	1	1	3	4	5	6	9
50-64	129	2.9	4	1	1	3	4	5	7	9
65+	60	4.4	11	1	1	4	6	9	10	17
B. *Operated*										
0-19 YRS	26	3.8	2	2	2	4	4	6	7	8
20-34	719	5.0	4	2	3	5	6	8	9	11
35-49	868	5.3	5	3	3	5	6	8	10	14
50-64	543	5.4	5	3	3	5	7	8	9	13
65+	209	6.5	15	3	3	6	8	11	13	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	2.7	2	<1	<1	3	4	4	5	6
20-34	142	3.7	8	1	1	3	4	7	9	17
35-49	306	4.1	7	1	2	4	5	8	9	15
50-64	341	4.2	11	1	1	3	5	8	10	20
65+	351	5.4	24	1	2	4	6	9	14	24
B. *Operated*										
0-19 YRS	69	4.6	3	2	3	5	5	7	8	11
20-34	1829	5.2	5	3	3	5	6	8	9	13
35-49	2785	5.7	8	3	3	5	7	9	10	15
50-64	2079	6.3	11	3	3	6	7	10	12	18
65+	1006	7.7	22	3	4	6	9	13	16	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	405	3.1	4	1	1	3	4	5	7	10
B. *Operated*	2365	5.3	6	2	3	5	6	8	10	13
2. MULTIPLE DX										
A. *Not Operated*	1160	4.4	14	1	2	4	5	8	10	19
B. *Operated*	7768	6.0	10	3	3	5	7	9	12	18
1. SINGLE DX	2770	5.0	6	2	2	5	6	8	9	13
2. MULT!PLE DX	8928	5.8	11	2	3	5	7	9	12	18
A. NOT OPERATED	1565	4.1	12	1	1	3	5	8	10	18
B. OPERATED	10133	5.9	9	3	3	5	7	9	11	17
TOTAL 0-19 YRS	125	3.9	3	1	2	4	5	6	7	10
20-34	2776	5.0	5	2	3	5	6	8	9	12
35-49	4079	5.4	7	2	3	5	6	8	10	15
50-64	3092	5.8	10	2	3	5	7	9	11	18
65+	1626	6.9	23	2	3	6	8	12	15	25
GRAND TOTAL	**11698**	**5.6**	**10**	**2**	**3**	**5**	**7**	**9**	**11**	**17**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	4.0	7	1	1	3	6	8	9	9
20-34	125	5.5	16	<1	1	5	8	11	13	17
35-49	128	6.7	19	1	2	6	9	12	14	21
50-64	134	7.2	28	1	2	6	9	13	17	27
65+	241	7.5	37	1	2	7	10	14	18	24
B. *Operated*										
0-19 YRS	101	3.0	5	1	2	2	3	4	6	15
20-34	287	3.8	12	1	1	3	4	8	11	19
35-49	150	5.7	27	1	1	3	9	13	17	21
50-64	145	7.5	53	1	2	6	9	13	18	34
65+	144	10.8	115	2	2	9	13	19	28	62
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	4.7	26	1	1	3	5	14	15	26
20-34	147	6.3	29	1	2	5	9	12	18	22
35-49	318	7.0	27	1	2	6	9	13	17	29
50-64	675	7.7	32	2	2	6	10	15	18	27
65+	1452	8.7	44	2	3	7	11	16	21	32
B. *Operated*										
0-19 YRS	49	6.4	95	1	2	3	6	13	23	62
20-34	303	5.9	71	1	1	3	7	12	17	48
35-49	226	8.6	71	1	2	6	11	17	24	44
50-64	330	12.6	119	2	3	10	16	25	37	70
65+	545	14.3	139	3	4	12	17	27	36	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	658	6.7	27	1	2	6	9	13	16	23
B. *Operated*	827	5.9	46	1	2	3	8	13	17	30
2. MULTIPLE DX										
A. *Not Operated*	2636	8.1	38	2	2	7	10	15	19	30
B. *Operated*	1453	11.0	119	2	2	8	14	23	31	62
1. SINGLE DX	1485	6.3	38	1	2	4	9	13	16	27
2. MULTIPLE DX	4089	9.1	69	2	2	7	12	18	24	42
A. NOT OPERATED	3294	7.8	36	2	2	6	10	15	18	29
B. OPERATED	2280	9.2	99	1	2	6	12	19	27	54
TOTAL 0-19 YRS	224	4.2	30	1	2	3	4	9	13	27
20-34	862	5.2	37	1	1	3	7	11	14	23
35-49	822	7.2	39	1	2	5	10	14	18	32
50-64	1284	8.9	61	2	2	7	11	17	23	44
65+	2382	10.0	75	2	3	8	13	19	25	43
GRAND TOTAL	**5574**	**8.4**	**62**	**2**	**2**	**6**	**11**	**17**	**22**	**40**

173: Acute uri except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2679	2.9	3	1	1	3	4	5	6	9
20-34	613	3.4	3	1	2	3	4	5	7	9
35-49	240	3.7	4	1	2	3	5	6	8	12
50-64	146	4.3	6	1	2	4	5	8	10	12
65+	124	5.1	7	2	2	5	7	8	9	14
B. *Operated*										
0-19 YRS	753	2.0	1	<1	1	2	2	3	3	6
20-34	352	2.4	2	1	1	2	3	4	5	9
35-49	73	3.0	6	1	1	2	3	5	9	14
50-64	37	5.7	73	1	2	3	6	9	30	41
65+	19	4.1	12	1	2	3	5	9	13	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4569	3.4	5	1	1	3	4	6	7	11
20-34	1152	4.1	6	1	2	4	5	7	9	13
35-49	725	5.0	10	2	2	4	6	9	11	17
50-64	865	5.9	14	2	2	5	7	11	13	19
65+	1247	7.6	32	2	3	6	9	14	18	29
B. *Operated*										
0-19 YRS	428	3.3	13	1	1	2	3	6	10	19
20-34	140	4.5	32	1	2	3	5	9	11	21
35-49	121	6.3	28	2	2	4	9	12	15	28
50-64	109	7.3	42	2	2	5	10	16	20	31
65+	95	10.6	58	2	3	9	14	22	25	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3802	3.1	4	1	1	3	4	5	7	9
B. *Operated*	1234	2.3	4	1	1	2	2	3	5	9
2. MULTIPLE DX										
A. *Not Operated*	8558	4.5	13	1	2	4	5	8	11	18
B. *Operated*	893	5.1	32	1	1	3	6	11	16	27
1. SINGLE DX	5036	2.9	4	1	1	2	4	5	6	9
2. MULTIPLE DX	9451	4.6	14	1	2	4	5	9	11	19
A. NOT OPERATED	12360	4.1	10	1	2	3	5	7	9	16
B. OPERATED	2127	3.5	18	1	1	2	3	7	11	22
TOTAL 0-19 YRS	8429	3.1	5	1	1	3	4	5	7	10
20-34	2257	3.7	6	1	2	3	4	6	8	12
35-49	1159	4.7	11	1	2	4	6	9	11	17
50-64	1157	5.8	18	2	2	5	7	11	14	23
65+	1485	7.5	33	2	3	6	9	14	18	29
GRAND TOTAL	**14487**	**4.0**	**11**	**1**	**1**	**3**	**5**	**7**	**10**	**17**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2968	3.6	5	1	2	3	5	6	7	10
20-34	331	4.1	6	2	2	4	5	6	9	13
35-49	366	4.9	7	2	2	4	6	8	10	13
50-64	405	5.7	11	2	3	5	7	9	12	18
65+	456	6.2	14	2	3	5	8	10	13	21
B. *Operated*										
0-19 YRS	9	3.8	5	<1	<1	4	5	7	7	7
20-34	6	7.5	28	2	2	7	10	15	16	16
35-49	24	7.3	27	2	2	5	11	14	18	22
50-64	23	7.0	17	2	3	6	10	12	16	19
65+	19	8.1	54	2	3	6	8	18	26	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2987	4.4	7	2	2	4	5	7	9	14
20-34	606	5.0	9	2	2	4	6	9	10	14
35-49	1195	6.1	15	2	3	5	8	10	13	20
50-64	2631	7.2	21	2	3	6	9	13	16	25
65+	4628	8.3	33	3	3	7	10	15	19	29
B. *Operated*										
0-19 YRS	32	6.8	12	2	3	6	8	12	15	15
20-34	56	8.8	41	2	2	8	12	17	21	32
35-49	125	8.6	43	2	3	7	11	15	20	38
50-64	241	9.8	63	2	3	8	12	18	23	35
65+	330	12.3	76	3	4	10	15	23	29	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4526	4.2	7	1	2	4	5	7	9	14
B. *Operated*	81	7.0	28	1	2	5	9	14	17	29
2. MULTIPLE DX										
A. *Not Operated*	12047	6.7	23	2	3	6	8	12	15	24
B. *Operated*	784	10.5	64	2	3	9	13	20	26	38
1. SINGLE DX	4607	4.3	8	1	2	4	5	7	9	14
2. MULTIPLE DX	12831	6.9	27	2	3	6	9	13	16	27
A. NOT OPERATED	16573	6.0	20	2	2	5	7	11	14	23
B. OPERATED	865	10.1	62	2	3	8	13	19	25	38
TOTAL 0-19 YRS	5996	4.0	6	1	2	3	5	7	8	12
20-34	999	5.0	11	2	2	4	6	9	11	18
35-49	1710	6.0	16	2	3	5	7	10	13	21
50-64	3300	7.2	23	2	3	6	9	13	16	26
65+	5433	8.4	35	3	3	7	10	15	19	31
GRAND TOTAL	**17438**	**6.2**	**23**	**2**	**2**	**5**	**8**	**11**	**15**	**24**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.3	1	3	3	5	5	5	5	5
20-34	6	2.0	1	<1	<1	2	3	3	3	3
35-49	7	1.4	1	<1	<1	1	2	3	3	3
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	427	2.3	1	1	1	2	3	3	4	6
20-34	1037	2.4	1	1	1	2	3	3	4	6
35-49	583	2.4	1	1	1	2	3	3	4	6
50-64	249	2.4	1	1	2	2	3	3	4	5
65+	59	2.4	1	1	1	2	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.5	25	<1	<1	1	6	11	11	11
20-34	23	2.5	13	<1	<1	1	2	4	12	17
35-49	10	1.6	1	<1	<1	1	2	3	4	4
50-64	11	4.0	30	<1	<1	2	4	11	19	20
65+	7	1.4	1	<1	<1	1	1	3	4	4
B. *Operated*										
0-19 YRS	558	2.4	1	1	1	2	3	4	4	6
20-34	1678	2.6	1	1	1	2	3	4	5	7
35-49	1012	2.8	3	1	1	3	3	4	5	8
50-64	568	3.0	3	1	2	3	3	5	6	9
65+	132	3.7	12	1	2	3	4	6	9	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	2.2	2	<1	<1	2	3	4	5	5
B. *Operated*	2355	2.4	1	1	1	2	3	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	55	2.6	13	<1	<1	1	3	4	10	20
B. *Operated*	3948	2.7	2	1	1	3	3	4	5	8
1. SINGLE DX	2372	2.4	1	1	1	2	3	3	4	6
2. MULTIPLE DX	4003	2.7	3	1	1	3	3	4	5	9
A. NOT OPERATED	72	2.5	11	<1	<1	1	3	4	9	19
B. OPERATED	6303	2.6	2	1	1	2	3	4	5	7
TOTAL 0-19 YRS	992	2.4	1	1	1	2	3	4	4	6
20-34	2744	2.5	1	1	1	2	3	4	4	7
35-49	1612	2.6	2	1	1	2	3	4	5	7
50-64	829	2.9	3	1	2	3	3	4	5	9
65+	198	3.2	9	1	1	2	4	5	7	18
GRAND TOTAL	**6375**	**2.6**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49										
50-64	2	1.0		1	1	1	1	1	1	1
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	35	2.0	1	<1	1	2	2	3	4	4
20-34	43	2.5	2	<1	1	2	3	4	6	9
35-49	65	2.3	1	<1	1	2	3	3	5	6
50-64	90	2.3	1	1	1	2	3	3	4	5
65+	67	2.4	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	4	1.8		<1	<1	2	2	2	2	2
35-49	4	3.0	3	<1	<1	3	4	5	5	5
50-64	4	3.0	4	2	2	2	4	6	6	6
65+	5	3.2	2	1	1	3	4	5	5	5
B. *Operated*										
0-19 YRS	52	2.6	2	1	1	2	3	5	7	97
20-34	102	2.9	2	1	2	2	3	5	6	8
35-49	134	2.9	2	1	2	3	3	5	5	7
50-64	147	3.4	6	1	2	3	4	6	7	16
65+	91	3.3	3	1	2	3	4	6	8	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.5	1	<1	<1	1	2	3	3	3
B. *Operated*	300	2.3	1	1	1	2	3	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	18	2.7	2	<1	<1	2	4	5	6	6
B. *Operated*	526	3.1	3	1	2	3	4	5	7	10
1. SINGLE DX	304	2.3	1	1	1	2	3	3	4	6
2. MULTIPLE DX	544	3.1	3	1	2	3	4	5	6	9
A. NOT OPERATED	22	2.5	2	<1	<1	2	3	5	6	6
B. OPERATED	826	2.8	3	1	1	2	3	4	6	8
TOTAL 0-19 YRS	89	2.3	1	<1	1	2	3	4	5	63
20-34	149	2.7	2	1	1	2	3	5	6	8
35-49	203	2.7	2	1	1	2	3	4	5	7
50-64	243	3.0	4	1	2	3	3	5	6	12
65+	164	2.9	3	1	2	2	4	5	6	9
GRAND TOTAL	**848**	**2.8**	**3**	**1**	**1**	**2**	**3**	**4**	**6**	**8**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	52	2.3	2	<1	<1	2	3	4	5	8
20-34	28	2.4	4	<1	<1	2	3	4	6	11
35-49	8	2.4	1	<1	<1	2	3	4	4	4
50-64	1	3.0		3	3	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	12247	1.9		1	1	2	2	2	3	4
20-34	3856	2.2	1	1	1	2	2	3	4	5
35-49	400	2.3	1	1	1	2	2	3	4	7
50-64	64	2.2	1	1	1	2	2	3	4	5
65+	31	2.6	4	1	1	2	2	6	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	192	1.6	2	<1	<1	1	2	3	5	8
20-34	30	2.6	3	<1	<1	2	3	5	7	8
35-49	16	3.4	5	<1	1	3	5	6	7	7
50-64	2	1.5	1	<1	<1	1	2	2	2	2
65+	3	4.3	2	3	3	4	5	6	6	6
B. *Operated*										
0-19 YRS	6896	1.8	1	<1	1	2	2	2	3	5
20-34	654	2.6	2	1	1	2	3	4	5	9
35-49	122	3.0	8	1	2	2	3	5	7	19
50-64	29	3.7	6	2	2	3	4	7	10	12
65+	25	4.6	28	1	2	3	5	10	14	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	89	2.3	3	<1	<1	2	3	4	5	10
B. *Operated*	16598	2.0	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	243	1.9	2	<1	<1	1	2	4	6	8
B. *Operated*	7726	1.9	1	1	1	2	2	3	3	6
1. SINGLE DX	16687	2.0	1	1	1	2	2	3	3	4
2. MULTIPLE DX	7969	1.9	1	<1	1	2	2	3	3	5
A. NOT OPERATED	332	2.0	3	<1	<1	1	2	4	5	8
B. OPERATED	24324	2.0	1	1	1	2	2	3	3	5
TOTAL 0-19 YRS	19387	1.9	1	1	1	2	2	2	3	4
20-34	4568	2.2	1	1	1	2	2	3	4	6
35-49	546	2.5	3	1	1	2	3	4	5	9
50-64	96	2.6	3	1	2	2	3	4	6	11
65+	59	3.6	15	1	1	2	3	8	10	25
GRAND TOTAL	**24656**	**2.0**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**5**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	423	2.9	3	1	1	3	4	5	6	9
20-34	333	3.2	4	1	1	3	4	5	6	9
35-49	178	3.6	5	1	1	3	5	6	8	11
50-64	117	3.6	6	1	1	3	4	8	8	12
65+	52	4.2	8	2	2	3	6	8	9	15
B. *Operated*										
0-19 YRS	516	2.5	4	1	1	2	3	4	5	12
20-34	979	2.6	3	1	1	2	3	4	5	9
35-49	842	2.5	3	1	1	2	3	4	5	9
50-64	794	2.5	4	1	1	2	3	4	5	11
65+	412	2.8	6	1	1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	402	3.9	6	1	2	3	5	7	9	12
20-34	352	4.4	6	1	2	4	5	7	9	12
35-49	368	4.8	9	2	2	4	6	8	10	15
50-64	326	5.5	12	2	2	5	7	10	12	19
65+	279	6.3	23	2	2	5	8	12	15	25
B. *Operated*										
0-19 YRS	457	2.8	7	<1	1	2	3	5	7	13
20-34	856	3.3	7	1	2	3	4	5	8	16
35-49	695	4.0	27	1	2	3	4	7	10	20
50-64	681	4.4	18	1	2	3	5	9	13	23
65+	418	5.9	47	1	2	3	6	14	18	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1103	3.3	4	1	1	3	4	6	7	10
B. *Operated*	3543	2.6	4	1	1	2	3	4	5	11
2. MULTIPLE DX										
A. *Not Operated*	1727	4.9	11	1	2	4	6	9	11	17
B. *Operated*	3107	4.0	20	1	1	3	4	8	11	21
1. SINGLE DX	4646	2.7	4	1	1	2	3	5	6	11
2. MULTIPLE DX	4834	4.3	17	1	2	3	5	8	11	19
A. NOT OPERATED	2830	4.3	9	1	2	4	5	8	10	15
B. OPERATED	6650	3.2	12	1	1	2	3	5	8	17
TOTAL 0-19 YRS	1798	3.0	5	1	1	2	4	5	7	12
20-34	2520	3.2	5	1	1	3	4	5	7	12
35-49	2083	3.5	13	1	1	3	4	6	8	15
50-64	1918	3.8	12	1	1	3	4	8	10	18
65+	1161	4.8	27	1	1	3	5	11	14	27
GRAND TOTAL	**9480**	**3.5**	**11**	**1**	**1**	**3**	**4**	**7**	**9**	**16**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8473	4.4	6	2	2	4	5	7	9	12
20-34	1862	5.3	8	2	3	5	7	9	10	14
35-49	1425	6.0	11	2	3	5	7	10	12	17
50-64	1385	6.7	16	3	3	6	8	11	13	20
65+	1971	8.0	20	3	4	7	10	14	17	24
B. *Operated*										
0-19 YRS	47	7.6	28	1	2	7	11	15	18	25
20-34	66	8.0	28	2	2	7	11	14	19	25
35-49	102	8.8	33	2	2	8	11	16	19	33
50-64	163	9.2	53	2	2	8	11	18	24	35
65+	176	12.0	81	2	3	10	15	23	31	59
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6709	4.9	11	2	2	4	6	9	11	16
20-34	1589	6.3	22	2	3	5	8	11	13	20
35-49	2038	7.5	27	2	3	6	9	13	16	28
50-64	4036	8.7	33	3	4	7	11	15	19	30
65+	11002	11.1	60	3	4	9	14	20	26	41
B. *Operated*										
0-19 YRS	153	12.3	141	3	3	9	15	26	36	51
20-34	179	12.9	65	4	5	11	16	24	30	50
35-49	320	13.5	124	3	4	10	17	26	34	61
50-64	708	14.8	107	4	6	12	18	27	33	58
65+	1345	18.6	174	5	7	15	23	35	47	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15116	5.3	11	2	2	5	7	9	11	17
B. *Operated*	554	9.8	56	2	2	8	12	18	24	36
2. MULTIPLE DX										
A. *Not Operated*	25374	8.5	44	2	3	7	11	16	20	34
B. *Operated*	2705	16.2	147	4	5	13	21	31	39	67
1. SINGLE DX	15670	5.5	13	2	2	5	7	10	12	19
2. MULTIPLE DX	28079	9.3	59	2	3	7	11	18	23	39
A. NOT OPERATED	40490	7.3	34	2	3	6	9	14	18	31
B. OPERATED	3259	15.1	137	3	5	12	19	29	36	65
TOTAL 0-19 YRS	15382	4.7	10	2	2	4	6	8	10	15
20-34	3696	6.2	19	2	3	5	7	10	13	23
35-49	3885	7.5	33	2	3	6	9	13	16	33
50-64	6292	9.0	43	3	4	7	11	16	21	34
65+	14494	11.4	72	3	4	9	14	21	27	45
GRAND TOTAL	**43749**	**7.9**	**46**	**2**	**3**	**6**	**10**	**15**	**20**	**35**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	264	3.2	2	1	2	3	4	5	6	9
20-34	178	3.3	3	1	2	3	4	6	7	10
35-49	146	4.0	4	2	2	4	5	7	8	11
50-64	132	4.9	7	2	2	4	6	8	10	15
65+	144	6.0	22	2	2	5	7	10	16	28
B. *Operated*										
0-19 YRS	4	6.5	18	2	2	6	10	11	11	11
20-34	2	2.0		2	2	2	2	2	2	2
35-49										
50-64	3	8.3	17	5	5	7	11	13	13	13
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	367	3.6	4	1	2	3	4	6	7	12
20-34	309	3.9	5	1	2	3	5	7	8	12
35-49	318	5.4	15	2	2	4	7	9	11	21
50-64	416	5.9	13	2	2	5	7	10	13	21
65+	805	7.3	24	2	3	6	9	13	17	26
B. *Operated*										
0-19 YRS	10	11.0	165	3	3	7	9	29	47	47
20-34	3	8.7	16	4	4	11	11	11	11	11
35-49	14	8.8	31	2	3	7	11	16	21	22
50-64	20	13.6	53	4	5	12	19	24	26	27
65+	25	17.9	138	5	7	15	22	35	46	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	864	4.1	8	1	2	3	5	7	8	15
B. *Operated*	9	6.1	17	2	2	5	9	12	13	13
2. MULTIPLE DX										
A. *Not Operated*	2215	5.7	17	2	2	4	7	10	13	21
B. *Operated*	72	13.6	101	3	4	10	18	25	35	48
1. SINGLE DX	873	4.1	8	1	2	3	5	7	9	15
2. MULTIPLE DX	2287	5.9	21	2	2	5	7	11	14	24
A. NOT OPERATED	3079	5.2	15	2	2	4	6	10	12	20
B. OPERATED	81	12.8	97	3	4	10	16	24	34	48
TOTAL 0-19 YRS	645	3.6	7	1	2	3	4	6	7	11
20-34	492	3.7	4	1	2	3	5	6	8	12
35-49	478	5.0	13	2	2	4	6	9	11	20
50-64	571	5.9	16	2	2	5	7	10	13	22
65+	974	7.4	30	2	3	6	9	14	18	29
GRAND TOTAL	**3160**	**5.4**	**18**	**2**	**2**	**4**	**7**	**10**	**13**	**22**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1138	3.7	5	1	2	3	5	7	8	12
20-34	210	4.2	6	1	2	4	5	7	8	13
35-49	289	5.4	11	2	2	5	7	9	11	18
50-64	393	6.0	13	2	3	5	8	10	13	21
65+	534	7.1	28	2	3	6	9	12	16	24
B. *Operated*										
0-19 YRS	16	3.4	7	<1	1	2	5	7	8	9
20-34	27	4.3	7	1	2	4	5	8	11	12
35-49	55	4.7	14	1	2	4	6	9	10	24
50-64	95	4.8	9	1	2	4	6	10	11	13
65+	53	5.3	14	2	2	4	8	10	14	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	970	4.1	6	1	2	3	5	7	9	13
20-34	435	5.1	9	1	2	4	6	9	11	16
35-49	733	6.3	21	2	2	5	8	11	14	26
50-64	1742	7.1	24	2	3	6	8	13	16	27
65+	3088	8.5	37	3	3	7	11	15	19	32
B. *Operated*										
0-19 YRS	26	7.8	21	2	2	7	10	13	19	21
20-34	54	8.2	71	2	3	6	9	12	31	42
35-49	178	7.8	77	2	2	6	10	15	20	80
50-64	370	8.4	61	2	2	7	11	16	21	45
65+	449	11.1	95	2	3	8	15	22	28	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2564	5.0	14	1	2	4	6	9	11	19
B. *Operated*	246	4.7	11	1	2	4	6	10	11	15
2. MULTIPLE DX										
A. *Not Operated*	6968	7.1	28	2	3	6	9	13	17	27
B. *Operated*	1077	9.4	79	2	2	7	12	19	24	52
1. SINGLE DX	2810	5.0	13	1	2	4	6	9	11	19
2. MULTIPLE DX	8045	7.4	36	2	3	6	9	14	18	31
A. NOT OPERATED	9532	6.5	25	2	2	5	8	12	15	26
B. OPERATED	1323	8.5	70	2	2	6	11	18	22	42
TOTAL 0-19 YRS	2150	3.9	6	1	2	3	5	7	8	13
20-34	726	5.0	14	1	2	4	6	9	11	16
35-49	1255	6.2	27	2	2	5	8	11	15	26
50-64	2600	7.0	28	2	3	6	9	13	16	27
65+	4124	8.5	43	2	3	7	11	16	20	34
GRAND TOTAL	**10855**	**6.8**	**31**	**2**	**2**	**5**	**8**	**13**	**16**	**28**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	5.5	5	4	4	5	7	7	7	7
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	24	4.1	5	1	2	4	5	7	9	11
50-64	124	7.7	44	2	2	6	8	18	22	33
65+	185	7.7	31	2	2	6	10	14	19	27
B. *Operated*										
0-19 YRS	2	6.0	32	2	2	6	10	10	10	10
20-34	4	10.0	33	3	3	10	14	17	17	17
35-49	10	11.8	15	8	8	10	16	17	18	18
50-64	12	13.9	86	2	3	13	19	26	33	34
65+	10	15.6	243	2	3	9	20	43	46	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	8	5.0	13	1	1	4	8	11	11	11
35-49	84	7.1	41	2	2	5	8	13	25	31
50-64	594	8.5	46	2	3	7	11	16	22	37
65+	1103	9.3	59	2	3	7	11	18	23	44
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	10	14.4	50	5	5	15	19	24	26	26
35-49	25	18.7	424	3	4	13	22	28	73	95
50-64	86	15.1	187	2	4	12	19	33	61	99+
65+	127	13.7	143	3	4	11	18	27	31	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	337	7.4	35	2	2	6	9	15	20	29
B. *Operated*	38	13.0	98	2	3	10	17	21	38	46
2. MULTIPLE DX										
A. *Not Operated*	1791	8.9	54	2	3	7	11	17	22	39
B. *Operated*	249	14.7	182	3	4	11	19	28	40	95
1. SINGLE DX	375	7.9	44	2	2	6	10	17	21	34
2. MULTIPLE DX	2040	9.6	73	2	3	7	12	18	25	55
A. NOT OPERATED	2128	8.7	51	2	3	7	11	17	22	38
B. OPERATED	287	14.5	170	3	4	11	18	28	40	93
TOTAL 0-19 YRS	7	6.4	15	2	2	7	9	12	12	12
20-34	24	9.6	49	2	2	9	15	19	23	26
35-49	143	9.0	121	2	2	6	10	19	28	68
50-64	816	9.2	66	2	3	7	11	18	24	49
65+	1425	9.5	66	2	3	7	12	18	24	45
GRAND TOTAL	**2415**	**9.4**	**69**	**2**	**3**	**7**	**11**	**18**	**24**	**46**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4919	3.4	3	1	2	3	4	5	7	9
20-34	1378	4.1	5	1	2	4	5	7	8	12
35-49	1287	5.1	10	2	2	4	6	9	11	15
50-64	1261	5.9	21	2	2	5	7	11	13	20
65+	894	6.9	22	2	3	6	8	12	15	25
B. *Operated*										
0-19 YRS	18	4.5	10	<1	1	3	6	10	11	11
20-34	15	5.7	13	1	2	6	9	10	12	13
35-49	27	5.9	18	2	3	5	7	10	15	22
50-64	23	7.9	29	1	2	7	14	16	17	17
65+	19	9.3	44	1	2	9	13	20	23	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2861	4.1	5	1	2	4	5	7	8	12
20-34	1164	5.1	11	2	2	4	6	9	11	19
35-49	1605	6.2	17	2	3	5	8	11	13	21
50-64	2855	7.5	33	2	3	6	9	14	17	28
65+	3310	8.3	32	3	3	7	10	15	18	29
B. *Operated*										
0-19 YRS	31	6.1	16	2	2	6	8	11	14	19
20-34	62	8.7	30	2	3	8	10	17	20	27
35-49	138	11.0	69	2	4	9	14	24	27	38
50-64	201	12.7	137	3	4	11	14	22	29	82
65+	214	13.8	91	4	5	11	18	23	29	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9739	4.4	10	1	2	4	5	8	10	15
B. *Operated*	102	6.7	25	1	2	5	9	14	17	23
2. MULTIPLE DX										
A. *Not Operated*	11795	6.5	24	2	2	5	8	12	15	25
B. *Operated*	646	12.0	95	3	4	10	15	22	28	41
1. SINGLE DX	9841	4.4	10	1	2	4	5	8	10	15
2. MULTIPLE DX	12441	6.8	30	2	2	5	8	13	16	26
A. NOT OPERATED	21534	5.5	19	2	2	4	7	10	13	21
B. OPERATED	748	11.3	89	2	3	9	14	21	26	39
TOTAL 0-19 YRS	7829	3.6	4	1	2	3	4	6	7	11
20-34	2619	4.7	9	1	2	4	6	8	10	16
35-49	3057	6.0	18	2	2	5	7	10	13	22
50-64	4340	7.3	36	2	3	6	9	13	17	28
65+	4437	8.3	35	2	3	7	10	15	19	29
GRAND TOTAL	**22282**	**5.7**	**22**	**2**	**2**	**4**	**7**	**11**	**14**	**23**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	4.3	4	2	2	4	5	7	9	10
20-34	30	5.7	10	2	3	5	7	9	13	16
35-49	163	5.9	17	2	2	5	7	9	14	25
50-64	960	6.8	21	2	2	6	9	12	15	24
65+	1344	7.8	38	2	3	6	10	14	18	31
B. *Operated*										
0-19 YRS	3	5.0	27	2	2	2	9	11	11	11
20-34	8	4.1	7	2	2	3	5	9	10	10
35-49	33	6.5	28	1	2	5	8	13	17	27
50-64	70	8.1	60	1	2	5	11	16	21	45
65+	72	10.7	68	2	2	9	15	25	30	85
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	8.3	48	2	3	6	11	20	24	30
20-34	89	7.0	29	2	2	5	9	14	17	31
35-49	705	7.4	43	2	3	6	9	13	16	33
50-64	4434	8.5	45	2	3	7	10	16	20	37
65+	7891	9.6	56	3	3	8	12	18	23	40
B. *Operated*										
0-19 YRS	4	9.3	161	1	1	4	17	28	28	28
20-34	13	7.0	51	2	3	4	7	18	26	28
35-49	105	12.2	159	2	4	8	14	22	34	76
50-64	575	12.5	138	2	3	9	15	27	38	84
65+	904	15.3	175	3	5	12	19	30	43	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2515	7.3	30	2	3	6	9	13	17	30
B. *Operated*	186	8.6	58	2	2	6	12	18	27	44
2. MULTIPLE DX										
A. *Not Operated*	13155	9.0	52	2	3	7	11	17	22	39
B. *Operated*	1601	14.0	162	3	4	10	17	29	40	81
1. SINGLE DX	2701	7.3	32	2	3	6	9	14	17	30
2. MULTIPLE DX	14756	9.6	66	2	3	7	12	18	24	45
A. NOT OPERATED	15670	8.8	49	2	3	7	11	16	21	37
B. OPERATED	1787	13.5	153	2	3	10	16	28	37	80
TOTAL 0-19 YRS	61	7.0	42	2	2	5	7	14	24	30
20-34	140	6.5	26	2	2	5	8	13	16	29
35-49	1006	7.6	53	2	3	6	9	14	18	39
50-64	6039	8.6	52	2	3	7	10	16	21	41
65+	10211	9.8	68	3	3	8	12	18	24	45
GRAND TOTAL	**17457**	**9.2**	**62**	**2**	**3**	**7**	**11**	**17**	**23**	**43**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	70	3.6	5	1	1	3	5	6	7	11
20-34	201	3.8	6	1	1	3	5	7	9	12
35-49	61	4.4	8	1	1	4	5	8	9	17
50-64	24	6.9	29	2	3	6	8	14	19	25
65+	11	6.4	4	3	4	6	7	9	10	10
B. *Operated*										
0-19 YRS	109	7.0	20	3	3	6	8	12	14	26
20-34	556	6.4	17	2	3	5	8	11	15	23
35-49	143	7.7	29	3	3	6	10	15	18	28
50-64	101	7.0	27	2	3	5	8	13	20	26
65+	50	11.0	48	3	4	9	13	22	26	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	3.5	6	1	1	4	4	7	9	9
20-34	34	4.3	13	1	2	3	5	7	14	17
35-49	26	6.3	15	2	2	5	7	11	16	17
50-64	50	10.6	179	3	3	7	10	18	34	72
65+	91	9.1	40	2	3	8	11	20	23	27
B. *Operated*										
0-19 YRS	32	12.3	76	4	5	11	14	19	22	53
20-34	141	9.3	40	3	3	8	12	17	21	34
35-49	97	10.3	71	3	3	8	12	21	25	48
50-64	163	13.3	127	3	4	10	16	26	39	81
65+	212	14.7	139	4	4	12	19	29	33	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	367	4.1	8	1	1	3	5	8	10	15
B. *Operated*	959	7.0	23	3	3	5	8	12	17	25
2. MULTIPLE DX										
A. *Not Operated*	214	8.0	68	2	2	6	9	17	21	45
B. *Operated*	645	12.4	105	3	4	10	15	25	31	53
1. SINGLE DX	1326	6.2	20	2	2	5	8	11	15	24
2. MULTIPLE DX	859	11.3	99	3	3	8	14	23	29	53
A. NOT OPERATED	581	5.6	34	1	2	4	6	10	16	24
B. OPERATED	1604	9.1	63	3	3	7	11	18	24	40
TOTAL 0-19 YRS	224	6.5	30	1	2	5	8	12	15	25
20-34	932	6.2	21	2	2	5	8	11	15	24
35-49	327	7.8	41	2	3	6	10	16	20	31
50-64	338	10.6	105	3	3	8	12	22	27	67
65+	364	12.5	105	3	4	9	16	26	30	48
GRAND TOTAL	**2185**	**8.2**	**58**	**2**	**3**	**6**	**10**	**16**	**22**	**37**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	325	3.9	8	1	1	3	5	7	9	15
20-34	231	4.3	12	1	1	3	5	8	12	17
35-49	211	5.1	18	1	2	4	6	9	13	23
50-64	318	5.0	17	1	1	4	6	10	13	24
65+	473	6.9	26	1	2	6	9	14	17	27
B. *Operated*										
0-19 YRS	47	5.2	17	1	2	4	7	12	14	17
20-34	112	8.9	56	1	2	8	11	18	26	34
35-49	205	8.5	52	1	2	7	12	17	21	34
50-64	329	8.2	56	2	2	6	11	16	20	36
65+	371	8.8	49	2	2	7	12	18	23	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	564	4.5	23	1	1	4	5	8	10	19
20-34	415	5.7	24	1	1	4	7	11	15	24
35-49	706	6.7	35	1	2	5	8	12	17	32
50-64	1659	7.9	40	2	3	6	10	15	19	32
65+	3752	9.9	67	2	3	8	12	19	24	44
B. *Operated*										
0-19 YRS	76	9.0	78	1	2	6	11	19	24	47
20-34	193	10.7	83	2	2	8	15	22	27	47
35-49	395	12.7	124	2	3	10	17	26	37	56
50-64	797	12.3	110	2	3	9	17	24	33	61
65+	1286	14.5	157	2	3	11	19	29	39	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1558	5.3	19	1	2	4	7	10	14	23
B. *Operated*	1064	8.4	52	1	2	7	11	17	21	34
2. MULTIPLE DX										
A. *Not Operated*	7096	8.4	55	2	2	6	10	16	21	39
B. *Operated*	2747	13.2	133	2	3	10	17	27	36	62
1. SINGLE DX	2622	6.5	34	1	2	5	8	14	18	28
2. MULTIPLE DX	9843	9.8	81	2	3	7	12	20	26	48
A. NOT OPERATED	8654	7.9	50	2	2	6	10	15	20	37
B. OPERATED	3811	11.8	115	2	2	9	15	24	32	59
TOTAL 0-19 YRS	1012	4.7	23	1	1	3	5	9	12	21
20-34	951	6.8	42	1	1	5	8	15	20	34
35-49	1517	8.2	66	1	2	6	10	18	24	46
50-64	3103	8.7	62	2	2	7	11	18	23	41
65+	5882	10.6	87	2	3	8	13	21	28	50
GRAND TOTAL	**12465**	**9.1**	**73**	**2**	**2**	**7**	**11**	**19**	**24**	**45**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	2.8	3	<1	1	2	3	5	7	9
20-34	62	3.5	5	1	1	3	5	6	8	10
35-49	44	2.8	4	<1	1	2	4	5	7	11
50-64	37	3.0	6	<1	1	2	4	6	9	10
65+	11	2.8	4	<1	<1	3	3	6	7	7
B. *Operated*										
0-19 YRS	2003	1.9	1	<1	1	2	2	3	4	5
20-34	1802	2.5	2	1	1	2	3	4	5	8
35-49	725	2.9	5	1	2	2	3	5	6	11
50-64	419	2.8	2	1	2	2	3	5	6	8
65+	183	3.2	6	1	2	2	4	5	7	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	98	3.3	6	<1	1	2	5	7	8	13
20-34	89	3.7	9	<1	1	3	4	8	9	17
35-49	74	4.3	8	1	1	4	6	8	10	14
50-64	75	4.5	15	<1	1	3	6	9	14	17
65+	61	6.9	20	1	2	6	9	13	15	22
B. *Operated*										
0-19 YRS	956	2.4	2	<1	1	2	3	5	5	8
20-34	1136	3.1	15	1	1	2	4	5	7	11
35-49	784	3.1	13	1	1	2	4	5	7	11
50-64	710	3.6	12	1	2	3	4	6	9	19
65+	465	4.1	20	1	2	3	4	8	10	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	210	3.1	4	<1	1	2	4	6	7	10
B. *Operated*	5132	2.4	3	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	397	4.4	12	<1	1	3	6	9	11	17
B. *Operated*	4051	3.2	12	1	1	2	4	5	7	14
1. SINGLE DX	5342	2.4	3	1	1	2	3	4	5	8
2. MULTIPLE DX	4448	3.3	12	1	1	2	4	6	8	15
A. NOT OPERATED	607	3.9	10	<1	1	3	5	8	10	16
B. OPERATED	9183	2.7	7	1	1	2	3	5	6	11
TOTAL 0-19 YRS	3113	2.2	2	<1	1	2	2	4	5	7
20-34	3089	2.8	7	1	1	2	3	5	6	10
35-49	1627	3.1	9	1	1	2	4	5	7	11
50-64	1241	3.4	9	1	2	2	4	6	8	17
65+	720	4.1	17	1	2	3	5	8	11	21
GRAND TOTAL	**9790**	**2.8**	**7**	**1**	**1**	**2**	**3**	**5**	**6**	**11**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	107	3.4	3	1	1	3	5	6	6	8
20-34	41	3.6	5	1	1	3	5	7	8	10
35-49	31	4.1	6	1	2	4	5	8	10	10
50-64	25	4.3	8	1	1	4	5	7	10	14
65+	26	5.2	9	1	1	5	7	9	10	10
B. *Operated*										
0-19 YRS	142	2.3	4	<1	<1	2	3	4	6	11
20-34	159	3.5	5	1	1	3	4	6	8	10
35-49	133	3.3	3	1	2	3	4	5	7	12
50-64	208	3.4	6	1	2	3	4	5	8	16
65+	155	3.6	6	1	2	3	4	5	9	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	157	4.3	4	2	2	4	6	7	8	9
20-34	44	4.2	5	1	2	4	5	6	8	13
35-49	54	5.6	11	1	2	5	7	10	12	18
50-64	60	6.2	18	2	2	5	8	11	13	24
65+	148	7.6	39	2	3	6	9	14	20	35
B. *Operated*										
0-19 YRS	62	3.6	6	1	1	3	5	7	9	11
20-34	108	4.0	16	1	2	3	5	7	10	26
35-49	132	4.6	24	1	1	3	5	9	11	24
50-64	194	5.9	58	2	2	3	7	12	15	40
65+	162	6.2	51	1	2	4	7	14	20	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	230	3.9	5	1	1	3	5	7	9	10
B. *Operated*	797	3.2	5	1	1	3	4	5	8	12
2. MULTIPLE DX										
A. *Not Operated*	463	5.7	20	2	2	5	7	10	13	25
B. *Operated*	658	5.2	39	1	2	3	6	10	14	30
1. SINGLE DX	1027	3.4	5	1	1	3	4	6	8	12
2. MULTIPLE DX	1121	5.4	31	1	2	4	6	10	14	26
A. NOT OPERATED	693	5.1	16	1	2	4	6	9	11	22
B. OPERATED	1455	4.1	21	1	1	3	4	8	11	19
TOTAL 0-19 YRS	468	3.4	4	1	1	3	5	6	8	9
20-34	352	3.8	8	1	1	3	5	7	9	13
35-49	350	4.2	13	1	2	3	5	8	10	16
50-64	487	4.7	30	1	2	3	5	9	13	21
65+	491	5.8	34	1	2	4	7	11	15	29
GRAND TOTAL	**2148**	**4.4**	**20**	**1**	**2**	**3**	**5**	**8**	**11**	**21**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	212	3.6	8	1	1	3	4	7	9	15
20-34	263	3.7	6	1	1	3	4	6	8	14
35-49	385	3.8	7	1	1	3	5	6	8	13
50-64	330	4.0	8	1	1	3	5	7	9	16
65+	209	4.4	10	1	2	4	5	8	10	18
B. *Operated*										
0-19 YRS	56	4.9	24	<1	1	3	7	9	12	28
20-34	95	5.7	20	1	1	5	8	11	15	65
35-49	156	6.3	30	1	2	6	8	13	15	24
50-64	203	6.2	34	1	2	5	8	11	16	32
65+	237	5.4	22	1	1	4	7	11	16	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	181	4.8	30	1	2	3	5	9	12	37
20-34	639	4.6	13	1	2	4	6	8	10	18
35-49	1111	4.9	11	1	2	4	6	9	11	19
50-64	1475	5.3	13	2	2	4	7	9	12	19
65+	1660	6.6	30	2	2	5	8	12	16	27
B. *Operated*										
0-19 YRS	53	9.0	68	1	2	6	12	22	25	39
20-34	246	7.3	39	2	2	6	9	13	17	30
35-49	548	7.9	36	2	2	6	10	15	19	29
50-64	816	8.3	60	2	2	6	10	16	21	49
65+	1091	9.8	90	2	2	7	12	20	27	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1399	3.9	8	1	1	3	5	7	9	15
B. *Operated*	747	5.8	27	1	1	5	8	11	15	26
2. MULTIPLE DX										
A. *Not Operated*	5066	5.6	19	2	2	4	7	10	13	21
B. *Operated*	2754	8.8	66	2	2	7	11	17	24	44
1. SINGLE DX	2146	4.6	15	1	1	3	6	9	12	20
2. MULTIPLE DX	7820	6.7	38	2	2	5	8	13	17	31
A. NOT OPERATED	6465	5.2	17	1	2	4	6	9	12	20
B. OPERATED	3501	8.1	59	2	2	6	10	16	22	40
TOTAL 0-19 YRS	502	4.8	26	1	1	3	6	9	13	27
20-34	1243	5.0	18	1	2	4	6	9	12	21
35-49	2200	5.6	20	1	2	4	7	10	14	23
50-64	2824	6.1	30	1	2	5	7	11	15	28
65+	3197	7.5	52	2	2	6	9	15	20	36
GRAND TOTAL	**9966**	**6.2**	**34**	**1**	**2**	**5**	**8**	**12**	**16**	**29**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	3.8	9	1	2	3	4	7	8	17
20-34	150	4.4	9	1	1	4	6	8	10	14
35-49	205	4.9	9	2	2	4	6	8	10	15
50-64	217	4.6	11	1	2	4	6	8	9	24
65+	190	5.9	29	1	2	5	7	10	14	31
B. *Operated*										
0-19 YRS	5	4.6	7	3	3	3	6	9	9	9
20-34	60	6.8	13	3	4	6	8	11	14	22
35-49	175	8.1	34	1	3	7	11	15	18	23
50-64	177	8.2	33	1	2	7	11	17	20	28
65+	154	8.5	37	2	3	7	11	15	20	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	6.5	37	2	2	4	8	18	21	26
20-34	211	5.7	16	1	2	5	7	10	13	21
35-49	417	5.9	17	2	2	5	7	10	12	17
50-64	675	6.6	19	2	2	6	8	12	15	21
65+	948	7.9	31	2	3	7	10	14	19	29
B. *Operated*										
0-19 YRS	10	8.3	17	3	3	8	11	14	16	16
20-34	83	8.3	33	2	2	7	11	15	21	28
35-49	310	8.6	32	2	3	8	11	16	19	26
50-64	470	9.7	49	2	3	8	13	18	22	36
65+	704	11.1	75	3	4	9	14	22	28	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	796	4.9	14	1	2	4	6	9	11	22
B. *Operated*	571	8.0	32	2	3	7	10	15	18	28
2. MULTIPLE DX										
A. *Not Operated*	2278	6.9	24	2	3	6	8	12	16	27
B. *Operated*	1577	10.0	57	2	3	8	13	18	25	37
1. SINGLE DX	1367	6.2	24	1	2	5	8	12	15	25
2. MULTIPLE DX	3855	8.2	40	2	3	7	10	15	20	33
A. NOT OPERATED	3074	6.4	22	2	2	5	8	11	15	25
B. OPERATED	2148	9.5	51	2	3	8	12	17	23	36
TOTAL 0-19 YRS	76	5.4	22	2	2	4	7	10	17	24
20-34	504	5.9	18	1	2	5	7	11	14	23
35-49	1107	6.8	24	2	2	6	9	13	16	24
50-64	1539	7.5	31	2	2	6	9	14	18	29
65+	1996	8.9	50	2	3	7	11	16	23	35
GRAND TOTAL	**5222**	**7.7**	**37**	**2**	**2**	**6**	**9**	**15**	**19**	**30**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	3.9	6	1	1	3	6	7	8	8
20-34	35	4.4	6	1	2	4	5	8	9	12
35-49	79	5.6	13	1	2	4	7	11	13	17
50-64	119	5.3	6	2	2	5	7	8	9	15
65+	136	7.0	20	2	3	6	8	13	16	21
B. *Operated*										
0-19 YRS	4	5.8	4	4	4	6	7	8	8	8
20-34	40	8.1	13	4	4	7	10	11	13	24
35-49	62	9.9	21	4	5	9	13	17	18	25
50-64	101	10.2	40	3	4	8	13	17	21	35
65+	121	11.0	34	4	5	10	14	19	22	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	4.9	2	3	3	4	6	7	7	7
20-34	37	5.9	15	2	3	5	7	9	15	20
35-49	103	6.8	13	2	3	6	8	10	13	22
50-64	254	7.7	30	3	3	6	9	14	18	32
65+	508	9.4	42	3	4	8	11	16	21	32
B. *Operated*										
0-19 YRS	7	9.4	62	3	3	5	13	23	25	25
20-34	26	13.9	142	5	6	10	14	24	50	53
35-49	108	11.8	129	3	4	9	13	21	26	70
50-64	212	14.7	163	4	5	11	18	26	36	72
65+	546	14.9	170	4	5	11	18	30	41	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	382	5.8	13	2	2	5	7	9	13	19
B. *Operated*	328	10.1	31	3	4	9	13	18	20	27
2. MULTIPLE DX										
A. *Not Operated*	912	8.4	35	3	4	7	10	15	19	31
B. *Operated*	899	14.4	163	4	5	11	17	27	39	74
1. SINGLE DX	710	7.8	26	2	3	6	10	15	18	25
2. MULTIPLE DX	1811	11.4	107	3	4	8	14	21	29	60
A. NOT OPERATED	1294	7.7	30	2	3	6	9	14	17	29
B. OPERATED	1227	13.3	131	4	5	10	16	24	34	69
TOTAL 0-19 YRS	34	5.6	19	1	2	4	7	8	13	25
20-34	138	7.7	46	2	3	6	9	12	17	49
35-49	352	8.6	56	2	3	7	10	15	19	35
50-64	686	9.8	81	3	4	7	12	19	24	50
65+	1311	11.6	101	3	4	9	14	21	29	61
GRAND TOTAL	**2521**	**10.4**	**87**	**3**	**4**	**8**	**13**	**19**	**26**	**54**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	217	3.5	7	1	1	3	4	6	7	11
20-34	860	4.1	6	1	2	4	5	7	8	11
35-49	938	4.3	7	1	2	4	5	7	9	14
50-64	603	4.8	8	2	2	4	6	8	10	16
65+	371	5.3	9	2	2	5	7	9	10	17
B. *Operated*										
0-19 YRS	10	6.9	11	3	3	7	9	11	13	13
20-34	105	9.3	26	3	4	8	11	14	20	28
35-49	170	10.4	38	2	4	9	13	18	21	29
50-64	127	9.6	23	4	4	9	12	16	18	26
65+	43	10.2	36	3	4	9	13	17	21	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	163	4.6	8	1	2	4	6	8	10	16
20-34	890	5.2	13	2	2	4	6	9	12	18
35-49	1424	5.3	11	2	2	4	7	9	12	17
50-64	1621	6.0	19	2	3	5	7	10	13	21
65+	1787	7.3	27	2	3	6	9	13	16	27
B. *Operated*										
0-19 YRS	8	8.3	17	3	3	8	11	13	14	14
20-34	166	9.4	32	2	3	9	12	16	19	[illegible]
35-49	328	10.1	51	3	4	9	13	18	21	[illegible]
50-64	399	10.6	51	3	4	9	14	19	25	38
65+	351	11.4	73	3	4	9	14	22	27	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2989	4.4	7	1	2	4	6	8	9	14
B. *Operated*	455	9.8	31	3	4	9	12	16	20	28
2. MULTIPLE DX										
A. *Not Operated*	5885	6.1	19	2	2	5	7	11	14	22
B. *Operated*	1252	10.5	55	3	4	9	13	19	25	41
1. SINGLE DX	3444	5.1	14	1	2	4	6	9	12	19
2. MULTIPLE DX	7137	6.8	28	2	3	5	8	13	16	27
A. NOT OPERATED	8874	5.5	16	2	2	5	7	10	12	20
B. OPERATED	1707	10.3	48	3	4	9	13	18	24	38
TOTAL 0-19 YRS	398	4.2	8	1	2	3	5	8	9	14
20-34	2021	5.3	15	2	2	4	7	10	12	21
35-49	2860	5.8	20	2	2	5	7	11	14	21
50-64	2750	6.6	25	2	3	5	8	12	16	25
65+	2552	7.6	34	2	3	6	9	14	18	31
GRAND TOTAL	**10581**	**6.3**	**24**	**2**	**2**	**5**	**8**	**12**	**15**	**25**

193: Nongastric peptic ulcer with hemorrhage or perforation (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	4.3	5	1	2	4	5	6	7	14
20-34	265	4.7	4	2	2	5	6	8	8	11
35-49	319	5.1	8	2	2	5	6	9	10	15
50-64	321	5.4	6	2	3	5	7	9	10	13
65+	283	6.8	15	2	3	6	8	11	14	21
B. *Operated*										
0-19 YRS	15	6.7	13	2	2	6	9	10	14	15
20-34	114	9.7	45	5	6	8	10	17	19	48
35-49	147	10.1	19	5	6	9	12	15	18	28
50-64	145	10.8	39	5	5	9	13	18	21	38
65+	127	12.2	38	4	6	11	15	22	25	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	5.6	10	2	2	5	8	10	12	12
20-34	161	5.3	8	2	3	5	7	9	11	14
35-49	315	5.9	11	2	3	5	7	10	12	17
50-64	554	7.0	24	2	3	6	8	12	15	25
65+	879	8.8	45	3	4	7	11	15	20	40
B. *Operated*										
0-19 YRS	8	12.5	57	4	5	11	17	24	26	26
20-34	58	12.2	104	3	4	9	14	26	28	61
35-49	117	12.1	67	4	5	10	14	22	27	51
50-64	253	14.3	90	4	6	12	18	26	37	54
65+	431	18.3	177	5	6	14	23	36	46	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1234	5.5	9	2	3	5	7	9	11	16
B. *Operated*	548	10.6	35	5	6	9	13	18	21	33
2. MULTIPLE DX										
A. *Not Operated*	1933	7.5	31	2	3	6	9	13	17	31
B. *Operated*	867	15.8	137	4	6	12	20	32	42	64
1. SINGLE DX	1782	7.1	22	2	3	6	9	12	16	24
2. MULTIPLE DX	2800	10.1	79	3	3	7	12	20	28	49
A. NOT OPERATED	3167	6.7	24	2	3	6	8	11	14	25
B. OPERATED	1415	13.8	104	4	6	11	16	26	35	54
TOTAL 0-19 YRS	93	5.7	16	2	2	5	7	10	14	23
20-34	598	6.6	29	2	3	5	8	10	14	28
35-49	898	7.1	25	2	3	6	9	12	15	27
50-64	1273	8.5	45	3	3	7	10	16	21	38
65+	1720	11.1	91	3	4	8	13	21	30	50
GRAND TOTAL	**4582**	**8.9**	**59**	**2**	**3**	**7**	**10**	**17**	**23**	**43**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	5.0	1	4	4	5	6	6	6	6
20-34	20	5.7	16	2	2	4	7	9	14	19
35-49	16	6.1	10	2	2	6	8	10	12	13
50-64	26	6.4	9	2	3	6	8	10	12	15
65+	24	9.8	49	3	4	8	12	19	24	35
B. *Operated*										
0-19 YRS	2	13.0	32	9	9	13	17	17	17	17
20-34	18	13.4	40	7	8	11	19	24	27	29
35-49	52	14.8	80	5	7	13	16	28	37	43
50-64	55	14.4	45	5	7	13	18	21	27	37
65+	46	17.4	91	8	9	15	20	31	39	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	8.8	33	2	2	9	13	14	14	14
20-34	15	8.1	21	2	3	7	11	13	17	19
35-49	38	7.0	17	2	3	7	9	11	14	24
50-64	54	8.0	20	2	4	7	10	14	18	23
65+	100	10.6	54	4	4	9	13	19	25	40
B. *Operated*										
0-19 YRS										
20-34	15	15.1	46	6	6	14	19	23	29	31
35-49	69	15.2	77	5	7	13	18	27	34	91
50-64	91	17.2	86	8	9	16	21	26	35	51
65+	126	21.7	223	6	9	17	26	40	54	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	89	7.0	23	2	3	6	8	12	15	29
B. *Operated*	173	15.2	68	6	8	13	18	25	35	45
2. MULTIPLE DX										
A. *Not Operated*	211	9.1	38	3	4	7	11	17	21	32
B. *Operated*	301	18.5	146	6	8	15	22	35	45	68
1. SINGLE DX	262	12.4	67	3	4	11	16	20	30	43
2. MULTIPLE DX	512	14.6	123	4	5	12	19	26	38	58
A. NOT OPERATED	300	8.5	34	2	3	7	10	15	19	32
B. OPERATED	474	17.3	120	6	8	15	20	31	40	59
TOTAL 0-19 YRS	9	8.4	26	2	3	6	13	16	17	17
20-34	68	10.3	44	3	3	9	13	20	23	31
35-49	175	12.5	73	3	4	10	16	23	33	53
50-64	226	13.1	70	4	5	11	18	23	26	45
65+	296	16.3	158	4	5	13	20	33	42	62
GRAND TOTAL	**774**	**13.9**	**105**	**3**	**5**	**11**	**18**	**25**	**35**	**55**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	777	2.7	3	1	1	2	3	5	6	8
20-34	1383	3.3	5	1	1	3	4	6	7	11
35-49	1129	3.9	6	1	2	3	5	7	9	13
50-64	675	4.2	9	1	2	3	5	7	9	14
65+	380	4.8	11	1	2	4	6	8	10	19
B. *Operated*										
0-19 YRS	26	3.8	3	2	2	4	5	6	8	8
20-34	109	6.5	16	2	3	6	8	12	14	21
35-49	146	7.4	21	2	3	6	10	14	17	23
50-64	119	7.4	35	2	2	6	10	15	19	30
65+	77	7.1	28	2	2	6	9	13	16	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1022	3.3	5	1	1	3	4	6	7	11
20-34	2266	4.4	10	1	2	4	5	8	10	15
35-49	2827	5.1	10	2	2	4	6	9	11	17
50-64	2805	5.6	13	2	2	5	7	10	12	18
65+	3013	6.7	25	2	3	5	8	12	15	28
B. *Operated*										
0-19 YRS	50	6.9	20	2	3	6	8	12	16	27
20-34	345	7.5	26	2	3	6	9	14	17	27
35-49	595	8.5	39	2	3	7	10	15	18	30
50-64	656	9.1	41	3	3	7	11	17	22	35
65+	715	10.3	57	3	4	8	13	20	26	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4344	3.6	6	1	1	3	4	7	8	13
B. *Operated*	477	6.9	24	2	2	6	9	13	17	24
2. MULTIPLE DX										
A. *Not Operated*	11933	5.3	15	2	2	4	7	10	12	19
B. *Operated*	2361	9.0	44	2	3	7	11	17	22	34
1. SINGLE DX	4821	4.0	9	1	1	3	5	7	9	16
2. MULTIPLE DX	14294	5.9	22	2	2	5	7	11	14	24
A. NOT OPERATED	16277	4.9	13	1	2	4	6	9	11	16
B. OPERATED	2838	8.7	41	2	3	7	11	16	21	33
TOTAL 0-19 YRS	1875	3.2	5	1	1	3	4	5	7	11
20-34	4103	4.4	11	1	2	4	5	8	10	16
35-49	4697	5.3	15	2	2	4	7	10	12	19
50-64	4255	5.9	19	2	2	5	7	11	14	23
65+	4185	7.1	32	2	3	6	9	13	17	30
GRAND TOTAL	**19115**	**5.4**	**19**	**1**	**2**	**4**	**7**	**10**	**13**	**22**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	227	3.2	4	1	1	3	4	5	7	12
20-34	408	3.5	5	1	2	3	4	6	7	11
35-49	358	4.1	7	1	2	3	5	7	9	13
50-64	228	4.2	8	1	2	3	5	8	9	15
65+	112	5.2	12	1	2	4	7	9	12	17
B. *Operated*										
0-19 YRS	98	4.4	6	2	2	4	5	7	10	15
20-34	26	7.6	49	1	3	6	8	17	26	31
35-49	54	11.6	48	4	5	10	15	21	23	39
50-64	52	14.8	104	2	4	13	19	29	36	46
65+	45	13.9	59	3	4	14	18	24	27	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	215	3.4	4	1	1	3	4	6	7	11
20-34	620	4.4	8	2	2	4	5	8	10	15
35-49	771	5.1	13	2	2	4	6	9	12	20
50-64	691	5.6	15	2	2	5	7	10	13	21
65+	738	6.9	39	2	2	5	8	13	17	28
B. *Operated*										
0-19 YRS	35	7.3	22	2	3	5	10	14	18	20
20-34	103	8.7	32	2	3	7	12	17	20	27
35-49	187	10.7	59	2	3	8	15	20	25	39
50-64	213	15.6	167	3	4	12	20	30	41	67
65+	240	18.1	143	4	6	15	23	37	43	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1333	3.9	7	1	2	3	5	7	9	14
B. *Operated*	275	9.6	64	2	3	7	13	21	25	38
2. MULTIPLE DX										
A. *Not Operated*	3035	5.4	19	2	2	4	7	10	13	22
B. *Operated*	778	13.9	123	3	4	11	18	27	37	53
1. SINGLE DX	1608	4.8	21	1	2	3	5	9	14	25
2. MULTIPLE DX	3813	7.1	52	2	2	5	8	15	21	38
A. NOT OPERATED	4368	4.9	16	1	2	4	6	9	12	21
B. OPERATED	1053	12.8	111	3	3	10	17	26	35	51
TOTAL 0-19 YRS	575	3.7	6	1	2	3	4	6	9	14
20-34	1157	4.5	12	1	2	4	5	8	11	19
35-49	1370	5.9	25	2	2	4	7	12	16	26
50-64	1184	7.6	63	2	2	5	9	16	22	42
65+	1135	9.4	82	2	2	6	12	21	27	46
GRAND TOTAL	**5421**	**6.5**	**44**	**2**	**2**	**4**	**7**	**13**	**19**	**36**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	2.5	2	1	1	2	3	4	6	7
20-34	23	2.8	6	<1	<1	2	4	7	9	10
35-49	14	2.8	8	<1	1	2	3	5	10	12
50-64	2	4.5	25	1	1	4	8	8	8	8
65+	4	6.3	37	<1	<1	4	10	15	15	15
B. *Operated*										
0-19 YRS	3921	3.6	3	2	2	3	4	5	6	10
20-34	2635	3.8	3	2	2	4	4	6	7	10
35-49	743	4.2	4	2	2	4	5	6	8	11
50-64	332	5.3	8	2	3	5	6	9	10	16
65+	124	6.6	12	3	3	6	8	11	12	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	3.1	3	<1	<1	3	4	5	6	6
20-34	13	2.9	3	1	1	3	4	5	6	6
35-49	2	5.5	25	2	2	5	9	9	9	9
50-64	2	6.5	5	5	5	6	8	8	8	8
65+	6	5.3	12	2	2	5	8	10	10	10
B. *Operated*										
0-19 YRS	505	5.0	10	2	2	4	6	9	11	16
20-34	421	5.6	10	2	3	5	6	9	12	18
35-49	185	6.9	17	3	3	6	8	12	15	24
50-64	156	7.9	31	3	4	7	9	13	17	20
65+	118	10.8	60	3	4	9	13	20	26	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	78	2.9	7	<1	1	2	4	6	8	14
B. *Operated*	7755	3.8	4	2	2	3	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	33	3.8	6	1	1	3	5	8	9	10
B. *Operated*	1385	6.3	20	2	3	5	7	11	14	24
1. SINGLE DX	7833	3.8	4	2	2	3	4	6	7	11
2. MULTIPLE DX	1418	6.2	20	2	3	5	7	11	14	24
A. NOT OPERATED	111	3.2	7	<1	1	2	4	7	8	13
B. OPERATED	9140	4.2	7	2	2	4	5	7	9	14
TOTAL 0-19 YRS	4471	3.7	4	2	2	3	4	6	7	11
20-34	3092	4.1	4	2	2	4	5	6	8	12
35-49	944	4.7	8	2	3	4	5	8	10	16
50-64	492	6.1	17	2	3	5	7	10	12	20
65+	252	8.5	39	3	3	7	10	15	20	29
GRAND TOTAL	9251	4.2	7	2	2	4	5	7	9	14

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	3.9	4	1	1	4	5	6	7	7
20-34	8	8.4	12	5	5	8	9	14	16	16
35-49	5	5.0	5	2	2	5	7	7	7	7
50-64	8	8.9	3	6	6	9	10	11	11	11
65+	4	11.3	12	8	8	10	13	16	16	16
B. *Operated*										
0-19 YRS	861	6.9	16	2	3	6	9	11	14	20
20-34	450	6.7	14	2	3	6	8	11	13	19
35-49	271	7.6	16	3	3	7	9	12	15	23
50-64	226	9.5	26	4	5	8	11	15	18	32
65+	139	10.9	42	4	5	10	13	17	21	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.5	5	4	4	5	7	7	7	7
20-34	1	6.0		6	6	6	6	6	6	6
35-49	3	13.0	19	8	8	15	16	16	16	16
50-64	4	11.5	58	4	4	10	17	21	21	21
65+	9	9.7	26	3	4	10	12	18	20	20
B. *Operated*										
0-19 YRS	317	9.9	28	4	5	8	12	16	20	29
20-34	199	10.8	36	3	4	10	13	20	23	29
35-49	159	11.4	46	4	5	10	13	18	24	42
50-64	267	14.2	99	6	6	11	17	24	30	67
65+	237	16.8	147	6	7	13	20	31	48	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	7.1	13	2	2	7	9	11	15	16
B. *Operated*	1947	7.5	20	2	3	7	9	12	15	24
2. MULTIPLE DX										
A. *Not Operated*	19	9.9	29	3	4	8	14	18	21	21
B. *Operated*	1179	12.6	79	4	5	10	15	22	28	52
1. SINGLE DX	1982	7.5	20	2	3	7	9	12	15	24
2. MULTIPLE DX	1198	12.6	78	4	5	10	15	22	28	52
A. NOT OPERATED	54	8.1	20	2	3	7	10	15	16	21
B. OPERATED	3126	9.4	48	3	3	8	1	16	21	38
TOTAL 0-19 YRS	1190	7.7	21	2	3	7	10	13	15	26
20-34	658	7.9	24	2	3	7	10	14	18	26
35-49	438	9.0	30	3	4	8	1	15	18	30
50-64	505	12.0	70	5	6	10	14	21	26	55
65+	389	14.5	114	5	6	11	17	25	36	60
GRAND TOTAL	3180	9.4	48	3	3	8	11	16	21	38

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	97	2.2	2	1	1	2	3	4	5	7
20-34	56	2.7	3	1	1	2	3	6	6	9
35-49	17	3.1	2	1	2	3	4	5	6	6
50-64	4	1.8	1	1	1	2	2	3	3	3
65+	3	4.0	7	1	1	5	6	6	6	6
B. *Operated*										
0-19 YRS	527	4.0	5	2	2	4	5	6	8	11
20-34	334	4.5	5	2	2	4	5	7	9	13
35-49	101	4.9	4	2	3	4	6	8	9	11
50-64	42	6.7	24	2	3	5	7	17	19	21
65+	20	6.9	8	3	4	6	8	10	13	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	2.5	6	1	1	2	3	4	6	16
20-34	30	2.9	5	1	1	2	3	6	8	11
35-49	10	3.4	3	1	1	3	5	6	6	6
50-64	7	4.1	11	2	2	3	5	10	11	11
65+	5	6.8	20	3	3	7	9	14	14	14
B. *Operated*										
0-19 YRS	229	5.0	8	2	3	4	6	9	11	16
20-34	190	6.0	19	2	3	5	7	10	12	21
35-49	59	7.8	16	3	4	7	11	14	15	21
50-64	31	10.0	49	3	4	8	13	20	26	30
65+	26	10.8	26	3	4	10	14	19	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	177	2.5	2	1	1	2	3	5	6	7
B. *Operated*	1024	4.4	6	2	2	4	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	102	3.0	7	1	1	2	3	6	9	15
B. *Operated*	535	6.2	19	2	3	5	7	11	15	21
1. SINGLE DX	1201	4.1	6	1	2	4	5	7	8	13
2. MULTIPLE DX	637	5.7	18	2	2	5	7	11	14	21
A. NOT OPERATED	279	2.7	4	1	1	2	3	5	6	11
B. OPERATED	1559	5.0	11	2	2	4	6	9	11	19
TOTAL 0-19 YRS	903	4.0	6	1	2	3	5	7	8	13
20-34	610	4.7	10	1	2	4	6	8	10	16
35-49	187	5.5	10	2	3	5	6	10	11	16
50-64	84	7.5	35	2	2	5	10	17	20	29
65+	54	8.6	22	3	3	7	11	15	19	21
GRAND TOTAL	**1838**	**4.7**	**11**	**1**	**2**	**4**	**6**	**8**	**11**	**17**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	1.5	1	<1	<1	1	2	3	5	5
20-34	20	2.4	1	1	1	2	3	4	4	5
35-49	20	2.5	3	<1	<1	2	4	5	6	7
50-64	36	2.9	5	<1	<1	3	4	5	7	10
65+	31	3.7	27	1	1	2	3	9	12	27
B. *Operated*										
0-19 YRS	2947	2.2	1	<1	1	2	3	4	4	6
20-34	2929	3.6	2	2	2	3	4	5	6	8
35-49	3003	4.0	3	2	2	4	5	6	7	10
50-64	4061	4.4	3	2	3	4	5	7	8	11
65+	3077	5.0	6	2	3	5	6	8	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	110	2.2	13	<1	<1	1	2	4	6	23
20-34	25	2.0	2	<1	<1	1	2	4	5	7
35-49	28	2.7	2	<1	1	2	4	5	5	5
50-64	60	3.6	15	<1	1	3	5	6	8	24
65+	107	5.2	18	1	2	4	7	11	16	20
B. *Operated*										
0-19 YRS	1515	2.4	3	1	1	2	3	4	5	9
20-34	813	4.4	6	2	2	4	5	7	9	12
35-49	1339	5.1	8	2	3	4	6	8	10	17
50-64	2560	5.6	10	2	3	5	7	9	11	18
65+	3068	7.2	22	3	3	6	9	12	16	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	140	2.6	8	<1	<1	2	3	5	7	13
B. *Operated*	16017	3.9	4	1	2	4	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	330	3.4	15	<1	<1	2	4	7	11	21
B. *Operated*	9295	5.4	15	1	2	5	7	9	12	20
1. SINGLE DX	16157	3.9	4	1	2	4	5	6	7	10
2. MULTIPLE DX	9625	5.3	15	1	2	4	7	9	12	20
A. NOT OPERATED	470	3.2	13	<1	<1	2	4	6	10	20
B. OPERATED	25312	4.4	9	1	2	4	5	7	9	16
TOTAL 0-19 YRS	4605	2.2	2	<1	1	2	3	4	5	7
20-34	3787	3.8	3	2	2	4	4	6	7	10
35-49	4390	4.3	5	2	2	4	5	6	8	12
50-64	6717	4.8	6	2	3	4	6	8	9	14
65+	6283	6.0	15	2	3	5	7	10	13	21
GRAND TOTAL	**25782**	**4.4**	**9**	**1**	**2**	**4**	**5**	**7**	**9**	**16**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	1.0		1	1	1	1	1	1	1
35-49										
50-64	2	3.5	1	3	3	3	4	4	4	4
65+	12	3.4	18	<1	<1	2	3	11	14	14
B. *Operated*										
0-19 YRS	182	2.5	3	1	1	2	3	4	5	10
20-34	95	4.2	3	2	3	4	5	6	7	11
35-49	87	4.4	5	2	2	4	5	7	9	14
50-64	127	5.5	12	2	3	5	7	8	11	17
65+	224	6.1	10	2	3	5	7	10	11	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64	5	3.2	11	1	1	2	4	9	9	9
65+	15	5.4	17	1	1	4	7	11	14	15
B. *Operated*										
0-19 YRS	94	3.1	6	1	1	2	4	6	7	15
20-34	35	5.6	11	2	3	5	7	10	14	16
35-49	53	5.7	9	2	3	5	7	10	12	16
50-64	114	8.3	37	3	4	7	10	14	19	35
65+	350	10.5	82	3	4	8	12	19	22	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	3.0	13	<1	1	2	3	9	13	14
B. *Operated*	715	4.6	9	1	2	4	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	24	4.3	15	<1	1	3	5	11	12	15
B. *Operated*	646	8.4	60	2	2	7	10	16	20	48
1. SINGLE DX	732	4.6	9	1	2	4	6	8	10	15
2. MULTIPLE DX	670	8.3	59	2	2	6	10	16	20	47
A. NOT OPERATED	41	3.8	14	<1	1	2	4	10	12	15
B. OPERATED	1361	6.4	37	1	2	5	8	12	16	33
TOTAL 0-19 YRS	280	2.6	4	1	1	2	3	5	6	11
20-34	133	4.5	5	2	3	4	5	7	8	15
35-49	140	4.9	7	2	2	4	6	8	10	16
50-64	248	6.7	25	2	3	5	8	11	14	27
65+	601	8.6	57	2	3	7	10	15	20	45
GRAND TOTAL	**1402**	**6.3**	**36**	**1**	**2**	**5**	**8**	**11**	**16**	**32**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*										
0-19 YRS	757	2.2	1	<1	1	2	3	3	4	6
20-34	240	3.4	3	1	2	3	4	5	7	10
35-49	242	3.8	9	1	2	3	4	6	7	11
50-64	176	4.2	5	2	2	4	5	7	9	12
65+	74	4.9	8	2	2	4	6	8	10	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	1.7	2	<1	<1	1	2	4	6	6
20-34	6	3.5	12	<1	<1	2	4	9	10	10
35-49	3	1.7	1	1	1	1	3	3	3	3
50-64	11	2.8	4	<1	<1	2	4	6	7	7
65+	12	7.6	33	2	3	6	7	18	21	22
B. *Operated*										
0-19 YRS	182	2.8	4	<1	1	2	3	5	7	11
20-34	129	5.0	13	2	2	4	6	8	9	19
35-49	186	5.1	9	2	2	4	6	9	12	16
50-64	167	6.8	35	2	3	5	8	11	16	39
65+	119	8.6	30	3	3	7	11	16	20	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.3	2	<1	<1	2	3	5	5	5
B. *Operated*	1489	3.0	4	1	1	3	4	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	56	3.4	15	<1	1	2	5	7	9	22
B. *Operated*	783	5.4	21	1	2	4	7	10	14	23
1. SINGLE DX	1496	3.0	4	1	1	3	4	5	7	10
2. MULTIPLE DX	839	5.3	20	1	2	4	6	10	14	23
A. NOT OPERATED	63	3.3	13	<1	1	2	4	7	8	21
B. OPERATED	2272	3.9	11	1	1	3	5	7	9	16
TOTAL 0-19 YRS	966	2.3	2	<1	1	2	3	4	5	8
20-34	375	3.9	7	2	2	3	5	6	8	10
35-49	432	4.3	9	2	2	4	5	7	9	15
50-64	355	5.4	21	2	2	4	6	9	12	28
65+	207	7.2	25	2	3	6	9	14	17	25
GRAND TOTAL	**2335**	**3.8**	**11**	**1**	**1**	**3**	**5**	**7**	**9**	**16**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	3.0		3	3	3	3	3	3	3
35-49	7	2.4	3	<1	<1	2	4	5	5	5
50-64	9	2.9	6	<1	<1	2	3	7	9	9
65+	10	2.9	2	1	1	3	3	5	6	6
B. *Operated*										
0-19 YRS	105	2.4	2	1	1	2	3	4	5	7
20-34	339	4.3	5	2	2	4	5	7	8	10
35-49	533	5.8	10	2	3	5	7	9	12	18
50-64	727	6.6	14	3	3	6	8	10	13	21
65+	449	6.9	11	3	3	7	8	11	13	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	11	4.4	9	1	1	4	6	9	11	11
35-49	32	5.1	11	<1	1	5	7	10	11	14
50-64	48	4.9	15	1	1	4	6	9	14	21
65+	87	5.5	32	1	2	4	6	10	16	34
B. *Operated*										
0-19 YRS	31	4.2	22	1	1	2	4	14	16	18
20-34	208	6.0	19	2	2	5	7	9	12	21
35-49	462	7.5	20	3	3	7	9	13	16	26
50-64	643	9.0	34	3	4	8	11	16	19	29
65+	596	10.6	39	3	4	9	13	18	23	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	2.8	3	<1	1	2	3	5	6	9
B. *Operated*	2153	5.9	12	2	2	5	7	10	12	19
2. MULTIPLE DX										
A. *Not Operated*	180	5.2	22	1	1	4	7	10	14	24
B. *Operated*	1940	8.7	33	3	3	7	11	15	19	30
1. SINGLE DX	2181	5.9	12	2	2	5	7	10	12	19
2. MULTIPLE DX	2120	8.4	33	2	3	7	10	15	19	30
A. NOT OPERATED	208	4.9	20	1	1	4	6	10	12	23
B. OPERATED	4093	7.2	24	2	3	6	9	13	16	25
TOTAL 0-19 YRS	139	2.8	7	1	1	2	3	5	6	16
20-34	559	4.9	11	2	2	4	6	8	9	16
35-49	1034	6.6	15	2	3	6	8	11	13	22
50-64	1427	7.6	25	3	3	7	9	13	16	26
65+	1142	8.7	31	3	3	8	11	15	19	30
GRAND TOTAL	**4301**	**7.1**	**24**	**2**	**3**	**6**	**9**	**13**	**16**	**25**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	3.2	1	2	2	3	4	5	5	5
20-34	112	3.8	5	1	2	3	5	6	8	13
35-49	284	3.8	5	1	2	3	5	7	8	12
50-64	355	3.9	5	1	2	3	5	7	8	12
65+	252	4.9	10	2	2	4	6	8	10	17
B. *Operated*										
0-19 YRS	11	4.2	7	<1	1	4	6	8	9	9
20-34	28	7.6	11	3	3	8	9	12	14	15
35-49	66	8.1	11	3	4	8	9	12	14	19
50-64	60	8.3	17	2	3	8	10	13	15	25
65+	40	9.9	49	2	3	8	13	17	26	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	4.8	9	2	2	4	6	9	10	14
20-34	366	4.6	11	2	2	4	5	8	10	17
35-49	1279	4.6	9	2	2	4	6	8	10	17
50-64	2043	5.0	11	2	2	4	6	8	10	18
65+	2599	5.9	18	2	2	5	7	10	13	22
B. *Operated*										
0-19 YRS	10	6.5	7	3	3	6	8	10	12	12
20-34	170	9.1	62	2	3	7	10	15	24	41
35-49	431	9.4	34	2	3	8	12	16	20	30
50-64	584	9.4	34	2	3	8	12	16	20	30
65+	579	10.7	70	2	3	9	13	20	26	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1013	4.1	7	1	2	3	5	7	9	13
B. *Operated*	205	8.2	21	2	3	8	10	13	16	27
2. MULTIPLE DX										
A. *Not Operated*	6318	5.3	14	2	2	4	6	9	11	19
B. *Operated*	1774	9.8	49	2	3	8	12	17	22	36
1. SINGLE DX	1218	4.8	11	2	2	4	6	9	11	17
2. MULTIPLE DX	8092	6.2	25	2	2	5	8	11	15	26
A. NOT OPERATED	7331	5.1	13	2	2	4	6	9	11	18
B. OPERATED	1979	9.6	46	2	3	8	12	17	22	35
TOTAL 0-19 YRS	62	4.7	8	2	2	4	6	9	10	14
20-34	676	5.7	27	2	2	4	7	10	13	27
35-49	2060	5.6	18	2	2	4	7	11	14	22
50-64	3042	5.8	18	2	2	5	7	11	14	22
65+	3470	6.6	30	2	2	5	8	12	16	28
GRAND TOTAL	**9310**	**6.1**	**23**	**2**	**2**	**5**	**7**	**11**	**14**	**25**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0	1	<1	<1	2	3	3	3	3
20-34	5	2.2	1	1	1	2	3	3	3	3
35-49	8	4.6	21	2	2	3	4	12	16	16
50-64	7	6.4	23	<1	<1	5	10	13	14	14
65+	6	5.0	6	2	2	5	6	9	9	9
B. *Operated*										
0-19 YRS	14	3.1	5	<1	1	3	4	5	9	10
20-34	68	4.3	5	2	2	4	5	7	8	13
35-49	98	4.5	5	2	2	4	6	7	10	12
50-64	102	5.7	10	2	3	5	7	9	12	17
65+	103	5.2	7	2	2	5	7	9	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	7	3.7	3	2	2	3	5	6	6	6
35-49	11	5.7	18	2	2	4	7	13	15	15
50-64	21	6.0	22	1	2	5	7	11	16	22
65+	29	5.7	18	2	2	5	7	9	12	24
B. *Operated*										
0-19 YRS	14	2.7	1	1	1	3	4	4	5	5
20-34	33	6.7	79	2	3	5	7	11	12	54
35-49	66	7.3	43	2	3	6	8	14	25	89
50-64	82	7.9	16	3	3	8	10	13	16	20
65+	123	9.1	62	3	3	8	11	15	20	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	4.4	14	<1	1	3	5	10	14	16
B. *Operated*	385	4.9	7	2	2	4	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	70	5.5	17	2	2	5	7	10	12	24
B. *Operated*	318	7.9	47	2	3	6	10	13	18	42
1. SINGLE DX	414	4.9	8	2	2	4	6	8	10	15
2. MULTIPLE DX	388	7.4	42	2	3	6	9	13	17	37
A. NOT OPERATED	99	5.2	16	1	2	4	6	10	13	23
B. OPERATED	703	6.3	27	2	2	5	8	11	14	29
TOTAL 0-19 YRS	33	2.8	3	<1	1	2	3	4	5	10
20-34	113	4.9	27	2	2	4	6	8	10	28
35-49	183	5.6	22	2	2	4	7	10	13	35
50-64	212	6.6	14	2	3	5	9	11	14	19
65+	261	7.1	37	2	3	6	9	12	15	30
GRAND TOTAL	**802**	**6.1**	**26**	**2**	**2**	**5**	**8**	**11**	**14**	**26**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	7	4.6	42	1	1	2	4	16	19	19
50-64	10	2.2	2	<1	<1	2	3	4	5	5
65+	15	4.5	14	<1	<1	4	5	8	14	16
B. *Operated*										
0-19 YRS	52	2.7	5	<1	1	2	3	4	6	15
20-34	98	4.6	7	2	2	4	5	8	10	14
35-49	141	5.1	11	2	2	4	7	10	11	18
50-64	210	6.7	15	2	3	6	8	12	14	21
65+	244	8.7	41	3	4	7	10	14	21	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3	1	<1	<1	3	3	3	3	3
20-34	3	5.7	20	1	1	6	9	10	10	10
35-49	9	3.9	4	2	2	3	6	7	7	7
50-64	21	6.5	41	1	1	4	9	12	21	30
65+	65	7.2	35	1	2	5	8	16	21	30
B. *Operated*										
0-19 YRS	13	7.8	38	1	2	7	12	15	22	23
20-34	35	6.4	27	1	2	5	7	13	20	21
35-49	131	7.7	21	2	3	7	10	14	16	23
50-64	242	10.5	53	3	4	9	12	18	26	48
65+	391	14.0	141	4	5	11	16	26	35	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	3.7	15	<1	<1	3	4	6	14	19
B. *Operated*	745	6.5	24	2	2	5	8	11	14	24
2. MULTIPLE DX										
A. *Not Operated*	101	6.5	33	1	2	5	8	12	19	30
B. *Operated*	812	11.5	95	3	4	9	14	21	30	56
1. SINGLE DX	780	6.4	24	2	2	5	8	11	14	24
2. MULTIPLE DX	913	11.0	91	2	3	9	13	21	29	55
A. NOT OPERATED	136	5.8	30	1	1	4	7	10	17	30
B. OPERATED	1557	9.1	68	2	3	7	11	17	22	47
TOTAL 0-19 YRS	69	3.6	14	<1	1	2	4	8	13	21
20-34	138	5.0	12	2	2	4	6	9	12	20
35-49	288	6.3	18	2	2	5	8	12	15	20
50-64	483	8.5	39	2	3	7	11	14	20	37
65+	715	11.4	103	3	4	9	14	21	29	56
GRAND TOTAL	**1693**	**8.9**	**65**	**2**	**3**	**7**	**11**	**16**	**22**	**42**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	114	3.1	5	<1	1	2	4	6	7	13
20-34	193	4.1	6	1	1	4	5	7	8	11
35-49	333	4.9	10	1	2	4	6	9	10	18
50-64	392	5.0	10	2	2	5	6	8	11	15
65+	536	5.9	16	2	2	5	7	11	13	22
B. *Operated*										
0-19 YRS	103	7.7	31	2	3	6	9	13	16	37
20-34	191	10.3	30	5	5	9	12	17	21	29
35-49	246	11.5	41	5	6	10	13	20	26	37
50-64	262	11.9	37	5	6	11	15	19	22	29
65+	330	14.2	52	7	8	13	17	24	30	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	77	5.1	51	<1	1	3	6	10	12	48
20-34	198	5.9	22	1	2	5	7	9	16	28
35-49	299	6.3	27	1	2	5	8	11	14	31
50-64	590	7.0	25	2	3	6	9	12	16	24
65+	1425	8.9	42	2	3	7	11	17	22	34
B. *Operated*										
0-19 YRS	88	11.8	97	3	4	9	14	22	28	58
20-34	227	13.5	112	4	5	11	16	26	31	58
35-49	353	14.9	125	5	6	12	17	26	38	59
50-64	534	17.0	156	6	7	13	20	32	40	74
65+	1113	19.1	155	7	8	16	22	34	44	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1568	5.1	12	1	2	4	6	9	11	18
B. *Operated*	1132	11.8	44	5	6	10	14	20	25	39
2. MULTIPLE DX										
A. *Not Operated*	2589	7.8	37	2	3	6	10	14	19	33
B. *Operated*	2315	17.2	149	6	7	14	21	31	41	71
1. SINGLE DX	2700	7.9	36	2	2	6	10	15	19	31
2. MULTIPLE DX	4904	12.2	111	2	3	9	15	24	32	58
A. NOT OPERATED	4157	6.8	29	2	2	5	8	13	16	28
B. OPERATED	3447	15.4	121	5	6	12	18	27	37	65
TOTAL 0-19 YRS	382	6.8	53	1	1	5	8	13	18	39
20-34	809	8.6	59	2	2	7	11	17	22	35
35-49	1231	9.4	71	2	3	7	11	17	24	42
50-64	1778	10.3	87	2	3	8	12	20	27	51
65+	3404	12.3	102	2	3	10	16	24	31	54
GRAND TOTAL	**7604**	**10.7**	**89**	**2**	**3**	**8**	**13**	**21**	**28**	**49**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5335	3.1	4	1	1	3	4	5	7	10
20-34	2526	3.1	4	1	1	3	4	6	7	10
35-49	1330	3.6	5	1	1	3	4	6	8	12
50-64	950	3.9	7	1	1	3	5	7	9	13
65+	855	4.3	9	1	2	4	5	8	10	14
B. *Operated*										
0-19 YRS	97	4.0	3	2	2	4	5	6	8	10
20-34	167	5.3	21	1	2	4	6	10	12	18
35-49	93	6.2	20	1	2	5	8	13	15	22
50-64	78	7.6	28	1	2	7	11	16	18	78
65+	47	7.7	30	1	2	7	10	14	20	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6687	3.9	9	1	2	3	5	7	8	14
20-34	2458	3.9	10	1	1	3	5	7	9	13
35-49	2113	4.9	11	2	2	4	6	9	11	17
50-64	2565	5.4	15	2	2	4	7	10	12	20
65+	4857	6.7	27	2	2	5	8	12	16	26
B. *Operated*										
0-19 YRS	165	8.7	99	2	3	6	9	17	25	63
20-34	224	7.9	25	3	3	7	10	14	19	28
35-49	237	9.0	69	2	3	7	10	17	23	54
50-64	331	9.8	47	2	3	8	13	17	22	32
65+	414	12.8	103	3	4	10	16	25	32	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10996	3.3	5	1	1	3	4	6	7	11
B. *Operated*	482	5.8	21	1	2	5	7	11	15	23
2. MULTIPLE DX										
A. *Not Operated*	18680	5.0	16	1	2	4	6	9	12	19
B. *Operated*	1371	10.1	74	2	3	8	13	19	26	54
1. SINGLE DX	11478	3.4	6	1	1	3	4	6	8	12
2. MULTIPLE DX	20051	5.3	22	1	2	4	6	10	13	23
A. NOT OPERATED	29676	4.4	13	1	2	3	5	8	10	17
B. OPERATED	1853	9.0	64	2	3	7	11	18	23	47
TOTAL 0-19 YRS	12284	3.6	9	1	1	3	4	6	8	13
20-34	5375	3.7	9	1	1	3	5	7	9	14
35-49	3773	4.7	15	1	2	4	6	9	11	18
50-64	3924	5.5	18	1	2	4	7	10	13	21
65+	6173	6.8	33	2	2	5	8	13	17	29
GRAND TOTAL	**31529**	**4.6**	**17**	**1**	**2**	**4**	**6**	**9**	**11**	**20**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.4	4	2	2	2	5	6	6	6
20-34	61	4.0	4	1	2	4	5	7	8	9
35-49	462	4.6	6	2	2	4	6	7	9	12
50-64	989	4.9	8	1	2	4	6	9	10	13
65+	1366	5.3	11	2	2	5	7	10	11	17
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	32	8.8	17	4	5	8	10	14	18	21
35-49	126	9.9	31	2	3	9	12	16	19	29
50-64	279	11.0	28	3	5	10	14	17	19	26
65+	254	13.3	83	2	3	12	17	23	33	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	5.4	4	3	3	5	7	9	9	9
20-34	74	5.5	12	2	2	4	7	11	13	18
35-49	561	5.4	16	2	2	4	7	10	13	19
50-64	2115	5.6	16	2	2	5	7	10	12	18
65+	5504	6.8	23	2	2	6	8	12	15	24
B. *Operated*										
0-19 YRS	2	9.0	8	7	7	9	11	11	11	11
20-34	45	10.2	15	5	6	9	12	15	18	19
35-49	264	11.7	41	4	5	11	14	19	24	35
50-64	821	12.5	64	3	4	11	16	21	28	41
65+	1419	15.0	120	3	4	13	19	28	37	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2883	5.0	9	1	2	4	6	9	11	15
B. *Operated*	692	11.5	50	2	4	10	14	18	23	42
2. MULTIPLE DX										
A. *Not Operated*	8263	6.4	21	2	2	5	8	11	14	23
B. *Operated*	2551	13.8	94	3	4	12	17	25	32	49
1. SINGLE DX	3575	6.3	24	2	2	5	8	12	15	23
2. MULTIPLE DX	10814	8.1	48	2	3	6	10	16	20	36
A. NOT OPERATED	11146	6.0	18	2	2	5	8	11	13	22
B. OPERATED	3243	13.3	85	3	4	11	16	23	31	48
TOTAL 0-19 YRS	17	5.5	8	2	2	5	7	10	11	11
20-34	212	6.6	17	2	2	6	9	12	15	19
35-49	1413	6.7	26	2	2	5	9	13	16	25
50-64	4204	7.1	33	2	2	6	9	14	17	29
65+	8543	8.1	50	2	2	6	10	15	21	37
GRAND TOTAL	**14389**	**7.7**	**43**	**2**	**2**	**6**	**10**	**15**	**19**	**34**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	2.8	3	1	1	2	4	5	6	8
20-34	61	3.4	7	1	1	3	4	6	7	17
35-49	56	3.9	7	1	1	4	5	7	9	15
50-64	45	3.6	7	<1	1	3	5	7	8	14
65+	15	3.9	5	1	1	4	5	7	8	9
B. *Operated*										
0-19 YRS	173	3.0	3	1	1	3	4	5	7	11
20-34	1182	3.5	4	1	2	3	4	5	6	9
35-49	1067	3.9	8	1	2	3	5	6	8	13
50-64	557	4.2	9	1	2	3	5	7	9	15
65+	191	5.4	27	2	2	4	6	9	12	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	3.3	4	<1	1	3	4	6	8	8
20-34	81	4.0	9	1	1	3	5	7	8	20
35-49	93	5.6	46	1	2	4	6	11	19	40
50-64	86	5.6	22	1	2	4	6	11	16	24
65+	58	6.1	23	1	2	5	8	12	13	29
B. *Operated*										
0-19 YRS	84	4.1	12	1	2	3	5	7	8	24
20-34	820	4.6	11	2	2	4	5	7	9	16
35-49	1038	5.0	13	2	2	4	6	9	11	19
50-64	846	5.7	22	2	2	5	7	10	12	23
65+	428	8.1	85	2	3	6	9	15	23	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	203	3.6	6	1	1	3	5	6	8	14
B. *Operated*	3170	3.8	8	1	2	3	5	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	343	5.1	25	1	2	4	6	10	13	26
B. *Operated*	3216	5.5	26	2	2	4	6	9	12	26
1. SINGLE DX	3373	3.8	8	1	2	3	5	6	8	13
2. MULTIPLE DX	3559	5.5	26	2	2	4	6	9	13	26
A. NOT OPERATED	546	4.5	19	1	1	4	5	8	11	24
B. OPERATED	6386	4.7	17	2	2	4	5	8	10	20
TOTAL 0-19 YRS	308	3.3	6	1	1	3	4	5	7	12
20-34	2144	3.9	7	1	2	3	5	6	8	14
35-49	2254	4.5	12	1	2	4	5	7	10	17
50-64	1534	5.1	17	2	2	4	6	9	11	22
65+	692	7.1	64	2	2	5	8	12	17	41
GRAND TOTAL	**6932**	**4.6**	**18**	**1**	**2**	**4**	**5**	**8**	**10**	**21**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	823	3.5	8	1	1	3	4	6	8	16
20-34	1669	4.3	12	1	2	3	5	8	10	17
35-49	1318	4.5	13	1	2	4	6	9	11	19
50-64	848	4.5	13	1	1	4	6	9	11	15
65+	746	5.1	20	1	1	4	6	10	13	25
B. *Operated*										
0-19 YRS	223	6.0	40	1	1	4	7	12	18	34
20-34	703	7.6	41	1	2	6	10	15	21	33
35-49	597	8.0	50	1	2	6	10	16	22	33
50-64	472	7.9	58	1	2	6	11	16	21	39
65+	462	9.9	69	1	2	8	13	20	24	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	647	4.0	9	1	1	3	5	7	10	16
20-34	2017	5.1	15	1	2	4	6	9	11	19
35-49	2291	5.4	24	2	2	4	6	10	13	22
50-64	2425	5.7	19	2	2	4	7	11	14	23
65+	3988	6.8	36	2	2	5	8	13	17	33
B. *Operated*										
0-19 YRS	248	8.4	74	1	2	6	10	17	25	46
20-34	1213	9.3	85	2	3	7	11	18	25	55
35-49	1259	10.4	95	2	3	7	13	21	29	49
50-64	1310	11.0	114	2	3	8	14	22	30	63
65+	1702	13.7	152	2	3	10	17	30	40	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5404	4.4	13	1	1	3	5	8	11	19
B. *Operated*	2457	8.0	53	1	2	6	10	17	21	34
2. MULTIPLE DX										
A. *Not Operated*	11368	5.8	25	2	2	4	7	11	14	26
B. *Operated*	5732	11.2	116	2	3	8	14	23	32	59
1. SINGLE DX	7861	5.5	28	1	2	4	7	11	15	27
2. MULTIPLE DX	17100	7.6	62	2	2	5	9	15	21	43
A. NOT OPERATED	16772	5.4	22	1	2	4	7	10	13	24
B. OPERATED	8189	10.3	99	2	2	7	13	21	29	55
TOTAL 0-19 YRS	1941	4.6	23	1	1	3	5	9	12	25
20-34	5602	6.1	36	1	2	4	7	11	16	33
35-49	5465	6.6	46	1	2	5	8	13	18	35
50-64	5055	7.1	52	1	2	5	9	14	19	38
65+	6898	8.5	75	2	2	6	10	17	25	47
GRAND TOTAL	**24961**	**7.0**	**52**	**1**	**2**	**5**	**8**	**14**	**19**	**39**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	26	7.8	70	2	2	5	7	19	30	38
35-49	74	10.6	84	2	2	8	12	22	35	44
50-64	74	8.2	28	2	3	7	11	15	19	26
65+	30	8.2	36	2	2	6	11	16	18	27
B. *Operated*										
0-19 YRS										
20-34	15	8.6	75	2	2	5	14	22	27	29
35-49	15	7.3	36	<1	2	6	10	17	21	22
50-64	30	8.1	69	1	2	5	11	19	25	37
65+	4	13.5	84	1	1	15	19	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	16.5	294	6	6	9	26	42	42	42
20-34	111	11.9	101	1	3	8	17	28	28	44
35-49	421	11.4	90	2	3	8	14	26	29	41
50-64	580	12.6	99	3	4	10	16	26	33	45
65+	240	13.7	115	3	4	11	17	27	32	51
B. *Operated*										
0-19 YRS										
20-34	30	15.5	263	3	4	11	18	28	29	91
35-49	128	13.8	121	2	3	11	19	29	37	52
50-64	176	15.2	200	2	3	11	20	34	43	80
65+	68	16.1	122	4	5	15	21	29	31	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	204	9.0	56	2	2	7	11	17	25	38
B. *Operated*	64	8.4	62	1	2	6	12	21	24	36
2. MULTIPLE DX										
A. *Not Operated*	1356	12.4	100	2	3	9	16	27	31	45
B. *Operated*	402	15.0	166	2	3	12	20	29	39	73
1. SINGLE DX	268	8.9	57	2	2	7	12	18	24	38
2. MULTIPLE DX	1758	13.0	116	2	3	10	17	28	33	51
A. NOT OPERATED	1560	11.9	95	2	3	9	15	26	30	45
B. OPERATED	466	14.1	156	2	2	11	18	29	37	70
TOTAL 0-19 YRS	4	16.5	294	6	6	9	26	42	42	42
20-34	182	11.7	124	2	2	8	16	28	28	50
35-49	638	11.7	95	2	3	9	15	26	31	45
50-64	860	12.6	116	2	3	10	16	25	34	52
65+	342	13.7	112	3	4	11	18	26	31	51
GRAND TOTAL	**2026**	**12.4**	**110**	**2**	**3**	**9**	**16**	**27**	**32**	**48**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	4.7	10	1	1	4	6	10	10	10
20-34	23	4.7	31	<1	<1	3	6	8	15	28
35-49	44	6.5	37	1	2	5	8	14	19	30
50-64	64	8.5	51	1	2	6	12	20	23	34
65+	47	7.1	26	1	2	5	11	14	17	22
B. *Operated*										
0-19 YRS	22	3.8	15	<1	1	2	5	9	13	17
20-34	96	3.4	11	1	1	2	4	6	8	22
35-49	81	3.6	13	1	1	2	4	8	12	18
50-64	106	5.1	27	1	2	3	6	12	18	25
65+	70	7.3	62	1	2	5	9	15	21	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	6.7	92	<1	<1	4	7	20	33	34
20-34	57	8.1	47	2	2	6	11	16	24	34
35-49	190	9.2	95	2	3	6	10	16	25	48
50-64	436	9.2	49	2	3	7	12	17	22	35
65+	533	11.2	96	2	3	9	13	22	31	53
B. *Operated*										
0-19 YRS	11	7.3	28	2	2	9	10	14	19	19
20-34	82	8.4	75	1	2	6	11	16	23	51
35-49	143	10.7	126	2	2	8	13	23	31	57
50-64	303	10.7	101	2	2	9	14	22	29	53
65+	273	13.9	109	2	2	12	18	27	32	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	184	7.1	39	1	1	5	10	15	21	29
B. *Operated*	375	4.7	27	1	1	3	6	10	16	22
2. MULTIPLE DX										
A. *Not Operated*	1227	10.0	78	2	3	8	12	19	26	42
B. *Operated*	812	11.5	107	2	2	9	15	24	30	54
1. SINGLE DX	559	5.5	32	1	1	3	7	12	17	27
2. MULTIPLE DX	2039	10.6	90	2	2	8	13	21	29	52
A. NOT OPERATED	1411	9.6	74	2	3	7	12	18	26	40
B. OPERATED	1187	9.3	92	1	2	7	13	20	27	50
TOTAL 0-19 YRS	50	5.3	34	1	1	3	8	11	17	34
20-34	258	6.2	46	1	2	4	7	13	18	34
35-49	458	8.4	91	1	2	6	10	17	25	44
50-64	909	9.2	67	2	2	7	12	18	24	39
65+	923	11.5	97	2	3	9	15	23	30	53
GRAND TOTAL	**2598**	**9.5**	**82**	**2**	**2**	**7**	**12**	**20**	**26**	**44**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	88	4.7	12	1	2	4	6	8	10	22
20-34	279	5.9	15	2	2	5	7	10	13	20
35-49	120	6.5	27	2	2	5	8	11	14	32
50-64	101	7.2	32	2	2	6	10	13	19	29
65+	60	7.3	15	2	2	8	10	12	14	17
B. *Operated*										
0-19 YRS	8	8.4	123	2	2	3	11	28	33	33
20-34	44	7.6	40	1	2	6	10	18	21	27
35-49	40	6.5	40	1	2	3	8	18	19	23
50-64	46	9.2	105	1	2	6	13	19	27	59
65+	38	8.6	36	2	2	7	13	17	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	5.7	12	1	2	5	8	10	12	17
20-34	172	7.1	26	2	3	6	8	13	16	28
35-49	211	9.7	104	2	3	7	11	20	28	71
50-64	391	9.3	54	2	3	7	11	18	24	39
65+	407	11.1	98	2	3	8	13	22	28	57
B. *Operated*										
0-19 YRS	11	14.8	203	2	3	10	22	38	44	45
20-34	67	12.1	104	2	2	10	15	26	33	46
35-49	73	10.9	66	2	2	10	14	20	26	43
50-64	139	16.0	224	2	4	11	21	37	54	99+
65+	121	15.8	157	2	3	13	21	32	36	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	648	6.2	20	2	2	5	8	11	14	24
B. *Operated*	176	8.0	59	1	2	6	11	18	21	32
2. MULTIPLE DX										
A. *Not Operated*	1220	9.5	74	2	3	7	11	19	25	48
B. *Operated*	411	14.4	159	2	3	11	19	30	40	78
1. SINGLE DX	824	6.6	29	2	2	5	8	13	17	28
2. MULTIPLE DX	1631	10.8	100	2	3	8	13	22	30	55
A. NOT OPERATED	1868	8.4	58	2	3	6	10	16	22	39
B. OPERATED	587	12.5	137	2	2	9	16	27	35	60
TOTAL 0-19 YRS	146	5.9	38	1	2	4	7	10	17	34
20-34	562	7.2	35	2	2	6	9	13	19	30
35-49	444	8.8	74	2	2	7	11	18	22	45
50-64	677	10.4	97	2	3	8	12	22	29	59
65+	626	11.5	104	2	3	9	14	23	30	52
GRAND TOTAL	**2455**	**9.4**	**80**	**2**	**2**	**7**	**11**	**19**	**26**	**46**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	60	3.6	7	1	1	3	4	6	8	15
20-34	331	3.2	4	1	1	3	4	6	7	10
35-49	333	3.2	5	1	1	3	4	6	7	12
50-64	337	4.0	8	1	1	3	5	7	9	15
65+	401	5.2	12	1	2	4	7	10	12	18
B. *Operated*										
0-19 YRS	275	6.8	9	4	4	6	8	10	12	19
20-34	3335	6.9	6	4	5	6	8	10	12	15
35-49	3053	7.4	8	4	5	7	9	11	13	17
50-64	2784	8.2	11	5	5	8	9	12	14	20
65+	1879	10.2	19	5	6	9	12	15	19	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	3.9	4	1	1	4	5	7	9	10
20-34	270	3.8	6	1	1	3	5	7	8	14
35-49	427	4.6	10	1	2	4	6	8	10	19
50-64	846	5.5	15	2	2	4	7	10	12	20
65+	1861	7.0	27	2	3	6	9	13	17	27
B. *Operated*										
0-19 YRS	170	9.1	34	5	5	8	10	14	17	37
20-34	1939	8.7	19	4	5	8	10	13	16	23
35-49	2462	9.5	23	5	5	8	11	15	18	27
50-64	3457	11.0	33	5	6	10	13	18	21	35
65+	4252	14.3	72	6	7	12	17	24	29	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1462	3.9	8	1	1	3	5	7	9	14
B. *Operated*	11326	7.9	11	4	5	7	9	12	14	20
2. MULTIPLE DX										
A. *Not Operated*	3441	6.1	21	2	2	5	8	11	14	23
B. *Operated*	12280	11.5	47	5	6	10	14	19	24	39
1. SINGLE DX	12788	7.5	12	3	4	7	9	12	14	20
2. MULTIPLE DX	15721	10.3	47	3	4	9	13	18	22	37
A. NOT OPERATED	4903	5.4	18	1	2	4	7	10	13	22
B. OPERATED	23606	9.8	33	5	5	8	11	16	20	32
TOTAL 0-19 YRS	542	6.9	20	2	3	6	8	11	13	23
20-34	5875	7.2	13	3	4	7	8	11	13	19
35-49	6275	7.8	17	3	4	7	9	12	15	22
50-64	7424	9.0	26	3	4	8	11	15	18	28
65+	8393	11.3	58	3	4	10	14	20	25	40
GRAND TOTAL	**28509**	**9.0**	**33**	**3**	**4**	**8**	**11**	**15**	**19**	**31**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	3.7	4	1	2	3	5	7	8	10
20-34	250	3.7	5	1	1	3	5	7	8	11
35-49	252	4.0	6	1	1	4	5	7	8	11
50-64	206	4.7	9	1	2	4	6	8	10	16
65+	218	6.1	15	2	2	5	8	11	14	19
B. *Operated*										
0-19 YRS	44	8.6	17	3	4	8	11	15	17	19
20-34	435	8.0	12	4	5	7	9	13	15	19
35-49	484	8.4	14	4	5	8	10	14	16	21
50-64	342	9.1	15	5	5	8	11	15	17	22
65+	220	10.8	23	6	6	10	12	16	20	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	5.4	30	1	1	4	7	9	11	30
20-34	247	4.3	7	1	2	4	5	7	9	15
35-49	302	5.2	11	1	2	4	6	9	13	16
50-64	410	6.1	31	2	2	5	7	10	13	19
65+	714	7.9	25	2	3	7	10	13	17	30
B. *Operated*										
0-19 YRS	39	8.9	25	3	4	8	11	14	20	27
20-34	477	9.6	26	4	5	8	11	16	18	30
35-49	615	10.3	27	5	5	9	12	17	21	27
50-64	634	12.2	48	5	6	10	14	20	25	36
65+	788	15.0	67	6	7	13	18	25	29	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	961	4.6	9	1	2	4	6	8	10	15
B. *Operated*	1525	8.8	16	4	5	8	10	14	17	22
2. MULTIPLE DX										
A. *Not Operated*	1701	6.4	23	2	2	5	8	11	14	23
B. *Operated*	2553	12.1	49	5	6	10	14	20	25	40
1. SINGLE DX	2486	7.2	17	2	3	6	9	12	15	21
2. MULTIPLE DX	4254	9.8	47	3	3	8	12	17	22	35
A. NOT OPERATED	2662	5.7	19	1	2	5	7	10	13	20
B. OPERATED	4078	10.8	39	5	5	9	13	18	22	35
TOTAL 0-19 YRS	146	6.9	23	2	2	6	9	13	17	27
20-34	1409	7.1	20	2	3	6	9	13	15	22
35-49	1653	7.9	23	2	3	7	10	14	17	25
50-64	1592	9.0	40	2	3	8	11	16	19	30
65+	1940	10.9	54	3	4	9	14	20	25	40
GRAND TOTAL	**6740**	**8.8**	**37**	**2**	**3**	**7**	**11**	**16**	**20**	**30**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.3	10	2	2	3	7	8	8	8
20-34	17	3.6	5	<1	<1	4	6	6	7	7
35-49	38	3.6	3	1	1	4	5	6	7	8
50-64	22	5.4	10	1	2	5	7	11	11	11
65+	54	5.6	12	1	2	5	7	11	13	16
B. *Operated*										
0-19 YRS	12	8.5	7	5	5	9	10	12	13	13
20-34	103	8.5	17	3	4	8	11	13	16	23
35-49	80	9.8	26	4	4	9	13	16	20	27
50-64	102	10.1	32	2	4	9	13	18	21	28
65+	186	12.9	53	3	4	12	16	21	27	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.5	5	4	4	5	7	7	7	7
20-34	27	4.4	4	1	2	4	6	8	8	8
35-49	24	4.9	11	<1	2	4	6	10	13	14
50-64	47	5.0	9	1	2	4	7	10	11	14
65+	137	8.1	34	2	2	7	10	15	19	33
B. *Operated*										
0-19 YRS	7	10.1	31	3	4	8	15	18	18	18
20-34	73	10.4	18	4	6	9	12	17	18	23
35-49	73	11.7	45	5	6	10	14	18	23	44
50-64	170	13.8	76	4	6	12	17	22	28	44
65+	457	16.5	85	5	7	15	21	27	32	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	134	4.7	9	1	1	4	6	8	11	14
B. *Operated*	483	10.8	38	3	4	10	13	19	22	32
2. MULTIPLE DX										
A. *Not Operated*	237	6.7	25	2	2	5	8	13	16	29
B. *Operated*	780	14.8	77	5	7	13	18	25	29	46
1. SINGLE DX	617	9.4	38	2	3	8	12	17	21	30
2. MULTIPLE DX	1017	12.9	77	3	4	11	17	23	28	46
A. NOT OPERATED	371	6.0	20	1	2	5	8	11	14	25
B. OPERATED	1263	13.3	66	4	5	11	17	23	27	44
TOTAL 0-19 YRS	24	8.2	16	3	3	8	10	13	17	18
20-34	220	8.3	20	2	3	8	11	14	17	23
35-49	215	8.8	36	2	3	8	12	16	19	30
50-64	341	10.9	60	2	3	10	14	20	23	32
65+	834	13.6	79	3	4	12	18	24	29	44
GRAND TOTAL	**1634**	**11.6**	**65**	**2**	**3**	**10**	**15**	**21**	**26**	**42**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	18	1	1	4	7	7	7	7
20-34	39	5.1	9	1	1	5	7	10	11	11
35-49	27	5.3	8	2	2	5	7	9	11	12
50-64	39	6.5	12	3	3	6	8	12	14	16
65+	65	6.4	22	2	2	5	8	13	17	23
B. *Operated*										
0-19 YRS										
20-34	23	9.2	59	1	2	7	15	22	25	27
35-49	28	9.9	51	2	2	8	12	22	23	29
50-64	34	13.2	54	3	5	12	16	21	22	42
65+	41	13.1	70	2	2	13	16	23	28	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	8.5	70	2	2	7	7	23	25	25
20-34	35	5.4	10	1	2	6	7	9	11	14
35-49	47	6.4	14	2	2	5	9	12	13	18
50-64	96	7.0	22	2	2	7	9	11	13	30
65+	263	9.2	39	3	4	8	12	15	20	32
B. *Operated*										
0-19 YRS	6	22.7	265	10	10	17	21	52	55	55
20-34	46	11.7	66	2	2	10	16	24	26	34
35-49	62	13.1	84	2	3	11	18	27	31	47
50-64	103	15.7	122	4	5	13	19	29	39	57
65+	231	20.2	182	5	9	17	24	36	50	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	172	5.9	15	2	2	5	8	11	14	20
B. *Operated*	126	11.7	61	2	2	11	16	21	26	41
2. MULTIPLE DX										
A. *Not Operated*	447	8.1	33	2	3	7	10	14	17	30
B. *Operated*	448	17.3	154	3	5	15	22	31	43	74
1. SINGLE DX	298	8.4	43	2	2	7	11	16	21	29
2. MULTIPLE DX	895	12.7	114	2	4	10	16	25	32	56
A. NOT OPERATED	619	7.5	29	2	3	7	9	13	16	28
B. OPERATED	574	16.1	139	3	4	14	21	29	40	65
TOTAL 0-19 YRS	14	13.9	194	1	2	9	19	28	49	55
20-34	143	8.0	43	1	2	6	10	17	23	27
35-49	164	9.3	56	2	2	8	12	19	24	36
50-64	272	11.0	80	2	3	9	14	20	27	48
65+	600	13.4	125	3	4	11	17	26	33	60
GRAND TOTAL	**1193**	**11.6**	**100**	**2**	**3**	**9**	**15**	**23**	**30**	**53**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	88	4.9	6	2	2	5	6	8	9	12
20-34	630	6.1	21	2	2	5	7	10	13	23
35-49	602	6.4	17	2	3	5	8	11	14	24
50-64	438	6.9	21	2	3	6	9	12	15	24
65+	255	7.1	20	3	3	6	9	13	15	24
B. *Operated*										
0-19 YRS	7	10.7	44	4	5	8	13	22	24	24
20-34	50	15.8	184	2	3	13	18	29	55	68
35-49	104	12.1	138	2	2	9	15	27	39	62
50-64	69	13.1	147	2	2	10	18	28	33	61
65+	52	14.2	157	3	3	10	18	37	42	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	8.0	99	2	3	6	9	12	20	62
20-34	857	7.5	31	2	3	6	9	14	17	28
35-49	1327	7.9	31	2	3	7	10	14	18	26
50-64	1116	8.5	32	3	3	7	11	15	19	32
65+	1040	9.6	48	3	4	8	11	16	21	38
B. *Operated*										
0-19 YRS	14	15.6	161	2	2	13	19	34	46	50
20-34	159	14.3	113	3	4	11	17	29	35	61
35-49	338	18.2	219	4	5	14	24	38	55	76
50-64	351	18.9	252	4	6	14	22	39	50	83
65+	296	19.3	200	4	6	16	24	35	46	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2013	6.4	19	2	3	5	8	11	14	24
B. *Operated*	282	13.4	150	2	3	10	17	29	40	61
2. MULTIPLE DX										
A. *Not Operated*	4390	8.4	36	2	3	7	10	15	18	31
B. *Operated*	1158	18.1	211	4	5	14	22	35	51	82
1. SINGLE DX	2295	7.3	40	2	3	6	9	13	18	33
2. MULTIPLE DX	5548	10.4	89	3	3	8	12	20	26	55
A. NOT OPERATED	6403	7.8	32	2	3	6	10	14	18	28
B. OPERATED	1440	17.2	202	3	5	13	22	34	50	75
TOTAL 0-19 YRS	159	7.1	59	2	2	5	8	12	17	49
20-34	1696	7.8	46	2	3	6	9	14	20	35
35-49	2371	9.2	74	2	3	7	11	17	24	53
50-64	1974	10.2	90	3	3	8	12	19	26	50
65+	1643	11.1	91	3	4	9	13	21	27	52
GRAND TOTAL	**7843**	**9.5**	**76**	**2**	**3**	**7**	**11**	**18**	**24**	**50**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	114	2.9	3	1	1	2	4	5	6	8
20-34	158	3.6	6	1	1	3	5	7	8	14
35-49	197	4.6	7	1	2	4	6	8	10	13
50-64	242	5.0	9	1	2	4	7	8	10	18
65+	415	6.2	15	2	2	5	8	11	13	20
B. *Operated*										
0-19 YRS	13	4.6	12	2	2	4	5	11	12	12
20-34	18	5.3	13	1	2	4	8	11	12	13
35-49	18	9.9	32	2	3	10	12	16	22	25
50-64	29	8.2	31	2	3	8	10	12	23	27
65+	42	10.8	29	4	5	9	15	19	21	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	160	4.0	6	1	1	4	5	7	9	11
20-34	439	4.9	14	1	2	4	6	9	11	21
35-49	772	6.1	19	2	2	5	7	11	14	21
50-64	1288	6.6	30	2	2	6	8	12	15	24
65+	3183	8.5	45	2	3	7	10	16	20	34
B. *Operated*										
0-19 YRS	13	5.5	22	1	2	5	7	12	17	18
20-34	84	9.9	64	3	3	8	13	19	26	45
35-49	154	10.4	91	2	3	8	13	20	28	41
50-64	326	12.1	105	3	4	9	15	25	32	84
65+	754	13.5	110	3	5	10	17	26	33	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1126	4.9	11	1	2	4	7	9	11	17
B. *Operated*	120	8.5	30	2	2	8	11	16	20	26
2. MULTIPLE DX										
A. *Not Operated*	5842	7.4	36	2	2	6	9	14	17	30
B. *Operated*	1331	12.5	104	3	4	10	15	25	32	55
1. SINGLE DX	1246	5.3	14	1	2	4	7	10	12	20
2. MULTIPLE DX	7173	8.3	53	2	3	6	10	16	21	39
A. NOT OPERATED	6968	7.0	33	2	2	6	8	13	17	29
B. OPERATED	1451	12.2	99	3	4	9	15	24	31	54
TOTAL 0-19 YRS	300	3.7	6	1	1	3	4	7	9	12
20-34	699	5.2	21	1	2	4	6	10	13	27
35-49	1141	6.5	29	2	2	5	8	12	15	28
50-64	1885	7.4	45	2	2	6	9	14	19	35
65+	4394	9.1	58	2	3	7	11	17	23	42
GRAND TOTAL	**8419**	**7.9**	**48**	**2**	**2**	**6**	**9**	**15**	**20**	**36**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	82	4.2	15	1	2	3	5	7	8	26
20-34	8	4.1	7	1	1	4	5	8	9	9
35-49	9	5.6	4	2	3	5	7	9	9	9
50-64	12	8.0	32	1	1	7	13	16	18	18
65+	15	9.5	101	2	3	7	12	14	36	43
B. *Operated*										
0-19 YRS	3	3.0	12	1	1	1	6	7	7	7
20-34	12	6.5	17	<1	1	7	10	12	13	13
35-49	8	5.9	15	<1	1	5	8	12	13	13
50-64	9	17.9	489	<1	1	14	18	55	73	73
65+	2	32.0	288	20	20	32	44	44	44	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	5.3	25	2	2	4	6	9	13	33
20-34	19	5.1	10	<1	2	4	6	9	12	15
35-49	33	10.2	111	3	3	7	11	19	28	59
50-64	62	8.5	36	1	2	7	12	16	21	29
65+	67	9.9	50	3	3	7	12	22	26	31
B. *Operated*										
0-19 YRS	10	14.2	201	2	2	13	26	67	97	99+
20-34	16	19.3	462	3	4	13	21	41	77	91
35-49	32	12.7	130	2	3	9	17	26	43	46
50-64	40	15.6	174	3	4	12	19	30	52	57
65+	26	14.7	179	4	5	10	17	34	52	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	126	5.3	28	1	2	4	6	10	13	30
B. *Operated*	34	10.6	196	<1	1	7	13	21	41	73
2. MULTIPLE DX										
A. *Not Operated*	237	8.1	49	2	2	6	10	16	22	31
B. *Operated*	124	15.0	200	3	3	11	19	33	49	93
1. SINGLE DX	160	6.4	68	1	1	4	7	13	17	44
2. MULTIPLE DX	361	10.5	111	2	3	7	13	23	29	57
A. NOT OPERATED	363	7.1	44	1	2	5	9	15	21	31
B. OPERATED	158	14.1	201	2	3	10	17	29	47	89
TOTAL 0-19 YRS	151	5.3	36	1	2	4	5	9	19	45
20-34	55	9.4	178	1	2	6	11	15	24	89
35-49	82	10.2	102	2	3	6	12	22	27	55
50-64	123	11.4	123	1	2	9	14	23	29	61
65+	110	11.4	100	3	3	8	14	23	31	52
GRAND TOTAL	**521**	**9.2**	**101**	**2**	**2**	**6**	**11**	**20**	**27**	**56**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	99	6.1	16	1	2	5	9	12	14	18
20-34	18	3.7	5	1	1	3	5	8	9	9
35-49	18	4.8	13	1	1	4	7	9	13	15
50-64	20	8.8	97	1	2	5	10	20	34	43
65+	21	8.8	44	2	2	7	11	18	25	28
B. *Operated*										
0-19 YRS	44	5.7	26	2	2	4	7	11	17	26
20-34	44	3.8	13	1	2	3	4	8	13	17
35-49	27	4.5	11	1	2	3	6	10	12	13
50-64	27	7.7	52	2	2	5	10	21	25	28
65+	16	5.1	18	2	2	3	7	11	14	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73	6.9	49	1	2	5	9	12	16	45
20-34	62	5.4	10	2	2	4	7	10	12	16
35-49	60	6.5	17	2	3	5	9	11	12	24
50-64	89	7.2	23	2	2	6	9	13	18	25
65+	179	10.2	51	2	3	8	13	19	25	45
B. *Operated*										
0-19 YRS	30	6.0	32	2	2	4	6	16	19	22
20-34	77	7.4	41	2	2	6	10	15	20	34
35-49	69	9.5	120	<1	<1	7	13	21	31	58
50-64	87	10.6	86	2	2	8	14	21	29	51
65+	100	14.7	160	3	4	11	19	26	34	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	176	6.3	29	1	2	5	8	12	16	27
B. *Operated*	158	5.3	24	2	2	3	7	11	16	26
2. MULTIPLE DX										
A. *Not Operated*	463	8.0	39	2	3	7	10	16	20	29
B. *Operated*	363	10.4	107	2	2	8	14	21	27	55
1. SINGLE DX	334	5.8	27	1	2	4	8	12	16	26
2. MULTIPLE DX	826	9.1	70	2	2	7	11	19	24	44
A. NOT OPERATED	639	7.5	36	2	2	6	9	15	19	28
B. OPERATED	521	8.9	87	2	2	6	12	19	26	44
TOTAL 0-19 YRS	246	6.3	29	2	2	5	8	13	16	22
20-34	201	5.7	24	1	2	4	8	11	15	26
35-49	174	7.2	60	1	2	4	9	15	20	46
50-64	223	8.7	59	2	2	7	11	18	25	42
65+	316	11.2	90	2	3	9	15	22	27	52
GRAND TOTAL	**1160**	**8.1**	**60**	**2**	**2**	**6**	**10**	**17**	**22**	**39**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	64	5.2	11	1	2	4	6	11	12	16
20-34	7	3.1	2	<1	<1	3	4	6	6	6
35-49	4	8.3	39	2	2	8	13	15	15	15
50-64	2	2.5	1	2	2	2	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	5	6.6	25	2	2	5	9	15	15	15
20-34	5	6.0	7	2	2	6	7	9	9	9
35-49	4	8.5	15	5	5	7	11	14	14	14
50-64	3	14.0	28	8	8	16	17	18	18	18
65+	2	9.5	61	4	4	9	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	8.0	21	2	3	7	10	14	17	23
20-34	5	4.4	4	2	2	4	6	7	7	7
35-49	6	5.0	14	2	2	4	6	11	12	12
50-64	6	6.7	15	1	1	7	10	10	10	10
65+	12	10.3	104	4	4	6	12	25	37	39
B. *Operated*										
0-19 YRS	7	8.4	48	1	2	7	11	20	22	22
20-34	8	9.1	43	1	2	8	15	17	18	18
35-49	4	6.3	28	2	2	4	9	14	14	14
50-64	9	9.8	36	2	3	7	13	19	20	20
65+	13	14.5	86	4	6	12	18	32	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	5.1	12	1	2	4	6	11	13	16
B. *Operated*	19	8.3	24	2	3	7	13	16	17	18
2. MULTIPLE DX										
A. *Not Operated*	74	7.8	33	2	3	6	10	14	18	35
B. *Operated*	41	10.6	58	2	3	8	15	20	26	34
1. SINGLE DX	96	5.7	15	2	2	4	7	12	15	17
2. MULTIPLE DX	115	8.8	44	2	3	7	11	17	21	36
A. NOT OPERATED	151	6.4	24	2	2	5	8	12	14	23
B. OPERATED	60	9.9	48	2	3	8	14	18	21	34
TOTAL 0-19 YRS	121	6.5	19	2	2	5	9	12	15	22
20-34	25	5.9	21	1	2	4	7	15	16	18
35-49	18	6.8	21	2	2	5	12	14	15	15
50-64	20	8.8	33	1	2	8	11	18	19	20
65+	27	12.3	91	4	4	8	15	29	35	39
GRAND TOTAL	**211**	**7.4**	**33**	**2**	**2**	**6**	**10**	**15**	**18**	**32**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.5	1	1	1	1	2	3	3	3
20-34	10	5.6	12	1	1	5	8	10	12	12
35-49	14	4.9	13	1	2	4	7	9	12	13
50-64	24	3.4	7	<1	1	3	5	7	9	10
65+	42	5.8	24	1	1	5	8	13	16	19
B. *Operated*										
0-19 YRS	9	17.0	227	<1	1	12	29	40	42	42
20-34	43	9.1	97	1	2	5	11	26	34	38
35-49	68	6.4	56	<1	1	4	7	15	27	36
50-64	91	6.2	36	<1	1	4	8	16	18	31
65+	107	7.9	97	<1	1	5	9	21	29	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	3.4	8	<1	<1	3	5	7	10	12
20-34	75	5.9	23	1	1	5	8	16	17	20
35-49	143	5.4	23	1	2	4	7	11	14	24
50-64	301	6.8	33	1	1	5	9	15	20	25
65+	804	7.6	71	1	1	5	10	19	26	35
B. *Operated*										
0-19 YRS	37	14.2	265	1	2	8	19	46	65	99+
20-34	262	12.6	242	2	2	7	16	34	48	94
35-49	345	12.6	247	2	2	8	14	30	53	99+
50-64	666	11.7	154	2	2	8	14	27	41	79
65+	599	13.7	176	2	3	10	19	30	43	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	94	4.8	17	1	1	4	7	10	13	19
B. *Operated*	318	7.5	77	<1	1	4	9	17	28	39
2. MULTIPLE DX										
A. *Not Operated*	1339	7.0	54	1	1	5	9	16	22	34
B. *Operated*	1909	12.7	192	2	2	8	16	30	46	96
1. SINGLE DX	412	6.9	64	<1	1	4	8	16	26	38
2. MULTIPLE DX	3248	10.4	143	1	1	7	13	24	35	79
A. NOT OPERATED	1433	6.9	52	1	1	5	9	16	22	33
B. OPERATED	2227	11.9	179	1	2	8	15	28	43	90
TOTAL 0-19 YRS	66	11.2	207	1	1	5	14	34	47	95
20-34	390	10.8	185	1	2	6	13	25	40	88
35-49	570	9.8	173	1	2	6	11	22	37	90
50-64	1082	9.7	114	1	2	6	12	22	32	63
65+	1552	9.9	121	1	1	7	13	24	31	61
GRAND TOTAL	**3660**	**10.0**	**135**	**1**	**1**	**6**	**12**	**23**	**34**	**73**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3	6	<1	<1	3	5	6	6	6
20-34	5	4.8	13	2	2	4	6	11	11	11
35-49	9	5.0	8	1	1	5	7	9	9	9
50-64	17	7.7	25	1	2	6	11	16	17	17
65+	38	6.9	42	<1	1	5	10	18	20	26
B. *Operated*										
0-19 YRS	2	17.0	200	7	7	17	27	27	27	27
20-34	10	8.7	48	<1	1	8	14	18	21	21
35-49	4	4.3	8	<1	<1	4	6	7	7	7
50-64	22	10.0	98	2	2	5	16	23	30	36
65+	21	12.1	187	<1	<1	8	15	29	45	59
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	4.6	16	<1	<1	3	6	11	13	13
20-34	32	6.9	50	1	2	5	9	14	26	32
35-49	53	8.2	44	1	2	7	10	19	23	26
50-64	159	9.1	66	1	2	7	12	21	27	35
65+	520	13.0	127	2	3	10	16	26	35	65
B. *Operated*										
0-19 YRS	1	49.0		49	49	49	49	49	49	49
20-34	32	12.3	83	3	4	9	18	28	37	99+
35-49	51	16.1	278	2	3	10	22	40	52	83
50-64	98	17.2	159	2	3	14	24	35	47	53
65+	209	20.2	259	3	5	16	26	40	52	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	72	6.6	31	1	1	5	9	15	18	25
B. *Operated*	59	10.4	117	<1	1	7	14	24	31	57
2. MULTIPLE DX										
A. *Not Operated*	773	11.5	109	1	2	9	15	24	32	56
B. *Operated*	391	18.3	228	3	4	14	25	39	50	80
1. SINGLE DX	131	8.3	73	<1	1	6	11	18	25	40
2. MULTIPLE DX	1164	13.8	159	2	3	10	18	29	39	68
A. NOT OPERATED	845	11.1	104	1	2	8	14	24	31	52
B. OPERATED	450	17.3	221	2	3	13	24	38	49	78
TOTAL 0-19 YRS	15	8.9	167	<1	<1	4	8	27	43	49
20-34	79	9.2	66	1	2	6	12	25	28	81
35-49	117	11.3	159	1	2	7	14	25	39	64
50-64	296	11.8	111	1	2	9	16	26	34	49
65+	788	14.6	172	2	3	10	19	31	41	77
GRAND TOTAL	**1295**	**13.3**	**153**	**1**	**2**	**9**	**17**	**28**	**38**	**64**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	316	4.2	3	2	2	4	5	7	7	9
20-34	496	4.3	4	2	2	4	5	7	8	10
35-49	138	4.9	5	2	3	4	6	8	9	12
50-64	98	5.5	5	2	3	5	7	9	10	11
65+	84	6.5	13	3	3	6	8	11	13	23
B. *Operated*										
0-19 YRS	35	5.0	5	1	2	5	7	8	9	9
20-34	32	6.1	7	3	4	6	6	10	13	14
35-49	13	8.5	18	2	2	8	12	14	15	15
50-64	9	8.2	19	4	4	8	9	15	19	19
65+	10	9.1	78	5	5	6	8	21	34	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	250	5.0	5	2	3	4	6	8	9	12
20-34	475	5.0	5	2	3	4	6	8	9	13
35-49	227	6.4	13	3	3	6	8	11	13	21
50-64	295	7.5	22	3	3	6	9	13	15	22
65+	623	9.1	41	3	4	8	11	15	20	34
B. *Operated*										
0-19 YRS	56	5.8	9	2	2	5	7	9	12	16
20-34	95	7.9	33	3	4	6	10	13	17	36
35-49	60	9.8	20	5	5	9	12	15	16	31
50-64	81	11.6	63	4	5	10	13	21	25	46
65+	105	13.8	74	5	5	12	17	24	34	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1132	4.6	5	2	2	4	6	7	8	12
B. *Operated*	99	6.5	17	2	3	6	7	11	13	27
2. MULTIPLE DX										
A. *Not Operated*	1870	6.9	24	2	3	6	8	12	15	27
B. *Operated*	397	10.2	52	3	4	8	13	18	24	40
1. SINGLE DX	1231	4.8	6	2	2	4	6	7	9	13
2. MULTIPLE DX	2267	7.5	31	3	3	6	9	13	17	28
A. NOT OPERATED	3002	6.1	18	2	3	5	7	10	13	22
B. OPERATED	496	9.5	47	3	4	7	12	17	22	37
TOTAL 0-19 YRS	657	4.7	5	2	2	4	6	7	8	12
20-34	1098	4.9	8	2	2	4	6	8	10	14
35-49	438	6.4	14	2	3	5	8	11	14	18
50-64	483	7.8	29	3	3	6	10	13	17	27
65+	822	9.5	46	3	4	8	12	17	22	36
GRAND TOTAL	**3498**	**6.5**	**24**	**2**	**3**	**5**	**8**	**12**	**15**	**26**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	442	4.1	4	2	2	4	5	6	7	10
20-34	656	4.3	3	2	2	4	5	7	8	9
35-49	191	4.7	5	2	2	4	6	8	8	12
50-64	117	5.5	12	2	3	4	7	10	12	18
65+	127	6.8	18	2	3	6	9	12	14	26
B. *Operated*										
0-19 YRS	64	4.8	9	1	2	4	6	8	12	14
20-34	99	7.0	17	2	2	7	10	12	16	19
35-49	45	7.3	36	2	2	6	8	16	22	30
50-64	44	7.7	45	1	2	7	10	13	19	39
65+	29	9.2	47	2	3	8	10	20	26	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	295	4.6	5	2	2	4	6	7	8	12
20-34	591	5.2	11	2	3	5	6	8	10	21
35-49	291	6.6	35	2	3	6	8	10	13	23
50-64	361	7.2	18	2	3	7	9	12	14	19
65+	663	9.5	38	3	4	8	11	17	21	32
B. *Operated*										
0-19 YRS	85	7.6	73	2	2	6	8	14	18	57
20-34	200	8.1	34	2	3	7	10	15	18	25
35-49	156	9.7	57	2	3	8	11	20	25	44
50-64	184	11.4	76	2	4	9	14	22	29	61
65+	236	14.6	131	3	4	11	18	30	41	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1533	4.6	6	2	2	4	6	7	9	13
B. *Operated*	281	6.9	27	2	2	6	9	12	17	28
2. MULTIPLE DX										
A. *Not Operated*	2201	6.9	26	2	3	6	8	12	16	25
B. *Operated*	861	10.8	84	2	3	8	13	20	29	54
1. SINGLE DX	1814	4.9	10	2	2	4	6	8	10	18
2. MULTIPLE DX	3062	6.0	45	2	3	6	10	15	20	38
A. NOT OPERATED	3734	6.0	19	2	3	5	7	10	13	22
B. OPERATED	1142	9.9	73	2	3	8	12	19	25	46
TOTAL 0-19 YRS	886	4.7	12	2	2	4	6	7	9	15
20-34	1546	5.3	13	2	2	4	6	9	11	19
35-49	683	6.8	35	2	3	6	8	11	15	29
50-64	706	8.1	38	2	3	7	10	14	19	35
65+	1055	10.3	62	3	4	8	12	19	25	44
GRAND TOTAL	**4876**	**6.9**	**34**	**2**	**3**	**5**	**8**	**12**	**17**	**31**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	74	2.1	1	1	1	2	2	4	5	5
20-34	467	2.3	3	<1	1	2	3	4	5	9
35-49	585	2.5	4	1	1	2	3	5	6	9
50-64	316	2.5	2	1	1	2	3	5	5	7
65+	106	3.1	4	1	1	3	4	6	7	10
B. *Operated*										
0-19 YRS	30	7.7	13	3	3	7	9	14	15	16
20-34	301	7.5	14	2	3	7	9	12	14	20
35-49	442	8.1	14	2	3	8	10	12	14	21
50-64	418	8.7	21	2	3	9	11	13	17	25
65+	197	9.4	23	2	3	9	11	15	17	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	3.6	7	1	1	3	5	9	9	12
20-34	301	3.1	8	1	1	2	4	6	7	11
35-49	403	3.6	10	1	1	3	5	6	8	14
50-64	409	3.8	12	1	1	3	5	7	9	19
65+	311	5.5	21	1	2	4	7	11	15	23
B. *Operated*										
0-19 YRS	32	9.9	88	1	2	7	13	20	31	44
20-34	244	8.8	41	2	2	8	11	16	20	37
35-49	419	9.3	53	2	3	8	11	17	22	39
50-64	595	9.7	50	2	2	9	12	17	22	37
65+	509	11.4	65	2	3	10	15	22	25	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1548	2.4	3	1	1	2	3	5	6	9
B. *Operated*	1388	8.3	18	2	3	8	10	13	16	23
2. MULTIPLE DX										
A. *Not Operated*	1459	3.9	13	1	1	3	5	7	10	18
B. *Operated*	1799	10.0	55	2	3	9	13	18	23	39
1. SINGLE DX	2936	5.2	18	1	1	4	8	11	13	19
2. MULTIPLE DX	3258	7.3	45	1	2	5	10	15	20	33
A. NOT OPERATED	3007	3.2	8	1	1	2	4	6	8	15
B. OPERATED	3187	9.3	39	2	3	8	11	16	20	32
TOTAL 0-19 YRS	171	4.8	30	1	1	3	6	11	14	30
20-34	1313	4.9	21	1	1	3	7	10	13	21
35-49	1849	5.6	27	1	1	4	8	11	14	23
50-64	1738	6.8	34	1	1	5	9	13	17	26
65+	1123	8.6	49	2	2	7	11	17	22	32
GRAND TOTAL	**6194**	**6.3**	**34**	**1**	**1**	**5**	**9**	**13**	**17**	**27**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	290	2.2	2	1	1	2	3	4	5	7
20-34	2338	2.0	2	1	1	2	3	4	4	7
35-49	2593	2.1	2	1	1	2	3	4	5	7
50-64	1395	2.3	2	1	1	2	3	4	5	7
65+	397	2.8	3	1	1	2	3	5	6	10
B. *Operated*										
0-19 YRS	185	5.3	12	2	2	4	7	9	12	19
20-34	1640	5.3	10	2	2	5	7	9	11	17
35-49	2122	5.7	13	2	2	5	8	10	12	17
50-64	1404	6.2	15	2	2	5	8	11	13	19
65+	522	6.8	15	2	3	6	9	12	14	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	78	2.9	2	1	1	2	3	6	6	7
20-34	546	2.6	3	1	1	2	3	5	5	10
35-49	806	3.0	5	1	1	2	4	6	7	11
50-64	717	3.1	5	1	1	2	4	6	7	11
65+	409	4.0	10	1	1	3	5	8	10	16
B. *Operated*										
0-19 YRS	53	6.5	16	2	3	5	9	12	12	22
20-34	553	7.0	21	2	2	6	9	12	15	22
35-49	785	7.3	21	2	3	6	10	13	15	22
50-64	949	8.2	26	2	3	7	11	15	17	26
65+	668	10.3	53	2	3	9	13	19	24	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7013	2.1	2	1	1	2	3	4	5	7
B. *Operated*	5873	5.8	13	2	2	5	8	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	2556	3.1	5	1	1	2	4	6	7	11
B. *Operated*	3008	8.2	31	2	3	7	10	15	18	29
1. SINGLE DX	12886	3.8	10	1	1	3	5	8	10	15
2. MULTIPLE DX	5564	5.8	26	1	1	4	8	12	15	24
A. NOT OPERATED	9569	2.4	3	1	1	2	3	4	5	9
B. OPERATED	8881	6.6	20	2	2	6	9	12	15	22
TOTAL 0-19 YRS	606	3.6	9	1	1	3	5	7	9	15
20-34	5077	3.7	10	1	1	3	5	8	10	15
35-49	6306	4.0	12	1	1	3	5	9	11	16
50-64	4465	4.9	17	1	1	3	7	10	13	20
65+	1996	6.6	33	1	2	5	9	14	17	29
GRAND TOTAL	**18450**	**4.4**	**16**	**1**	**1**	**3**	**6**	**9**	**12**	**19**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	4.0	16	1	1	3	5	8	13	19
20-34	52	2.7	6	1	1	2	3	5	7	14
35-49	45	3.4	10	1	1	3	4	6	8	17
50-64	66	4.0	25	1	1	2	5	8	12	32
65+	60	5.2	21	<1	1	3	7	13	16	18
B. *Operated*										
0-19 YRS	301	6.2	22	<1	1	6	9	12	14	24
20-34	204	7.4	29	1	2	7	10	13	17	25
35-49	180	6.4	22	1	2	5	9	13	16	23
50-64	173	6.9	29	1	2	6	9	13	18	26
65+	143	7.9	46	1	2	5	11	16	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	82	4.4	16	1	1	3	5	8	13	21
20-34	72	4.2	10	1	1	4	5	8	10	19
35-49	107	5.2	21	1	1	4	7	9	11	28
50-64	192	7.2	39	1	2	5	10	15	20	28
65+	455	10.0	103	2	3	7	12	19	30	55
B. *Operated*										
0-19 YRS	298	6.5	39	1	1	6	9	12	16	28
20-34	285	8.5	48	1	2	8	11	16	20	34
35-49	324	9.1	61	1	2	8	12	17	24	34
50-64	492	9.8	86	2	2	8	13	20	23	44
65+	592	12.1	129	2	2	9	15	23	34	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	265	3.9	17	1	1	3	5	8	14	18
B. *Operated*	1001	6.8	28	1	1	6	9	13	17	25
2. MULTIPLE DX										
A. *Not Operated*	908	7.9	70	1	2	5	10	16	21	45
B. *Operated*	1991	9.7	86	1	2	8	12	19	25	52
1. SINGLE DX	1266	6.2	27	1	1	5	9	13	16	24
2. MULTIPLE DX	2899	9.1	81	1	2	7	11	18	24	49
A. NOT OPERATED	1173	7.0	61	1	1	5	9	15	20	40
B. OPERATED	2992	8.7	68	1	2	7	11	17	22	46
TOTAL 0-19 YRS	723	6.0	29	1	1	5	9	12	15	25
20-34	613	7.2	37	1	2	6	9	15	18	26
35-49	656	7.3	44	1	2	6	10	15	19	32
50-64	923	8.3	64	1	2	7	11	17	21	36
65+	1250	10.5	108	2	2	8	13	20	30	55
GRAND TOTAL	**4165**	**8.3**	**67**	**1**	**2**	**6**	**11**	**16**	**21**	**42**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	1.4		1	1	1	2	2	3	3
20-34	141	2.4	3	<1	1	2	3	4	6	10
35-49	136	2.2	3	1	1	2	3	4	5	8
50-64	92	2.1	1	1	1	2	3	4	5	6
65+	21	2.5	2	<1	<1	2	3	5	6	6
B. *Operated*										
0-19 YRS	9	4.0	16	1	1	2	5	11	11	11
20-34	100	4.7	10	1	2	3	7	9	11	14
35-49	111	5.5	11	2	2	5	8	10	12	15
50-64	108	6.0	13	2	2	5	8	10	13	18
65+	74	5.8	18	2	2	4	8	11	13	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	1.9		1	1	2	2	3	3	3
20-34	53	2.9	4	1	1	2	4	5	7	10
35-49	82	3.1	3	1	1	3	4	6	7	9
50-64	63	3.2	3	1	1	3	4	5	6	8
65+	45	5.9	37	1	2	5	7	10	13	40
B. *Operated*										
0-19 YRS	11	4.3	15	<1	1	3	5	11	13	13
20-34	52	6.7	23	2	2	6	9	13	17	22
35-49	94	8.0	41	2	2	6	11	16	21	31
50-64	164	7.2	50	2	2	6	9	13	15	27
65+	281	9.5	58	2	2	8	12	18	25	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	408	2.2	3	1	1	2	3	4	5	7
B. *Operated*	402	5.4	13	2	2	5	8	10	12	15
2. MULTIPLE DX										
A. *Not Operated*	250	3.6	10	1	1	3	5	6	8	13
B. *Operated*	602	8.3	51	2	2	7	11	15	21	33
1. SINGLE DX	810	3.8	10	1	1	3	5	9	10	14
2. MULTIPLE DX	852	6.9	43	1	2	5	9	13	18	31
A. NOT OPERATED	658	2.7	6	1	1	2	3	5	6	10
B. OPERATED	1004	7.2	37	2	2	6	9	13	17	30
TOTAL 0-19 YRS	45	2.7	8	1	1	2	3	6	11	13
20-34	346	3.8	11	1	1	3	5	8	10	15
35-49	423	4.5	19	1	1	3	6	9	13	22
50-64	427	5.2	27	1	1	4	7	10	13	19
65+	421	8.1	50	1	2	6	11	15	22	38
GRAND TOTAL	**1662**	**5.4**	**30**	**1**	**1**	**4**	**7**	**11**	**14**	**27**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	96	3.2	13	1	1	3	4	5	6	22
20-34	102	3.1	6	1	1	2	4	5	8	14
35-49	46	3.7	7	<1	1	3	4	7	9	12
50-64	51	3.4	4	1	1	3	4	7	7	10
65+	70	5.0	12	1	2	4	7	9	13	16
B. *Operated*										
0-19 YRS	188	2.3	3	1	1	2	3	5	6	8
20-34	314	3.1	9	1	1	2	4	6	8	16
35-49	305	3.1	4	1	1	2	4	6	8	10
50-64	313	3.5	10	1	1	3	4	6	8	17
65+	373	4.1	13	1	2	3	5	8	11	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	111	3.4	5	1	1	3	4	6	8	11
20-34	160	4.2	7	1	2	4	5	8	9	14
35-49	134	5.0	9	1	2	4	7	9	11	15
50-64	160	5.7	11	2	2	5	7	10	12	17
65+	412	7.5	28	2	3	6	9	14	17	24
B. *Operated*										
0-19 YRS	288	2.8	3	1	1	2	4	5	6	9
20-34	602	4.3	16	1	1	3	5	8	12	20
35-49	570	5.0	22	1	2	4	6	9	12	22
50-64	684	5.3	24	1	2	4	7	10	14	27
65+	997	7.1	48	2	2	5	9	14	19	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	365	3.6	9	1	1	3	4	7	9	14
B. *Operated*	1493	3.3	9	1	1	2	4	6	8	15
2. MULTIPLE DX										
A. *Not Operated*	977	5.8	19	2	2	5	7	11	14	20
B. *Operated*	3141	5.4	30	1	2	4	6	11	15	29
1. SINGLE DX	1858	3.4	9	1	1	3	4	6	8	15
2. MULTIPLE DX	4118	5.5	27	1	2	4	7	11	14	27
A. NOT OPERATED	1342	5.2	17	1	2	4	7	10	13	19
B. OPERATED	4634	4.7	24	1	1	3	6	9	13	24
TOTAL 0-19 YRS	683	2.8	5	1	1	2	3	5	6	9
20-34	1178	3.9	12	1	1	3	5	7	10	17
35-49	1055	4.4	15	1	2	3	5	8	10	18
50-64	1208	4.8	19	1	2	3	6	10	12	23
65+	1852	6.5	37	2	2	5	8	13	17	32
GRAND TOTAL	**5976**	**4.8**	**22**	**1**	**2**	**3**	**6**	**10**	**13**	**23**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	1.6	1	<1	<1	1	2	3	3	3
20-34	5	1.4	1	<1	<1	1	2	3	3	3
35-49	5	1.8	1	<1	<1	2	2	3	3	3
50-64	17	2.2	2	1	1	2	3	4	6	7
65+	22	3.7	13	<1	1	3	5	7	12	17
B. *Operated*										
0-19 YRS	899	1.9	3	<1	1	2	2	3	4	9
20-34	378	3.0	4	1	1	2	4	5	7	11
35-49	291	3.4	6	1	1	3	4	6	9	11
50-64	330	4.0	14	1	1	3	5	8	11	21
65+	350	4.8	16	1	2	3	6	10	14	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	1.7	1	<1	<1	1	2	3	3	3
20-34	16	3.9	13	1	1	3	6	10	12	13
35-49	16	5.3	23	<1	1	4	7	14	15	15
50-64	26	4.5	12	1	1	4	5	9	12	17
65+	75	6.5	16	2	2	6	9	11	15	20
B. *Operated*										
0-19 YRS	759	1.9	2	1	1	2	2	4	5	7
20-34	544	3.7	11	1	1	3	4	7	9	16
35-49	536	4.0	9	1	1	3	5	8	10	16
50-64	623	5.2	20	1	2	4	7	10	13	19
65+	1024	7.2	50	2	2	5	9	14	19	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	61	2.5	6	<1	<1	2	3	5	7	16
B. *Operated*	2248	3.0	8	<1	1	2	4	6	8	15
2. MULTIPLE DX										
A. *Not Operated*	156	5.1	16	1	1	4	7	10	14	18
B. *Operated*	3486	4.6	26	1	1	3	6	10	13	23
1. SINGLE DX	2309	3.0	8	<1	1	2	4	6	8	15
2. MULTIPLE DX	3642	4.7	25	1	1	3	6	10	13	23
A. NOT OPERATED	217	4.4	15	<1	1	3	6	10	13	17
B. OPERATED	5734	4.0	19	1	1	3	5	9	11	21
TOTAL 0-19 YRS	1693	1.9	2	<1	1	2	2	3	4	8
20-34	943	3.4	9	1	1	2	4	7	9	15
35-49	848	3.8	8	1	1	3	5	8	10	15
50-64	996	4.7	18	1	1	3	6	10	13	20
65+	1471	6.5	41	1	2	5	8	13	17	30
GRAND TOTAL	**5951**	**4.0**	**19**	**1**	**1**	**3**	**5**	**9**	**11**	**21**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	846	3.1	4	1	1	3	4	5	7	10
20-34	561	3.5	5	1	1	3	5	6	7	10
35-49	292	4.1	7	1	2	4	5	8	9	13
50-64	310	4.8	9	1	2	4	6	8	11	15
65+	606	6.0	16	2	2	5	8	11	14	20
B. *Operated*										
0-19 YRS	800	2.5	5	<1	1	2	3	5	6	11
20-34	686	3.1	7	1	1	2	4	6	8	12
35-49	602	3.4	9	1	1	2	4	7	10	14
50-64	642	3.6	11	1	1	3	4	7	10	15
65+	727	4.9	19	1	2	4	6	9	12	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1185	4.1	7	1	2	4	5	7	9	15
20-34	1324	4.7	14	1	2	4	6	8	10	17
35-49	979	5.9	21	2	2	5	7	11	14	25
50-64	1614	7.0	31	2	3	6	9	13	17	27
65+	6514	9.1	47	3	3	7	11	16	21	38
B. *Operated*										
0-19 YRS	1045	3.1	13	1	1	2	4	7	8	14
20-34	1209	5.1	37	1	1	3	6	10	14	28
35-49	1264	5.4	33	1	2	4	7	11	14	27
50-64	1747	6.1	34	1	2	4	8	12	17	32
65+	3226	9.4	78	2	2	7	12	19	24	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2615	4.2	9	1	1	3	5	8	10	16
B. *Operated*	3457	3.5	11	1	1	2	4	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	11616	7.5	39	2	2	6	9	14	18	32
B. *Operated*	8491	6.7	53	1	2	4	8	14	19	39
1. SINGLE DX	6072	3.8	10	1	1	3	5	7	10	16
2. MULTIPLE DX	20107	7.2	45	1	2	5	9	14	19	36
A. NOT OPERATED	14231	6.9	35	2	2	5	9	13	17	30
B. OPERATED	11948	5.8	43	1	1	4	7	12	17	34
TOTAL 0-19 YRS	3876	3.3	8	1	1	3	4	6	8	13
20-34	3780	4.4	19	1	1	3	5	8	10	22
35-49	3137	5.0	23	1	2	4	6	10	13	24
50-64	4313	6.0	29	1	2	4	8	12	16	28
65+	11073	8.7	54	2	3	7	11	16	21	40
GRAND TOTAL	**26179**	**6.4**	**39**	**1**	**2**	**5**	**8**	**13**	**17**	**32**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	9	4.6	18	1	1	3	5	12	14	14
50-64	37	2.8	4	1	1	2	4	5	6	11
65+	83	4.4	12	1	1	3	6	9	11	17
B. *Operated*										
0-19 YRS	7	5.6	10	2	2	5	6	11	12	12
20-34	21	2.8	5	1	1	2	3	7	8	9
35-49	177	3.6	5	1	1	3	5	7	8	10
50-64	2028	5.6	8	2	2	5	7	9	10	15
65+	3824	6.8	12	2	3	6	8	11	13	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	3.8	5	1	1	4	5	7	7	7
35-49	15	3.7	9	<1	1	3	4	7	11	13
50-64	137	4.4	11	1	2	4	5	8	9	21
65+	483	6.1	39	1	1	4	7	12	18	30
B. *Operated*										
0-19 YRS	8	7.4	48	1	2	5	9	19	23	23
20-34	21	4.8	5	1	2	5	6	8	9	9
35-49	181	6.0	29	1	2	5	7	11	15	34
50-64	2665	7.4	25	2	2	7	9	13	16	25
65+	7339	9.4	39	3	4	8	11	16	21	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	130	3.9	10	1	1	3	5	8	10	16
B. *Operated*	6057	6.3	11	2	2	6	8	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	640	5.7	32	1	1	4	7	11	16	27
B. *Operated*	10214	8.8	36	2	3	7	11	16	19	31
1. SINGLE DX	6187	6.2	11	2	2	6	8	10	12	18
2. MULTIPLE DX	10854	8.6	37	2	3	7	10	15	19	31
A. NOT OPERATED	770	5.4	29	1	1	4	6	10	15	27
B. OPERATED	16271	7.9	28	2	3	7	9	14	17	28
TOTAL 0-19 YRS	15	6.5	29	1	2	5	6	12	20	23
20-34	48	3.8	6	1	1	3	5	8	8	9
35-49	382	4.8	18	1	1	4	6	9	12	22
50-64	4867	6.5	18	2	2	6	8	11	14	21
65+	11729	8.4	32	2	3	7	10	15	18	29
GRAND TOTAL	**17041**	**7.8**	**29**	**2**	**3**	**7**	**9**	**14**	**17**	**27**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	2.9	2	1	1	3	4	5	5	5
20-34	119	3.7	5	1	1	3	5	7	8	11
35-49	115	4.3	6	1	2	4	5	7	8	16
50-64	112	4.8	6	2	2	4	6	7	9	15
65+	51	4.7	5	2	2	5	5	8	9	11
B. *Operated*										
0-19 YRS	23	2.6	2	<1	1	2	4	5	6	6
20-34	172	2.7	4	1	1	2	3	5	8	9
35-49	224	2.9	7	1	1	2	3	6	7	11
50-64	178	3.4	10	1	1	2	4	7	9	18
65+	93	4.2	17	1	1	3	5	7	10	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	3.0	1	2	2	3	4	5	6	6
20-34	132	4.4	6	1	2	4	6	7	10	12
35-49	188	4.6	6	2	2	4	6	7	9	13
50-64	242	5.1	8	2	2	5	6	8	10	18
65+	266	6.1	16	2	3	5	7	11	13	21
B. *Operated*										
0-19 YRS	27	4.0	6	1	1	3	6	7	9	10
20-34	236	3.7	11	1	1	2	5	7	9	16
35-49	363	4.3	10	1	1	3	6	9	11	15
50-64	452	5.4	24	1	2	4	7	11	14	24
65+	361	7.0	29	2	2	6	9	13	16	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	408	4.3	6	1	2	4	5	7	8	12
B. *Operated*	690	3.1	8	1	1	2	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	840	5.2	10	2	2	5	6	9	11	18
B. *Operated*	1439	5.2	21	1	1	4	7	10	13	21
1. SINGLE DX	1098	3.6	8	1	1	3	5	6	8	12
2. MULTIPLE DX	2279	5.2	17	1	2	4	7	10	12	20
A. NOT OPERATED	1248	4.9	9	2	2	4	6	8	10	16
B. OPERATED	2129	4.5	18	1	1	3	6	9	12	20
TOTAL 0-19 YRS	73	3.2	4	1	1	3	4	6	7	10
20-34	659	3.6	7	1	1	3	5	7	8	12
35-49	890	4.0	8	1	1	3	5	8	9	14
50-64	984	4.9	16	1	2	4	6	9	11	20
65+	771	6.2	22	2	2	5	7	11	15	23
GRAND TOTAL	**3377**	**4.6**	**14**	**1**	**2**	**4**	**6**	**9**	**11**	**19**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.1		<1	<1	<1	1	2	2	2
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	1	4.0		4	4	4	4	4	4	4
50-64	2	2.5	5	<1	<1	2	4	4	4	4
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	356	2.5	3	<1	1	2	3	5	5	7
20-34	123	3.2	2	2	2	3	4	5	6	9
35-49	143	3.2	2	2	2	3	4	5	5	9
50-64	225	3.5	4	1	2	3	4	5	7	11
65+	175	4.0	4	2	2	3	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	1.5	2	<1	<1	1	2	2	4	7
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	3	5.3	34	<1	<1	3	10	12	12	12
50-64	3	2.0	1	<1	<1	2	3	3	3	3
65+	9	5.7	12	2	2	5	7	11	13	13
B. *Operated*										
0-19 YRS	268	2.5	2	1	1	2	3	4	5	7
20-34	65	4.0	6	1	2	4	5	6	7	17
35-49	92	3.9	3	1	2	4	5	6	7	11
50-64	199	4.9	10	2	2	4	6	9	11	19
65+	187	5.8	17	2	3	5	7	10	14	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	1.7	1	<1	<1	1	2	4	4	4
B. *Operated*	1022	3.2	3	1	2	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	43	2.7	8	<1	<1	1	3	7	10	13
B. *Operated*	811	4.1	9	1	2	3	5	7	10	17
1. SINGLE DX	1036	3.2	3	1	1	3	4	5	6	10
2. MULTIPLE DX	854	4.1	10	1	2	3	5	7	10	17
A. NOT OPERATED	57	2.5	7	<1	<1	1	3	5	8	13
B. OPERATED	1833	3.6	6	1	2	3	4	6	8	14
TOTAL 0-19 YRS	657	2.5	3	<1	1	2	3	4	5	7
20-34	193	3.5	4	1	2	3	4	5	6	11
35-49	239	3.5	3	2	2	3	4	5	6	11
50-64	429	4.2	7	2	2	3	5	7	10	15
65+	372	4.9	11	2	2	4	6	8	11	19
GRAND TOTAL	**1890**	**3.6**	**6**	**1**	**2**	**3**	**4**	**6**	**8**	**14**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	117	4.3	6	1	1	4	5	8	9	12
20-34	269	4.6	6	1	2	4	6	8	9	11
35-49	126	4.9	6	2	2	5	6	8	9	12
50-64	100	6.1	8	2	3	6	8	10	12	14
65+	87	6.0	9	3	3	5	8	10	11	19
B. *Operated*										
0-19 YRS	46	3.6	4	1	2	3	4	6	7	12
20-34	89	4.4	10	1	1	3	5	9	10	15
35-49	84	4.7	13	2	2	3	6	9	10	22
50-64	54	5.9	14	2	2	5	8	11	15	17
65+	56	5.9	15	2	3	5	8	11	14	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	4.2	4	1	2	4	5	7	8	9
20-34	97	4.9	9	1	2	4	7	9	11	14
35-49	87	5.6	6	2	2	5	7	9	10	13
50-64	117	6.5	11	3	3	6	8	11	13	18
65+	162	7.9	23	3	4	7	10	13	17	28
B. *Operated*										
0-19 YRS	22	4.4	10	1	2	4	5	9	13	14
20-34	76	5.7	10	2	2	5	7	10	12	17
35-49	81	6.4	16	2	2	6	8	12	15	19
50-64	105	8.1	28	2	3	7	11	13	19	27
65+	113	8.6	24	3	4	8	11	15	17	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	699	5.0	7	1	2	5	6	8	10	13
B. *Operated*	329	4.9	12	1	2	4	6	9	11	17
2. MULTIPLE DX										
A. *Not Operated*	508	6.3	15	2	3	6	8	11	13	20
B. *Operated*	397	7.2	22	2	3	6	10	13	16	23
1. SINGLE DX	1028	4.9	9	1	2	4	6	9	10	15
2. MULTIPLE DX	905	6.7	18	2	3	6	8	12	14	22
A. NOT OPERATED	1207	5.5	11	2	2	5	7	9	11	17
B. OPERATED	726	6.2	19	2	2	5	8	12	14	22
TOTAL 0-19 YRS	230	4.2	6	1	2	4	5	7	9	12
20-34	531	4.8	8	1	2	4	6	8	10	14
35-49	378	5.3	10	2	2	5	7	9	11	17
50-64	376	6.7	16	2	3	6	9	12	14	22
65+	418	7.4	20	3	3	6	9	13	16	22
GRAND TOTAL	**1933**	**5.8**	**14**	**2**	**2**	**5**	**7**	**10**	**13**	**19**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	138	1.7	1	<1	<1	2	2	2	3	6
20-34	44	1.8		<1	1	2	2	3	3	4
35-49	20	2.3	3	<1	<1	2	2	4	6	8
50-64	14	1.7	1	<1	1	2	2	3	4	4
65+	11	2.3	2	<1	<1	2	3	5	6	6
B. *Operated*										
0-19 YRS	945	1.7	2	<1	<1	2	2	2	3	4
20-34	440	1.9	1	<1	1	2	2	3	3	4
35-49	217	2.1	1	<1	1	2	2	3	3	6
50-64	90	2.0	1	<1	1	2	2	3	3	5
65+	59	2.3	2	1	1	2	3	4	4	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	1.8	9	<1	<1	1	2	2	3	21
20-34	28	2.0		<1	1	2	2	3	3	3
35-49	25	3.5	15	1	2	2	4	5	10	21
50-64	21	2.9	3	1	1	2	4	6	6	7
65+	15	3.3	10	1	1	2	3	8	12	13
B. *Operated*										
0-19 YRS	307	2.0	1	<1	1	2	2	3	4	7
20-34	264	2.6	3	1	1	2	3	4	7	12
35-49	190	2.6	3	<1	1	2	3	5	6	11
50-64	155	3.6	10	1	2	2	4	9	10	17
65+	147	4.7	36	1	2	3	5	10	13	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	227	1.8	1	<1	<1	2	2	3	3	6
B. *Operated*	1751	1.9	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	138	2.5	8	<1	<1	2	2	4	6	21
B. *Operated*	1063	2.9	9	1	1	2	3	5	8	13
1. SINGLE DX	1978	1.9	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX	1201	2.8	9	1	1	2	3	5	7	14
A. NOT OPERATED	365	2.0	4	<1	<1	2	2	3	4	8
B. OPERATED	2814	2.2	4	<1	1	2	2	3	5	10
TOTAL 0-19 YRS	1439	1.8	2	<1	<1	2	2	2	3	6
20-34	776	2.1	2	1	1	2	2	3	4	8
35-49	452	2.4	3	<1	1	2	3	4	5	9
50-64	280	2.9	7	1	1	2	3	5	9	13
65+	232	3.9	25	1	1	2	4	8	12	24
GRAND TOTAL	**3179**	**2.2**	**4**	**<1**	**1**	**2**	**2**	**3**	**5**	**10**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	61	2.0	2	<1	1	2	2	4	5	9
20-34	65	2.6	4	1	1	2	3	4	7	11
35-49	42	2.6	4	<1	<1	2	3	5	7	10
50-64	34	2.7	5	<1	1	2	3	5	8	12
65+	24	3.8	17	<1	1	2	4	12	14	15
B. *Operated*										
0-19 YRS	604	2.3	2	1	1	2	3	4	5	8
20-34	533	2.6	3	1	1	2	3	4	6	9
35-49	375	3.2	5	1	1	3	4	6	8	12
50-64	303	3.8	6	1	2	3	5	6	8	15
65+	134	4.4	28	1	2	3	5	8	11	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	2.4	4	<1	1	2	3	4	7	10
20-34	57	4.7	11	1	1	4	6	9	11	15
35-49	52	3.2	4	1	1	3	4	6	7	11
50-64	51	3.9	10	1	2	3	4	7	9	18
65+	49	8.0	43	2	2	6	10	17	22	35
B. *Operated*										
0-19 YRS	225	2.8	4	1	1	2	3	5	7	11
20-34	321	3.9	17	1	2	3	4	8	10	17
35-49	317	4.4	19	1	1	3	5	9	11	21
50-64	404	5.9	40	2	2	4	7	10	13	34
65+	242	7.4	62	1	2	5	9	16	22	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	226	2.6	5	<1	1	2	3	5	7	13
B. *Operated*	1949	2.9	6	1	1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	232	4.7	19	1	1	3	6	9	13	22
B. *Operated*	1509	5.0	31	1	2	3	6	10	12	31
1. SINGLE DX	2175	2.9	6	1	1	2	3	5	7	12
2. MULTIPLE DX	1741	4.9	29	1	2	3	6	10	12	30
A. NOT OPERATED	458	3.6	13	1	1	2	4	8	10	18
B. OPERATED	3458	3.8	18	1	1	3	4	7	10	21
TOTAL 0-19 YRS	913	2.4	3	1	1	2	3	4	5	9
20-34	976	3.2	8	1	1	2	4	6	8	13
35-49	786	3.7	11	1	1	3	4	7	9	16
50-64	792	4.8	25	1	2	4	6	9	11	22
65+	449	6.4	50	1	2	4	8	13	19	40
GRAND TOTAL	**3916**	**3.8**	**17**	**1**	**1**	**3**	**4**	**7**	**10**	**20**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	14	1.9	4	<1	<1	1	1	5	7	8
35-49	35	2.1	3	<1	<1	2	2	4	6	9
50-64	9	2.3	1	1	1	2	3	4	4	4
65+	5	4.6	29	1	1	2	6	14	14	14
B. *Operated*										
0-19 YRS	130	2.0	1	<1	1	2	2	3	3	6
20-34	1148	2.4	2	<1	1	2	3	4	5	8
35-49	2723	2.5	2	1	1	2	3	4	5	8
50-64	1236	2.5	2	1	1	2	3	4	5	8
65+	499	2.8	2	2	2	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.8	4	<1	<1	2	4	6	6	6
20-34	16	3.4	4	<1	2	3	4	7	8	8
35-49	55	4.2	9	1	1	3	6	8	10	14
50-64	21	4.6	10	1	1	4	6	8	12	14
65+	22	3.9	4	1	1	4	5	7	7	7
B. *Operated*										
0-19 YRS	44	2.6	3	<1	1	2	3	6	7	7
20-34	478	3.3	5	1	1	3	4	6	8	12
35-49	1385	3.7	8	1	2	3	4	7	9	15
50-64	756	3.8	10	2	2	3	4	7	9	17
65+	376	4.4	15	2	2	3	5	8	10	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	2.3	5	<1	<1	2	3	4	7	13
B. *Operated*	5736	2.5	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	119	4.0	7	1	1	3	5	8	9	14
B. *Operated*	3039	3.7	9	1	2	3	4	7	9	15
1. SINGLE DX	5800	2.5	2	1	1	2	3	4	5	8
2. MULTIPLE DX	3158	3.7	9	1	2	3	4	7	9	15
A. NOT OPERATED	183	3.4	7	<1	1	3	4	7	9	14
B. OPERATED	8775	2.9	5	1	1	2	3	5	7	11
TOTAL 0-19 YRS	180	2.2	1	<1	1	2	2	3	4	7
20-34	1656	2.7	3	<1	1	2	3	5	6	9
35-49	4198	2.9	4	1	1	2	3	5	7	12
50-64	2022	3.0	5	1	2	2	3	5	7	12
65+	902	3.5	8	2	2	3	4	6	8	14
GRAND TOTAL	**8958**	**2.9**	**5**	**1**	**1**	**2**	**3**	**5**	**7**	**12**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	3.6	5	1	1	3	4	8	8	10
20-34	72	3.5	10	1	1	3	4	5	6	22
35-49	35	3.3	7	<1	<1	2	5	7	9	12
50-64	21	3.1	7	<1	<1	2	3	8	9	9
65+	19	3.7	10	<1	<1	2	6	8	10	12
B. *Operated*										
0-19 YRS	427	2.8	2	1	1	3	4	4	5	9
20-34	778	3.2	4	<1	1	3	4	5	6	9
35-49	596	3.0	4	<1	1	2	4	6	7	9
50-64	389	3.1	4	1	2	2	4	5	7	12
65+	248	3.3	4	1	2	3	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	3.7	7	1	1	3	5	8	9	9
20-34	61	4.3	8	1	1	4	5	8	10	15
35-49	56	4.2	12	<1	<1	3	6	9	13	14
50-64	39	4.2	15	1	1	3	5	10	13	18
65+	38	5.9	26	1	1	4	8	15	19	20
B. *Operated*										
0-19 YRS	78	3.9	9	1	1	3	4	7	11	17
20-34	351	4.3	14	1	2	4	5	7	10	22
35-49	453	4.2	11	1	2	3	5	7	9	16
50-64	349	4.7	14	2	2	4	6	8	11	21
65+	210	5.3	21	2	2	4	6	10	12	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	180	3.4	8	<1	1	3	4	7	8	13
B. *Operated*	2438	3.1	4	1	1	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	207	4.5	14	1	1	4	6	9	13	19
B. *Operated*	1441	4.5	14	1	2	4	5	8	10	21
1. SINGLE DX	2618	3.1	4	1	1	3	4	5	6	10
2. MULTIPLE DX	1648	4.5	14	1	2	4	5	8	11	20
A. NOT OPERATED	387	4.0	11	<1	1	3	5	8	10	18
B. OPERATED	3879	3.6	8	1	1	3	4	6	8	14
TOTAL 0-19 YRS	551	3.1	4	1	1	3	4	5	6	11
20-34	1262	3.6	8	1	1	3	4	6	7	13
35-49	1140	3.5	8	<1	1	3	4	7	8	13
50-64	798	3.9	9	1	2	3	5	7	9	17
65+	515	4.3	14	1	2	3	5	8	11	20
GRAND TOTAL	**4266**	**3.6**	**8**	**1**	**1**	**3**	**4**	**6**	**8**	**15**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	264	2.5	2	1	1	2	3	5	6	7
20-34	559	2.6	3	1	1	2	3	5	6	9
35-49	145	2.9	3	1	1	2	4	5	6	9
50-64	15	2.8	4	1	1	2	4	5	7	8
65+	2	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	448	4.3	5	1	2	4	6	7	8	12
20-34	1528	4.9	6	1	2	5	6	8	9	13
35-49	417	6.5	10	2	3	6	8	10	12	19
50-64	58	7.2	7	2	4	7	9	11	12	14
65+	31	8.7	14	4	4	8	10	15	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	126	3.1	4	1	1	3	4	5	7	9
20-34	337	3.3	4	1	1	3	4	6	7	11
35-49	119	4.4	8	1	2	4	6	8	11	14
50-64	20	5.2	19	1	2	4	6	12	17	18
65+	7	11.4	186	4	4	8	9	35	42	42
B. *Operated*										
0-19 YRS	351	5.1	7	1	2	5	6	8	10	15
20-34	2394	6.1	10	2	2	6	7	10	11	17
35-49	1117	7.7	15	3	4	7	9	12	14	22
50-64	132	8.6	9	4	6	8	10	13	14	18
65+	67	11.6	40	5	6	10	14	18	23	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	985	2.6	3	1	1	2	3	5	6	9
B. *Operated*	2482	5.2	8	1	2	5	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	609	3.6	8	1	1	3	5	7	8	13
B. *Operated*	4061	6.6	13	2	3	6	8	11	13	19
1. SINGLE DX	3467	4.4	8	1	1	4	6	8	9	13
2. MULTIPLE DX	4670	6.3	13	2	2	6	8	10	12	18
A. NOT OPERATED	1594	3.0	5	1	1	2	4	6	7	11
B. OPERATED	6543	6.1	11	2	2	6	7	10	12	18
TOTAL 0-19 YRS	1189	4.0	6	1	1	4	5	7	8	13
20-34	4818	5.2	9	1	2	5	7	9	10	15
35-49	1798	6.8	15	2	2	6	8	11	13	21
50-64	225	7.5	12	2	3	7	9	12	13	18
65+	107	10.5	43	4	5	9	13	17	21	42
GRAND TOTAL	**8137**	**5.5**	**12**	**1**	**2**	**5**	**7**	**9**	**11**	**17**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	933	4.1	5	2	2	4	5	7	8	11
20-34	2374	4.5	9	2	2	4	5	7	9	13
35-49	291	5.4	9	2	2	5	7	9	11	14
50-64	29	7.1	25	3	4	6	8	11	16	29
65+	7	5.7	7	3	3	5	8	10	10	10
B. *Operated*										
0-19 YRS	245	5.6	14	1	2	5	7	10	12	19
20-34	1351	5.2	11	1	2	5	7	9	11	15
35-49	373	6.1	15	1	2	6	8	11	14	18
50-64	46	9.1	78	2	2	7	11	17	24	51
65+	20	11.2	107	2	3	8	14	28	37	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	504	4.8	7	2	2	4	6	7	9	15
20-34	1434	5.1	7	2	2	5	6	8	10	14
35-49	290	6.2	16	2	3	5	8	11	12	22
50-64	53	6.3	11	2	3	6	8	12	13	15
65+	21	6.7	15	1	2	7	9	12	15	16
B. *Operated*										
0-19 YRS	376	6.3	31	1	2	6	8	11	13	19
20-34	3586	6.2	15	1	2	6	8	10	13	19
35-49	1235	8.1	22	2	4	7	9	13	17	26
50-64	159	10.6	56	4	5	8	12	17	27	32
65+	48	15.0	95	3	6	12	21	30	35	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3634	4.5	8	2	2	4	5	7	9	13
B. *Operated*	2035	5.6	15	1	2	5	7	9	12	18
2. MULTIPLE DX										
A. *Not Operated*	2302	5.2	9	2	2	5	6	9	10	15
B. *Operated*	5404	6.9	22	1	2	6	8	11	14	24
1. SINGLE DX	5669	4.9	11	1	2	4	6	8	10	15
2. MULTIPLE DX	7706	6.4	18	2	2	6	8	11	13	22
A. NOT OPERATED	5936	4.8	9	2	2	4	6	8	9	14
B. OPERATED	7439	6.5	20	1	2	6	8	11	14	22
TOTAL 0-19 YRS	2058	4.9	12	2	2	4	6	8	10	16
20-34	8745	5.4	12	1	2	5	7	9	11	17
35-49	2189	7.1	20	2	3	6	8	12	15	24
50-64	287	9.2	51	2	4	8	11	16	23	34
65+	96	11.7	86	2	3	9	15	24	34	42
GRAND TOTAL	**13375**	**5.7**	**16**	**2**	**2**	**5**	**7**	**10**	**12**	**20**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	4.5	11	2	2	4	4	10	13	13
20-34	73	3.2	5	1	1	3	4	7	8	11
35-49	16	3.2	4	1	1	2	4	7	8	8
50-64	3	3.0		3	3	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	64	3.5	4	1	1	3	5	6	7	9
20-34	1367	4.6	7	<1	1	5	6	8	8	12
35-49	644	5.8	5	1	2	6	7	8	9	11
50-64	33	5.6	7	1	2	6	7	9	9	11
65+	4	7.5		7	7	7	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	4.8	7	2	2	4	5	9	11	11
20-34	98	4.3	13	1	1	3	6	9	12	19
35-49	31	3.3	4	<1	<1	3	5	6	7	7
50-64	2	6.0	32	2	2	6	10	10	10	10
65+	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
0-19 YRS	80	4.3	8	1	1	4	6	8	9	12
20-34	3171	6.0	9	1	2	6	7	9	10	15
35-49	3011	6.9	7	3	5	7	8	9	11	16
50-64	318	8.1	32	4	5	7	9	11	15	24
65+	40	9.6	21	5	5	8	11	15	21	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	103	3.4	5	1	1	3	4	7	8	12
B. *Operated*	2112	5.0	7	1	1	5	7	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	142	4.2	11	1	1	3	6	8	11	16
B. *Operated*	6620	6.5	10	2	3	6	8	9	11	16
1. SINGLE DX	2215	4.9	7	1	1	5	7	8	9	12
2. MULTIPLE DX	6762	6.5	10	2	2	6	8	9	11	16
A. NOT OPERATED	245	3.8	9	1	1	3	5	7	10	15
B. OPERATED	8732	6.1	10	1	2	6	7	9	10	15
TOTAL 0-19 YRS	165	4.1	7	1	1	4	6	7	9	12
20-34	4709	5.5	9	1	2	6	7	8	9	15
35-49	3702	6.7	7	2	4	7	8	9	11	16
50-64	356	7.8	30	2	5	7	9	11	14	23
65+	45	9.4	19	5	5	8	11	13	21	25
GRAND TOTAL	**8977**	**6.1**	**10**	**1**	**2**	**6**	**7**	**9**	**10**	**15**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	3	3.3	2	2	2	3	4	5	5	5
35-49	3	2.3	1	1	1	3	3	3	3	3
50-64										
65+	1	18.0		18	18	18	18	18	18	18
B. *Operated*										
0-19 YRS	18	2.7	2	1	1	2	3	4	6	8
20-34	177	3.0	4	1	1	2	3	6	8	10
35-49	96	2.8	3	<1	1	2	3	6	7	8
50-64	31	3.2	4	1	1	2	4	6	7	7
65+	14	2.7	3	1	2	2	3	4	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	6.0	3	5	5	5	7	8	8	8
20-34	20	3.5	2	<1	1	3	5	5	6	6
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	2	3.0	2	2	2	3	4	4	4	4
65+	2	5.5	1	5	5	5	6	6	6	6
B. *Operated*										
0-19 YRS	34	3.4	5	1	1	2	4	7	8	9
20-34	708	4.6	9	1	2	4	6	8	10	13
35-49	598	5.7	10	2	2	6	8	9	11	15
50-64	179	5.2	23	1	2	3	7	11	14	21
65+	59	5.9	19	2	2	4	8	12	16	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	4.6	27	1	1	3	4	13	18	18
B. *Operated*	336	2.9	4	1	1	2	3	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	29	3.8	3	<1	2	4	5	6	6	8
B. *Operated*	1578	5.1	12	1	2	5	7	9	11	16
1. SINGLE DX	345	2.9	4	1	1	2	3	6	7	10
2. MULTIPLE DX	1607	5.1	11	1	2	5	7	9	11	16
A. NOT OPERATED	38	3.9	8	1	2	3	5	6	7	18
B. OPERATED	1914	4.7	11	1	2	4	7	9	10	15
TOTAL 0-19 YRS	57	3.3	4	1	1	3	4	7	8	9
20-34	908	4.2	8	1	1	3	6	8	9	13
35-49	699	5.3	10	1	2	6	7	9	11	15
50-64	212	4.9	20	1	1	3	7	9	13	21
65+	76	5.5	19	2	2	4	7	10	16	20
GRAND TOTAL	**1952**	**4.7**	**11**	**1**	**2**	**4**	**7**	**9**	**10**	**16**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	79	3.1	3	1	1	3	4	5	6	8
20-34	183	3.6	3	1	1	3	5	6	7	9
35-49	39	3.4	5	<1	1	3	4	6	8	12
50-64	5	4.4	2	2	2	5	5	5	5	5
65+	7	7.1	14	3	3	8	10	12	13	13
B. *Operated*										
0-19 YRS	126	2.5	2	<1	1	2	4	4	5	6
20-34	741	2.4	3	<1	1	2	3	4	6	8
35-49	325	2.6	3	1	1	2	3	5	6	9
50-64	106	2.9	6	1	1	2	3	5	7	16
65+	32	3.0	9	1	1	2	3	5	8	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	69	4.3	6	2	2	4	5	7	8	13
20-34	209	4.6	6	2	2	4	6	8	10	12
35-49	61	4.9	6	2	2	4	6	8	10	12
50-64	30	6.7	14	3	3	6	8	12	14	20
65+	41	7.6	22	2	3	7	10	14	16	23
B. *Operated*										
0-19 YRS	66	3.7	14	1	1	3	4	7	9	24
20-34	434	4.2	18	1	1	3	5	8	10	21
35-49	261	4.7	10	1	1	4	7	9	11	14
50-64	108	5.5	28	1	2	4	7	10	13	31
65+	49	9.3	129	1	2	6	11	18	31	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	313	3.5	4	1	1	3	5	6	7	10
B. *Operated*	1330	2.6	3	<1	1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	410	5.0	9	2	2	4	6	9	11	16
B. *Operated*	918	4.7	24	1	1	3	6	9	11	25
1. SINGLE DX	1643	2.7	3	1	1	2	4	5	6	9
2. MULTIPLE DX	1328	4.8	19	1	1	4	6	9	11	21
A. NOT OPERATED	723	4.4	7	1	2	4	5	8	10	14
B. OPERATED	2248	3.4	12	1	1	2	4	7	8	17
TOTAL 0-19 YRS	340	3.2	6	1	1	3	4	6	7	12
20-34	1567	3.3	8	1	1	3	4	6	8	13
35-49	686	3.7	7	1	1	3	5	7	9	12
50-64	249	4.5	18	1	1	3	6	9	12	24
65+	129	7.1	64	1	2	5	8	16	17	44
GRAND TOTAL	**2971**	**3.7**	**11**	**1**	**1**	**3**	**5**	**7**	**9**	**16**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	9	3.8	7	<1	<1	3	6	8	9	9
35-49	3	4.3	8	1	1	6	6	6	6	6
50-64	13	4.2	10	<1	<1	4	7	9	10	10
65+	13	4.1	8	1	1	3	6	9	9	9
B. *Operated*										
0-19 YRS	4	3.8	4	1	1	4	5	6	6	6
20-34	638	5.9	5	3	4	6	7	8	9	14
35-49	839	6.8	7	3	4	6	8	10	11	15
50-64	853	7.6	9	4	5	7	9	11	13	19
65+	698	8.3	9	4	5	8	10	12	14	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	31	2.7	3	<1	<1	2	4	6	6	6
35-49	43	3.4	5	<1	1	3	5	7	8	9
50-64	60	4.3	13	1	1	3	5	8	10	22
65+	87	5.4	23	1	1	4	8	10	12	27
B. *Operated*										
0-19 YRS	18	5.6	7	1	1	6	7	9	10	10
20-34	1877	6.6	6	4	4	6	8	9	11	16
35-49	2843	7.5	8	4	5	7	9	11	13	18
50-64	1985	8.7	16	4	5	8	10	13	15	23
65+	1709	9.5	21	5	6	9	11	14	17	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	4.1	8	<1	<1	3	6	9	9	10
B. *Operated*	3032	7.2	9	4	4	7	8	11	12	16
2. MULTIPLE DX										
A. *Not Operated*	221	4.3	15	1	1	3	6	9	11	22
B. *Operated*	8432	8.0	13	4	5	7	9	12	14	21
1. SINGLE DX	3070	7.1	9	3	4	7	8	10	12	16
2. MULTIPLE DX	8653	7.9	14	4	5	7	9	12	14	21
A. NOT OPERATED	259	4.3	14	1	1	3	6	9	10	21
B. OPERATED	11464	7.8	12	4	5	7	9	12	14	20
TOTAL 0-19 YRS	22	5.3	7	1	1	5	7	9	10	10
20-34	2555	6.4	6	3	4	6	7	9	11	15
35-49	3728	7.3	8	4	5	7	8	10	12	17
50-64	2911	8.3	15	4	5	8	9	12	15	22
65+	2507	9.0	19	4	5	8	11	14	16	24
GRAND TOTAL	**11723**	**7.7**	**13**	**4**	**5**	**7**	**9**	**12**	**14**	**20**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.8	1	1	1	2	2	3	3	3
20-34	5	2.0	1	1	1	2	3	3	3	3
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	10	1.9		1	1	2	2	3	3	3
20-34	126	2.4	4	<1	<1	2	2	6	7	9
35-49	127	2.1	2	<1	<1	2	2	3	5	7
50-64	10	1.9	1	<1	<1	2	2	4	5	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.7	2	1	1	2	3	5	5	5
20-34	10	3.4	5	1	1	3	4	7	8	8
35-49	4	3.5	19	1	1	2	6	10	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	13	2.8	4	1	1	2	3	7	7	7
20-34	257	4.0	9	1	1	2	6	8	9	14
35-49	287	4.5	9	1	1	4	7	9	10	12
50-64	26	4.8	27	<1	1	3	7	9	13	27
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	1.9	1	1	1	2	3	3	3	3
B. *Operated*	273	2.2	2	<1	<1	2	2	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	20	3.2	6	1	1	3	4	7	9	10
B. *Operated*	583	4.3	10	1	1	3	6	8	9	13
1. SINGLE DX	284	2.2	2	<1	<1	2	2	4	6	8
2. MULTIPLE DX	603	4.2	10	1	1	3	6	8	9	13
A. NOT OPERATED	31	2.7	4	1	1	2	3	5	8	10
B. OPERATED	856	3.6	8	<1	1	2	6	8	9	12
TOTAL 0-19 YRS	34	2.4	2	1	1	2	3	4	6	7
20-34	398	3.5	8	1	1	2	5	7	8	13
35-49	419	3.7	8	<1	1	2	6	8	9	11
50-64	36	4.0	21	<1	<1	2	5	8	9	27
65+										
GRAND TOTAL	**887**	**3.6**	**8**	**<1**	**1**	**2**	**6**	**8**	**9**	**12**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	116	2.3	2	<1	1	2	3	4	5	7
20-34	276	2.0	2	<1	1	2	2	3	5	7
35-49	57	2.0	1	1	1	2	3	4	4	5
50-64	3	3.7	4	2	2	3	5	6	6	6
65+										
B. *Operated*										
0-19 YRS	339	1.9	1	<1	1	2	2	3	3	5
20-34	3768	2.4	4	<1	<1	2	2	5	6	9
35-49	3088	2.4	4	<1	<1	2	2	6	7	9
50-64	345	2.2	3	<1	<1	2	2	4	6	9
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	110	3.3	9	1	1	2	4	6	8	18
20-34	306	3.2	6	1	1	2	4	6	8	12
35-49	198	3.5	8	<1	1	3	5	7	9	14
50-64	20	2.3	3	<1	<1	2	3	4	6	9
65+										
B. *Operated*										
0-19 YRS	313	3.0	7	1	1	2	3	6	7	12
20-34	5566	4.4	10	1	1	4	6	8	9	13
35-49	6367	4.9	12	1	1	5	7	8	10	14
50-64	649	4.5	14	<1	1	3	7	9	11	17
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	452	2.1	2	<1	1	2	3	4	5	6
B. *Operated*	7540	2.3	4	<1	<1	2	2	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	634	3.3	7	<1	1	3	4	6	8	13
B. *Operated*	12895	4.6	11	1	1	4	7	8	9	14
1. SINGLE DX	7992	2.3	4	<1	<1	2	2	5	6	9
2. MULTIPLE DX	13529	4.6	11	1	1	4	7	8	9	14
A. NOT OPERATED	1086	2.8	5	<1	1	2	3	5	7	12
B. OPERATED	20435	3.8	10	<1	1	2	6	8	9	13
TOTAL 0-19 YRS	878	2.5	4	1	1	2	3	4	6	10
20-34	9916	3.5	8	<1	1	2	6	7	8	12
35-49	9710	4.0	11	<1	1	2	6	8	9	13
50-64	1017	3.7	11	<1	1	2	6	8	9	15
65+										
GRAND TOTAL	**21521**	**3.7**	**10**	**<1**	**1**	**2**	**6**	**8**	**9**	**13**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	5	3.2	2	2	2	3	4	5	5	5
50-64	14	4.1	9	1	2	3	6	10	10	10
65+	10	2.8	3	<1	<1	3	4	5	6	6
B. *Operated*										
0-19 YRS										
20-34	6	1.7	1	<1	<1	1	2	3	3	3
35-49	280	1.8	1	<1	<1	2	2	2	3	7
50-64	1030	2.0	2	<1	<1	2	2	3	4	8
65+	342	2.6	4	<1	1	2	3	4	6	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	2.7	2	1	1	3	4	4	4	4
35-49	31	5.1	15	1	1	5	6	10	13	19
50-64	58	4.1	9	<1	1	3	5	8	11	15
65+	55	5.6	26	2	2	4	6	9	15	28
B. *Operated*										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	3	4.7	9	2	2	4	7	8	8	8
35-49	314	3.4	9	1	1	2	4	7	8	16
50-64	1382	3.7	11	1	1	2	5	8	10	15
65+	662	4.3	17	1	2	3	5	9	12	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	3.5	5	1	1	3	4	6	10	10
B. *Operated*	1658	2.1	2	<1	<1	2	2	3	4	9
2. MULTIPLE DX										
A. *Not Operated*	147	4.8	17	1	1	4	6	8	12	27
B. *Operated*	2364	3.8	13	1	1	2	5	8	10	17
1. SINGLE DX	1688	2.1	2	<1	<1	2	2	3	4	9
2. MULTIPLE DX	2511	3.9	13	1	1	2	5	8	11	18
A. NOT OPERATED	177	4.6	15	1	1	4	6	8	12	25
B. OPERATED	4022	3.1	9	<1	1	2	3	7	9	15
TOTAL 0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	13	2.7	4	<1	<1	2	3	5	7	8
35-49	630	2.7	6	<1	1	2	3	6	8	12
50-64	2484	3.0	8	<1	1	2	3	7	9	14
65+	1069	3.8	14	1	1	2	4	8	11	19
GRAND TOTAL	**4199**	**3.2**	**9**	**<1**	**1**	**2**	**3**	**7**	**9**	**15**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	55	2.2	2	<1	<1	2	3	4	5	8
20-34	146	2.5	2	<1	<1	2	4	4	5	7
35-49	34	3.0	6	<1	1	2	3	5	10	12
50-64	11	4.2	12	1	1	3	6	10	12	12
65+	12	5.0	9	1	2	5	6	9	12	12
B. *Operated*										
0-19 YRS	203	2.9	4	<1	1	2	4	6	7	10
20-34	1923	3.2	5	1	1	3	4	6	7	10
35-49	1040	3.6	11	<1	1	2	5	7	8	13
50-64	624	3.1	7	<1	1	2	4	7	8	12
65+	235	3.5	10	1	2	2	4	8	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	3.3	8	<1	1	2	4	7	9	14
20-34	131	3.4	6	<1	1	3	5	7	8	12
35-49	86	4.2	17	1	1	3	5	7	15	22
50-64	48	5.0	13	1	1	4	7	10	12	16
65+	77	6.5	27	1	2	5	9	12	14	31
B. *Operated*										
0-19 YRS	150	3.8	11	<1	1	3	5	7	9	19
20-34	2174	4.8	10	1	1	5	7	8	10	15
35-49	2314	5.6	13	1	2	6	7	9	11	17
50-64	1310	5.4	24	1	2	5	7	10	11	19
65+	595	6.6	43	2	2	5	8	14	18	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	258	2.7	4	<1	1	2	4	5	6	12
B. *Operated*	4025	3.3	7	<1	1	2	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	382	4.4	15	1	1	3	6	9	12	18
B. *Operated*	6543	5.3	17	1	2	5	7	9	11	19
1. SINGLE DX	4283	3.3	7	<1	1	2	4	7	8	12
2. MULTIPLE DX	6925	5.3	17	1	2	5	7	9	11	19
A. NOT OPERATED	640	3.7	11	<1	1	3	5	8	10	16
B. OPERATED	10568	4.6	14	1	1	4	6	8	10	17
TOTAL 0-19 YRS	448	3.2	7	<1	1	2	4	6	8	14
20-34	4374	4.0	8	1	1	3	6	7	8	13
35-49	3474	4.9	13	1	1	5	7	8	10	17
50-64	1993	4.7	19	1	1	3	7	9	11	18
65+	919	5.8	34	1	2	4	8	12	16	26
GRAND TOTAL	**11208**	**4.5**	**14**	**1**	**1**	**3**	**6**	**8**	**10**	**17**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	217	2.4	2	1	1	2	3	4	5	8
20-34	375	2.4	4	<1	1	2	3	5	6	9
35-49	82	3.1	6	<1	1	2	4	7	9	9
50-64	12	4.6	13	<1	<1	3	8	9	12	12
65+	7	4.1	7	2	2	3	6	8	9	9
B. *Operated*										
0-19 YRS	157	2.9	6	<1	1	2	3	5	8	11
20-34	1583	3.4	6	<1	1	2	5	7	8	11
35-49	661	6.2	11	1	2	6	8	10	11	16
50-64	381	8.1	10	3	4	8	10	12	14	17
65+	180	9.5	14	3	5	9	11	14	16	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	145	2.8	3	1	1	2	4	5	7	8
20-34	456	3.1	5	<1	1	3	4	6	8	13
35-49	131	3.6	9	1	1	3	4	7	9	14
50-64	42	6.0	35	2	2	4	7	13	21	28
65+	27	6.5	14	2	2	6	9	12	14	15
B. *Operated*										
0-19 YRS	199	3.8	7	<1	1	3	5	7	9	13
20-34	4067	4.9	9	<1	1	5	7	8	10	14
35-49	2063	6.8	11	2	2	7	8	10	12	18
50-64	592	8.9	19	3	4	8	10	13	17	24
65+	319	10.8	32	3	5	10	13	17	23	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	693	2.6	4	<1	1	2	3	5	7	9
B. *Operated*	2962	5.0	13	<1	1	4	7	9	11	15
2. MULTIPLE DX										
A. *Not Operated*	801	3.4	8	1	1	3	4	7	8	14
B. *Operated*	7240	6.0	14	1	2	6	8	10	12	19
1. SINGLE DX	3655	4.5	12	<1	1	3	7	9	10	15
2. MULTIPLE DX	8041	5.8	14	1	1	6	7	10	12	18
A. NOT OPERATED	1494	3.0	6	<1	1	2	4	6	8	12
B. OPERATED	10202	5.7	14	1	1	6	8	10	12	18
TOTAL 0-19 YRS	718	3.0	5	1	1	2	4	6	7	11
20-34	6481	4.3	9	<1	1	4	6	8	9	13
35-49	2937	6.4	11	1	2	6	8	10	12	17
50-64	1027	8.4	17	2	4	8	10	13	15	23
65+	533	10.1	26	2	4	9	12	16	20	27
GRAND TOTAL	**11696**	**5.4**	**14**	**1**	**1**	**5**	**7**	**10**	**12**	**18**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.0		<1	<1	<1	1	1	1	1
20-34	15	2.3	2	<1	<1	2	3	5	5	5
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	107	5.1	2	3	4	5	6	7	8	9
20-34	1389	5.2	8	3	3	5	6	7	8	11
35-49	137	5.5	2	4	4	5	6	7	8	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	3.3	5	1	1	3	6	6	6	6
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	74	5.1	3	3	4	5	6	7	7	13
20-34	1124	5.6	4	3	4	5	6	7	9	12
35-49	158	6.5	8	4	4	6	8	9	11	20
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	2.0	2	<1	<1	1	2	5	5	5
B. *Operated*	1633	5.2	7	3	3	5	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	7	3.1	4	1	1	3	5	6	6	6
B. *Operated*	1356	5.7	4	3	4	5	6	8	9	13
1. SINGLE DX	1653	5.2	8	3	3	5	6	7	8	10
2. MULTIPLE DX	1363	5.6	4	3	4	5	6	8	9	13
A. NOT OPERATED	27	2.3	3	<1	<1	2	3	5	6	6
B. OPERATED	2989	5.4	6	3	4	5	6	7	8	12
TOTAL 0-19 YRS	185	5.0	3	3	4	5	6	7	8	10
20-34	2534	5.3	6	3	4	5	6	7	8	11
35-49	297	6.0	6	4	4	5	7	8	10	16
50-64										
65+										
GRAND TOTAL	**3016**	**5.4**	**6**	**3**	**4**	**5**	**6**	**7**	**8**	**12**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	1.6		<1	1	2	2	3	3	3
20-34	37	2.2	1	1	1	2	3	3	5	5
35-49	4	1.8		1	1	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	495	1.9	1	<1	<1	2	2	3	4	7
20-34	783	1.8	2	<1	<1	1	2	3	3	6
35-49	110	1.7	2	<1	<1	1	2	3	3	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	1.7		<1	<1	2	2	2	2	2
20-34	26	2.6	6	<1	<1	2	3	4	7	13
35-49	4	1.3		1	1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	331	2.3	3	<1	<1	2	3	4	5	8
20-34	1095	2.4	5	<1	<1	2	3	5	7	12
35-49	262	2.8	5	<1	<1	2	3	6	7	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	2.0	1	1	1	2	2	3	4	5
B. *Operated*	1388	1.8	2	<1	<1	2	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*	37	2.3	4	<1	<1	2	2	4	5	13
B. *Operated*	1688	2.5	4	<1	<1	2	3	5	7	12
1. SINGLE DX	1446	1.8	2	<1	<1	2	2	3	3	6
2. MULTIPLE DX	1725	2.5	4	<1	<1	2	3	5	7	12
A. NOT OPERATED	95	2.1	2	<1	1	2	2	3	5	10
B. OPERATED	3076	2.2	3	<1	<1	2	2	4	6	10
TOTAL 0-19 YRS	850	2.0	2	<1	<1	2	2	3	4	7
20-34	1941	2.2	4	<1	<1	2	2	4	6	10
35-49	380	2.5	5	<1	<1	2	3	5	7	11
50-64										
65+										
[illegible]D TOTAL	**3171**	**2.2**	**3**	**<1**	**<1**	**2**	**2**	**4**	**6**	**10**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	5	3.8	7	1	1	3	5	8	8	8
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	3	3.3	4	1	1	4	5	5	5	5
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	6	3.5	6	1	1	3	4	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	3	3.3	4	1	1	4	5	5	5	5
1. SINGLE DX	7	3.6	5	1	1	3	4	7	8	8
2. MULTIPLE DX	4	3.5	3	1	1	4	5	5	5	5
A. NOT OPERATED	2	4.0		4	4	4	4	4	4	4
B. OPERATED	9	3.4	5	1	1	3	4	7	8	8
TOTAL 0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	9	3.7	5	1	1	4	4	7	8	8
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
GRAND TOTAL	**11**	**3.5**	**4**	**1**	**1**	**4**	**4**	**6**	**8**	**8**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	292	1.8	1	<1	1	1	2	3	4	6
20-34	742	1.7	2	<1	1	1	2	3	4	7
35-49	44	1.5	1	1	1	1	2	3	3	4
50-64										
65+										
B. *Operated*										
0-19 YRS	1751	1.6	1	<1	1	1	2	3	3	5
20-34	8046	1.5	1	<1	<1	1	2	2	3	5
35-49	874	1.5	1	<1	<1	1	2	2	4	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	2.5	2	<1	1	2	3	4	5	8
20-34	154	2.6	5	1	1	2	3	4	7	11
35-49	8	2.3	2	1	1	2	3	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	228	2.4	3	1	1	2	3	5	5	9
20-34	1274	2.6	8	<1	1	2	3	5	7	12
35-49	260	2.6	18	<1	1	2	3	4	6	18
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1078	1.7	1	<1	1	1	2	3	4	7
B. *Operated*	10671	1.5	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	202	2.5	4	1	1	2	3	4	6	11
B. *Operated*	1762	2.5	9	<1	1	2	3	5	7	12
1. SINGLE DX	11749	1.5	1	<1	<1	1	2	3	3	6
2. MULTIPLE DX	1964	2.5	8	<1	1	2	3	5	7	11
A. NOT OPERATED	1280	1.9	2	<1	1	1	2	3	4	8
B. OPERATED	12433	1.7	2	<1	<1	1	2	3	4	7
TOTAL 0-19 YRS	2311	1.7	1	<1	1	1	2	3	4	6
20-34	10216	1.7	2	<1	<1	1	2	3	4	7
35-49	1186	1.8	5	<1	<1	1	2	3	4	8
50-64										
65+										
GRAND TOTAL	**13713**	**1.7**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**7**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	45	3.7	8	1	2	3	5	6	7	19
20-34	146	2.6	3	<1	1	2	4	5	6	7
35-49	18	1.8	1	<1	1	1	2	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	192	2.0	1	<1	1	2	2	4	4	7
20-34	1515	1.8	4	<1	<1	1	2	3	4	7
35-49	130	2.0	3	<1	<1	2	2	4	6	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	4.0	8	2	2	3	4	8	12	12
20-34	47	2.8	4	1	1	2	4	6	7	7
35-49	4	4.3	27	<1	<1	2	7	12	12	12
50-64										
65+										
B. *Operated*										
0-19 YRS	53	3.4	7	1	1	3	4	7	10	13
20-34	365	2.9	6	1	1	2	4	6	7	12
35-49	51	2.8	6	1	1	2	3	6	9	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	209	2.8	4	<1	1	2	4	5	6	10
B. *Operated*	1837	1.8	4	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	62	3.1	6	1	1	2	4	6	7	12
B. *Operated*	469	2.9	6	1	1	2	4	6	8	13
1. SINGLE DX	2046	1.9	4	<1	<1	2	2	3	4	7
2. MULTIPLE DX	531	3.0	6	1	1	2	4	6	8	12
A. NOT OPERATED	271	2.8	5	1	1	2	4	5	6	12
B. OPERATED	2306	2.1	4	<1	<1	2	2	4	5	9
TOTAL 0-19 YRS	301	2.6	4	<1	1	2	3	5	6	12
20-34	2073	2.1	4	<1	<1	2	2	4	5	9
35-49	203	2.2	4	<1	<1	2	2	5	7	11
50-64										
65+										
GRAND TOTAL	**2577**	**2.1**	**4**	**<1**	**<1**	**2**	**2**	**4**	**5**	**9**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	225	2.2	1	<1	1	2	3	4	4	6
20-34	1036	2.4	2	1	1	2	3	4	5	8
35-49	65	2.7	3	<1	1	2	3	5	6	8
50-64										
65+										
B. *Operated*										
0-19 YRS	4	1.8	2	<1	<1	1	3	4	4	4
20-34	22	4.0	41	<1	1	3	4	5	16	32
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	3.5	6	1	1	2	5	6	8	12
20-34	202	3.4	5	1	1	3	4	6	7	10
35-49	17	3.2	5	<1	1	3	4	7	8	9
50-64										
65+										
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	13	3.4	6	<1	1	3	4	7	9	10
35-49	2	5.0	2	4	4	5	6	6	6	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1326	2.4	2	1	1	2	3	4	5	7
B. *Operated*	26	3.7	35	<1	1	2	4	5	11	32
2. MULTIPLE DX										
A. *Not Operated*	261	3.4	5	1	1	3	4	6	8	10
B. *Operated*	16	3.6	5	<1	1	3	4	6	9	10
1. SINGLE DX	1352	2.4	3	1	1	2	3	4	5	8
2. MULTIPLE DX	277	3.4	5	1	1	3	4	6	8	10
A. NOT OPERATED	1587	2.6	3	1	1	2	3	5	6	8
B. OPERATED	42	3.6	24	<1	1	3	4	6	8	32
TOTAL 0-19 YRS	272	2.4	2	<1	1	2	3	4	6	7
20-34	1273	2.6	3	1	1	2	3	5	6	8
35-49	84	2.9	3	<1	1	2	4	6	7	9
50-64										
65+										
GRAND TOTAL	**1629**	**2.6**	**3**	**1**	**1**	**2**	**3**	**5**	**6**	**8**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	2.6	2	1	1	2	4	5	5	5
20-34	71	2.9	6	<1	<1	2	4	5	7	14
35-49	3	1.7		1	1	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	3	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	3	1	1	4	4	4	4	4
20-34	19	3.6	8	<1	1	3	5	7	10	12
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	5	3.6	3	2	2	3	5	6	6	6
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	90	2.8	5	<1	1	2	4	5	7	14
B. *Operated*	3	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	22	3.5	8	<1	1	3	4	7	9	12
B. *Operated*	5	3.6	3	2	2	3	5	6	6	6
1. SINGLE DX	93	2.8	5	<1	1	2	4	5	7	14
2. MULTIPLE DX	27	3.6	7	<1	1	3	5	7	8	12
A. NOT OPERATED	112	2.9	6	<1	1	2	4	5	7	13
B. OPERATED	8	3.0	3	2	2	2	4	6	6	6
TOTAL 0-19 YRS	19	2.7	2	1	1	3	4	5	5	5
20-34	98	3.0	6	<1	1	2	4	6	7	14
35-49	3	1.7		1	1	2	2	2	2	2
50-64										
65+										
GRAND TOTAL	**120**	**2.9**	**5**	**<1**	**1**	**2**	**4**	**6**	**7**	**13**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	302	3.3	4	1	1	3	4	6	7	11
20-34	1244	3.5	7	1	1	3	4	6	8	16
35-49	122	3.7	9	1	1	3	4	6	8	22
50-64										
65+										
B. *Operated*										
0-19 YRS	21	5.6	19	1	1	4	8	12	15	18
20-34	79	4.9	12	1	2	4	6	9	11	20
35-49	7	4.4	3	2	2	5	6	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74	3.6	4	1	2	3	4	6	8	11
20-34	317	4.1	14	1	1	3	5	7	9	16
35-49	39	5.4	12	1	1	5	8	10	12	15
50-64										
65+										
B. *Operated*										
0-19 YRS	8	6.3	16	<1	<1	6	10	11	11	11
20-34	53	4.1	17	<1	<1	2	6	8	12	21
35-49	5	10.4	114	2	2	5	17	28	28	28
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1668	3.5	7	1	1	3	4	6	8	15
B. *Operated*	107	5.0	13	1	2	4	6	9	12	19
2. MULTIPLE DX										
A. *Not Operated*	430	4.1	12	1	1	3	5	8	9	15
B. *Operated*	66	4.8	25	<1	<1	3	7	11	14	27
1. SINGLE DX	1775	3.6	7	1	1	3	4	6	8	16
2. MULTIPLE DX	496	4.2	14	<1	1	3	5	8	10	17
A. NOT OPERATED	2098	3.6	8	1	1	3	4	7	8	15
B. OPERATED	173	4.9	17	1	1	4	6	10	12	21
TOTAL 0-19 YRS	405	3.5	5	1	1	3	4	6	8	12
20-34	1693	3.7	9	1	1	3	4	7	9	16
35-49	173	4.3	14	1	1	3	5	8	10	23
50-64										
65+										
GRAND TOTAL	**2271**	**3.7**	**9**	**1**	**1**	**3**	**4**	**7**	**9**	**16**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	299	3.3	4	1	1	3	4	6	7	12
20-34	1202	3.7	5	1	2	3	4	6	8	12
35-49	19	4.6	5	1	2	4	7	9	55	99+
50-64										
65+										
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	6	2.7	1	1	1	3	4	4	4	4
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	95	3.6	4	2	2	3	4	6	8	11
20-34	406	3.9	7	1	2	3	5	7	8	14
35-49	22	5.6	19	1	2	4	6	12	15	18
50-64										
65+										
B. *Operated*										
0-19 YRS	6	8.0	26	3	3	7	11	15	16	16
20-34	18	4.7	17	1	2	3	6	9	14	18
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1520	3.6	5	1	2	3	4	6	7	12
B. *Operated*	7	3.0	2	1	1	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	523	3.9	7	1	2	3	5	7	9	14
B. *Operated*	26	5.5	19	1	2	4	7	11	16	18
1. SINGLE DX	1527	3.6	5	1	2	3	4	6	7	12
2. MULTIPLE DX	549	4.0	7	1	2	3	5	7	9	16
A. NOT OPERATED	2043	3.7	6	1	2	3	4	6	8	13
B. OPERATED	33	4.9	16	1	2	4	6	10	15	18
TOTAL 0-19 YRS	401	3.5	4	1	2	3	4	6	7	12
20-34	1632	3.7	6	1	2	3	4	6	8	13
35-49	43	5.1	12	1	2	4	6	11	14	99+
50-64										
65+										
GRAND TOTAL	**2076**	**3.7**	**6**	**1**	**2**	**3**	**4**	**6**	**8**	**13**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1253	1.2	1	<1	<1	1	1	2	2	5
20-34	4079	1.3	1	<1	<1	1	1	2	3	6
35-49	226	1.3	1	<1	<1	1	1	2	3	4
50-64										
65+										
B. *Operated*										
0-19 YRS	66	1.6	2	<1	<1	1	1	3	5	7
20-34	263	1.6	4	<1	<1	1	1	3	4	8
35-49	12	1.1		<1	<1	1	1	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	124	1.8	2	<1	<1	1	2	4	4	9
20-34	411	2.0	3	<1	<1	1	3	4	5	8
35-49	32	2.0	4	<1	<1	1	2	4	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	15	4.5	68	<1	<1	3	3	5	27	34
20-34	30	4.8	133	<1	<1	2	4	5	23	62
35-49	3	1.3		<1	<1	1	2	2	2	2
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5558	1.3	1	<1	<1	1	1	2	3	5
B. *Operated*	341	1.6	3	<1	<1	1	1	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	567	2.0	3	<1	<1	1	2	4	5	8
B. *Operated*	48	4.5	103	<1	<1	2	3	5	24	62
1. SINGLE DX	5899	1.3	1	<1	<1	1	1	2	3	6
2. MULTIPLE DX	615	2.2	11	<1	<1	1	2	4	5	10
A. NOT OPERATED	6125	1.3	1	<1	<1	1	1	2	3	6
B. OPERATED	389	1.9	16	<1	<1	1	2	3	5	18
TOTAL 0-19 YRS	1458	1.3	2	<1	<1	1	1	2	3	6
20-34	4783	1.4	3	<1	<1	1	1	2	3	6
35-49	273	1.4	1	<1	<1	1	1	2	3	6
50-64										
65+										
GRAND TOTAL	**6514**	**1.4**	**2**	**<1**	**<1**	**1**	**1**	**2**	**3**	**6**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	3.4	10	<1	1	2	4	9	12	13
20-34	369	3.4	11	1	1	3	4	6	9	16
35-49	40	3.7	7	1	1	3	5	7	9	14
50-64										
65+										
B. *Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	29	4.9	17	<1	1	4	5	13	15	16
35-49	2	8.0	98	1	1	8	15	15	15	15
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	2.3	1	1	1	2	3	4	5	5
20-34	93	4.9	44	1	1	3	5	10	18	37
35-49	8	10.5	418	1	1	4	5	44	61	61
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	9	5.7	16	2	2	5	8	12	14	14
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	448	3.5	11	1	1	3	4	7	9	14
B. *Operated*	33	4.9	19	<1	1	4	5	14	15	16
2. MULTIPLE DX										
A. *Not Operated*	112	5.0	65	1	1	3	5	9	18	47
B. *Operated*	9	5.7	16	2	2	5	8	12	14	14
1. SINGLE DX	481	3.6	11	1	1	3	4	7	10	16
2. MULTIPLE DX	121	5.1	62	1	1	3	5	9	16	45
A. NOT OPERATED	560	3.8	22	1	1	3	4	7	10	22
B. OPERATED	42	5.1	18	<1	1	4	6	14	15	16
TOTAL 0-19 YRS	52	3.1	8	<1	1	2	3	7	11	13
20-34	500	3.8	18	1	1	3	4	7	11	20
35-49	50	5.0	74	1	1	3	5	8	14	61
50-64										
65+										
GRAND TOTAL	**602**	**3.9**	**22**	**1**	**1**	**3**	**4**	**7**	**11**	**20**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	128	1.9	1	<1	<1	1	2	3	4	6
20-34	516	2.4	6	<1	<1	2	3	4	5	10
35-49	26	2.1	3	<1	<1	2	2	4	6	8
50-64										
65+										
B. *Operated*										
0-19 YRS	11	2.6	2	<1	<1	2	4	5	5	5
20-34	35	2.5	3	<1	1	2	3	4	6	9
35-49	2	4.0		4	4	4	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	3.4	17	<1	1	2	4	7	13	20
20-34	142	3.0	6	1	1	2	4	6	7	14
35-49	10	4.2	25	<1	<1	2	4	13	14	14
50-64										
65+										
B. *Operated*										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	19	4.4	14	1	2	3	5	8	13	18
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	670	2.3	5	<1	<1	2	3	4	5	8
B. *Operated*	48	2.6	3	<1	1	2	4	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	176	3.1	8	1	1	2	4	6	8	15
B. *Operated*	21	4.4	13	1	2	3	5	7	12	18
1. SINGLE DX	718	2.3	5	<1	<1	2	3	4	5	9
2. MULTIPLE DX	197	3.3	9	1	1	2	4	6	8	17
A. NOT OPERATED	846	2.4	6	<1	<1	2	3	4	6	14
B. OPERATED	69	3.2	6	<1	1	3	4	6	7	16
TOTAL 0-19 YRS	165	2.2	4	<1	<1	2	3	4	5	10
20-34	712	2.6	6	<1	<1	2	3	5	6	14
35-49	38	2.8	9	<1	<1	2	3	5	11	14
50-64										
65+										
GRAND TOTAL	**915**	**2.5**	**6**	**<1**	**<1**	**2**	**3**	**4**	**6**	**14**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	356	3.2	2	1	1	3	4	5	6	7
20-34	689	3.3	4	1	1	3	4	6	7	9
35-49	17	3.2	2	<1	1	3	4	4	6	7
50-64										
65+										
B. *Operated*										
0-19 YRS	15	3.7	4	1	1	3	5	7	7	7
20-34	27	3.0	4	<1	<1	3	4	7	7	7
35-49	2	6.0		6	6	6	6	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	332	4.0	8	1	1	4	5	6	8	13
20-34	629	3.9	13	<1	1	3	5	6	8	12
35-49	25	3.4	5	<1	1	3	5	7	7	8
50-64										
65+										
B. *Operated*										
0-19 YRS	12	3.8	14	<1	<1	3	4	10	13	13
20-34	35	5.5	35	1	2	4	6	10	15	35
35-49	5	5.8	8	3	3	6	8	9	9	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1062	3.3	3	1	1	3	4	5	6	8
B. *Operated*	44	3.4	4	<1	1	3	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	986	3.9	11	1	1	3	5	6	8	13
B. *Operated*	52	5.2	28	1	1	4	6	9	13	35
1. SINGLE DX	1106	3.3	3	1	1	3	4	6	6	8
2. MULTIPLE DX	1038	3.9	12	1	1	3	5	6	8	13
A. NOT OPERATED	2048	3.6	7	1	1	3	4	6	7	11
B. OPERATED	96	4.3	17	<1	1	4	5	7	10	26
TOTAL 0-19 YRS	715	3.6	5	1	1	3	4	6	7	11
20-34	1380	3.6	9	<1	1	3	4	6	7	12
35-49	49	3.7	5	<1	1	3	5	7	8	9
50-64										
65+										
GRAND TOTAL	**2144**	**3.6**	**7**	**1**	**1**	**3**	**4**	**6**	**7**	**11**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	90	4.5	26	<1	1	3	5	9	15	28
20-34	601	4.3	14	<1	1	3	5	8	11	19
35-49	86	4.6	11	1	1	3	6	10	11	16
50-64										
65+										
B. *Operated*										
0-19 YRS	8	3.9	18	<1	<1	2	5	11	13	13
20-34	31	4.7	23	1	1	4	5	8	18	23
35-49	2	6.0	18	3	3	6	9	9	9	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	168	4.0	20	<1	1	3	5	8	11	29
20-34	889	4.6	21	1	1	3	5	9	13	25
35-49	91	6.3	28	1	2	5	8	14	17	29
50-64										
65+										
B. *Operated*										
0-19 YRS	19	4.9	10	1	1	5	7	8	11	14
20-34	92	6.0	21	<1	1	5	8	12	15	21
35-49	14	6.1	25	2	2	4	7	13	18	20
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	777	4.3	15	<1	1	3	5	9	11	21
B. *Operated*	41	4.6	21	<1	1	3	5	9	16	23
2. MULTIPLE DX										
A. *Not Operated*	1148	4.7	22	1	1	3	6	9	13	25
B. *Operated*	125	5.8	20	1	1	4	8	12	14	21
1. SINGLE DX	818	4.3	15	<1	1	3	5	9	11	21
2. MULTIPLE DX	1273	4.8	22	1	1	3	6	9	13	25
A. NOT OPERATED	1925	4.5	19	1	1	3	5	9	12	23
B. OPERATED	166	5.5	20	<1	1	4	7	12	14	22
TOTAL 0-19 YRS	285	4.2	21	<1	1	3	5	8	12	28
20-34	1613	4.6	19	1	1	3	5	9	12	22
35-49	193	5.5	21	1	2	4	7	11	14	22
50-64										
65+										
GRAND TOTAL	**2091**	**4.6**	**19**	**1**	**1**	**3**	**6**	**9**	**12**	**23**

268: Miscellaneous complications of pregnancy without delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	589	2.3	6	<1	<1	2	3	4	6	9
20-34	2222	2.7	11	<1	<1	2	3	5	7	16
35-49	94	3.0	24	<1	<1	2	3	5	7	31
50-64										
65+										
B. *Operated*										
0-19 YRS	99	3.0	8	<1	<1	3	3	5	6	18
20-34	860	3.3	12	<1	1	3	4	5	7	22
35-49	59	3.1	5	1	1	2	3	7	8	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	240	2.9	10	<1	<1	2	3	5	7	15
20-34	1043	3.6	21	<1	<1	2	4	7	10	24
35-49	50	3.5	9	<1	1	3	4	8	9	13
50-64										
65+										
B. *Operated*										
0-19 YRS	43	3.7	8	<1	<1	3	4	8	9	16
20-34	338	4.1	18	<1	<1	3	5	8	13	23
35-49	28	3.9	7	<1	1	3	5	7	9	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2905	2.6	10	<1	<1	2	3	5	7	15
B. *Operated*	1018	3.2	11	<1	1	3	4	5	7	18
2. MULTIPLE DX										
A. *Not Operated*	1333	3.5	18	<1	<1	2	4	7	10	21
B. *Operated*	409	4.0	16	<1	<1	3	5	8	12	22
1. SINGLE DX	3923	2.8	10	<1	<1	2	3	5	7	16
2. MULTIPLE DX	1742	3.6	18	<1	<1	3	4	7	10	21
A. NOT OPERATED	4238	2.9	13	<1	<1	2	3	5	8	17
B. OPERATED	1427	3.5	13	<1	1	3	4	6	8	21
TOTAL 0-19 YRS	971	2.6	7	<1	<1	2	3	5	7	11
20-34	4463	3.1	14	<1	<1	2	4	6	8	20
35-49	231	3.2	14	<1	<1	2	4	7	9	14
50-64										
65+										
GRAND TOTAL	**5665**	**3.0**	**13**	**<1**	**<1**	**2**	**3**	**6**	**8**	**18**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	112	2.8	1	2	2	3	3	4	4	6
20-34	365	3.2	5	2	2	3	3	4	5	11
35-49	24	4.3	12	2	2	3	4	11	13	14
50-64										
65+										
B. *Operated*										
0-19 YRS	42	4.9	33	2	2	3	4	8	13	37
20-34	198	4.5	11	2	2	4	5	7	9	19
35-49	19	6.9	85	2	3	4	6	14	31	42
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	148	3.0	3	2	2	3	3	4	5	9
20-34	458	3.3	12	2	2	3	3	5	6	16
35-49	27	4.5	25	1	2	3	4	7	15	27
50-64										
65+										
B. *Operated*										
0-19 YRS	119	5.4	34	2	2	4	6	9	13	37
20-34	985	5.6	26	2	2	4	6	9	13	28
35-49	101	6.5	31	2	3	5	7	12	20	30
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	501	3.2	4	2	2	3	3	4	5	12
B. *Operated*	259	4.8	20	2	2	4	5	7	10	33
2. MULTIPLE DX										
A. *Not Operated*	633	3.3	10	2	2	3	3	5	6	17
B. *Operated*	1205	5.6	27	2	2	4	6	9	14	29
1. SINGLE DX	760	3.7	10	2	2	3	4	6	7	15
2. MULTIPLE DX	1838	4.8	23	2	2	4	5	8	11	28
A. NOT OPERATED	1134	3.3	8	2	2	3	3	4	5	13
B. OPERATED	1464	5.5	26	2	2	4	6	9	13	29
TOTAL 0-19 YRS	421	3.8	15	2	2	3	4	6	8	21
20-34	2006	4.5	19	2	2	3	5	7	9	26
35-49	171	5.9	34	2	2	4	6	12	19	30
50-64										
65+										
GRAND TOTAL	**2598**	**4.5**	**19**	**2**	**2**	**3**	**5**	**7**	**10**	**26**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7863	2.7	1	1	2	3	3	4	4	5
20-34	30035	2.7	1	1	2	3	3	4	4	6
35-49	1215	2.8	1	1	2	3	3	4	4	6
50-64										
65+										
B. *Operated*										
0-19 YRS	1107	2.6	1	1	2	2	3	4	4	5
20-34	4757	2.8	1	1	2	3	3	4	4	6
35-49	229	3.0	1	1	2	3	4	4	5	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2908	2.7	2	1	2	3	3	4	4	6
20-34	11079	2.8	1	1	2	3	3	4	4	6
35-49	501	3.0	3	1	2	3	3	4	5	8
50-64										
65+										
B. *Operated*										
0-19 YRS	592	2.9	5	1	1	3	3	4	5	8
20-34	9176	3.2	2	2	2	3	4	5	5	7
35-49	853	3.5	1	2	2	3	4	5	5	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39113	2.7	1	1	2	3	3	4	4	5
B. *Operated*	6093	2.8	1	1	2	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	14488	2.8	1	1	2	3	3	4	4	6
B. *Operated*	10621	3.2	2	2	2	3	4	5	5	7
1. SINGLE DX	45206	2.7	1	1	2	3	3	4	4	5
2. MULTIPLE DX	25109	3.0	2	1	2	3	3	4	5	7
A. NOT OPERATED	53601	2.7	1	1	2	3	3	4	4	6
B. OPERATED	16714	3.1	2	2	2	3	4	4	5	6
TOTAL 0-19 YRS	12470	2.7	1	1	2	3	3	4	4	5
20-34	55047	2.8	1	1	2	3	3	4	4	6
35-49	2798	3.0	2	1	2	3	4	4	5	7
50-64										
65+										
GRAND TOTAL	**70315**	**2.8**	**1**	**1**	**2**	**3**	**3**	**4**	**4**	**6**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	2.9	4	1	1	2	4	6	7	7
20-34	27	3.0	5	1	1	2	3	5	7	12
35-49	2	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	21	5.3	8	2	3	5	6	7	11	16
20-34	153	6.9	34	3	4	5	6	11	20	36
35-49	16	10.4	235	2	3	5	7	36	52	58
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.5		3	3	3	4	4	4	4
20-34	34	3.4	3	2	2	3	4	6	7	9
35-49	3	8.0	31	2	2	9	12	13	13	13
50-64										
65+										
B. *Operated*										
0-19 YRS	42	5.8	20	2	3	5	6	8	13	30
20-34	402	8.3	61	3	4	6	8	16	25	40
35-49	61	9.1	58	4	4	6	9	24	28	35
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	3.0	4	1	1	3	3	5	7	12
B. *Operated*	190	7.0	48	3	4	5	6	10	20	38
2. MULTIPLE DX										
A. *Not Operated*	41	3.7	6	2	2	3	4	7	9	13
B. *Operated*	505	8.2	58	3	4	6	8	16	25	40
1. SINGLE DX	228	6.3	43	2	2	5	6	9	17	37
2. MULTIPLE DX	546	7.8	55	3	3	5	8	16	25	40
A. NOT OPERATED	79	3.4	5	1	2	3	4	6	8	13
B. OPERATED	695	7.9	55	3	4	5	7	16	25	39
TOTAL 0-19 YRS	76	5.2	14	2	2	5	6	7	12	26
20-34	616	7.4	51	2	3	5	7	14	22	39
35-49	82	9.2	89	3	4	6	9	24	30	52
50-64										
65+										
GRAND TOTAL	**774**	**7.4**	**52**	**2**	**3**	**5**	**7**	**13**	**23**	**39**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	2.4	1	1	1	2	3	3	4	4
20-34	117	2.8	2	1	1	3	3	4	5	8
35-49	8	2.1		1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	37	4.4	2	2	2	5	5	6	6	7
20-34	176	4.4	7	2	2	4	5	6	7	11
35-49	10	4.6	3	2	2	5	6	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	2.5	1	1	1	3	3	4	4	5
20-34	154	3.2	4	1	2	3	4	5	6	10
35-49	9	2.6	2	1	1	2	3	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	101	4.8	8	2	2	4	6	8	10	16
20-34	509	4.9	8	2	2	5	6	7	9	16
35-49	54	4.7	3	2	2	5	6	7	9	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	158	2.7	1	1	1	3	3	4	4	8
B. *Operated*	223	4.4	6	2	2	4	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	214	3.0	3	1	1	3	4	4	5	9
B. *Operated*	664	4.9	7	2	2	5	6	7	9	16
1. SINGLE DX	381	3.7	5	1	2	3	5	6	7	9
2. MULTIPLE DX	878	4.4	7	2	2	4	5	7	9	15
A. NOT OPERATED	372	2.8	2	1	1	3	3	4	5	8
B. OPERATED	887	4.8	7	2	2	4	6	7	9	16
TOTAL 0-19 YRS	222	3.9	5	1	2	3	5	6	8	14
20-34	956	4.3	7	1	2	4	5	7	8	15
35-49	81	4.2	4	2	2	4	5	6	8	10
50-64										
65+										
GRAND TOTAL	**1259**	**4.2**	**7**	**1**	**2**	**4**	**5**	**7**	**8**	**15**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	26	2.5	1	<1	1	3	3	3	4	5
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	48	2.7	1	1	1	3	4	4	4	5
20-34	267	2.7	1	1	1	3	3	4	4	6
35-49	20	2.5	2	1	1	2	3	4	5	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	19	3.2	1	2	2	3	4	5	6	6
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	43	3.1	2	1	2	3	4	5	6	7
20-34	292	3.5	8	1	2	3	4	5	6	12
35-49	20	3.7	2	1	2	4	4	5	6	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	2.4	1	<1	1	2	3	3	4	5
B. *Operated*	335	2.7	1	1	1	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	23	3.0	1	1	2	3	4	4	5	6
B. *Operated*	355	3.5	7	1	2	3	4	5	6	10
1. SINGLE DX	365	2.6	1	1	1	3	3	4	4	6
2. MULTIPLE DX	378	3.4	6	1	2	3	4	5	6	10
A. NOT OPERATED	53	2.6	1	1	1	3	3	4	5	6
B. OPERATED	690	3.1	4	1	1	3	4	5	5	8
TOTAL 0-19 YRS	96	2.8	2	1	1	3	4	4	5	7
20-34	604	3.1	5	1	1	3	4	5	5	9
35-49	43	3.0	2	1	1	3	4	5	6	7
50-64										
65+										
GRAND TOTAL	**743**	**3.0**	**4**	**1**	**1**	**3**	**4**	**4**	**5**	**8**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	3.0	2	2	2	3	3	4	5	10
20-34	113	2.7	1	1	1	3	3	4	4	6
35-49	5	3.4	3	1	1	3	4	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	15	3.5	3	2	2	3	3	6	7	8
20-34	118	3.2	3	1	1	3	4	5	7	8
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	3.4	3	2	2	3	4	5	6	11
20-34	100	3.1	2	1	2	3	3	4	6	9
35-49	9	2.9	1	2	2	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	24	3.5	2	1	2	3	4	6	6	6
20-34	118	3.9	4	2	2	4	4	6	8	15
35-49	15	4.2	4	1	2	4	5	7	8	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	169	2.8	1	1	1	3	3	4	4	6
B. *Operated*	134	3.2	3	1	1	3	4	5	7	8
2. MULTIPLE DX										
A. *Not Operated*	139	3.1	2	1	2	3	4	4	6	10
B. *Operated*	157	3.9	4	2	2	4	4	6	7	14
1. SINGLE DX	303	3.0	2	1	1	3	3	4	6	8
2. MULTIPLE DX	296	3.5	3	2	2	3	4	5	6	11
A. NOT OPERATED	308	2.9	2	1	2	3	3	4	5	9
B. OPERATED	291	3.6	3	1	2	3	4	6	7	10
TOTAL 0-19 YRS	120	3.3	2	2	2	3	4	5	6	10
20-34	449	3.2	3	1	2	3	4	5	6	9
35-49	30	3.6	3	1	1	3	4	6	7	9
50-64										
65+										
GRAND TOTAL	**599**	**3.2**	**3**	**1**	**2**	**3**	**4**	**5**	**6**	**10**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.8	1	1	2	3	3	4	4	4
20-34	100	3.3	1	1	2	3	4	5	5	7
35-49	2	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	7	3.9	3	2	2	3	5	7	7	7
20-34	56	4.3	3	2	2	4	6	7	8	8
35-49	7	4.3	7	3	3	3	4	9	10	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	3.3	4	2	2	3	3	6	8	10
20-34	113	3.8	11	1	2	3	4	6	8	20
35-49	7	9.3	292	2	2	3	4	39	48	48
50-64										
65+										
B. *Operated*										
0-19 YRS	76	5.4	20	2	2	4	6	8	12	28
20-34	717	5.8	19	2	3	5	6	8	12	26
35-49	57	5.7	8	2	3	6	7	9	11	17
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	117	3.2	1	1	2	3	4	5	5	7
B. *Operated*	70	4.3	3	2	2	4	5	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	149	4.0	22	2	2	3	4	6	8	28
B. *Operated*	850	5.7	18	2	3	5	6	8	12	26
1. SINGLE DX	187	3.6	2	2	2	3	4	6	7	8
2. MULTIPLE DX	999	5.5	19	2	2	5	6	8	12	27
A. NOT OPERATED	266	3.6	13	1	2	3	4	5	7	16
B. OPERATED	920	5.6	17	2	3	5	6	8	12	24
TOTAL 0-19 YRS	127	4.6	14	2	2	3	5	8	9	25
20-34	986	5.2	16	2	2	4	6	8	11	23
35-49	73	5.8	33	2	3	5	7	9	12	41
50-64										
65+										
GRAND TOTAL	**1186**	**5.2**	**17**	**2**	**2**	**4**	**6**	**8**	**11**	**23**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	2.8	1	1	1	3	4	5	5	5
20-34	124	2.8	1	1	2	3	3	4	5	6
35-49	9	3.1	4	1	1	3	3	6	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	219	4.7	2	2	3	5	5	6	7	9
20-34	1381	4.6	3	2	3	5	5	6	7	8
35-49	51	4.4	2	2	2	4	6	6	7	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	2.6	2	1	1	2	3	5	6	7
20-34	121	2.9	3	1	1	3	3	5	6	12
35-49	11	2.5	1	1	1	2	3	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	373	5.3	8	2	3	5	6	7	9	15
20-34	2326	5.1	5	2	3	5	6	7	8	13
35-49	175	5.1	6	2	3	5	6	7	8	18
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	153	2.8	1	1	2	3	3	4	5	6
B. *Operated*	1651	4.6	3	2	3	5	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	156	2.8	3	1	1	3	3	5	5	11
B. *Operated*	2874	5.1	6	2	3	5	6	7	8	14
1. SINGLE DX	1804	4.4	3	2	2	4	5	6	7	8
2. MULTIPLE DX	3030	5.0	6	2	3	5	6	7	8	13
A. NOT OPERATED	309	2.8	2	1	1	3	3	4	5	8
B. OPERATED	4525	4.9	5	2	3	5	6	7	8	12
TOTAL 0-19 YRS	636	4.9	6	2	2	5	6	7	8	13
20-34	3952	4.8	5	2	3	5	6	7	7	11
35-49	246	4.8	6	2	2	5	6	7	8	14
50-64										
65+										
GRAND TOTAL	**4834**	**4.8**	**5**	**2**	**3**	**5**	**6**	**7**	**8**	**12**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	2.6		2	2	3	3	3	4	4
20-34	219	3.0	1	2	2	3	3	4	5	7
35-49	9	2.7	2	<1	<1	3	3	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	184	3.7	2	2	2	3	5	5	6	8
20-34	821	3.8	2	2	2	4	5	6	6	8
35-49	28	3.6	2	2	2	3	4	5	6	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	3.0	2	2	2	3	4	5	5	7
20-34	278	3.1	2	2	2	3	4	4	5	10
35-49	19	3.2	8	1	1	2	3	6	10	14
50-64										
65+										
B. *Operated*										
0-19 YRS	421	4.2	4	2	2	4	5	6	8	11
20-34	2517	4.5	4	2	3	4	5	7	8	11
35-49	181	4.7	3	2	3	5	6	7	8	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	276	2.9	1	2	2	3	3	4	5	7
B. *Operated*	1033	3.8	2	2	2	4	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	342	3.1	2	2	2	3	4	4	5	12
B. *Operated*	3119	4.4	4	2	3	4	5	7	8	11
1. SINGLE DX	1309	3.6	2	2	2	3	4	5	6	8
2. MULTIPLE DX	3461	4.3	4	2	2	4	5	6	7	11
A. NOT OPERATED	618	3.0	2	2	2	3	3	4	5	8
B. OPERATED	4152	4.3	3	2	2	4	5	6	7	10
TOTAL 0-19 YRS	698	3.9	3	2	2	3	5	6	7	10
20-34	3835	4.1	3	2	2	4	5	6	7	10
35-49	237	4.4	4	2	2	4	5	7	8	11
50-64										
65+										
GRAND TOTAL	**4770**	**4.1**	**3**	**2**	**2**	**4**	**5**	**6**	**7**	**10**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7		2	2	3	3	3	3	3
20-34	25	3.2	3	1	2	3	4	6	7	8
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	582	5.2	2	3	4	5	6	7	8	11
20-34	2116	5.2	2	4	4	5	6	6	7	8
35-49	64	5.5	2	4	4	5	6	7	9	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	5.0	6	3	3	4	7	8	8	8
20-34	25	3.3	2	<1	1	3	4	5	6	7
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	1218	6.0	5	4	4	6	7	8	10	15
20-34	4707	5.5	3	4	4	5	6	7	8	12
35-49	243	5.9	3	4	4	5	6	7	9	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	3.2	2	1	2	3	4	6	6	8
B. *Operated*	2762	5.2	2	4	4	5	6	7	7	9
2. MULTIPLE DX										
A. *Not Operated*	31	3.6	3	1	1	3	4	6	7	8
B. *Operated*	6168	5.6	3	4	4	5	6	7	8	13
1. SINGLE DX	2791	5.2	2	4	4	5	6	7	7	9
2. MULTIPLE DX	6199	5.6	3	4	4	5	6	7	8	13
A. NOT OPERATED	60	3.4	3	1	2	3	4	6	7	8
B. OPERATED	8930	5.5	3	4	4	5	6	7	8	12
TOTAL 0-19 YRS	1808	5.7	4	4	4	5	6	8	9	14
20-34	6873	5.4	3	4	4	5	6	7	8	11
35-49	309	5.8	3	4	4	5	6	7	9	13
50-64										
65+										
GRAND TOTAL	**8990**	**5.5**	**3**	**4**	**4**	**5**	**6**	**7**	**8**	**12**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	74	2.9	1	2	2	3	3	4	4	5
20-34	227	2.9	1	1	2	3	3	4	5	7
35-49	10	4.0	1	2	2	4	5	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	100	3.9	2	2	2	4	5	6	6	9
20-34	514	4.2	3	2	2	4	5	6	7	9
35-49	22	4.0	2	2	2	4	5	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	88	3.4	13	2	2	3	4	5	6	24
20-34	324	3.1	1	2	2	3	4	4	5	6
35-49	18	3.6	2	2	2	4	5	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	301	4.7	6	2	2	4	6	7	8	11
20-34	1681	4.5	4	2	3	4	6	7	8	12
35-49	112	4.7	3	2	3	5	6	7	7	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	311	3.0	1	2	2	3	3	4	5	7
B. *Operated*	636	4.1	3	2	2	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	430	3.2	4	2	2	3	4	5	5	6
B. *Operated*	2094	4.6	4	2	2	4	6	7	8	12
1. SINGLE DX	947	3.7	2	2	2	3	5	6	6	8
2. MULTIPLE DX	2524	4.3	4	2	2	4	5	7	7	11
A. NOT OPERATED	741	3.1	3	2	2	3	4	4	5	6
B. OPERATED	2730	4.5	4	2	2	4	5	7	7	11
TOTAL 0-19 YRS	563	4.1	6	2	2	4	5	6	7	11
20-34	2746	4.2	3	2	2	4	5	6	7	10
35-49	162	4.4	3	2	2	4	5	6	7	9
50-64										
65+										
GRAND TOTAL	**3471**	**4.2**	**4**	**2**	**2**	**4**	**5**	**6**	**7**	**10**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	3.0	1	2	2	3	4	4	4	4
20-34	77	2.8	1	1	2	3	3	4	5	6
35-49	5	3.4	7	2	2	2	4	8	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	53	4.6	3	2	2	5	6	6	7	8
20-34	275	4.5	3	2	2	5	6	6	7	10
35-49	26	4.6	3	2	2	5	6	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	2.8	1	1	1	3	3	4	4	4
20-34	63	3.3	2	1	2	3	4	5	6	8
35-49	7	4.9	10	2	2	5	6	10	11	11
50-64										
65+										
B. *Operated*										
0-19 YRS	125	5.2	6	2	3	5	6	8	10	14
20-34	858	5.6	32	2	3	5	6	7	9	25
35-49	108	6.4	34	3	3	6	7	9	10	37
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	89	2.9	1	2	2	3	3	4	5	7
B. *Operated*	354	4.6	3	2	2	5	6	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	80	3.4	3	1	2	3	4	5	7	10
B. *Operated*	1091	5.6	29	2	3	5	6	7	9	20
1. SINGLE DX	443	4.2	3	2	2	4	5	6	7	10
2. MULTIPLE DX	1171	5.4	27	2	3	5	6	7	9	18
A. NOT OPERATED	169	3.1	2	1	2	3	4	5	6	8
B. OPERATED	1445	5.3	23	2	3	5	6	7	9	14
TOTAL 0-19 YRS	195	4.8	5	2	2	5	6	7	9	13
20-34	1273	5.1	23	2	3	5	6	7	8	13
35-49	146	5.9	27	2	3	5	7	9	10	23
50-64										
65+										
GRAND TOTAL	**1614**	**5.1**	**21**	**2**	**2**	**5**	**6**	**7**	**8**	**14**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	3.0	2	1	1	3	3	5	5	5
20-34	38	3.2	2	1	2	3	4	5	6	7
35-49	4	2.8	1	2	2	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	333	5.2	2	3	4	5	6	7	7	9
20-34	3693	5.4	2	4	4	5	6	7	7	9
35-49	179	5.6	1	4	4	6	6	7	8	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	4.6	6	1	1	5	6	8	8	8
20-34	47	3.5	3	1	2	3	5	6	7	7
35-49	4	3.3	4	2	2	3	4	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	472	5.6	4	3	4	5	6	7	9	15
20-34	7083	5.7	4	[illegible]	4	5	6	7	8	11
35-49	514	6.1	4	4	4	6	7	8	9	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	3.1	2	1	2	3	4	5	6	7
B. *Operated*	4205	5.4	2	4	4	5	6	7	7	9
2. MULTIPLE DX										
A. *Not Operated*	58	3.6	3	1	2	3	5	6	7	8
B. *Operated*	8069	5.7	4	4	4	5	6	7	8	11
1. SINGLE DX	4253	5.4	2	4	4	5	6	7	7	9
2. MULTIPLE DX	8127	5.7	4	4	4	5	6	7	8	11
A. NOT OPERATED	106	3.4	3	1	2	3	4	6	6	8
B. OPERATED	12274	5.6	3	4	4	5	6	7	8	10
TOTAL 0-19 YRS	818	5.4	3	3	4	5	6	7	8	13
20-34	10861	5.5	3	4	4	5	6	7	8	10
35-49	701	5.9	3	4	4	6	7	8	9	12
50-64										
65+										
GRAND TOTAL	**12380**	**5.6**	**3**	**4**	**4**	**5**	**6**	**7**	**8**	**10**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	193	3.2	3	2	2	3	4	4	5	10
20-34	807	3.1	1	2	2	3	4	4	5	7
35-49	42	3.0	1	1	2	3	4	4	4	6
50-64										
65+										
B. *Operated*										
0-19 YRS	112	3.3	1	2	2	3	4	4	5	8
20-34	554	3.6	2	2	2	3	4	5	7	9
35-49	24	3.6	2	2	2	4	4	5	6	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	175	3.6	5	2	2	3	4	6	6	14
20-34	716	3.5	5	2	2	3	4	5	6	9
35-49	43	3.7	2	2	2	3	4	5	6	8
50-64										
65+										
B. *Operated*										
0-19 YRS	406	4.4	5	2	2	4	5	7	8	13
20-34	2412	4.5	11	2	2	4	5	7	8	14
35-49	198	4.9	11	2	2	4	6	8	10	21
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1042	3.2	2	2	2	3	4	4	5	7
B. *Operated*	690	3.6	2	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	934	3.5	5	2	2	3	4	5	6	9
B. *Operated*	3016	4.5	10	2	2	4	5	7	8	14
1. SINGLE DX	1732	3.3	2	2	2	3	4	5	6	8
2. MULTIPLE DX	3950	4.3	9	2	2	4	5	7	8	14
A. NOT OPERATED	1976	3.3	3	2	2	3	4	5	6	8
B. OPERATED	3706	4.4	9	2	2	4	5	7	8	14
TOTAL 0-19 YRS	886	3.8	4	2	2	3	4	6	7	12
20-34	4489	4.0	8	2	2	3	5	6	7	12
35-49	307	4.4	8	2	2	4	5	7	8	18
50-64										
65+										
GRAND TOTAL	**5682**	**4.0**	**7**	**2**	**2**	**3**	**5**	**6**	**7**	**13**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	388	2.6	1	2	2	3	3	4	4	5
20-34	1875	2.7	1	2	2	3	3	4	4	5
35-49	73	2.8	1	2	2	3	3	4	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	184	2.8	1	1	2	3	3	4	5	6
20-34	853	2.9	1	1	2	3	3	4	5	6
35-49	46	3.4	1	2	2	3	4	5	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	295	2.6	1	1	2	2	3	4	4	6
20-34	1150	2.9	1	1	2	3	3	4	5	6
35-49	48	3.0	1	2	2	3	3	4	5	7
50-64										
65+										
B. *Operated*										
0-19 YRS	319	3.2	3	2	2	3	4	5	7	10
20-34	2508	3.2	2	2	2	3	4	5	6	8
35-49	208	3.5	2	2	2	3	4	5	7	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2336	2.7	1	2	2	3	3	4	4	5
B. *Operated*	1083	2.9	1	1	2	3	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	1493	2.8	1	1	2	3	3	4	5	6
B. *Operated*	3035	3.2	2	2	2	3	4	5	6	8
1. SINGLE DX	3419	2.8	1	2	2	3	3	4	4	6
2. MULTIPLE DX	4528	3.1	2	2	2	3	4	4	5	7
A. NOT OPERATED	3829	2.8	1	2	2	3	3	4	4	6
B. OPERATED	4118	3.2	2	2	2	3	4	5	5	8
TOTAL 0-19 YRS	1186	2.9	1	2	2	3	3	4	5	7
20-34	6386	3.0	1	2	2	3	3	4	5	7
35-49	375	3.3	2	2	2	3	4	5	6	8
50-64										
65+										
GRAND TOTAL	**7947**	**3.0**	**1**	**2**	**2**	**3**	**3**	**4**	**5**	**7**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	147	2.7	1	1	2	3	3	4	4	5
20-34	450	2.6	1	1	2	3	3	4	4	6
35-49	18	2.6	1	1	1	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	906	2.6	1	1	2	3	3	4	4	5
20-34	3946	2.7	1	1	2	3	3	4	4	6
35-49	238	2.7	1	1	1	3	3	4	5	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	2.8	1	1	2	3	3	4	4	8
20-34	300	2.6	1	1	2	3	3	4	4	6
35-49	14	2.8	3	1	1	3	3	4	7	8
50-64										
65+										
B. *Operated*										
0-19 YRS	693	2.8	2	1	2	3	3	4	5	8
20-34	4435	2.9	1	1	2	3	3	4	5	7
35-49	372	3.3	3	1	2	3	4	5	6	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	615	2.7	1	1	2	3	3	4	4	6
B. *Operated*	5090	2.6	1	1	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	379	2.7	1	1	2	3	3	4	4	7
B. *Operated*	5500	2.9	2	1	2	3	3	4	5	7
1. SINGLE DX	5705	2.6	1	1	2	3	3	4	4	5
2. MULTIPLE DX	5879	2.9	2	1	2	3	3	4	5	7
A. NOT OPERATED	994	2.7	1	1	2	3	3	4	4	6
B. OPERATED	10590	2.8	1	1	2	3	3	4	5	6
TOTAL 0-19 YRS	1811	2.7	1	1	2	3	3	4	4	7
20-34	9131	2.8	1	1	2	3	3	4	5	6
35-49	642	3.1	2	1	2	3	4	5	5	7
50-64										
65+										
GRAND TOTAL	**11584**	**2.8**	**1**	**1**	**2**	**3**	**3**	**4**	**5**	**6**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	78	2.7	1	2	2	3	3	4	4	6
20-34	196	2.8	1	1	2	3	3	4	4	7
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	1006	2.9	1	2	2	3	3	4	4	6
20-34	3055	3.0	1	2	2	3	3	4	5	6
35-49	67	3.2	1	2	2	3	4	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	2.6	1	1	2	2	3	4	5	7
20-34	182	2.9	1	1	2	3	3	4	5	7
35-49	4	2.0	1	1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	982	3.1	3	2	2	3	3	4	5	9
20-34	3339	3.3	2	2	2	3	4	5	5	7
35-49	124	3.6	2	2	2	3	4	5	6	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	275	2.8	1	2	2	3	3	4	4	6
B. *Operated*	4128	3.0	1	2	2	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	243	2.8	1	1	2	3	3	4	5	7
B. *Operated*	4445	3.3	2	2	2	3	4	5	5	8
1. SINGLE DX	4403	3.0	1	2	2	3	3	4	4	6
2. MULTIPLE DX	4688	3.3	2	2	2	3	4	5	5	8
A. NOT OPERATED	518	2.3	1	1	2	3	3	4	5	7
B. OPERATED	8573	3.1	2	2	2	3	4	4	5	7
TOTAL 0-19 YRS	2123	3.0	2	2	2	3	3	4	5	7
20-34	6772	3.1	2	2	2	3	4	4	5	7
35-49	196	3.4	1	2	2	3	4	5	5	8
50-64										
65+										
GRAND TOTAL	**9091**	**3.1**	**2**	**2**	**2**	**3**	**4**	**4**	**5**	**7**

286: Other obstetrical trauma (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	73	2.7	1	2	2	3	3	4	4	8
20-34	175	2.6	1	1	2	3	3	4	4	7
35-49	6	3.0	2	1	1	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	356	2.7	1	2	2	3	3	4	4	6
20-34	1080	2.9	1	2	2	3	3	4	5	6
35-49	29	2.9	1	2	2	3	3	5	5	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	2.9	1	2	2	3	3	4	4	5
20-34	121	2.8	1	1	2	3	3	4	5	6
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	328	3.2	4	2	2	3	4	5	5	13
20-34	1366	3.3	2	2	2	3	4	5	5	8
35-49	67	4.1	9	2	2	3	4	5	7	22
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	254	2.7	1	1	2	3	3	4	4	8
B. *Operated*	1465	2.8	1	2	2	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	155	2.8	1	1	2	3	3	4	4	5
B. *Operated*	1761	3.3	3	2	2	3	4	5	6	9
1. SINGLE DX	1719	2.8	1	2	2	3	3	4	4	6
2. MULTIPLE DX	1916	3.3	3	2	2	3	4	5	5	9
A. NOT OPERATED	409	2.7	1	1	2	3	3	4	4	6
B. OPERATED	3226	3.1	2	2	2	3	4	4	5	7
TOTAL 0-19 YRS	790	2.9	2	2	2	3	3	4	5	8
20-34	2742	3.1	2	2	2	3	3	4	5	7
35-49	103	3.6	7	2	2	3	4	5	6	19
50-64										
65+										
GRAND TOTAL	**3635**	**3.0**	**2**	**2**	**2**	**3**	**3**	**4**	**5**	**7**

287: Miscellaneous complications of delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1159	3.1	5	1	2	3	3	5	6	12
20-34	3230	3.1	4	1	2	3	3	5	6	10
35-49	160	3.0	3	1	1	3	3	5	6	11
50-64										
65+										
B. *Operated*										
0-19 YRS	3014	3.2	2	2	2	3	4	5	6	9
20-34	12569	3.3	3	2	2	3	4	5	6	9
35-49	543	3.7	4	2	2	3	4	6	7	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1152	3.3	7	1	2	3	4	5	7	12
20-34	3578	3.3	7	1	2	3	4	5	7	14
35-49	217	3.4	7	1	2	3	4	5	9	16
50-64										
65+										
B. *Operated*										
0-19 YRS	4175	4.3	10	2	2	3	5	7	9	18
20-34	20428	4.3	11	2	2	4	5	7	8	16
35-49	1473	4.7	12	2	2	4	5	7	10	20
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4549	3.1	4	1	2	3	3	5	6	10
B. *Operated*	16126	3.3	3	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	4947	3.3	7	1	2	3	4	5	7	14
B. *Operated*	26076	4.3	11	2	2	3	5	7	9	17
1. SINGLE DX	20675	3.3	3	2	2	3	4	5	6	9
2. MULTIPLE DX	31023	4.1	10	2	2	3	5	7	8	16
A. NOT OPERATED	9496	3.2	6	1	2	3	4	5	6	12
B. OPERATED	42202	3.9	8	2	2	3	4	6	8	14
TOTAL 0-19 YRS	9500	3.7	7	2	2	3	4	6	8	14
20-34	39805	3.8	8	2	2	3	4	6	[illegible]	14
35-49	2393	4.3	9	2	2	3	5	7	9	15
50-64										
65+										
GRAND TOTAL	**51698**	**3.8**	**7**	**2**	**2**	**3**	**4**	**6**	**7**	**14**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	57	3.6	2	1	2	4	4	6	6	7
20-34	119	3.9	4	2	2	3	4	6	8	13
35-49	10	4.2	2	2	2	4	5	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	6	4.7	3	2	2	5	6	7	7	7
20-34	19	6.1	11	2	2	6	8	10	13	16
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	5.9	26	1	2	5	6	10	18	25
20-34	67	5.0	8	2	2	4	6	8	11	16
35-49	3	5.0	1	4	4	5	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	4	9.0	22	5	5	9	13	14	14	14
20-34	22	5.2	17	1	2	4	6	14	15	16
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	186	3.8	3	2	2	3	4	6	7	11
B. *Operated*	25	5.8	10	2	2	5	7	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	89	5.2	11	2	2	5	6	8	11	21
B. *Operated*	26	5.8	19	1	2	4	6	14	15	16
1. SINGLE DX	211	4.1	5	2	2	4	5	6	8	13
2. MULTIPLE DX	115	5.3	13	2	2	5	6	10	14	19
A. NOT OPERATED	275	4.3	6	2	2	4	5	7	8	14
B. OPERATED	51	5.8	14	2	2	5	7	13	14	16
TOTAL 0-19 YRS	86	4.4	10	1	2	4	5	6	9	21
20-34	227	4.6	7	2	2	4	5	7	10	16
35-49	13	4.4	2	2	3	4	5	6	6	6
50-64										
65+										
GRAND TOTAL	**326**	**4.5**	**8**	**2**	**2**	**4**	**5**	**7**	**10**	**16**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	1.9	1	1	1	2	2	3	4	5
20-34	77	1.7	1	<1	1	1	2	3	4	5
35-49	5	2.4	4	1	1	2	3	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	47	1.8	2	<1	1	1	2	4	5	6
20-34	256	2.0	5	<1	1	2	2	3	4	7
35-49	18	2.3	4	1	1	2	2	6	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.8	6	1	1	4	5	7	7	7
20-34	35	2.9	3	1	1	2	4	5	6	8
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	18	2.7	6	1	1	2	3	5	9	11
20-34	126	3.1	6	1	1	2	4	7	8	11
35-49	11	3.5	6	1	1	3	6	7	7	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	99	1.8	1	<1	1	1	2	3	4	6
B. *Operated*	321	2.0	5	<1	1	2	2	3	5	7
2. MULTIPLE DX										
A. *Not Operated*	43	3.0	3	1	1	3	4	5	7	8
B. *Operated*	155	3.1	6	1	1	2	4	7	8	11
1. SINGLE DX	420	1.9	4	<1	1	2	2	3	4	7
2. MULTIPLE DX	198	3.1	5	1	1	2	4	7	8	11
A. NOT OPERATED	142	2.1	2	1	1	2	3	4	5	7
B. OPERATED	476	2.3	5	1	1	2	3	5	6	10
TOTAL 0-19 YRS	88	2.2	3	<1	1	2	2	5	5	9
20-34	494	2.3	5	<1	1	2	3	4	6	9
35-49	36	2.7	5	1	1	2	3	7	7	8
50-64										
65+										
GRAND TOTAL	**618**	**2.3**	**5**	**1**	**1**	**2**	**3**	**5**	**6**	**9**

290: Other puerperal complications (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	4.3	13	<1	1	3	5	10	12	15
20-34	92	4.1	11	1	1	3	5	8	13	16
35-49	6	5.7	22	1	1	4	8	13	14	14
50-64										
65+										
B. *Operated*										
0-19 YRS	28	3.2	8	1	1	3	4	5	6	16
20-34	96	3.4	7	<1	1	3	4	7	8	13
35-49	5	6.0	11	1	1	6	8	10	10	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	4.4	21	1	1	3	6	7	14	22
20-34	41	5.9	23	2	2	4	6	13	16	23
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	20	5.3	19	2	2	4	6	12	16	18
20-34	81	4.2	14	1	2	3	5	9	13	18
35-49	3	6.0	13	2	2	7	8	9	9	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	120	4.2	11	1	1	3	5	8	13	16
B. *Operated*	129	3.4	7	1	1	3	4	7	8	14
2. MULTIPLE DX										
A. *Not Operated*	62	5.4	22	1	2	4	6	12	16	23
B. *Operated*	104	4.5	15	1	2	3	5	9	14	18
1. SINGLE DX	249	3.8	9	1	1	3	4	8	10	15
2. MULTIPLE DX	166	4.8	18	1	2	3	6	10	15	21
A. NOT OPERATED	182	4.6	15	1	1	3	5	9	14	21
B. OPERATED	233	3.9	11	1	1	3	5	8	11	17
TOTAL 0-19 YRS	91	4.2	15	1	1	3	5	8	14	20
20-34	310	4.1	12	1	1	3	5	8	12	17
35-49	14	5.9	14	1	1	6	8	10	13	14
50-64										
65+										
GRAND TOTAL	**415**	**4.2**	**13**	**1**	**1**	**3**	**5**	**8**	**13**	**18**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	600	4.4	18	2	2	4	5	7	9	12
20-34	586	4.6	7	2	2	4	5	8	9	15
35-49	380	5.3	10	2	3	4	6	9	12	17
50-64	364	6.4	22	2	3	5	8	12	16	24
65+	335	7.3	25	3	3	6	9	13	17	27
B. *Operated*										
0-19 YRS	334	4.5	10	1	2	4	6	8	10	17
20-34	385	5.6	31	1	2	4	7	10	13	21
35-49	260	7.1	60	1	2	6	8	14	18	33
50-64	190	8.3	89	1	2	6	10	16	22	46
65+	156	9.2	71	2	3	7	12	19	22	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	584	4.7	15	2	2	4	6	8	10	18
20-34	706	5.7	18	2	2	5	7	10	13	22
35-49	686	7.2	28	2	3	6	8	13	17	30
50-64	1031	8.2	42	3	3	7	10	14	18	35
65+	1714	9.6	47	3	4	8	12	17	22	34
B. *Operated*										
0-19 YRS	247	6.1	25	2	2	5	7	11	16	30
20-34	424	8.7	68	2	2	6	10	18	23	46
35-49	415	11.2	130	2	3	7	13	23	36	61
50-64	505	13.9	154	3	4	10	17	29	42	70
65+	538	15.0	154	3	4	11	19	29	38	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2265	5.3	17	2	2	4	6	9	12	20
B. *Operated*	1325	6.4	47	1	2	5	8	12	16	32
2. MULTIPLE DX										
A. *Not Operated*	4721	7.7	38	2	3	6	9	14	18	31
B. *Operated*	2129	11.7	126	2	3	8	15	25	34	61
1. SINGLE DX	3590	5.7	28	2	2	4	7	10	14	24
2. MULTIPLE DX	6850	9.0	69	2	3	7	11	17	24	45
A. NOT OPERATED	6986	7.0	32	2	3	5	8	13	17	29
B. OPERATED	3454	9.7	102	2	2	7	11	20	29	54
TOTAL 0-19 YRS	1765	4.8	17	2	2	4	6	8	11	17
20-34	2101	6.0	30	2	2	5	7	11	15	26
35-49	1741	7.7	57	2	3	6	9	14	20	41
50-64	2090	9.2	77	2	3	7	11	18	25	47
65+	2743	10.4	73	3	4	8	13	19	26	46
GRAND TOTAL	**10440**	**7.9**	**57**	**2**	**2**	**6**	**9**	**15**	**21**	**40**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	202	4.0	5	1	2	3	5	7	8	12
20-34	147	4.8	8	1	2	4	6	9	11	12
35-49	82	5.4	13	1	2	4	7	10	13	19
50-64	67	6.2	16	2	2	5	8	11	14	21
65+	65	6.3	20	2	2	6	8	11	14	29
B. *Operated*										
0-19 YRS	152	3.6	9	<1	1	2	5	7	10	15
20-34	181	4.7	24	1	1	3	6	9	12	29
35-49	110	5.2	26	1	1	4	6	11	14	28
50-64	120	6.6	70	1	2	4	7	13	17	52
65+	74	10.2	140	2	2	6	12	22	32	59
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	251	4.5	11	1	2	4	5	8	10	16
20-34	168	5.5	24	2	2	4	6	10	12	31
35-49	136	7.9	53	2	3	6	9	13	26	38
50-64	179	8.6	52	2	3	7	10	15	24	41
65+	289	9.9	53	3	3	8	12	18	25	37
B. *Operated*										
0-19 YRS	127	5.1	25	1	1	4	6	10	16	27
20-34	140	6.9	44	1	2	5	9	13	16	41
35-49	162	8.9	76	2	2	6	10	20	27	48
50-64	180	12.1	113	2	3	9	15	26	37	53
65+	205	13.0	136	2	3	9	17	27	39	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	563	4.9	11	1	2	4	6	9	11	16
B. *Operated*	637	5.5	46	1	1	4	6	11	15	42
2. MULTIPLE DX										
A. *Not Operated*	1023	7.4	42	2	2	6	9	14	19	35
B. *Operated*	814	9.7	94	2	2	7	12	21	29	49
1. SINGLE DX	1200	5.2	30	1	1	4	6	10	13	30
2. MULTIPLE DX	1837	8.4	67	2	2	6	10	17	25	44
A. NOT OPERATED	1586	6.5	32	2	2	5	8	12	16	31
B. OPERATED	1451	7.9	77	1	2	5	9	17	25	49
TOTAL 0-19 YRS	732	4.3	12	1	1	3	5	8	10	18
20-34	636	5.4	25	1	2	4	6	10	13	29
35-49	490	7.2	50	2	2	5	8	14	21	36
50-64	546	9.0	77	2	2	6	11	18	27	49
65+	633	10.6	90	2	3	8	13	21	30	51
GRAND TOTAL	**3037**	**7.2**	**54**	**1**	**2**	**5**	**8**	**14**	**21**	**40**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	3.4	4	<1	<1	4	4	6	7	7
20-34	12	3.0	3	<1	<1	3	4	5	6	6
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	776	3.6	3	1	2	3	4	5	7	11
20-34	1367	3.7	4	2	2	3	4	6	7	10
35-49	201	3.9	4	1	2	4	5	6	8	12
50-64	53	4.3	6	2	2	4	5	7	11	13
65+	11	3.8	3	2	2	4	4	6	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	2.3	2	<1	<1	2	4	4	4	4
20-34	12	3.3	11	<1	<1	2	4	8	11	12
35-49	7	7.1	26	3	3	5	9	16	17	17
50-64	2	8.5	13	6	6	8	11	11	11	11
65+	2	5.0	2	4	4	5	6	6	6	6
B. *Operated*										
0-19 YRS	99	4.6	7	2	2	4	6	8	10	14
20-34	233	4.7	8	2	2	4	5	9	11	16
35-49	75	5.6	24	2	2	4	6	10	18	25
50-64	36	7.5	41	2	3	5	10	15	23	28
65+	10	12.7	392	3	3	6	11	40	68	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	3.1	3	<1	<1	3	4	5	6	7
B. *Operated*	2408	3.7	4	1	2	3	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	38	4.0	13	<1	<1	3	4	9	12	17
B. *Operated*	453	5.2	22	2	2	4	6	10	13	24
1. SINGLE DX	2431	3.7	4	1	2	3	4	6	7	11
2. MULTIPLE DX	491	5.1	22	2	2	4	6	10	13	24
A. NOT OPERATED	61	3.6	9	<1	<1	3	4	7	10	16
B. OPERATED	2861	3.9	7	2	2	3	5	6	8	13
TOTAL 0-19 YRS	899	3.7	4	1	2	3	4	6	7	11
20-34	1624	3.8	5	2	2	3	4	6	8	12
35-49	284	4.4	11	2	2	4	5	7	10	20
50-64	92	5.6	22	2	2	4	6	11	14	26
65+	23	7.8	181	2	3	4	7	11	32	68
GRAND TOTAL	**2922**	**3.9**	**7**	**1**	**2**	**3**	**5**	**6**	**8**	**13**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	7	5.3	12	2	2	5	7	11	12	12
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	171	2.0	2	<1	<1	2	2	4	5	8
20-34	217	2.1	2	<1	<1	2	2	3	5	8
35-49	170	2.2	4	<1	<1	2	2	4	5	10
50-64	121	2.5	5	<1	1	2	3	4	6	14
65+	69	2.5	4	<1	<1	2	3	5	6	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.5	2	<1	<1	2	3	5	5	5
20-34	5	2.2	5	1	1	1	3	6	6	6
35-49	5	5.0	39	1	1	3	6	16	16	16
50-64	8	6.4	11	1	2	7	8	11	12	12
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	24	3.3	16	<1	1	2	3	5	16	17
20-34	95	3.8	37	1	2	2	4	6	9	39
35-49	110	4.0	6	1	2	3	5	8	10	12
50-64	115	3.7	7	1	1	3	5	8	9	13
65+	83	4.1	11	1	1	3	5	9	13	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	4.3	10	1	1	3	5	9	12	12
B. *Operated*	748	2.2	3	<1	<1	2	2	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	25	4.1	15	<1	1	3	6	8	13	16
B. *Operated*	427	3.8	15	1	1	3	5	8	10	15
1. SINGLE DX	758	2.2	4	<1	<1	2	2	4	5	10
2. MULTIPLE DX	452	3.9	15	1	1	3	5	8	10	16
A. NOT OPERATED	35	4.2	13	1	1	3	6	8	12	16
B. OPERATED	1175	2.8	8	<1	<1	2	3	5	8	14
TOTAL 0-19 YRS	202	2.1	4	<1	<1	2	2	4	5	12
20-34	324	2.6	13	<1	<1	2	3	5	6	14
35-49	285	2.9	6	<1	<1	2	3	6	8	12
50-64	245	3.2	7	1	1	2	3	7	9	12
65+	154	3.3	8	<1	1	2	4	6	10	14
GRAND TOTAL	**1210**	**2.8**	**8**	**<1**	**<1**	**2**	**3**	**5**	**8**	**14**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	398	4.0	15	1	1	3	4	7	11	22
20-34	276	6.9	57	1	2	4	9	18	22	30
35-49	199	6.7	35	1	2	5	8	14	21	29
50-64	186	8.3	61	1	2	6	10	19	25	36
65+	249	10.0	96	2	3	7	12	22	27	59
B. *Operated*										
0-19 YRS	715	2.6	8	<1	<1	2	3	5	8	18
20-34	965	4.4	34	1	1	3	4	8	14	28
35-49	636	5.4	58	1	1	3	5	12	17	35
50-64	598	5.5	57	1	1	3	5	14	21	42
65+	580	9.8	148	1	1	4	13	25	35	59
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	407	4.5	23	1	2	3	5	8	12	25
20-34	418	7.4	68	1	2	5	9	14	22	42
35-49	481	8.2	61	1	2	6	10	18	22	41
50-64	731	9.6	80	2	2	7	12	20	27	53
65+	1545	12.7	120	3	4	10	16	25	33	61
B. *Operated*										
0-19 YRS	306	6.3	105	1	1	3	6	16	30	94
20-34	647	11.0	220	1	2	5	14	30	44	99+
35-49	798	10.5	193	1	2	5	13	27	44	80
50-64	1007	10.8	174	1	2	5	14	29	38	84
65+	1342	18.0	318	2	2	13	24	44	60	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1308	6.8	53	1	2	4	8	16	22	31
B. *Operated*	3494	5.3	61	<1	1	3	5	12	20	40
2. MULTIPLE DX										
A. *Not Operated*	3582	9.9	94	2	2	7	12	21	28	55
B. *Operated*	4100	12.8	241	1	2	7	17	34	48	94
1. SINGLE DX	4802	5.7	59	1	1	3	6	13	21	37
2. MULTIPLE DX	7682	11.5	175	2	2	7	14	27	39	81
A. NOT OPERATED	4890	9.1	85	1	2	6	11	20	26	53
B. OPERATED	7594	9.3	172	1	1	4	11	25	37	80
TOTAL 0-19 YRS	1826	4.0	31	<1	1	2	4	8	12	31
20-34	2306	7.1	102	1	1	4	8	17	27	67
35-49	2114	8.1	112	1	2	4	9	19	28	61
50-64	2522	9.0	115	1	2	5	11	22	32	55
65+	3716	14.0	205	2	2	10	18	31	45	82
GRAND TOTAL	**12484**	**9.2**	**138**	**1**	**2**	**5**	**11**	**22**	**33**	**67**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	6.0	15	1	2	6	8	11	14	16
20-34	58	5.8	20	1	2	5	7	11	14	25
35-49	60	6.9	12	2	3	6	9	11	14	18
50-64	41	8.6	45	2	3	6	12	15	20	36
65+	25	7.9	26	2	2	8	10	14	18	23
B. *Operated*										
0-19 YRS	6	11.0	92	2	2	8	22	23	23	23
20-34	22	10.0	94	2	3	8	11	15	30	50
35-49	19	8.6	19	2	3	8	10	15	17	19
50-64	25	9.1	21	2	2	9	12	15	16	20
65+	19	13.9	60	4	5	13	18	26	30	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	7.9	29	2	2	6	12	16	18	20
20-34	173	7.8	31	1	2	6	10	13	18	32
35-49	162	8.2	57	2	3	6	10	17	23	48
50-64	204	8.6	62	2	3	7	11	15	20	36
65+	180	12.6	104	3	4	9	16	25	33	54
B. *Operated*										
0-19 YRS	16	12.1	135	2	2	7	21	38	79	99+
20-34	70	13.5	195	2	2	9	18	30	37	80
35-49	84	15.6	138	3	4	12	23	33	40	99+
50-64	107	13.7	84	3	4	12	17	27	31	47
65+	83	20.8	291	3	4	15	29	45	58	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	207	6.9	24	2	2	6	9	13	16	25
B. *Operated*	91	10.3	52	2	3	9	13	19	22	42
2. MULTIPLE DX										
A. *Not Operated*	746	9.3	66	2	3	7	11	18	23	39
B. *Operated*	360	15.7	175	3	3	12	22	33	42	85
1. SINGLE DX	298	8.0	35	2	2	7	10	15	18	30
2. MULTIPLE DX	1106	11.4	111	2	3	8	14	24	33	58
A. NOT OPERATED	953	8.8	58	2	3	7	11	16	23	36
B. OPERATED	451	14.6	155	2	3	11	19	31	41	71
TOTAL 0-19 YRS	72	8.5	56	2	2	7	12	20	26	86
20-34	323	8.8	76	2	2	7	11	17	24	41
35-49	325	9.9	79	2	3	7	12	22	29	55
50-64	377	10.1	68	2	3	8	13	19	25	37
65+	307	14.5	161	3	4	10	18	30	42	61
GRAND TOTAL	**1404**	**10.6**	**96**	**2**	**3**	**8**	**13**	**23**	**30**	**54**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	86	5.7	15	1	2	5	7	10	14	21
20-34	69	6.2	17	2	2	5	7	12	13	24
35-49	160	6.4	22	2	3	5	7	11	17	26
50-64	246	7.9	51	2	3	6	9	13	19	29
65+	199	8.6	32	2	3	7	11	17	21	28
B. *Operated*										
0-19 YRS	19	7.5	111	1	1	4	8	16	33	46
20-34	62	9.4	87	2	2	6	12	20	28	53
35-49	130	9.7	81	2	2	7	13	20	28	47
50-64	349	11.0	77	2	3	9	15	20	25	46
65+	182	13.5	89	2	3	12	17	26	32	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	6.2	18	2	2	5	8	13	19	99+
20-34	86	7.7	79	2	3	5	9	14	17	59
35-49	245	7.8	30	2	3	6	9	15	19	28
50-64	659	9.3	53	3	3	8	11	18	23	39
65+	962	10.1	61	3	3	8	13	19	24	42
B. *Operated*										
0-19 YRS	13	10.2	179	1	2	5	16	55	90	99+
20-34	54	8.9	66	2	2	6	10	18	24	44
35-49	163	9.7	92	2	3	7	13	19	26	55
50-64	473	12.9	176	2	3	9	16	28	41	67
65+	412	15.3	193	3	4	11	19	31	43	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	760	7.4	34	2	3	6	9	13	18	27
B. *Operated*	742	11.2	84	2	3	9	16	22	29	46
2. MULTIPLE DX										
A. *Not Operated*	1994	9.4	55	3	3	7	11	18	23	40
B. *Operated*	1115	13.1	169	2	3	9	16	27	41	73
1. SINGLE DX	1502	9.3	62	2	3	7	12	18	24	41
2. MULTIPLE DX	3109	10.7	99	2	3	8	13	21	28	53
A. NOT OPERATED	2754	8.8	50	2	3	7	11	16	22	38
B. OPERATED	1857	12.3	136	2	3	9	16	25	34	61
TOTAL 0-19 YRS	160	6.4	40	1	2	5	8	14	18	94
20-34	271	7.9	63	2	2	6	10	15	20	42
35-49	698	8.3	54	2	3	6	10	16	21	38
50-64	1727	10.5	95	2	3	8	13	21	27	52
65+	1755	11.5	97	3	3	9	14	22	29	51
GRAND TOTAL	**4611**	**10.2**	**88**	**2**	**3**	**8**	**13**	**20**	**27**	**50**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.8	5	2	2	3	5	7	7	7
20-34	19	4.7	4	2	3	5	5	7	9	11
35-49	47	5.3	10	2	2	4	6	11	11	14
50-64	151	5.8	18	2	2	5	7	11	16	20
65+	331	7.0	36	1	2	5	9	14	17	26
B. *Operated*										
0-19 YRS	13	3.6	6	1	1	2	5	7	9	9
20-34	158	4.5	17	1	2	3	5	11	13	22
35-49	362	5.9	25	1	2	4	8	13	16	24
50-64	1231	9.4	43	2	2	8	14	18	20	27
65+	1941	14.8	52	3	5	15	18	23	27	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.0	7	3	3	4	7	8	8	8
20-34	32	5.8	14	2	3	5	7	9	14	21
35-49	161	6.6	29	2	2	5	8	13	15	34
50-64	712	6.9	22	2	2	6	8	13	15	23
65+	2024	8.2	42	2	3	7	10	15	19	32
B. *Operated*										
0-19 YRS	13	6.2	33	<1	1	3	9	15	19	20
20-34	127	5.2	26	1	1	4	6	11	14	24
35-49	305	7.2	48	1	2	5	9	16	21	34
50-64	996	11.5	106	2	2	9	16	23	32	47
65+	1803	17.1	120	3	5	16	21	30	37	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	552	6.4	28	2	2	5	8	12	16	25
B. *Operated*	3705	11.7	57	2	2	12	16	21	24	33
2. MULTIPLE DX										
A. *Not Operated*	2932	7.8	36	2	3	6	10	14	18	30
B. *Operated*	3244	13.9	120	2	3	12	18	27	33	52
1. SINGLE DX	4257	11.0	57	2	2	11	16	20	23	32
2. MULTIPLE DX	6176	11.0	90	2	3	8	15	22	29	46
A. NOT OPERATED	3484	7.5	35	2	3	6	9	14	18	29
B. OPERATED	6949	12.7	88	2	3	12	17	23	29	45
TOTAL 0-19 YRS	33	4.8	17	1	2	3	7	9	14	20
20-34	336	4.9	19	1	2	3	6	11	14	21
35-49	875	6.4	33	2	2	4	8	14	17	30
50-64	3090	9.3	60	2	2	7	13	18	22	37
65+	6099	12.9	83	2	3	12	17	23	29	45
GRAND TOTAL	**10433**	**11.0**	**76**	**2**	**3**	**9**	**15**	**21**	**26**	**42**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	130	7.4	31	1	2	6	10	16	18	25
20-34	127	5.3	14	1	2	4	7	10	11	21
35-49	96	5.6	28	1	2	5	7	10	12	34
50-64	97	7.9	70	1	2	5	9	17	20	49
65+	97	6.3	23	2	2	5	8	10	15	28
B. *Operated*										
0-19 YRS	72	8.0	49	1	2	6	11	16	21	36
20-34	196	6.1	28	1	2	4	7	14	17	23
35-49	192	5.6	17	2	2	4	7	11	16	19
50-64	239	8.7	86	2	2	6	11	17	23	56
65+	171	13.6	81	2	3	12	19	25	29	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	83	9.5	54	1	2	7	14	21	23	30
20-34	122	6.3	18	2	2	5	8	11	14	22
35-49	151	6.6	23	2	2	5	8	13	15	25
50-64	261	7.5	42	2	3	6	9	13	16	42
65+	514	9.3	63	2	3	7	11	17	24	45
B. *Operated*										
0-19 YRS	46	14.2	71	3	3	14	19	24	28	45
20-34	129	6.9	41	2	2	5	9	14	21	32
35-49	157	9.1	84	2	2	6	12	19	23	65
50-64	189	12.1	107	2	2	9	17	29	36	46
65+	217	17.9	194	2	4	16	23	36	58	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	547	6.5	33	1	2	5	8	13	17	25
B. *Operated*	870	8.3	62	2	2	6	11	17	22	39
2. MULTIPLE DX										
A. *Not Operated*	1131	8.2	49	2	3	7	10	15	20	36
B. *Operated*	738	12.4	130	2	2	9	17	27	36	65
1. SINGLE DX	1417	7.6	51	2	2	5	10	16	20	35
2. MULTIPLE DX	1869	9.9	85	2	2	7	12	21	28	57
A. NOT OPERATED	1678	7.7	44	2	2	6	9	15	19	32
B. OPERATED	1608	10.2	97	2	2	7	14	22	29	58
TOTAL 0-19 YRS	331	9.0	51	1	2	7	13	19	22	30
20-34	574	6.2	26	2	2	5	8	12	17	23
35-49	596	6.8	40	2	2	5	8	14	18	33
50-64	786	9.0	77	2	2	6	11	18	25	47
65+	999	11.6	105	2	3	9	15	24	31	59
GRAND TOTAL	**3286**	**8.9**	**72**	**2**	**2**	**6**	**11**	**19**	**24**	**46**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	2.1	2	1	1	2	3	4	5	5
20-34	39	3.0	11	<1	<1	2	3	7	12	13
35-49	17	2.3	1	<1	<1	2	3	4	5	5
50-64	13	3.3	9	<1	<1	2	5	8	10	11
65+	8	5.6	63	<1	1	3	4	19	25	25
B. *Operated*										
0-19 YRS	697	2.8	3	1	1	2	3	5	6	8
20-34	1622	3.1	5	1	1	3	4	5	7	11
35-49	825	3.2	4	1	1	3	4	5	7	11
50-64	392	3.7	8	2	2	3	4	6	8	14
65+	111	4.2	10	2	2	3	5	7	11	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	2.0	3	<1	<1	1	2	5	6	6
20-34	33	3.3	13	<1	<1	1	6	9	10	16
35-49	23	4.2	11	<1	1	3	5	10	11	12
50-64	25	6.3	74	<1	1	2	8	13	30	35
65+	15	5.9	13	2	2	5	9	10	13	14
B. *Operated*										
0-19 YRS	390	3.4	4	1	2	3	4	6	7	10
20-34	1116	3.7	10	1	1	3	5	7	8	17
35-49	725	3.8	11	1	2	3	5	7	9	20
50-64	531	4.4	16	2	2	3	5	8	12	23
65+	215	6.1	43	2	2	4	8	12	16	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	96	2.9	11	<1	1	2	3	5	10	20
B. *Operated*	3647	3.2	5	1	1	3	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	117	4.2	26	<1	<1	2	6	10	12	31
B. *Operated*	2977	4.0	13	1	2	3	5	7	10	19
1. SINGLE DX	3743	3.2	5	1	1	3	4	6	7	11
2. MULTIPLE DX	3094	4.0	14	1	2	3	5	7	10	19
A. NOT OPERATED	213	3.6	20	<1	<1	2	5	9	11	26
B. OPERATED	6624	3.5	9	1	1	3	4	6	8	15
TOTAL 0-19 YRS	1127	3.0	3	1	1	2	4	5	6	9
20-34	2810	3.4	7	1	1	3	4	6	8	14
35-49	1590	3.5	7	1	2	3	4	6	8	14
50-64	961	4.1	14	1	2	3	5	7	10	23
65+	349	5.5	32	2	2	4	6	10	14	25
GRAND TOTAL	**6837**	**3.6**	**9**	**1**	**1**	**3**	**4**	**6**	**8**	**16**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	154	3.5	5	1	1	3	4	6	7	14
20-34	108	4.1	10	1	1	3	5	9	11	15
35-49	85	4.3	10	<1	<1	4	6	8	11	16
50-64	77	5.1	26	1	1	3	6	11	14	29
65+	98	6.6	35	1	2	5	8	14	21	30
B. *Operated*										
0-19 YRS	771	3.5	6	1	1	3	4	6	7	11
20-34	1309	3.8	7	1	2	3	4	6	8	13
35-49	489	4.0	11	1	2	3	5	7	10	18
50-64	282	4.9	20	1	2	3	6	10	14	24
65+	128	8.9	74	1	2	5	13	21	24	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	122	4.3	15	1	1	3	5	9	11	22
20-34	159	5.2	39	1	1	4	6	9	12	35
35-49	181	6.6	30	1	2	5	9	13	17	27
50-64	203	7.1	67	1	2	5	8	12	16	42
65+	354	8.7	57	2	3	7	11	17	21	33
B. *Operated*										
0-19 YRS	272	3.9	9	1	2	3	5	6	8	18
20-34	590	4.8	22	1	2	4	5	9	12	24
35-49	365	5.8	38	2	2	4	7	11	17	31
50-64	265	7.7	57	2	2	5	10	16	24	35
65+	201	12.8	147	2	3	9	17	29	37	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	522	4.6	17	1	1	3	5	9	12	22
B. *Operated*	2979	4.1	13	1	2	3	5	7	10	19
2. MULTIPLE DX										
A. *Not Operated*	1019	6.9	49	1	2	5	9	14	17	32
B. *Operated*	1693	6.3	51	2	2	4	7	14	20	37
1. SINGLE DX	3501	4.1	14	1	2	3	5	7	10	20
2. MULTIPLE DX	2712	6.5	50	1	2	4	8	14	19	36
A. NOT OPERATED	1541	6.1	39	1	2	4	8	12	16	28
B. OPERATED	4672	4.9	28	1	2	3	5	9	14	29
TOTAL 0-19 YRS	1319	3.6	8	1	1	3	4	6	8	16
20-34	2166	4.2	14	1	2	3	5	8	10	19
35-49	1120	5.1	24	1	2	4	6	10	13	24
50-64	827	6.4	46	1	2	4	8	13	18	33
65+	781	9.5	84	2	2	7	13	20	26	45
GRAND TOTAL	**6213**	**5.2**	**31**	**1**	**2**	**4**	**6**	**10**	**15**	**29**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	9	5.8	36	1	1	5	6	15	21	21
35-49	8	6.5	4	4	4	6	8	9	9	9
50-64	5	9.4	26	5	5	8	13	17	17	17
65+	4	4.8	2	3	3	5	6	6	6	6
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	5	10.8	79	4	4	7	15	26	26	26
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+	1	28.0		28	28	28	28	28	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	12	6.3	12	3	3	5	7	11	14	15
35-49	23	8.2	28	1	2	7	11	17	18	20
50-64	25	7.2	57	1	2	5	8	10	20	40
65+	14	8.3	35	2	3	6	10	16	23	25
B. *Operated*										
0-19 YRS										
20-34	2	45.5	2813	8	8	45	83	83	83	83
35-49	2	21.5	221	11	11	21	32	32	32	32
50-64	11	17.9	216	4	4	14	24	39	54	55
65+	10	15.7	188	2	2	14	21	37	45	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	6.4	19	2	2	5	7	11	17	21
B. *Operated*	8	11.4	98	4	4	6	18	27	28	28
2. MULTIPLE DX										
A. *Not Operated*	74	7.6	36	2	2	7	9	15	17	36
B. *Operated*	25	19.5	351	3	4	14	27	45	62	83
1. SINGLE DX	36	7.5	38	2	3	6	8	16	24	28
2. MULTIPLE DX	99	10.6	140	2	2	7	13	21	31	69
A. NOT OPERATED	102	7.2	31	2	2	6	9	14	17	32
B. OPERATED	33	17.5	297	3	4	13	26	35	53	83
TOTAL 0-19 YRS	3	4.3	6	2	2	4	6	7	7	7
20-34	28	9.7	237	2	3	6	8	19	32	83
35-49	34	8.5	38	1	2	7	9	17	19	32
50-64	41	10.3	113	2	2	8	13	21	34	55
65+	29	11.0	104	2	3	6	14	27	30	45
GRAND TOTAL	**135**	**9.8**	**114**	**2**	**3**	**7**	**11**	**20**	**29**	**59**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	5.4	18	2	2	4	6	12	15	15
20-34	43	5.7	15	2	2	4	8	10	14	19
35-49	177	5.6	18	1	2	5	8	10	11	27
50-64	336	6.5	23	2	2	5	8	11	14	28
65+	321	6.6	18	2	3	5	8	12	15	19
B. *Operated*										
0-19 YRS	5	5.0	6	3	3	4	6	9	9	9
20-34	69	6.8	19	2	2	6	9	13	15	21
35-49	317	8.2	32	2	2	7	11	15	17	24
50-64	520	8.1	31	2	3	7	10	16	20	28
65+	181	11.2	81	2	3	10	14	21	27	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	5.5	3	3	3	6	7	7	7	7
20-34	58	6.2	11	2	2	5	9	11	12	13
35-49	451	6.2	14	2	3	5	8	11	14	17
50-64	1089	6.7	20	2	3	6	8	12	16	23
65+	1792	8.2	33	2	3	7	10	15	19	30
B. *Operated*										
0-19 YRS	3	11.0	148	3	3	5	20	25	25	25
20-34	43	8.5	28	2	2	7	11	16	18	24
35-49	286	9.7	51	2	3	8	12	18	23	31
50-64	659	10.9	75	2	3	9	13	21	28	46
65+	539	13.4	95	3	4	11	17	26	34	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	885	6.3	20	2	2	5	8	11	14	27
B. *Operated*	1092	8.6	40	2	3	7	11	16	20	28
2. MULTIPLE DX										
A. *Not Operated*	3394	7.5	27	2	3	6	9	13	17	26
B. *Operated*	1530	11.5	79	3	3	9	14	22	28	46
1. SINGLE DX	1977	7.6	32	2	2	6	10	14	18	28
2. MULTIPLE DX	4924	8.7	46	2	3	7	11	17	21	35
A. NOT OPERATED	4279	7.2	26	2	3	6	9	13	17	26
B. OPERATED	2622	10.3	65	2	3	8	13	20	25	43
TOTAL 0-19 YRS	20	6.2	28	2	2	5	6	12	20	25
20-34	213	6.7	18	2	2	6	9	13	15	21
35-49	1231	7.5	30	2	3	6	9	13	17	28
50-64	2604	8.0	40	2	3	6	10	15	20	30
65+	2833	9.2	51	2	3	7	11	18	22	39
GRAND TOTAL	**6901**	**8.4**	**43**	**2**	**3**	**7**	**10**	**16**	**20**	**32**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	45	7.1	21	2	2	6	10	13	16	20
20-34	772	7.0	21	2	2	6	9	13	16	20
35-49	1250	7.2	23	2	2	6	9	13	15	24
50-64	724	7.6	22	2	3	7	10	14	16	22
65+	260	9.0	34	2	3	8	11	16	19	30
B. *Operated*										
0-19 YRS	104	8.0	23	2	3	7	10	14	17	27
20-34	2841	8.7	27	2	3	8	11	15	18	26
35-49	4431	9.4	30	2	3	8	12	16	19	28
50-64	2243	10.2	34	3	4	9	13	18	21	29
65+	489	12.5	49	3	5	12	16	21	25	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	6.6	15	1	2	5	10	11	13	15
20-34	308	7.3	21	2	2	7	9	13	16	21
35-49	758	7.8	24	2	3	7	10	14	16	24
50-64	800	8.5	28	2	3	7	11	15	17	28
65+	724	9.3	36	3	4	8	12	16	20	29
B. *Operated*										
0-19 YRS	22	12.5	49	5	6	10	15	22	28	32
20-34	696	11.4	51	3	3	10	15	21	27	36
35-49	1418	11.5	53	3	4	10	15	20	24	37
50-64	1235	12.9	72	3	4	11	17	22	29	44
65+	547	15.7	84	4	6	14	20	27	33	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3051	7.4	23	2	2	7	10	13	16	23
B. *Operated*	10108	9.5	32	2	3	9	12	17	20	29
2. MULTIPLE DX										
A. *Not Operated*	2613	8.4	28	2	3	7	11	15	18	27
B. *Operated*	3918	12.5	65	3	4	11	16	22	27	39
1. SINGLE DX	13159	9.0	31	2	3	8	12	16	19	28
2. MULTIPLE DX	6531	10.8	54	3	4	9	14	20	24	37
A. NOT OPERATED	5664	7.9	26	2	3	7	10	14	17	25
B. OPERATED	14026	10.4	43	2	3	9	13	18	22	33
TOTAL 0-19 YRS	194	8.1	27	2	2	8	10	15	18	29
20-34	4617	8.7	31	2	3	8	11	16	19	28
35-49	7857	9.3	34	2	3	8	12	16	20	29
50-64	5002	10.2	44	3	3	9	13	18	22	33
65+	2020	11.8	59	3	4	10	15	21	26	39
GRAND TOTAL	**19690**	**9.6**	**39**	**2**	**3**	**8**	**12**	**17**	**21**	**31**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	5.8	13	1	2	5	9	11	13	14
20-34	192	6.5	15	2	2	6	9	11	13	16
35-49	427	7.0	18	2	3	6	9	13	15	21
50-64	286	7.0	17	2	2	6	9	12	14	21
65+	91	6.3	13	2	2	6	9	11	13	16
B. *Operated*										
0-19 YRS	14	6.9	25	2	2	6	8	15	18	19
20-34	420	8.2	24	2	3	8	10	14	16	28
35-49	1238	8.6	24	2	3	8	11	15	18	25
50-64	598	9.3	31	2	3	9	12	16	19	30
65+	85	10.7	42	2	3	10	13	18	21	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	7.7	4	6	6	7	9	10	10	10
20-34	75	7.4	24	2	3	7	9	13	17	25
35-49	335	7.1	20	2	3	6	9	12	15	24
50-64	451	7.6	22	2	3	6	10	14	17	22
65+	368	8.2	26	2	3	7	10	15	17	26
B. *Operated*										
0-19 YRS	4	24.8	1316	3	3	8	44	79	79	79
20-34	129	10.3	57	2	3	9	13	18	23	45
35-49	452	10.3	49	2	3	9	13	19	22	32
50-64	422	11.3	67	3	4	10	14	20	24	42
65+	117	13.8	95	3	3	12	17	26	31	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1014	6.8	17	2	2	6	9	12	14	20
B. *Operated*	2355	8.8	26	2	3	8	11	15	18	28
2. MULTIPLE DX										
A. *Not Operated*	1232	7.6	23	2	3	7	10	13	17	24
B. *Operated*	1124	11.1	66	3	3	9	14	20	25	37
1. SINGLE DX	3369	8.2	24	2	3	8	10	14	17	26
2. MULTIPLE DX	2356	9.3	47	2	3	8	12	17	21	32
A. NOT OPERATED	2246	7.2	20	2	3	6	9	13	16	23
B. OPERATED	3479	9.5	41	2	3	9	12	17	20	31
TOTAL 0-19 YRS	39	8.3	151	2	2	6	9	13	17	79
20-34	816	8.0	28	2	3	7	10	14	17	28
35-49	2452	8.4	28	2	3	8	11	15	18	28
50-64	1757	8.9	37	2	3	8	11	16	19	30
65+	661	9.2	44	2	3	8	12	17	22	32
GRAND TOTAL	**5725**	**8.6**	**34**	**2**	**3**	**8**	**11**	**15**	**19**	**29**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	5.7	10	1	2	5	8	9	12	13
20-34	135	6.8	17	2	2	5	10	13	15	19
35-49	200	7.0	17	2	2	6	10	13	14	19
50-64	71	6.9	18	2	3	6	9	12	16	21
65+	19	7.8	12	3	4	7	10	13	15	16
B. *Operated*										
0-19 YRS	9	3.7	3	2	2	3	5	6	6	6
20-34	177	6.3	15	2	2	5	9	13	14	16
35-49	163	7.2	26	2	2	6	10	13	17	21
50-64	50	8.1	21	2	3	8	11	14	18	20
65+	3	10.3	12	7	7	10	13	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	89	7.0	33	2	3	6	8	12	15	37
35-49	156	7.0	22	2	3	6	9	12	15	29
50-64	125	8.1	20	2	3	7	10	15	17	22
65+	72	7.9	23	2	3	7	10	14	19	23
B. *Operated*										
0-19 YRS	3	11.0	39	6	6	9	16	18	18	18
20-34	91	9.4	38	2	3	9	12	17	20	32
35-49	138	10.3	52	3	4	9	13	18	21	33
50-64	77	9.7	39	3	3	9	12	17	20	37
65+	17	14.7	81	4	5	15	20	30	32	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	441	6.9	17	2	2	6	9	12	15	19
B. *Operated*	402	6.8	21	2	2	6	10	13	15	20
2. MULTIPLE DX										
A. *Not Operated*	444	7.5	24	2	3	6	9	13	16	24
B. *Operated*	326	10.2	47	3	3	9	13	18	21	32
1. SINGLE DX	843	6.9	18	2	2	6	10	13	15	19
2. MULTIPLE DX	770	8.6	36	2	3	7	11	16	19	31
A. NOT OPERATED	885	7.2	20	2	3	6	9	13	15	22
B. OPERATED	728	8.3	35	2	3	7	11	16	19	31
TOTAL 0-19 YRS	30	5.5	13	2	2	5	7	9	13	18
20-34	492	7.1	25	2	2	6	10	13	16	22
35-49	657	7.8	29	2	3	7	10	14	18	27
50-64	323	8.2	25	2	3	8	11	15	18	22
65+	111	9.0	35	3	3	7	11	18	21	32
GRAND TOTAL	**1613**	**7.7**	**27**	**2**	**3**	**7**	**10**	**14**	**17**	**23**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	5.7	17	3	3	4	5	13	14	14
20-34	83	5.3	10	1	2	5	7	9	11	16
35-49	129	6.4	19	1	2	5	9	12	17	20
50-64	99	7.8	27	2	2	7	10	13	17	29
65+	65	7.4	20	2	3	7	9	13	17	22
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	41	8.0	56	1	2	6	9	18	23	38
35-49	69	8.1	35	2	2	7	13	15	18	28
50-64	31	6.6	19	2	2	6	9	13	17	18
65+	13	8.0	21	2	2	8	11	13	16	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	9.0	18	6	6	9	12	12	12	12
20-34	45	7.0	17	1	3	6	8	11	15	21
35-49	121	7.1	22	2	3	6	9	12	15	26
50-64	159	8.4	27	3	3	8	11	15	19	30
65+	189	9.1	34	3	4	8	11	16	19	34
B. Operated										
0-19 YRS	2	8.0	18	5	5	8	11	11	11	11
20-34	33	10.4	49	2	4	10	13	18	22	37
35-49	42	13.5	197	2	3	11	16	24	28	90
50-64	45	11.5	103	1	3	9	15	25	31	51
65+	41	14.9	83	5	5	12	23	28	30	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	382	6.7	20	1	2	6	9	12	16	22
B. Operated	155	7.7	36	2	2	7	11	15	18	30
2. MULTIPLE DX										
A. Not Operated	516	8.3	28	2	3	7	10	14	19	29
B. Operated	163	12.6	111	3	4	10	17	26	29	49
1. SINGLE DX	537	7.0	25	1	2	6	9	13	17	23
2. MULTIPLE DX	679	9.3	51	2	3	8	11	17	23	33
A. NOT OPERATED	898	7.6	25	2	3	7	9	13	17	27
B. OPERATED	318	10.2	80	2	2	8	13	21	26	38
TOTAL 0-19 YRS	11	6.4	16	2	3	5	10	13	14	14
20-34	202	7.1	30	1	2	6	9	13	17	31
35-49	361	7.8	48	1	2	6	10	15	19	27
50-64	334	8.5	38	2	3	7	10	15	20	31
65+	308	9.5	42	3	3	8	12	18	25	33
GRAND TOTAL	**1216**	**8.3**	**41**	**2**	**2**	**7**	**10**	**16**	**20**	**31**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	135	4.3	10	1	1	3	6	8	11	16
20-34	1380	6.0	17	1	2	5	8	10	13	22
35-49	1684	6.5	19	2	2	6	8	12	14	22
50-64	934	6.9	22	2	2	6	9	12	16	25
65+	381	7.3	20	2	2	6	10	13	16	20
B. Operated										
0-19 YRS	78	5.2	20	1	2	3	7	12	16	19
20-34	1175	6.1	23	2	2	4	9	12	15	24
35-49	1602	7.0	29	2	2	6	9	14	17	25
50-64	841	8.5	38	2	2	7	11	17	21	29
65+	321	10.8	51	2	3	10	16	20	24	32
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	120	5.2	13	1	1	4	7	9	13	16
20-34	1076	6.9	26	1	2	6	9	13	16	26
35-49	1763	7.1	24	2	2	6	9	13	16	25
50-64	1592	7.7	28	2	3	6	10	14	17	27
65+	1428	8.5	39	2	3	7	11	16	19	31
B. Operated										
0-19 YRS	37	5.8	15	1	2	5	8	12	13	14
20-34	800	8.3	42	2	2	7	11	17	19	33
35-49	1314	8.6	43	2	2	7	11	17	21	34
50-64	945	10.7	73	2	3	9	14	20	26	42
65+	551	14.7	118	3	4	12	19	28	36	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4514	6.4	19	1	2	5	8	12	15	22
B. Operated	4017	7.3	32	2	2	6	10	15	18	27
2. MULTIPLE DX										
A. Not Operated	5979	7.5	29	2	2	6	10	14	17	27
B. Operated	3647	10.0	67	2	3	8	13	19	25	42
1. SINGLE DX	8531	6.8	26	2	2	6	9	13	17	25
2. MULTIPLE DX	9626	8.5	45	2	3	7	11	16	20	33
A. NOT OPERATED	10493	7.0	25	2	2	6	9	13	16	25
B. OPERATED	7664	8.6	50	2	2	7	11	17	22	35
TOTAL 0-19 YRS	370	4.9	14	1	1	4	7	10	12	16
20-34	4431	6.6	26	2	2	5	9	13	16	25
35-49	6363	7.2	28	2	2	6	9	14	17	25
50-64	4312	8.4	40	2	3	7	11	16	20	31
65+	2681	9.9	61	2	3	8	13	19	24	40
GRAND TOTAL	**18157**	**7.7**	**36**	**2**	**2**	**6**	**10**	**15**	**19**	**30**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	121	4.3	13	1	1	3	6	8	10	21
20-34	109	4.0	7	1	2	4	5	7	9	16
35-49	155	4.7	12	1	2	4	6	8	10	23
50-64	156	5.1	11	1	2	4	7	10	12	15
65+	115	6.2	14	2	2	5	8	11	14	17
B. *Operated*										
0-19 YRS	238	2.6	7	1	1	2	3	4	6	14
20-34	746	3.0	5	1	1	2	3	5	7	12
35-49	1109	3.3	5	1	1	3	4	6	7	13
50-64	1040	3.5	8	<1	1	3	4	6	8	15
65+	342	4.0	13	<1	1	3	5	9	11	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	4.7	28	1	1	3	6	8	9	34
20-34	110	4.9	10	1	2	4	6	10	12	14
35-49	183	5.2	11	1	2	5	7	10	12	14
50-64	362	6.7	41	2	2	5	8	12	15	24
65+	361	7.2	23	2	2	6	9	14	17	23
B. *Operated*										
0-19 YRS	83	3.3	6	1	1	3	4	6	9	13
20-34	334	4.4	18	1	2	3	5	8	12	22
35-49	573	4.8	20	1	2	3	6	10	13	22
50-64	676	4.9	17	1	2	4	6	10	13	21
65+	321	7.0	60	2	2	5	9	16	20	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	656	4.9	12	1	2	4	6	9	11	17
B. *Operated*	3475	3.3	7	<1	1	3	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	1058	6.3	27	1	2	5	8	12	15	23
B. *Operated*	1987	5.1	25	1	2	4	6	10	14	23
1. SINGLE DX	4131	3.5	8	1	1	3	4	7	9	15
2. MULTIPLE DX	3045	5.5	26	1	2	4	7	11	14	23
A. NOT OPERATED	1714	5.8	22	1	2	5	7	11	13	21
B. OPERATED	5462	4.0	14	1	1	3	4	7	10	19
TOTAL 0-19 YRS	484	3.3	11	1	1	2	4	6	8	16
20-34	1299	3.6	10	1	1	3	4	7	9	15
35-49	2020	4.0	11	1	1	3	5	8	10	18
50-64	2234	4.6	18	1	1	3	5	9	12	19
65+	1139	6.1	31	1	2	4	8	12	16	24
GRAND TOTAL	**7176**	**4.4**	**17**	**1**	**1**	**3**	**5**	**9**	**12**	**20**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.3	1	2	2	3	4	4	4	4
20-34	3	2.3		2	2	2	3	3	3	3
35-49	3	3.3	16	1	1	1	6	8	8	8
50-64	7	2.6	4	<1	<1	2	3	6	7	7
65+	5	1.8	3	<1	<1	1	2	5	5	5
B. *Operated*										
0-19 YRS	158	3.4	3	1	2	3	4	6	7	8
20-34	385	3.7	4	2	2	3	4	6	7	11
35-49	478	4.0	3	2	2	4	5	6	7	10
50-64	579	4.4	4	2	2	4	5	7	8	12
65+	365	4.6	7	2	2	4	6	7	9	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	5	1.4	1	1	1	1	2	3	3	3
35-49	14	2.5	6	<1	<1	1	3	6	8	9
50-64	16	3.1	8	<1	<1	2	4	7	10	11
65+	21	5.4	32	<1	<1	3	8	13	19	23
B. *Operated*										
0-19 YRS	98	4.2	5	2	2	4	5	6	8	14
20-34	371	4.3	4	2	2	4	5	7	8	11
35-49	626	4.5	6	2	2	4	6	7	8	13
50-64	1113	5.0	7	2	3	4	6	8	10	15
65+	878	6.2	21	2	3	5	7	10	14	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	2.6	4	<1	<1	2	3	6	7	8
B. *Operated*	1965	4.1	4	2	2	4	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	59	3.5	17	<1	<1	2	4	9	11	22
B. *Operated*	3086	5.1	11	2	2	4	6	8	10	17
1. SINGLE DX	1987	4.1	4	2	2	4	5	7	8	11
2. MULTIPLE DX	3145	5.1	11	2	2	4	6	8	10	17
A. NOT OPERATED	81	3.3	13	<1	<1	2	4	8	10	21
B. OPERATED	5051	4.7	9	2	2	4	6	8	9	15
TOTAL 0-19 YRS	263	3.7	3	2	2	3	4	6	7	11
20-34	764	4.0	4	2	2	4	5	6	8	11
35-49	1121	4.3	5	2	2	4	5	7	8	11
50-64	1715	4.8	6	2	2	4	6	8	9	13
65+	1269	5.7	18	2	2	5	7	10	12	25
GRAND TOTAL	**5132**	**4.7**	**9**	**2**	**2**	**4**	**6**	**8**	**9**	**15**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	1.7	1	<1	<1	1	2	3	4	4
20-34	6	2.0		1	1	2	2	3	3	3
35-49	12	2.4	2	1	1	2	3	5	6	6
50-64	6	2.7	3	<1	<1	2	4	5	5	5
65+	4	3.0	2	2	2	3	4	5	5	5
B. *Operated*										
0-19 YRS	609	1.8	1	<1	<1	2	2	3	3	4
20-34	1125	2.0	1	<1	<1	2	2	3	3	5
35-49	658	2.2	2	<1	<1	2	3	3	4	8
50-64	401	2.7	3	<1	1	2	3	5	6	9
65+	136	3.0	4	1	1	2	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	2.2	11	<1	<1	1	2	7	11	11
20-34	10	2.0	4	<1	<1	1	1	6	6	6
35-49	15	3.0	5	<1	1	3	4	8	8	8
50-64	13	4.6	13	1	1	3	6	10	12	13
65+	17	9.3	144	1	1	5	13	20	40	50
B. *Operated*										
0-19 YRS	64	2.3	2	<1	<1	2	2	4	5	7
20-34	222	3.0	12	<1	1	2	3	5	6	14
35-49	228	3.5	7	1	1	3	4	7	10	13
50-64	218	4.1	14	1	2	3	5	8	13	18
65+	124	5.0	16	1	2	4	6	10	12	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	2.3	2	<1	<1	2	3	4	5	6
B. *Operated*	2929	2.1	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	64	4.7	51	<1	<1	3	5	11	14	46
B. *Operated*	856	3.6	12	1	1	3	4	7	10	16
1. SINGLE DX	2968	2.1	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX	920	3.7	14	<1	1	3	4	7	11	16
A. NOT OPERATED	103	3.8	33	<1	<1	2	4	8	13	35
B. OPERATED	3785	2.5	4	<1	1	2	3	4	6	12
TOTAL 0-19 YRS	693	1.9	1	<1	<1	2	2	3	3	5
20-34	1363	2.1	3	<1	<1	2	2	3	4	6
35-49	913	2.5	4	<1	1	2	3	4	6	10
50-64	638	3.2	8	<1	1	2	4	6	8	15
65+	281	4.3	19	1	1	3	5	8	12	20
GRAND TOTAL	**3888**	**2.5**	**5**	**<1**	**1**	**2**	**3**	**4**	**6**	**12**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	99	13.1	96	3	3	10	19	26	33	47
20-34	48	12.9	117	2	3	9	17	29	39	44
35-49	30	10.3	73	2	3	7	14	22	23	40
50-64	49	11.0	82	2	3	8	13	20	30	49
65+	31	15.0	162	4	4	11	17	36	47	47
B. *Operated*										
0-19 YRS	76	14.3	130	2	2	12	21	31	37	47
20-34	91	11.9	145	2	2	7	14	30	42	55
35-49	78	12.2	139	2	3	8	15	26	40	62
50-64	102	15.6	267	2	3	10	18	38	47	81
65+	97	15.0	217	2	3	11	20	35	46	77
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	14.8	94	2	3	13	23	28	29	29
20-34	38	15.1	182	2	2	10	22	32	48	53
35-49	50	15.5	231	3	4	11	18	34	45	82
50-64	82	14.6	144	3	4	11	19	30	37	61
65+	100	15.7	201	3	4	11	19	35	46	70
B. *Operated*										
0-19 YRS	47	20.5	275	3	3	18	25	33	48	98
20-34	121	15.7	188	2	3	12	23	36	47	75
35-49	128	21.6	297	3	5	17	30	53	62	99+
50-64	219	20.0	212	3	5	16	28	43	50	64
65+	257	23.1	308	4	6	18	33	47	60	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	257	12.5	103	2	3	9	17	27	34	47
B. *Operated*	444	13.9	186	2	3	9	18	31	43	73
2. MULTIPLE DX										
A. *Not Operated*	304	15.2	174	3	4	11	20	32	43	61
B. *Operated*	772	20.7	263	3	4	16	29	45	57	81
1. SINGLE DX	701	13.4	156	2	3	9	18	29	41	59
2. MULTIPLE DX	1076	19.1	244	3	4	15	26	43	51	79
A. NOT OPERATED	561	14.0	143	3	3	10	19	29	40	56
B. OPERATED	1216	18.2	245	2	3	13	25	42	50	77
TOTAL 0-19 YRS	256	15.0	144	2	3	12	21	29	35	48
20-34	298	14.0	164	2	2	9	20	32	43	61
35-49	286	16.8	238	3	4	12	22	41	57	79
50-64	452	17.0	206	3	3	13	23	37	48	65
65+	485	19.4	272	3	4	14	26	43	51	80
GRAND TOTAL	**1777**	**16.9**	**217**	**2**	**3**	**12**	**23**	**37**	**47**	**71**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	103	5.3	56	<1	1	3	5	10	17	44
20-34	172	3.6	8	1	1	3	4	7	10	16
35-49	220	4.1	9	1	1	3	5	8	9	15
50-64	216	5.3	16	1	2	4	7	11	13	19
65+	343	8.2	32	2	3	7	11	16	19	25
B. *Operated*										
0-19 YRS	665	4.4	14	1	2	3	5	8	10	20
20-34	825	4.9	20	1	2	4	6	9	12	24
35-49	496	6.2	30	2	2	4	8	12	15	30
50-64	413	7.9	48	2	2	5	11	16	21	35
65+	318	11.9	83	2	2	10	16	24	31	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	71	5.5	31	<1	1	4	6	10	16	32
20-34	238	4.2	15	1	1	3	5	8	10	21
35-49	452	5.5	20	1	2	4	7	10	15	23
50-64	740	7.9	59	2	2	6	9	16	21	43
65+	2566	10.6	66	3	3	9	13	20	26	40
B. *Operated*										
0-19 YRS	221	5.6	45	1	2	4	6	9	15	40
20-34	460	6.9	59	2	2	4	8	15	23	40
35-49	407	8.7	92	2	2	5	11	17	24	48
50-64	541	12.1	116	2	3	10	16	23	34	54
65+	751	17.2	159	3	5	15	22	32	39	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1054	5.7	26	1	2	4	7	12	16	25
B. *Operated*	2717	6.3	38	1	2	4	8	13	18	33
2. MULTIPLE DX										
A. *Not Operated*	4067	9.1	61	2	3	7	11	18	24	37
B. *Operated*	2380	11.5	127	2	2	8	15	25	33	54
1. SINGLE DX	3771	6.1	34	1	2	4	8	13	17	31
2. MULTIPLE DX	6447	10.0	86	2	2	7	13	21	27	45
A. NOT OPERATED	5121	8.4	55	2	2	6	11	17	22	36
B. OPERATED	5097	8.7	86	2	2	5	11	20	27	45
TOTAL 0-19 YRS	1060	4.8	26	1	2	3	5	9	12	32
20-34	1695	5.2	30	1	2	4	6	10	14	31
35-49	1575	6.4	42	1	2	4	8	13	17	32
50-64	1910	8.8	73	2	2	6	11	18	24	45
65+	3978	11.8	89	2	3	9	15	23	30	47
GRAND TOTAL	**10218**	**8.6**	**71**	**2**	**2**	**6**	**11**	**18**	**24**	**41**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.5		<1	<1	1	2	2	2	2
20-34	4	2.3	4	<1	<1	1	3	5	5	5
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	157	4.1	7	1	1	4	5	7	9	12
20-34	151	3.6	8	1	1	3	4	7	8	16
35-49	99	3.7	6	1	2	3	5	7	7	16
50-64	84	4.4	8	1	2	3	7	9	10	12
65+	32	5.7	20	<1	2	5	7	11	12	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.0	3	<1	<1	1	3	5	5	5
20-34	7	2.7	6	1	1	2	3	7	8	8
35-49	4	9.0	109	1	1	6	17	23	23	23
50-64	7	5.9	19	2	2	4	10	12	12	12
65+	20	11.9	79	3	4	8	16	25	30	35
B. *Operated*										
0-19 YRS	102	4.9	27	1	2	4	6	9	13	31
20-34	142	5.3	35	2	2	3	6	10	13	39
35-49	113	5.0	18	2	2	4	6	9	13	24
50-64	118	6.7	25	2	2	5	9	12	17	26
65+	86	12.0	148	2	3	8	16	24	40	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	2.5	2	<1	<1	2	4	5	5	5
B. *Operated*	523	4.0	8	1	1	3	5	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	44	7.9	64	1	1	5	10	23	25	35
B. *Operated*	561	6.5	51	2	2	4	7	13	19	41
1. SINGLE DX	535	4.0	8	1	1	3	5	7	9	15
2. MULTIPLE DX	605	6.6	52	2	2	4	8	13	19	40
A. NOT OPERATED	56	6.7	55	<1	1	4	9	17	25	34
B. OPERATED	1084	5.3	32	1	2	4	6	10	14	34
TOTAL 0-19 YRS	269	4.3	14	1	1	4	5	8	10	19
20-34	304	4.4	21	1	2	3	5	8	11	25
35-49	218	4.5	14	1	2	3	5	7	12	22
50-64	210	5.8	19	2	2	4	7	11	14	24
65+	139	10.5	113	2	2	7	12	23	37	51
GRAND TOTAL	**1140**	**5.4**	**33**	**1**	**2**	**4**	**6**	**10**	**15**	**35**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	6.6	33	<1	<1	6	9	16	16	16
20-34	31	4.7	7	1	3	4	5	8	9	15
35-49	52	6.3	19	2	2	5	7	11	17	23
50-64	42	5.8	15	1	2	5	8	10	14	18
65+	29	6.8	12	1	3	7	8	12	13	15
B. *Operated*										
0-19 YRS	4	2.3	2	1	1	2	3	4	4	4
20-34	24	9.1	58	2	2	7	15	18	24	32
35-49	50	7.6	38	2	2	5	10	19	20	25
50-64	25	5.7	13	2	2	4	9	11	12	14
65+	12	9.4	43	3	3	8	13	18	23	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	4.4	14	1	1	3	5	11	13	13
20-34	25	7.5	51	1	2	6	9	15	23	33
35-49	77	6.6	18	1	2	6	8	10	12	27
50-64	88	7.4	26	2	3	6	10	15	18	23
65+	100	7.5	27	2	3	6	10	15	18	25
B. *Operated*										
0-19 YRS										
20-34	12	11.0	90	4	5	7	11	28	35	36
35-49	22	8.5	38	4	4	7	10	14	21	31
50-64	36	9.7	47	2	3	9	13	16	20	38
65+	17	13.9	106	2	3	12	23	29	30	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	159	5.9	15	1	2	5	8	10	15	18
B. *Operated*	115	7.5	37	2	2	5	10	16	20	27
2. MULTIPLE DX										
A. *Not Operated*	298	7.2	26	2	2	6	9	14	17	27
B. *Operated*	87	10.4	63	2	4	8	13	21	29	37
1. SINGLE DX	274	6.6	25	2	2	5	8	14	17	24
2. MULTIPLE DX	385	7.9	36	2	3	6	10	15	20	31
A. NOT OPERATED	457	6.7	22	2	2	5	8	13	16	23
B. OPERATED	202	8.8	50	2	2	6	11	18	24	34
TOTAL 0-19 YRS	17	4.5	17	<1	1	3	5	12	15	16
20-34	92	7.4	46	2	2	5	9	16	20	35
35-49	201	7.0	25	2	2	6	9	13	18	27
50-64	191	7.3	27	2	2	6	10	14	16	23
65+	158	8.2	37	2	3	6	11	16	21	29
GRAND TOTAL	**659**	**7.3**	**32**	**2**	**2**	**6**	**9**	**15**	**19**	**30**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	152	3.2	4	1	1	3	4	6	7	12
20-34	396	4.7	18	1	1	4	6	9	14	25
35-49	423	4.9	14	1	2	4	6	9	12	18
50-64	296	5.0	12	1	2	4	7	10	12	17
65+	187	6.5	29	1	2	5	9	13	17	24
B. *Operated*										
0-19 YRS	503	4.9	26	1	1	3	5	14	17	23
20-34	806	4.0	14	1	1	3	5	9	13	18
35-49	615	4.8	23	1	2	3	5	10	14	27
50-64	549	4.1	18	1	2	3	4	9	12	21
65+	287	4.4	22	1	2	3	5	8	13	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	116	4.0	7	1	1	3	5	8	10	13
20-34	506	5.7	22	1	2	5	7	11	13	22
35-49	901	5.9	23	2	2	5	7	11	15	22
50-64	878	6.3	23	2	2	5	8	12	15	26
65+	882	7.5	42	2	2	6	9	14	18	37
B. *Operated*										
0-19 YRS	300	3.8	19	1	2	3	4	7	12	20
20-34	696	4.6	21	1	1	3	5	10	14	24
35-49	668	5.9	37	1	2	4	7	12	16	32
50-64	575	7.3	72	2	2	5	9	15	19	47
65+	419	9.9	90	2	2	7	13	21	28	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1454	4.9	16	1	2	4	6	10	13	22
B. *Operated*	2760	4.4	20	1	1	3	5	10	14	22
2. MULTIPLE DX										
A. *Not Operated*	3283	6.3	28	2	2	5	8	12	15	26
B. *Operated*	2658	6.3	30	1	2	4	8	14	18	36
1. SINGLE DX	4214	4.6	19	1	2	3	5	10	14	22
2. MULTIPLE DX	5941	6.3	38	1	2	4	8	12	16	30
A. NOT OPERATED	4737	5.9	25	1	2	5	8	11	15	24
B. OPERATED	5418	5.3	36	1	2	3	6	12	16	29
TOTAL 0-19 YRS	1071	4.3	20	1	1	3	4	10	15	20
20-34	2404	4.7	19	1	1	3	6	9	14	22
35-49	2607	5.5	25	1	2	4	7	11	15	25
50-64	2298	5.9	34	1	2	4	8	12	15	28
65+	1775	7.4	52	2	2	5	9	15	20	39
GRAND TOTAL	**10155**	**5.6**	**31**	**1**	**2**	**4**	**7**	**11**	**15**	**27**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	5	5.6	29	2	2	3	7	15	15	15
35-49	5	7.6	33	3	3	5	11	17	17	17
50-64	3	5.0	7	2	2	6	7	7	7	7
65+	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
0-19 YRS										
20-34	20	5.7	22	2	2	3	7	14	16	18
35-49	7	5.1	14	2	2	4	6	12	13	13
50-64										
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.8	1	2	2	4	5	5	5	5
20-34	17	5.9	21	1	2	5	7	11	17	20
35-49	27	5.6	13	2	2	5	7	8	12	20
50-64	25	5.8	12	1	2	5	7	9	14	17
65+	16	7.4	37	2	3	6	8	14	23	27
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	22	6.6	26	2	3	5	7	15	20	22
35-49	10	9.6	37	3	3	8	13	18	22	22
50-64	3	7.7	41	3	3	5	12	15	15	15
65+	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	6.4	21	2	2	5	8	15	16	17
B. *Operated*	28	5.4	19	2	2	3	7	14	15	18
2. MULTIPLE DX										
A. *Not Operated*	91	5.9	18	2	2	5	7	10	14	24
B. *Operated*	37	7.4	29	2	3	5	9	15	20	22
1. SINGLE DX	43	5.7	19	2	2	4	7	14	16	18
2. MULTIPLE DX	128	6.3	21	2	2	5	7	13	17	23
A. NOT OPERATED	106	6.0	18	2	2	5	7	10	15	23
B. OPERATED	65	6.5	26	2	3	4	8	15	18	22
TOTAL 0-19 YRS	8	4.3	2	2	2	4	5	6	6	6
20-34	64	6.1	23	2	2	4	7	14	18	22
35-49	49	6.6	21	2	3	5	7	13	17	22
50-64	31	5.9	13	2	2	5	7	11	15	17
65+	19	6.9	34	2	2	6	9	12	21	27
GRAND TOTAL	**171**	**6.2**	**21**	**2**	**2**	**5**	**7**	**13**	**17**	**22**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	2.4	3	<1	<1	2	3	5	7	8
20-34	3	5.3	6	3	3	5	7	8	8	8
35-49	4	3.8	9	1	1	3	6	8	8	8
50-64	1	2.0		2	2	2	2	2	2	2
65+	4	5.5	22	1	1	5	9	10	10	10
B. *Operated*										
0-19 YRS	58	7.1	18	2	2	7	10	12	13	20
20-34	14	9.6	45	2	2	8	11	20	23	24
35-49	9	8.8	46	2	2	9	10	19	24	24
50-64	4	11.0	54	5	5	9	16	21	21	21
65+	2	11.0	128	3	3	11	19	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	86	5.2	41	1	1	3	6	10	19	35
20-34	22	6.3	38	1	2	5	7	10	20	31
35-49	9	4.3	7	2	2	3	6	8	10	10
50-64	4	9.0	91	2	2	5	15	23	23	23
65+	7	8.6	46	1	1	8	10	20	22	22
B. *Operated*										
0-19 YRS	90	10.8	73	2	2	8	16	23	27	40
20-34	25	10.0	33	2	3	9	14	19	20	20
35-49	10	17.7	218	5	6	13	20	40	56	56
50-64	5	25.2	175	8	8	27	32	44	44	44
65+	4	15.8	134	7	7	12	24	32	32	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	3.0	6	<1	1	2	4	8	9	10
B. *Operated*	87	7.9	28	2	2	8	11	13	19	24
2. MULTIPLE DX										
A. *Not Operated*	128	5.6	39	1	1	4	7	10	22	33
B. *Operated*	134	11.9	89	2	2	9	16	24	28	48
1. SINGLE DX	131	6.3	26	1	1	5	9	12	19	24
2. MULTIPLE DX	262	8.8	74	1	2	6	12	20	27	43
A. NOT OPERATED	172	5.0	32	1	1	3	6	10	17	31
B. OPERATED	221	10.3	68	2	2	8	14	20	26	45
TOTAL 0-19 YRS	266	7.2	50	1	1	5	10	17	23	32
20-34	64	8.4	38	2	2	7	11	19	20	30
35-49	32	9.7	112	2	2	8	11	21	25	56
50-64	14	14.9	156	2	2	10	23	30	41	44
65+	17	9.8	69	1	1	8	12	21	28	32
GRAND TOTAL	**393**	**8.0**	**60**	**1**	**2**	**6**	**10**	**19**	**23**	**35**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	73	1.3	1	<1	<1	1	1	2	2	8
20-34	4	1.8		1	1	2	2	2	2	2
35-49										
50-64										
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	382	2.2	3	1	1	2	2	3	4	11
20-34	112	2.5	2	<1	1	2	3	4	5	9
35-49	82	2.7	2	1	2	2	3	4	6	9
50-64	101	2.4	1	1	2	2	3	4	4	7
65+	132	2.5	1	2	2	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	2.8	18	<1	<1	1	3	7	15	19
20-34	3	1.7	1	1	1	1	3	3	3	3
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64	4	3.5	6	1	1	3	5	6	6	6
65+	6	7.0	91	1	1	3	7	24	26	26
B. *Operated*										
0-19 YRS	93	2.2	1	1	1	2	2	3	5	7
20-34	39	2.7	1	1	2	2	3	4	5	6
35-49	35	2.8	4	1	1	2	3	5	6	11
50-64	97	3.2	10	2	2	2	3	5	7	22
65+	158	2.9	24	2	2	2	3	3	5	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	78	1.3	1	<1	<1	1	1	2	3	7
B. *Operated*	809	2.4	2	1	1	2	3	4	4	8
2. MULTIPLE DX										
A. *Not Operated*	53	3.3	24	<1	1	1	3	7	17	26
B. *Operated*	422	2.8	12	1	2	2	3	4	5	14
1. SINGLE DX	887	2.3	2	1	1	2	3	3	4	8
2. MULTIPLE DX	475	2.9	13	1	1	2	3	4	6	19
A. NOT OPERATED	131	2.1	11	<1	<1	1	2	4	7	21
B. OPERATED	1231	2.5	5	1	1	2	3	4	5	9
TOTAL 0-19 YRS	586	2.1	3	<1	1	2	2	3	4	11
20-34	158	2.5	2	1	1	2	3	4	5	8
35-49	119	2.7	2	1	2	2	3	5	6	10
50-64	202	2.8	6	1	2	2	3	5	6	14
65+	297	2.8	15	2	2	2	3	3	4	16
GRAND TOTAL	**1362**	**2.5**	**6**	**1**	**1**	**2**	**3**	**4**	**5**	**10**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	2.5	3	<1	<1	2	3	6	7	7
20-34	24	3.4	6	<1	1	3	4	8	8	9
35-49	21	3.9	7	1	1	3	5	8	10	11
50-64	5	5.0	17	2	2	4	7	12	12	12
65+	8	4.4	5	3	3	4	5	8	9	9
B. *Operated*										
0-19 YRS	265	4.3	15	1	1	2	7	9	10	20
20-34	94	6.6	113	1	2	4	9	12	15	64
35-49	57	7.3	58	1	2	4	10	15	20	46
50-64	24	7.4	30	2	2	5	12	15	18	20
65+	10	5.2	23	2	2	3	8	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	151	4.9	36	1	1	3	6	9	15	36
20-34	50	4.4	16	1	1	4	6	7	8	23
35-49	64	5.2	18	1	2	4	7	9	12	27
50-64	50	6.2	10	2	3	5	8	11	12	16
65+	76	7.4	29	2	2	6	11	15	17	26
B. *Operated*										
0-19 YRS	350	5.8	38	1	2	2	9	13	18	38
20-34	75	7.1	44	1	2	5	9	13	21	35
35-49	67	10.0	153	1	2	8	11	22	26	81
50-64	66	11.5	129	2	2	9	14	23	34	60
65+	43	10.8	72	2	3	9	16	25	30	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	93	3.3	6	<1	1	3	4	7	9	12
B. *Operated*	450	5.3	43	1	2	2	8	11	14	22
2. MULTIPLE DX										
A. *Not Operated*	391	5.5	27	1	1	4	7	11	15	28
B. *Operated*	601	7.4	69	1	2	5	10	16	23	43
1. SINGLE DX	543	5.0	37	1	1	2	7	10	13	21
2. MULTIPLE DX	992	6.7	53	1	2	4	9	14	20	39
A. NOT OPERATED	484	5.1	24	1	1	4	7	10	14	28
B. OPERATED	1051	6.5	59	1	2	3	9	14	20	40
TOTAL 0-19 YRS	801	5.0	29	1	1	2	7	11	14	27
20-34	243	6.0	62	1	2	4	8	11	16	31
35-49	209	7.2	75	1	2	5	10	14	21	39
50-64	145	8.8	74	2	2	7	12	18	22	48
65+	137	8.1	44	2	2	6	11	17	23	47
GRAND TOTAL	**1535**	**6.1**	**48**	**1**	**2**	**4**	**8**	**13**	**18**	**33**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	2.5	2	1	1	2	4	5	5	5
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	274	4.2	3	2	2	4	5	6	7	9
20-34	9	2.8	2	1	1	2	4	5	5	5
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	5.1	54	<1	<1	2	5	13	24	31
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	167	4.7	14	2	2	4	6	7	7	24
20-34	7	4.9	7	2	2	4	6	9	10	10
35-49	11	4.0	2	2	2	4	5	6	7	7
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	5.0		5	5	5	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	2.5	2	1	1	2	4	5	5	5
B. *Operated*	284	4.1	3	2	2	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	19	5.1	54	<1	<1	2	5	13	24	31
B. *Operated*	187	4.6	13	2	2	4	5	7	7	24
1. SINGLE DX	296	4.1	3	1	2	4	5	6	7	9
2. MULTIPLE DX	206	4.7	16	1	2	4	5	7	8	27
A. NOT OPERATED	31	4.1	35	<1	1	2	4	9	15	31
B. OPERATED	471	4.3	7	2	2	4	5	6	7	11
TOTAL 0-19 YRS	472	4.4	9	1	2	4	5	7	7	15
20-34	16	3.7	5	1	2	3	5	6	9	10
35-49	12	3.9	2	2	2	4	5	6	7	7
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	5.0		5	5	5	5	5	5	5
GRAND TOTAL	**502**	**4.3**	**9**	**1**	**2**	**4**	**5**	**6**	**7**	**15**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	2.1	3	<1	1	2	2	3	6	9
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	240	4.1	4	2	2	4	5	6	8	10
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	3.5	4	1	1	3	4	6	8	9
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	39	7.4	77	2	3	5	9	13	14	56
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	2.1	3	<1	1	2	2	3	6	9
B. *Operated*	240	4.1	4	2	2	4	5	6	8	10
2. MULTIPLE DX										
A. *Not Operated*	13	3.5	4	1	1	3	4	6	8	9
B. *Operated*	39	7.4	77	2	3	5	9	13	14	56
1. SINGLE DX	259	4.0	4	1	2	4	5	6	8	10
2. MULTIPLE DX	52	6.4	61	2	2	4	8	12	13	55
A. NOT OPERATED	32	2.7	4	1	1	2	3	5	8	9
B. OPERATED	279	4.6	15	2	2	4	5	8	10	13
TOTAL 0-19 YRS	311	4.4	14	2	2	4	5	7	9	13
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**311**	**4.4**	**14**	**2**	**2**	**4**	**5**	**7**	**9**	**13**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	95	2.7	8	<1	1	2	3	6	7	17
20-34	13	3.3	10	1	1	2	4	7	12	13
35-49	11	4.3	11	1	1	3	6	10	11	11
50-64	10	3.1	9	<1	<1	3	3	7	11	11
65+	13	5.6	10	<1	1	5	8	10	11	11
B. *Operated*										
0-19 YRS	221	4.0	25	<1	1	2	5	10	12	22
20-34	54	5.1	16	1	2	4	7	10	14	21
35-49	41	6.3	29	1	2	4	8	13	19	24
50-64	26	10.5	163	<1	1	5	15	27	38	57
65+	25	6.2	35	1	2	3	10	14	19	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	81	5.6	43	<1	1	4	6	11	18	38
20-34	25	4.8	10	1	1	4	6	8	12	15
35-49	23	5.5	8	2	2	5	8	10	11	12
50-64	33	4.4	5	1	2	4	6	7	9	10
65+	80	6.6	37	1	1	5	8	14	20	30
B. *Operated*										
0-19 YRS	133	8.4	124	1	2	5	11	16	22	62
20-34	55	7.1	29	1	2	6	9	15	17	24
35-49	53	9.9	53	2	3	8	13	17	22	44
50-64	46	12.2	71	2	4	11	15	21	31	45
65+	70	12.4	148	2	2	9	16	24	30	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	142	3.2	9	<1	1	2	4	7	9	16
B. *Operated*	367	5.0	37	<1	1	3	6	11	15	28
2. MULTIPLE DX										
A. *Not Operated*	242	5.7	30	1	1	4	7	11	15	29
B. *Operated*	357	9.7	100	2	2	8	13	20	24	45
1. SINGLE DX	509	4.5	30	<1	1	3	5	10	13	25
2. MULTIPLE DX	599	8.1	75	1	2	6	10	16	22	43
A. NOT OPERATED	384	4.8	23	1	1	3	6	9	13	28
B. OPERATED	724	7.3	73	1	1	5	10	15	21	44
TOTAL 0-19 YRS	530	5.1	53	<1	1	3	6	11	15	40
20-34	147	5.7	21	1	2	4	7	12	15	23
35-49	128	7.5	38	2	2	6	10	14	20	32
50-64	115	8.8	80	1	2	6	12	17	26	49
65+	188	8.6	84	1	2	6	11	20	24	35
GRAND TOTAL	**1108**	**6.4**	**57**	**1**	**1**	**4**	**8**	**14**	**19**	**37**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	1.6	1	<1	<1	1	2	4	4	4
20-34	2	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	592	2.9	2	1	2	3	4	5	6	8
20-34	59	3.5	3	2	2	3	4	5	8	8
35-49	12	3.5	2	2	2	3	4	6	7	7
50-64	3	3.0	1	2	2	3	4	4	4	4
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	1.8	1	<1	<1	2	2	3	4	5
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	433	3.1	3	1	2	3	4	5	6	9
20-34	63	4.4	7	2	2	4	5	8	10	15
35-49	17	3.5	2	1	2	3	4	5	6	6
50-64	9	4.3	5	2	2	5	5	8	9	9
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	1.7	1	<1	<1	1	2	4	4	4
B. *Operated*	667	3.0	2	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	18	1.8	1	<1	<1	2	2	3	4	5
B. *Operated*	522	3.3	4	1	2	3	4	6	7	10
1. SINGLE DX	685	3.0	2	1	1	3	4	5	6	8
2. MULTIPLE DX	540	3.3	4	1	2	3	4	5	7	10
A. NOT OPERATED	36	1.7	1	<1	<1	1	2	3	4	5
B. OPERATED	1189	3.1	3	1	2	3	4	5	6	9
TOTAL 0-19 YRS	1059	3.0	3	1	1	3	4	5	6	8
20-34	124	3.9	5	2	2	3	4	7	9	13
35-49	29	3.5	2	2	2	3	4	5	6	7
50-64	12	4.0	4	2	2	4	5	6	9	9
65+	1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	**1225**	**3.1**	**3**	**1**	**2**	**3**	**4**	**5**	**6**	**9**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	2.8	4	<1	1	2	4	5	8	9
20-34	22	3.0	4	<1	1	3	4	5	7	9
35-49	10	3.3	7	<1	<1	2	5	7	8	8
50-64	22	4.8	11	1	2	4	8	10	11	12
65+	15	3.5	9	<1	1	2	5	10	10	10
B. *Operated*										
0-19 YRS	498	5.0	14	1	1	4	7	10	12	17
20-34	193	4.7	10	1	1	4	7	9	11	15
35-49	54	4.9	21	1	1	3	6	10	14	25
50-64	29	5.0	14	1	1	4	7	10	11	17
65+	23	6.6	52	1	2	5	7	15	24	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	2.5	6	<1	1	2	3	5	8	14
20-34	43	5.0	10	1	2	4	7	10	11	14
35-49	46	5.1	10	1	2	5	7	9	12	15
50-64	57	4.8	8	2	2	4	6	8	10	17
65+	39	6.4	19	2	2	5	9	14	16	18
B. *Operated*										
0-19 YRS	319	5.2	23	1	1	4	7	11	13	22
20-34	218	5.8	21	1	2	5	7	10	14	26
35-49	138	7.7	26	2	2	7	10	14	18	27
50-64	107	8.1	38	2	2	7	10	16	20	32
65+	97	7.5	45	<1	<1	6	10	16	20	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	102	3.4	7	<1	1	2	4	8	9	11
B. *Operated*	797	5.0	15	1	1	4	7	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	236	4.7	12	1	1	4	6	9	11	16
B. *Operated*	879	6.4	28	1	1	5	8	13	17	27
1. SINGLE DX	899	4.8	14	1	1	4	7	10	12	17
2. MULTIPLE DX	1115	6.0	25	1	1	5	8	12	16	25
A. NOT OPERATED	338	4.3	10	1	1	3	5	9	11	16
B. OPERATED	1676	5.7	22	1	1	5	8	11	14	23
TOTAL 0-19 YRS	901	4.8	17	1	1	3	7	10	12	18
20-34	476	5.2	15	1	1	4	7	10	12	21
35-49	248	6.4	23	1	2	5	8	12	16	25
50-64	215	6.5	26	2	2	5	8	13	17	25
65+	174	6.8	38	<1	1	5	9	15	18	32
GRAND TOTAL	**2014**	**5.5**	**21**	**1**	**1**	**4**	**8**	**11**	**14**	**22**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	3.3	23	<1	<1	1	3	12	14	14
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	233	3.5	3	2	2	3	4	5	6	9
20-34	22	4.3	7	1	2	4	5	8	10	12
35-49	16	5.7	11	2	2	6	7	10	13	14
50-64	11	4.5	4	2	2	4	6	7	8	8
65+	2	6.0	8	4	4	6	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	1.5	1	<1	<1	1	2	3	4	4
20-34										
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64										
65+	2	6.0	8	4	4	6	8	8	8	8
B. *Operated*										
0-19 YRS	90	4.2	5	2	2	3	5	7	8	12
20-34	37	6.3	23	2	2	5	8	10	16	27
35-49	28	5.4	29	3	3	4	5	7	11	32
50-64	34	6.9	12	3	3	7	8	11	13	19
65+	14	6.9	12	3	3	7	8	11	15	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	3.3	23	<1	<1	1	3	12	14	14
B. *Operated*	284	3.7	4	2	2	3	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	15	2.1	4	<1	<1	1	3	4	7	8
B. *Operated*	203	5.4	14	2	2	4	7	9	11	23
1. SINGLE DX	291	3.7	4	1	2	3	4	6	7	13
2. MULTIPLE DX	218	5.2	14	2	2	4	7	8	11	22
A. NOT OPERATED	22	2.5	9	<1	<1	1	3	5	10	14
B. OPERATED	487	4.4	9	2	2	4	5	8	9	15
TOTAL 0-19 YRS	341	3.6	4	1	2	3	4	6	7	11
20-34	59	5.6	17	2	2	4	7	9	13	26
35-49	46	5.3	22	2	2	4	6	8	11	32
50-64	45	6.3	11	2	3	6	8	10	12	19
65+	18	6.7	10	3	3	7	8	10	14	16
GRAND TOTAL	**509**	**4.3**	**9**	**2**	**2**	**4**	**5**	**8**	**9**	**15**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	140	2.8	8	<1	1	2	3	6	7	15
20-34	50	5.1	15	1	1	4	8	9	15	15
35-49	42	6.4	20	1	2	5	9	13	16	19
50-64	32	5.7	10	1	2	5	8	10	12	12
65+	17	7.0	16	1	2	7	10	13	14	14
B. *Operated*										
0-19 YRS	847	4.1	20	1	1	3	5	7	9	22
20-34	377	4.6	20	<1	<1	3	5	10	15	22
35-49	276	5.3	23	1	1	3	7	12	15	23
50-64	145	6.6	53	1	2	4	9	13	17	46
65+	49	6.1	25	1	1	4	10	12	17	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	169	5.6	56	<1	1	4	6	11	18	43
20-34	90	6.0	23	1	2	4	7	12	15	26
35-49	105	6.4	29	1	2	5	8	13	16	31
50-64	108	7.9	38	2	3	6	10	14	18	38
65+	111	8.1	26	2	3	7	11	15	18	22
B. *Operated*										
0-19 YRS	296	5.8	64	1	2	3	6	12	17	43
20-34	214	6.2	31	1	2	4	9	14	16	28
35-49	185	8.4	42	2	2	7	11	17	20	30
50-64	152	9.9	80	2	2	7	14	20	23	35
65+	77	11.5	77	2	2	10	15	26	33	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	281	4.3	14	<1	1	3	6	9	12	17
B. *Operated*	1694	4.7	24	1	1	3	6	10	14	22
2. MULTIPLE DX										
A. *Not Operated*	583	6.7	38	1	2	5	8	14	17	38
B. *Operated*	924	7.6	59	1	2	5	10	17	21	35
1. SINGLE DX	1975	4.6	23	1	1	3	6	10	13	22
2. MULTIPLE DX	1507	7.2	51	1	2	5	9	16	20	36
A. NOT OPERATED	864	5.9	31	1	1	5	8	12	15	27
B. OPERATED	2618	5.7	38	1	1	3	7	12	17	31
TOTAL 0-19 YRS	1452	4.5	33	1	1	3	5	8	12	31
20-34	731	5.3	24	<1	1	4	7	11	15	22
35-49	608	6.5	31	1	2	5	9	14	17	26
50-64	437	8.0	58	2	2	6	10	16	21	37
65+	254	8.6	44	2	2	7	12	17	22	33
GRAND TOTAL	**3482**	**5.7**	**37**	**1**	**1**	**4**	**7**	**12**	**17**	**31**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1113	5.2	41	1	1	3	5	14	20	31
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	32	7.1	32	<1	1	6	11	16	17	21
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	808	10.7	131	1	2	6	15	26	34	57
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	72	19.8	344	1	2	14	29	49	77	99+
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1113	5.2	41	1	1	3	5	14	20	31
B. *Operated*	32	7.1	32	<1	1	6	11	16	17	21
2. MULTIPLE DX										
A. *Not Operated*	808	10.7	131	1	2	6	15	26	34	57
B. *Operated*	72	19.8	344	1	2	14	29	49	77	99+
1. SINGLE DX	1145	5.3	40	1	1	3	5	14	20	31
2. MULTIPLE DX	880	11.5	154	1	2	7	16	28	37	66
A. NOT OPERATED	1921	7.5	86	1	2	4	9	20	26	46
B. OPERATED	104	15.9	281	1	1	11	19	43	63	99+
TOTAL 0-19 YRS	2025	8.0	99	1	2	4	10	21	28	53
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**2025**	**8.0**	**99**	**1**	**2**	**4**	**10**	**21**	**28**	**53**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1634	2.8	5	1	1	2	3	5	7	10
20-34	730	3.4	7	1	1	3	4	6	8	14
35-49	395	3.9	8	1	1	3	5	7	10	15
50-64	295	4.6	13	1	1	4	6	8	11	18
65+	221	4.6	9	1	1	4	6	8	10	14
B. *Operated*										
0-19 YRS	10	4.5	19	1	1	3	5	11	16	16
20-34	29	5.5	12	2	3	4	6	12	13	14
35-49	22	5.6	21	2	2	4	7	10	17	22
50-64	15	4.5	4	2	2	4	6	7	7	7
65+	14	5.6	4	2	3	5	7	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1757	3.6	13	1	1	3	4	7	8	16
20-34	801	5.0	23	1	1	4	6	9	14	25
35-49	874	5.9	32	1	2	4	7	11	15	30
50-64	1061	6.9	41	1	2	5	8	14	18	38
65+	1384	7.9	51	2	2	6	10	15	20	41
B. *Operated*										
0-19 YRS	41	6.6	25	1	2	6	9	11	17	25
20-34	61	7.8	33	2	2	7	10	17	23	91
35-49	81	10.2	40	2	3	9	13	17	22	33
50-64	111	12.2	98	3	4	9	17	25	33	47
65+	120	14.3	127	3	4	11	17	27	37	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3275	3.4	7	1	1	3	4	6	8	13
B. *Operated*	90	5.3	12	2	2	4	7	9	13	20
2. MULTIPLE DX										
A. *Not Operated*	5877	5.7	34	1	2	4	7	11	15	30
B. *Operated*	414	11.2	85	2	3	9	15	22	29	54
1. SINGLE DX	3365	3.4	7	1	1	3	4	6	8	14
2. MULTIPLE DX	6291	6.1	39	1	2	4	7	12	17	34
A. NOT OPERATED	9152	4.9	26	1	1	3	6	10	13	25
B. OPERATED	504	10.1	77	2	3	8	13	21	28	51
TOTAL 0-19 YRS	3442	3.2	10	1	1	3	4	6	8	14
20-34	1621	4.4	17	1	1	3	5	8	12	22
35-49	1372	5.6	27	1	2	4	7	11	15	27
50-64	1482	6.8	43	1	2	5	8	14	19	37
65+	1739	7.9	55	2	2	6	10	15	20	42
GRAND TOTAL	**9656**	**5.2**	**30**	**1**	**1**	**4**	**6**	**10**	**14**	**28**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	774	3.2	9	1	1	3	4	5	6	13
20-34	203	4.4	9	1	2	4	5	8	10	15
35-49	121	4.7	11	2	2	4	5	8	10	23
50-64	109	5.2	15	2	2	4	6	9	10	22
65+	150	6.0	20	2	2	5	8	11	14	29
B. *Operated*										
0-19 YRS	11	4.8	9	1	2	3	7	9	10	10
20-34	8	9.8	35	2	3	10	15	17	17	17
35-49	19	10.5	61	2	3	8	12	20	29	35
50-64	11	9.7	29	2	4	9	14	18	20	20
65+	20	11.4	28	2	5	10	15	19	21	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1159	3.4	5	1	1	3	4	6	7	12
20-34	412	4.8	12	2	2	4	6	9	11	16
35-49	311	6.1	30	2	2	5	7	10	14	32
50-64	513	7.4	45	2	3	6	9	13	16	32
65+	1061	7.8	40	2	3	6	9	15	19	31
B. *Operated*										
0-19 YRS	36	9.2	40	2	3	7	13	20	21	24
20-34	51	11.9	104	3	4	10	14	21	25	70
35-49	72	9.7	42	3	4	9	11	17	22	87
50-64	91	14.5	96	4	5	12	19	31	34	45
65+	129	13.8	71	4	6	11	17	27	30	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1357	4.0	12	1	2	3	5	7	9	15
B. *Operated*	69	9.7	38	2	3	9	13	17	20	33
2. MULTIPLE DX										
A. *Not Operated*	3456	5.8	28	1	2	4	7	11	15	27
B. *Operated*	379	12.5	76	3	4	10	16	23	31	45
1. SINGLE DX	1426	4.3	15	1	2	3	5	8	10	18
2. MULTIPLE DX	3835	6.4	37	2	2	5	8	13	17	31
A. NOT OPERATED	4813	5.3	24	1	2	4	6	10	13	24
B. OPERATED	448	12.1	71	3	4	10	15	22	30	44
TOTAL 0-19 YRS	1980	3.4	8	1	1	3	4	6	7	14
20-34	674	5.3	22	2	2	4	6	10	13	22
35-49	523	6.4	31	2	2	5	8	12	16	34
50-64	724	8.0	53	2	3	6	9	15	22	36
65+	1360	8.2	44	2	3	6	10	16	20	35
GRAND TOTAL	**5261**	**5.8**	**32**	**1**	**2**	**4**	**7**	**11**	**16**	**29**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	393	2.9	6	1	1	2	3	5	7	12
20-34	962	3.7	6	1	1	3	5	7	8	13
35-49	552	4.3	12	1	2	3	5	7	10	18
50-64	226	4.6	12	1	2	4	6	9	10	19
65+	83	4.2	8	1	1	3	5	9	10	13
B. *Operated*										
0-19 YRS	14	2.7	2	1	2	2	3	5	6	6
20-34	66	4.9	12	2	2	4	6	10	11	21
35-49	54	6.5	26	2	2	5	8	11	16	32
50-64	36	5.2	21	2	2	4	6	8	13	27
65+	12	7.2	13	2	3	6	10	12	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	402	3.7	9	1	1	3	4	6	9	17
20-34	1211	4.8	18	1	2	4	6	9	12	20
35-49	1005	5.3	13	2	2	4	7	10	12	18
50-64	708	5.6	20	1	2	4	7	11	13	22
65+	509	6.3	31	2	2	5	8	11	14	30
B. *Operated*										
0-19 YRS	16	5.5	8	2	2	5	8	9	10	10
20-34	114	8.1	24	2	3	7	11	15	17	26
35-49	135	8.6	83	2	2	6	10	16	22	53
50-64	89	7.4	33	2	2	5	10	16	19	27
65+	81	10.2	59	2	3	8	13	18	22	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2216	3.8	8	1	1	3	5	7	9	15
B. *Operated*	182	5.4	18	2	2	4	7	10	12	26
2. MULTIPLE DX										
A. *Not Operated*	3835	5.2	18	1	2	4	6	9	12	21
B. *Operated*	435	8.4	51	2	3	7	10	16	19	35
1. SINGLE DX	2398	3.9	9	1	1	3	5	7	9	17
2. MULTIPLE DX	4270	5.5	23	1	2	4	7	10	13	22
A. NOT OPERATED	6051	4.7	15	1	2	4	6	9	11	19
B. OPERATED	617	7.5	43	2	2	6	9	14	18	33
TOTAL 0-19 YRS	825	3.4	8	1	1	3	4	6	8	15
20-34	2353	4.5	14	1	2	4	6	8	11	18
35-49	1746	5.3	20	1	2	4	7	10	12	21
50-64	1059	5.5	20	1	2	4	7	10	14	23
65+	685	6.5	33	2	2	5	8	12	15	31
GRAND TOTAL	**6668**	**4.9**	**18**	**1**	**2**	**4**	**6**	**9**	**12**	**21**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	2.8	2	<1	1	2	4	5	6	6
20-34	67	3.3	3	1	1	3	4	6	6	8
35-49	109	3.7	4	1	1	4	5	6	7	9
50-64	173	3.8	8	1	1	3	5	7	8	13
65+	169	4.0	8	1	1	3	5	7	9	13
B. *Operated*										
0-19 YRS	29	2.9	4	<1	<1	2	4	6	6	7
20-34	28	4.5	4	1	2	4	6	7	9	10
35-49	80	4.8	6	1	2	5	6	8	10	13
50-64	119	4.9	5	2	2	5	6	8	9	11
65+	81	5.6	13	1	2	5	7	11	12	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	2.7	4	<1	<1	2	4	5	7	11
20-34	59	4.3	7	1	1	4	5	8	10	11
35-49	148	4.7	12	1	2	4	6	8	10	16
50-64	265	4.5	9	1	1	4	6	8	9	16
65+	444	5.4	24	1	2	4	6	10	14	26
B. *Operated*										
0-19 YRS	20	4.0	14	1	1	3	5	9	13	16
20-34	37	5.1	15	1	1	4	7	9	10	22
35-49	60	6.4	19	1	2	6	8	10	11	30
50-64	113	6.2	13	2	3	5	8	11	12	21
65+	172	8.9	57	2	3	7	10	17	22	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	553	3.7	6	1	1	3	5	7	8	12
B. *Operated*	337	4.9	8	1	2	4	6	8	10	13
2. MULTIPLE DX										
A. *Not Operated*	955	4.8	16	1	1	4	6	8	11	23
B. *Operated*	402	7.2	35	2	2	6	9	12	18	32
1. SINGLE DX	890	4.1	7	1	1	4	5	7	9	12
2. MULTIPLE DX	1357	5.5	23	1	2	4	7	10	13	27
A. NOT OPERATED	1508	4.4	13	1	1	4	5	8	10	19
B. OPERATED	739	6.1	24	1	2	5	7	11	13	28
TOTAL 0-19 YRS	123	3.0	5	<1	1	2	4	6	7	12
20-34	191	4.1	7	1	1	4	5	8	9	11
35-49	397	4.7	10	1	2	4	6	8	10	14
50-64	670	4.7	9	1	2	4	6	8	10	15
65+	866	5.8	29	1	2	4	7	11	15	29
GRAND TOTAL	**2247**	**5.0**	**17**	**1**	**1**	**4**	**6**	**9**	**11**	**22**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	73	3.2	3	1	1	3	4	6	7	9
20-34	58	3.3	4	1	1	3	4	6	7	9
35-49	32	3.5	4	1	1	3	4	7	9	9
50-64	47	4.5	14	1	2	3	5	12	13	17
65+	33	3.8	13	1	1	3	4	7	10	20
B. *Operated*										
0-19 YRS	215	2.4	4	<1	1	2	2	4	7	10
20-34	207	2.6	4	<1	1	2	3	5	6	11
35-49	124	2.8	5	<1	1	2	3	5	7	12
50-64	92	3.3	9	1	1	3	4	6	7	19
65+	72	3.9	9	<1	1	3	5	8	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	77	3.9	11	1	1	3	4	6	13	18
20-34	118	4.3	12	1	1	3	5	9	11	18
35-49	157	4.8	12	1	2	4	6	9	11	18
50-64	198	5.8	26	1	2	4	7	12	14	24
65+	268	8.5	91	1	2	6	11	18	23	52
B. *Operated*										
0-19 YRS	69	3.6	7	1	1	3	4	6	8	15
20-34	97	5.7	26	1	1	4	7	12	15	28
35-49	92	6.3	40	1	2	4	8	15	19	34
50-64	107	6.9	77	2	2	4	7	16	25	84
65+	157	10.1	93	2	2	7	13	23	32	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	243	3.6	7	1	1	3	4	6	9	14
B. *Operated*	710	2.8	6	<1	1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	818	6.1	44	1	2	4	7	12	16	30
B. *Operated*	522	7.1	61	1	2	4	8	16	21	43
1. SINGLE DX	953	3.0	6	<1	1	2	3	6	7	13
2. MULTIPLE DX	1340	6.5	51	1	2	4	8	13	19	35
A. NOT OPERATED	1061	5.5	37	1	2	4	6	11	15	25
B. OPERATED	1232	4.6	34	1	1	3	5	10	15	32
TOTAL 0-19 YRS	434	3.0	6	<1	1	2	4	6	7	15
20-34	480	3.7	12	1	1	3	4	7	10	17
35-49	405	4.4	17	1	1	3	5	9	12	20
50-64	444	5.4	35	1	2	4	7	11	14	31
65+	530	8.0	80	1	2	5	10	18	23	44
GRAND TOTAL	**2293**	**5.0**	**35**	**1**	**1**	**3**	**6**	**11**	**15**	**30**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	29.0	1568	1	1	29	57	57	57	57
35-49	3	5.3	4	3	3	6	7	7	7	7
50-64	9	10.9	45	<1	1	13	15	19	21	21
65+	23	8.6	60	<1	1	5	13	21	24	28
B. *Operated*										
0-19 YRS	25	3.5	13	<1	<1	2	4	6	14	15
20-34	26	7.8	43	1	1	5	15	18	19	21
35-49	35	8.4	57	1	2	7	10	18	24	39
50-64	92	14.7	167	2	3	12	18	30	39	73
65+	223	16.5	169	3	4	13	21	32	42	61
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.8	2	2	2	4	5	5	5	5
20-34	4	15.3	187	4	4	12	26	33	33	33
35-49	5	10.0	97	1	1	10	14	26	26	26
50-64	33	10.1	60	2	3	9	11	19	27	38
65+	122	13.5	147	3	4	10	16	27	37	71
B. *Operated*										
0-19 YRS	19	10.6	40	2	3	10	15	21	22	23
20-34	43	16.0	381	2	2	11	16	42	61	84
35-49	98	15.3	218	2	2	12	19	30	55	71
50-64	268	20.9	227	4	7	18	27	43	55	97
65+	967	22.1	248	5	7	17	29	45	56	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	10.0	114	<1	1	7	14	21	26	57
B. *Operated*	401	14.0	156	1	2	11	18	30	38	61
2. MULTIPLE DX										
A. *Not Operated*	168	12.5	128	2	3	9	15	26	33	64
B. *Operated*	1395	21.0	248	4	6	17	27	43	55	84
1. SINGLE DX	438	13.7	153	1	2	10	18	29	37	60
2. MULTIPLE DX	1563	20.1	242	4	5	16	26	41	54	83
A. NOT OPERATED	205	12.1	126	2	3	9	15	26	31	61
B. OPERATED	1796	19.5	236	3	4	15	25	41	53	82
TOTAL 0-19 YRS	48	6.4	34	<1	1	4	9	16	20	23
20-34	75	13.5	281	1	2	9	15	39	47	84
35-49	141	13.2	178	2	2	9	18	27	37	69
50-64	402	18.4	209	3	4	15	24	38	48	87
65+	1335	20.1	234	4	6	16	26	41	53	81
GRAND TOTAL	**2001**	**18.7**	**230**	**3**	**4**	**15**	**24**	**39**	**52**	**81**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	133	2.8	3	1	1	2	3	5	5	11
20-34	720	3.0	4	1	1	3	4	5	7	10
35-49	1928	3.5	5	1	1	3	4	6	8	11
50-64	1634	3.7	7	1	2	3	5	7	8	12
65+	693	4.4	13	1	2	4	5	8	10	21
B. *Operated*										
0-19 YRS	3	2.0		2	2	2	2	2	2	2
20-34	83	3.3	5	2	2	2	4	7	8	11
35-49	467	3.2	5	2	2	2	3	6	8	12
50-64	512	3.3	7	2	2	2	4	7	9	15
65+	103	3.5	8	2	2	2	3	8	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	144	3.6	5	1	1	3	5	7	8	11
20-34	1285	4.1	7	1	2	4	5	7	9	14
35-49	4254	4.5	9	1	2	4	6	8	10	15
50-64	5543	4.9	11	1	2	4	6	9	11	16
65+	4102	5.6	16	2	2	5	7	10	13	21
B. *Operated*										
0-19 YRS	8	5.6	14	2	2	5	7	11	13	13
20-34	145	5.5	16	2	2	4	7	10	14	21
35-49	776	5.4	17	2	2	4	7	11	13	21
50-64	1065	5.8	23	2	2	4	8	12	15	23
65+	443	8.1	47	2	2	6	11	17	21	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5108	3.6	6	1	1	3	4	6	8	12
B. *Operated*	1168	3.3	6	2	2	2	3	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	15328	4.9	11	1	2	4	6	9	11	17
B. *Operated*	2437	6.1	26	2	2	5	8	12	16	25
1. SINGLE DX	6276	3.5	6	1	1	3	4	6	8	13
2. MULTIPLE DX	17765	5.0	13	1	2	4	6	9	12	19
A. NOT OPERATED	20436	4.6	10	1	2	4	6	8	10	16
B. OPERATED	3605	5.2	21	2	2	3	7	11	14	22
TOTAL 0-19 YRS	288	3.3	4	1	1	3	4	6	7	11
20-34	2233	3.8	7	1	1	3	5	7	9	14
35-49	7425	4.2	9	1	2	3	5	8	10	15
50-64	8754	4.7	12	1	2	4	6	9	11	17
65+	5341	5.6	19	2	2	4	7	10	14	22
GRAND TOTAL	**24041**	**4.7**	**12**	**1**	**2**	**4**	**6**	**9**	**11**	**18**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	247	3.6	17	1	1	2	4	7	11	23
20-34	53	3.0	3	<1	1	3	4	5	6	7
35-49	68	3.5	5	1	1	3	4	7	9	11
50-64	81	3.8	7	1	1	3	6	8	9	10
65+	101	4.6	10	1	1	4	6	9	10	15
B. *Operated*										
0-19 YRS	21	3.8	13	<1	1	2	4	10	13	15
20-34	41	4.2	14	1	1	3	5	9	12	19
35-49	83	3.7	14	1	1	3	4	7	10	21
50-64	138	5.0	16	1	2	4	7	10	13	20
65+	121	5.5	25	1	1	4	8	12	16	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	295	4.7	20	1	1	3	6	11	12	20
20-34	152	4.7	41	1	1	3	5	8	11	33
35-49	270	5.2	33	1	1	4	6	9	14	31
50-64	581	6.2	35	1	2	4	8	12	15	26
65+	1000	7.5	36	2	2	6	10	14	19	29
B. *Operated*										
0-19 YRS	29	7.6	61	2	2	4	12	17	20	37
20-34	73	6.0	29	1	2	4	8	11	17	30
35-49	167	6.3	39	1	2	4	8	13	17	31
50-64	324	7.6	68	1	2	5	9	14	18	55
65+	440	8.4	62	2	2	6	10	16	22	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	550	3.7	11	1	1	3	5	7	9	15
B. *Operated*	404	4.8	18	1	1	3	6	10	13	21
2. MULTIPLE DX										
A. *Not Operated*	2298	6.4	35	1	2	5	8	13	16	28
B. *Operated*	1033	7.6	58	2	2	5	10	15	19	45
1. SINGLE DX	954	4.2	15	1	1	3	5	9	11	20
2. MULTIPLE DX	3331	6.8	42	1	2	5	9	13	17	32
A. NOT OPERATED	2848	5.9	31	1	1	4	7	12	15	26
B. OPERATED	1437	6.8	49	1	2	5	9	14	18	39
TOTAL 0-19 YRS	592	4.3	21	1	1	3	5	9	12	22
20-34	319	4.6	29	1	1	3	5	9	12	28
35-49	588	5.1	30	1	1	4	6	10	14	30
50-64	1124	6.3	41	1	2	4	8	12	15	31
65+	1662	7.5	41	2	2	6	10	14	19	31
GRAND TOTAL	**4285**	**6.2**	**37**	**1**	**2**	**4**	**8**	**12**	**16**	**30**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	100	2.1	2	1	1	2	3	3	4	8
20-34	328	2.2	2	1	1	2	3	4	5	7
35-49	283	2.3	3	<1	1	2	3	4	6	8
50-64	182	2.7	4	1	1	2	3	5	6	11
65+	125	3.4	8	1	1	3	4	6	10	14
B. *Operated*										
0-19 YRS	177	1.6	1	<1	1	1	2	2	3	6
20-34	85	4.9	28	1	1	3	6	10	14	33
35-49	88	4.7	14	1	2	4	6	9	12	21
50-64	80	5.5	15	1	2	4	8	10	12	21
65+	82	6.2	12	2	2	6	8	11	13	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	88	2.3	2	1	1	2	3	4	5	6
20-34	261	3.2	6	1	1	2	4	6	8	13
35-49	331	3.6	12	1	1	3	4	7	9	19
50-64	350	4.2	14	1	1	3	5	8	11	20
65+	662	6.5	36	1	2	5	8	12	17	31
B. *Operated*										
0-19 YRS	221	2.3	3	1	1	2	3	4	6	10
20-34	144	6.2	20	1	2	5	8	12	15	24
35-49	173	6.6	27	2	2	5	8	11	20	28
50-64	261	8.5	54	2	3	7	10	15	17	41
65+	605	10.3	55	2	3	8	13	19	24	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1018	2.5	3	1	1	2	3	5	6	10
B. *Operated*	512	4.0	15	1	1	3	6	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	1692	4.7	22	1	1	3	6	9	13	22
B. *Operated*	1404	7.8	48	1	2	6	10	15	20	34
1. SINGLE DX	1530	3.0	8	1	1	2	4	6	8	13
2. MULTIPLE DX	3096	6.1	36	1	1	4	8	12	17	30
A. NOT OPERATED	2710	3.9	16	1	1	3	5	8	11	20
B. OPERATED	1916	6.8	42	1	1	5	9	14	19	32
TOTAL 0-19 YRS	586	2.1	2	1	1	2	3	4	5	8
20-34	818	3.5	11	1	1	2	4	7	9	17
35-49	875	3.9	14	1	1	3	5	8	10	22
50-64	873	5.3	29	1	1	4	7	10	14	23
65+	1474	7.8	45	1	2	6	10	15	20	34
GRAND TOTAL	**4626**	**5.1**	**29**	**1**	**1**	**3**	**7**	**11**	**14**	**26**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2498	2.6	3	1	1	2	3	5	6	8
20-34	2593	3.2	5	1	1	3	4	6	8	11
35-49	1544	3.7	5	1	1	3	5	7	8	11
50-64	1010	4.1	7	1	1	3	5	7	9	14
65+	723	4.4	10	1	2	4	6	8	10	17
B. *Operated*										
0-19 YRS	320	3.8	7	1	1	3	5	6	8	12
20-34	554	4.4	9	1	2	4	6	8	10	13
35-49	274	5.5	16	1	2	5	7	10	13	19
50-64	137	6.5	30	2	2	5	8	13	17	34
65+	64	7.1	48	2	2	5	9	15	19	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1580	3.2	5	1	1	3	4	6	7	12
20-34	2791	4.1	9	1	1	3	5	7	9	15
35-49	2473	4.8	12	1	2	4	6	9	11	18
50-64	2392	5.2	14	1	2	4	7	10	12	18
65+	3003	6.2	22	2	2	5	8	11	15	23
B. *Operated*										
0-19 YRS	226	5.0	13	1	2	4	6	10	12	19
20-34	813	6.4	21	2	2	5	8	12	15	23
35-49	574	8.1	32	2	3	7	10	15	19	31
50-64	530	8.7	45	2	3	7	11	16	20	35
65+	444	10.5	66	3	3	8	13	19	25	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8368	3.3	5	1	1	3	4	6	8	12
B. *Operated*	1349	4.8	15	1	2	4	6	9	12	19
2. MULTIPLE DX										
A. *Not Operated*	12239	4.9	14	1	2	4	6	9	12	19
B. *Operated*	2587	7.8	38	2	2	6	10	15	19	32
1. SINGLE DX	9717	3.5	7	1	1	3	4	7	8	13
2. MULTIPLE DX	14826	5.4	19	1	2	4	7	10	13	22
A. NOT OPERATED	20607	4.2	11	1	1	3	5	8	10	17
B. OPERATED	3936	6.8	32	2	2	5	9	13	17	30
TOTAL 0-19 YRS	4624	3.0	4	1	1	2	4	5	7	10
20-34	6751	4.1	10	1	1	3	5	8	10	15
35-49	4865	4.9	14	1	2	4	6	9	11	19
50-64	4069	5.4	19	1	2	4	7	10	13	21
65+	4234	6.4	28	2	2	5	8	12	16	25
GRAND TOTAL	**24543**	**4.6**	**15**	**1**	**1**	**4**	**6**	**9**	**11**	**19**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	260	3.0	5	1	1	2	4	6	7	12
20-34	167	3.8	8	1	1	3	5	7	9	16
35-49	140	3.5	10	<1	1	3	4	6	9	21
50-64	133	4.0	6	1	2	3	5	7	8	13
65+	184	5.1	14	1	2	4	7	11	13	23
B. *Operated*										
0-19 YRS	23	3.1	3	1	1	3	5	6	6	6
20-34	67	5.6	24	1	1	5	7	10	14	27
35-49	56	5.1	28	1	1	3	7	9	15	32
50-64	43	6.6	32	<1	1	4	9	15	18	23
65+	45	5.7	40	2	2	3	6	13	17	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	525	3.4	6	1	1	3	4	6	8	12
20-34	438	4.5	11	1	1	4	6	8	11	17
35-49	532	5.4	18	1	2	4	6	10	14	20
50-64	733	6.5	36	2	2	5	8	13	16	28
65+	1504	6.9	32	2	2	5	8	13	17	29
B. *Operated*										
0-19 YRS	40	7.3	59	1	2	5	8	15	23	42
20-34	125	6.8	26	1	2	6	8	14	16	25
35-49	191	9.4	68	2	2	7	12	18	24	46
50-64	227	9.7	105	2	2	7	12	19	24	59
65+	300	12.6	114	2	3	9	17	27	38	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	884	3.8	9	1	1	3	5	7	9	16
B. *Operated*	234	5.4	28	1	1	4	7	10	15	28
2. MULTIPLE DX										
A. *Not Operated*	3732	5.8	26	1	2	4	7	11	15	25
B. *Operated*	883	10.1	91	2	2	7	13	20	29	49
1. SINGLE DX	1118	4.1	13	1	1	3	5	8	11	20
2. MULTIPLE DX	4615	6.6	41	1	2	5	8	13	18	33
A. NOT OPERATED	4616	5.4	24	1	2	4	7	11	14	24
B. OPERATED	1117	9.1	81	1	2	7	11	19	26	47
TOTAL 0-19 YRS	848	3.5	9	1	1	3	4	6	8	14
20-34	797	4.8	15	1	1	4	6	9	12	19
35-49	919	5.9	31	1	2	4	7	12	16	30
50-64	1136	6.8	49	1	2	5	8	13	18	31
65+	2033	7.6	48	2	2	6	9	15	21	39
GRAND TOTAL	**5733**	**6.2**	**37**	**1**	**2**	**4**	**7**	**12**	**17**	**31**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1710	4.1	40	1	1	3	4	7	11	38
20-34	1570	4.4	34	1	1	3	5	8	12	35
35-49	1355	5.3	47	1	1	3	6	10	16	37
50-64	1443	5.7	58	1	1	4	6	11	16	47
65+	1569	6.3	49	1	2	4	7	13	18	37
B. *Operated*										
0-19 YRS	142	2.7	8	<1	1	2	3	5	8	15
20-34	290	3.1	9	1	1	2	3	6	9	13
35-49	293	3.9	25	1	1	2	4	8	10	28
50-64	313	4.9	27	1	1	3	6	10	14	23
65+	239	6.2	50	1	2	4	8	13	17	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1475	4.7	23	1	1	3	6	9	13	22
20-34	1593	4.3	18	1	1	3	5	8	10	17
35-49	2146	5.1	18	1	2	4	6	9	12	21
50-64	3840	6.1	29	1	2	5	7	12	15	27
65+	8134	7.3	40	2	2	6	9	14	18	33
B. *Operated*										
0-19 YRS	113	6.6	105	1	1	4	8	13	20	54
20-34	355	5.5	28	1	2	4	7	11	18	24
35-49	414	6.8	40	1	2	5	8	13	17	38
50-64	800	8.6	84	2	2	6	10	18	26	58
65+	1213	11.7	126	2	3	8	14	24	35	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7647	5.1	46	1	1	3	6	10	15	39
B. *Operated*	1277	4.3	26	1	1	3	5	9	13	26
2. MULTIPLE DX										
A. *Not Operated*	17188	6.3	32	1	2	5	8	12	16	28
B. *Operated*	2895	9.2	95	2	2	6	11	20	27	54
1. SINGLE DX	8924	5.0	43	1	1	3	6	10	14	37
2. MULTIPLE DX	20083	6.7	42	1	2	5	8	13	18	34
A. NOT OPERATED	24835	5.9	37	1	2	4	7	12	16	31
B. OPERATED	4172	7.7	79	1	2	5	9	17	24	50
TOTAL 0-19 YRS	3440	4.4	34	1	1	3	5	8	12	27
20-34	3808	4.3	25	1	1	3	5	8	11	24
35-49	4208	5.3	30	1	2	4	6	10	14	28
50-64	6396	6.3	43	1	2	4	8	12	17	37
65+	11155	7.7	53	2	2	6	9	15	20	38
GRAND TOTAL	**29007**	**6.2**	**43**	**1**	**2**	**4**	**7**	**12**	**17**	**35**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	152	2.0	6	<1	1	1	2	3	4	13
20-34	22	3.2	5	<1	1	3	4	6	8	9
35-49	4	4.8	25	1	1	3	8	12	12	12
50-64	7	3.0	2	2	2	3	3	5	6	6
65+	5	4.6	6	3	3	4	5	9	9	9
B. *Operated*										
0-19 YRS	34	5.0	7	1	2	5	6	8	9	14
20-34	11	7.7	32	1	2	6	12	16	18	18
35-49	3	15.7	46	8	8	18	20	21	21	21
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	334	3.9	60	1	1	2	4	7	12	35
20-34	107	5.9	59	1	1	4	7	10	16	45
35-49	45	6.5	33	1	2	4	8	18	19	27
50-64	27	6.6	22	2	2	5	9	15	17	17
65+	32	8.5	51	1	2	5	14	21	23	25
B. *Operated*										
0-19 YRS	103	9.9	202	1	2	6	10	17	40	86
20-34	83	16.7	328	3	4	10	17	34	63	91
35-49	54	12.0	153	1	2	7	16	33	45	98
50-64	19	17.1	345	1	2	13	20	65	83	99+
65+	11	14.8	59	3	5	17	22	24	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	190	2.3	6	<1	1	2	3	4	6	13
B. *Operated*	50	6.2	21	1	2	5	8	13	18	21
2. MULTIPLE DX										
A. *Not Operated*	545	4.9	57	1	1	3	5	10	15	28
B. *Operated*	270	13.1	241	1	2	8	15	31	51	95
1. SINGLE DX	240	3.1	12	1	1	2	4	6	9	19
2. MULTIPLE DX	815	7.6	133	1	1	4	8	17	26	77
A. NOT OPERATED	735	4.2	45	1	1	2	5	8	14	27
B. OPERATED	320	12.0	213	1	2	7	14	27	45	92
TOTAL 0-19 YRS	623	4.5	74	1	1	2	5	8	14	50
20-34	223	9.7	181	1	1	6	10	19	33	78
35-49	106	9.5	102	1	2	6	11	20	33	78
50-64	54	9.7	160	1	2	6	13	18	55	98
65+	49	9.4	56	2	2	6	15	22	24	25
GRAND TOTAL	**1055**	**6.6**	**109**	**1**	**1**	**3**	**7**	**15**	**22**	**68**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	61	2.6	6	<1	1	2	3	5	7	16
20-34	17	2.5	2	1	1	2	3	5	6	6
35-49	11	3.6	19	1	1	2	3	10	15	16
50-64	3	10.3	101	1	1	9	18	21	21	21
65+	3	17.3	465	2	2	8	33	42	42	42
B. *Operated*										
0-19 YRS	18	3.3	5	1	1	3	4	6	8	9
20-34	12	8.6	83	1	2	5	13	21	31	33
35-49	7	5.1	11	2	2	4	8	10	10	10
50-64	1	5.0		5	5	5	5	5	5	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	161	4.6	15	1	1	3	6	10	12	21
20-34	130	6.0	32	1	2	4	7	12	14	30
35-49	51	5.7	32	1	1	4	7	12	14	35
50-64	38	7.7	101	1	2	5	9	16	47	99+
65+	36	11.3	89	2	2	6	19	24	28	37
B. *Operated*										
0-19 YRS	55	13.7	258	1	2	8	16	42	59	98
20-34	94	13.9	252	2	2	7	18	36	54	72
35-49	25	15.4	390	2	3	10	16	54	95	99+
50-64	12	19.9	436	3	4	14	32	82	97	99+
65+	22	18.1	156	4	5	15	28	35	43	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	95	3.4	27	1	1	2	3	6	9	33
B. *Operated*	38	5.3	34	1	1	4	5	12	15	33
2. MULTIPLE DX										
A. *Not Operated*	416	6.0	40	1	1	4	7	13	18	40
B. *Operated*	208	14.8	268	2	2	9	18	40	57	99+
1. SINGLE DX	133	3.9	29	1	1	2	4	8	13	35
2. MULTIPLE DX	624	9.0	133	1	2	5	11	21	33	75
A. NOT OPERATED	511	5.5	38	1	1	4	6	12	17	39
B. OPERATED	246	13.3	243	1	2	8	16	35	57	99+
TOTAL 0-19 YRS	295	5.8	72	1	1	3	6	12	17	59
20-34	253	8.8	129	1	2	5	10	20	30	59
35-49	94	8.0	141	1	2	5	10	14	25	97
50-64	54	10.5	191	1	2	6	13	35	68	99+
65+	61	14.0	133	2	3	11	21	31	38	47
GRAND TOTAL	**757**	**8.1**	**118**	**1**	**1**	**4**	**9**	**18**	**30**	**69**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	2.1	1	<1	1	2	3	4	4	5
20-34	42	2.0	3	<1	<1	1	2	4	6	8
35-49	18	2.4	3	<1	<1	2	3	5	6	6
50-64	5	2.2	5	<1	<1	1	3	6	6	6
65+	8	3.1	6	1	1	3	3	7	9	9
B. *Operated*										
0-19 YRS	511	2.1	2	<1	<1	2	3	4	5	7
20-34	659	2.8	8	1	1	2	3	5	7	11
35-49	205	3.2	5	1	1	2	4	6	7	11
50-64	62	3.3	6	<1	1	3	4	6	8	13
65+	37	5.4	32	1	2	3	6	12	18	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	104	2.5	5	<1	1	2	3	5	6	14
20-34	169	2.7	5	<1	1	2	3	6	7	10
35-49	81	4.1	12	1	1	3	5	8	10	19
50-64	71	4.0	10	1	1	3	5	8	10	16
65+	117	6.9	53	1	2	5	10	14	21	44
B. *Operated*										
0-19 YRS	922	3.5	17	1	1	3	4	6	9	19
20-34	1504	4.9	44	1	1	3	5	9	13	43
35-49	584	5.2	32	1	2	4	6	9	12	33
50-64	211	7.2	83	1	2	5	8	13	23	68
65+	150	9.1	84	2	2	7	11	16	21	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	98	2.2	3	<1	<1	2	3	4	6	9
B. *Operated*	1474	2.7	6	<1	1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	542	3.9	20	1	1	3	5	8	11	22
B. *Operated*	3371	4.9	40	1	1	3	5	9	13	37
1. SINGLE DX	1572	2.7	6	<1	1	2	3	5	7	11
2. MULTIPLE DX	3913	4.8	38	1	1	3	5	9	13	34
A. NOT OPERATED	640	3.7	17	<1	1	2	4	8	10	21
B. OPERATED	4845	4.2	31	1	1	3	5	8	11	29
TOTAL 0-19 YRS	1562	3.0	11	<1	1	2	3	6	7	17
20-34	2374	4.1	32	1	1	3	4	8	10	29
35-49	888	4.6	24	1	1	3	5	9	11	28
50-64	349	5.8	57	1	1	4	7	11	15	49
65+	312	7.7	66	1	2	5	10	15	20	48
GRAND TOTAL	**5485**	**4.2**	**29**	**1**	**1**	**3**	**5**	**8**	**11**	**27**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	117	5.2	15	1	2	4	6	10	13	20
20-34	234	5.5	17	1	2	5	7	10	11	18
35-49	141	6.5	23	2	3	5	7	13	15	27
50-64	178	7.5	21	2	3	6	10	13	15	24
65+	352	9.8	39	3	4	8	13	18	21	31
B. *Operated*										
0-19 YRS	10	16.5	142	4	4	15	19	34	45	45
20-34	27	10.6	32	3	5	9	13	18	21	28
35-49	18	12.0	120	2	2	9	14	31	37	38
50-64	14	11.5	121	2	2	8	17	31	36	38
65+	13	16.3	99	6	8	16	19	29	41	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	241	6.2	51	1	2	4	7	12	17	38
20-34	552	6.3	24	1	2	5	8	11	15	26
35-49	344	7.4	32	2	2	6	9	13	17	28
50-64	543	9.5	53	2	3	8	12	18	23	35
65+	1878	12.0	66	3	4	10	15	22	27	42
B. *Operated*										
0-19 YRS	76	14.4	115	3	4	11	19	32	36	45
20-34	224	16.9	215	3	4	13	22	39	49	88
35-49	113	15.5	210	3	3	12	20	30	53	69
50-64	98	18.6	225	4	6	15	22	36	51	75
65+	159	20.5	171	6	7	18	25	39	47	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1022	7.4	29	2	2	6	10	14	18	26
B. *Operated*	82	12.7	91	2	3	10	17	24	36	45
2. MULTIPLE DX										
A. *Not Operated*	3558	9.9	59	2	3	8	13	19	24	38
B. *Operated*	670	17.5	197	3	5	14	22	36	47	73
1. SINGLE DX	1104	7.8	36	2	2	6	10	15	19	32
2. MULTIPLE DX	4228	11.1	89	2	3	8	14	22	29	49
A. NOT OPERATED	4580	9.3	54	2	3	7	12	18	23	37
B. OPERATED	752	17.0	187	3	4	14	22	35	45	70
TOTAL 0-19 YRS	444	7.6	66	1	2	5	9	17	23	45
20-34	1037	8.5	84	2	2	6	9	18	26	53
35-49	616	8.8	76	2	2	6	10	17	23	51
50-64	833	10.2	77	2	3	8	12	19	26	47
65+	2402	12.3	75	3	4	10	16	22	28	45
GRAND TOTAL	**5332**	**10.4**	**79**	**2**	**3**	**8**	**13**	**20**	**27**	**46**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	5.3	11	3	3	4	7	10	10	10
20-34	9	7.1	12	<1	1	8	10	10	10	10
35-49	3	6.7	22	3	3	5	10	12	12	12
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	4	7.0	21	<1	<1	8	10	11	11	11
B. *Operated*										
0-19 YRS	3	19.7	134	12	12	14	28	33	33	33
20-34	14	29.9	422	8	10	22	37	65	67	68
35-49	3	19.3	30	13	13	22	23	23	23	23
50-64	2	12.0	18	9	9	12	15	15	15	15
65+	2	43.0	162	34	34	43	52	52	52	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	13.0	271	<1	1	5	20	41	48	49
20-34	27	11.6	147	1	1	6	17	29	35	52
35-49	9	8.1	35	2	2	6	12	17	19	19
50-64	17	15.6	241	2	3	10	19	34	55	65
65+	31	16.2	284	3	4	12	17	38	44	88
B. *Operated*										
0-19 YRS	20	27.2	263	6	9	28	42	77	99+	99+
20-34	46	34.7	565	7	9	27	44	70	90	94
35-49	19	33.3	576	6	9	32	56	74	90	99+
50-64	7	48.7	750	3	12	50	79	97	99+	99+
65+	12	19.0	54	10	12	18	26	46	90	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	6.4	14	<1	<1	6	10	11	11	12
B. *Operated*	24	26.9	322	9	10	21	34	60	66	68
2. MULTIPLE DX										
A. *Not Operated*	96	13.6	212	2	2	9	17	32	44	77
B. *Operated*	104	32.1	492	7	10	27	47	77	94	99+
1. SINGLE DX	45	17.3	282	<1	3	10	22	37	61	68
2. MULTIPLE DX	200	23.3	442	3	4	17	33	58	86	99+
A. NOT OPERATED	117	12.3	184	1	2	9	14	29	41	73
B. OPERATED	128	31.1	462	8	10	27	46	68	92	99+
TOTAL 0-19 YRS	39	20.0	283	2	3	14	34	48	82	99+
20-34	96	24.9	498	2	3	19	32	58	70	93
35-49	34	23.1	473	3	3	14	42	60	78	99+
50-64	27	23.4	563	2	3	15	41	66	92	99+
65+	49	17.2	233	3	4	13	20	39	52	99+
GRAND TOTAL	**245**	**22.2**	**416**	**2**	**3**	**15**	**32**	**57**	**70**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	2.3	3	1	1	2	3	5	7	7
20-34	51	3.2	6	1	1	2	4	7	8	11
35-49	55	4.1	17	1	1	3	5	8	12	25
50-64	62	4.4	7	1	2	4	5	8	10	14
65+	95	6.6	18	1	2	6	8	12	14	23
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	5	5.0	6	3	3	4	6	9	9	9
35-49	4	3.8	3	2	2	3	5	6	6	6
50-64	2	10.5	145	2	2	10	19	19	19	19
65+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	70	3.9	10	1	1	3	5	7	10	18
20-34	311	4.4	13	1	1	3	6	8	12	20
35-49	415	5.7	18	1	2	5	7	10	13	22
50-64	673	6.8	33	2	2	5	8	13	16	26
65+	1150	8.9	53	2	3	7	11	16	21	34
B. *Operated*										
0-19 YRS	35	10.2	80	2	3	8	11	21	35	41
20-34	141	10.0	86	2	3	7	13	21	28	39
35-49	144	11.5	115	2	3	8	15	25	34	51
50-64	161	13.0	100	3	4	10	17	25	34	48
65+	161	17.4	175	4	5	14	23	35	43	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	275	4.8	14	1	1	4	6	9	12	20
B. *Operated*	13	5.7	20	2	2	4	6	11	17	19
2. MULTIPLE DX										
A. *Not Operated*	2619	7.2	39	1	2	6	9	14	18	30
B. *Operated*	642	13.0	125	3	3	9	17	27	35	61
1. SINGLE DX	288	4.8	15	1	1	4	6	9	12	21
2. MULTIPLE DX	3261	8.3	61	2	2	6	10	17	22	41
A. NOT OPERATED	2894	7.0	37	1	2	5	9	13	17	28
B. OPERATED	655	12.8	124	2	3	9	17	27	35	61
TOTAL 0-19 YRS	118	5.6	39	1	1	4	7	11	17	40
20-34	508	5.8	39	1	1	4	7	12	18	29
35-49	618	6.9	47	1	2	5	8	13	19	37
50-64	898	7.8	50	2	2	6	9	15	20	35
65+	1407	9.7	72	2	3	8	12	19	25	43
GRAND TOTAL	**3549**	**8.0**	**58**	**1**	**2**	**6**	**10**	**16**	**22**	**39**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	45	6.6	22	1	2	5	8	13	18	18
20-34	61	9.0	59	2	3	7	10	16	29	40
35-49	25	7.7	20	2	3	7	10	14	16	21
50-64	53	10.3	83	2	2	9	13	17	21	62
65+	215	11.0	44	3	4	10	14	19	24	34
B. *Operated*										
0-19 YRS	5	27.8	1184	2	2	15	38	88	88	88
20-34	7	31.3	528	12	12	22	43	68	74	74
35-49	3	12.3	6	10	10	12	14	15	15	15
50-64	3	9.7		9	9	10	10	10	10	10
65+	5	19.0	43	14	14	16	22	30	30	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	127	9.4	130	2	2	6	11	20	25	68
20-34	185	11.9	135	2	3	9	14	24	45	66
35-49	117	13.8	162	3	4	10	17	25	43	68
50-64	192	11.9	104	2	4	9	14	21	28	54
65+	1008	14.4	99	4	5	12	18	26	33	52
B. *Operated*										
0-19 YRS	44	19.4	304	6	6	12	24	45	61	78
20-34	107	23.9	289	4	6	21	38	54	62	99+
35-49	63	27.6	366	6	7	24	45	57	71	99+
50-64	45	29.9	437	8	9	22	45	62	68	88
65+	109	27.2	359	8	10	23	37	58	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	399	9.9	49	2	3	9	13	18	21	36
B. *Operated*	23	22.6	438	7	10	15	22	51	79	88
2. MULTIPLE DX										
A. *Nct Operated*	1629	13.4	113	3	4	11	17	25	33	56
B. *Operated*	368	25.7	348	6	7	21	39	57	66	99+
1. SINGLE DX	422	10.6	78	2	3	9	13	19	24	44
2. MULTIPLE DX	1997	15.7	179	3	4	12	20	32	46	69
A. NOT OPERATED	2028	12.7	102	3	4	10	16	24	31	55
B. OPERATED	391	25.5	353	6	7	20	38	57	67	99+
TOTAL 0-19 YRS	221	11.3	185	2	2	7	13	22	36	81
20-34	360	15.4	213	3	3	10	20	41	50	73
35-49	208	17.2	253	3	4	11	23	45	56	91
50-64	293	14.4	193	2	4	10	17	28	46	68
65+	1337	14.9	126	4	5	12	19	27	35	60
GRAND TOTAL	**2419**	**14.8**	**165**	**3**	**4**	**11**	**18**	**29**	**44**	**68**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	86	4.0	31	<1	1	2	4	10	17	27
20-34	31	3.2	4	1	1	3	5	5	6	11
35-49	21	3.5	5	<1	1	3	4	7	9	10
50-64	50	4.9	14	1	2	4	6	11	13	18
65+	204	6.7	43	1	1	5	9	14	17	34
B. *Operated*										
0-19 YRS	500	4.3	25	1	1	2	4	11	17	23
20-34	86	4.9	23	1	1	4	5	9	15	26
35-49	54	6.6	61	1	2	5	7	12	20	50
50-64	85	5.3	15	1	2	4	7	10	12	20
65+	158	7.9	52	2	2	6	11	15	18	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	106	3.4	14	<1	1	2	4	7	11	20
20-34	71	6.1	56	<1	1	4	7	12	21	43
35-49	70	5.9	45	1	1	4	9	11	13	44
50-64	156	7.4	67	1	2	5	9	14	17	50
65+	766	9.7	63	2	2	7	13	20	26	38
B. *Operated*										
0-19 YRS	587	4.9	35	1	1	3	6	12	17	28
20-34	223	8.9	119	1	2	5	10	20	31	57
35-49	117	8.9	124	1	1	6	9	15	34	63
50-64	273	11.1	181	2	2	7	13	22	40	82
65+	466	13.5	165	2	3	10	17	28	39	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	392	5.4	33	1	1	4	7	12	15	29
B. *Operated*	883	5.2	33	1	1	3	6	12	17	25
2. MULTIPLE DX										
A. *Not Operated*	1169	8.4	62	1	2	6	11	18	24	40
B. *Operated*	1666	9.1	125	1	1	5	11	21	30	68
1. SINGLE DX	1275	5.3	33	1	1	3	6	12	16	26
2. MULTIPLE DX	2835	8.8	99	1	1	6	11	19	27	52
A. NOT OPERATED	1561	7.6	56	1	1	5	10	17	22	37
B. OPERATED	2549	7.8	96	1	1	4	10	17	25	52
TOTAL 0-19 YRS	1279	4.5	29	1	1	2	5	11	17	25
20-34	411	7.2	83	1	1	4	8	16	25	51
35-49	262	7.2	83	1	1	5	9	12	21	51
50-64	564	8.6	115	1	2	5	10	17	26	72
65+	1594	10.2	95	2	2	7	13	21	28	51
GRAND TOTAL	**4110**	**7.7**	**81**	**1**	**1**	**5**	**10**	**17**	**24**	**46**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	1.7	1	1	1	1	2	3	5	99+
20-34	18	2.2	2	<1	1	2	3	5	5	5
35-49	12	4.2	19	1	1	3	5	9	16	17
50-64	26	4.7	30	1	1	3	5	8	15	28
65+	36	4.1	14	1	1	3	6	8	9	21
B. *Operated*										
0-19 YRS	820	2.0	2	1	1	1	2	4	5	8
20-34	295	3.5	6	1	1	3	5	6	7	12
35-49	210	3.4	5	1	1	3	4	6	8	13
50-64	273	3.3	6	1	1	3	4	6	7	13
65+	307	4.4	16	1	1	4	5	8	10	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	2.3	5	<1	1	1	3	4	8	11
20-34	83	4.4	57	<1	1	2	5	9	12	50
35-49	45	3.7	8	<1	1	3	5	7	11	12
50-64	79	5.4	20	1	1	4	8	10	13	25
65+	195	8.7	63	1	2	6	12	18	26	36
B. *Operated*										
0-19 YRS	978	2.9	20	1	1	2	3	6	8	26
20-34	532	5.4	34	1	2	4	6	10	14	31
35-49	395	5.4	35	1	1	3	6	12	17	27
50-64	517	5.6	65	1	1	4	6	11	16	43
65+	669	7.3	76	1	1	4	8	16	22	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	132	3.2	13	1	1	2	4	7	8	40
B. *Operated*	1905	3.0	7	1	1	2	4	6	7	13
2. MULTIPLE DX										
A. *Not Operated*	469	6.0	47	1	1	4	7	14	18	33
B. *Operated*	3091	5.1	46	1	1	3	6	10	16	36
1. SINGLE DX	2037	3.0	7	1	1	2	4	6	7	13
2. MULTIPLE DX	3560	5.2	47	1	1	3	6	11	16	35
A. NOT OPERATED	601	5.4	41	1	1	3	6	12	18	33
B. OPERATED	4996	4.3	32	1	1	3	5	8	13	28
TOTAL 0-19 YRS	1905	2.4	12	1	1	2	3	5	6	15
20-34	928	4.7	27	1	1	3	5	9	12	29
35-49	662	4.6	24	1	1	3	5	9	13	25
50-64	895	4.9	43	1	1	3	5	9	13	29
65+	1207	6.7	59	1	1	4	8	15	20	39
GRAND TOTAL	**5597**	**4.4**	**33**	**1**	**1**	**3**	**5**	**9**	**13**	**29**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	2.1	4	<1	1	1	2	4	7	8
20-34	21	2.2	2	<1	<1	2	3	4	5	5
35-49	5	6.2	18	2	2	5	10	12	12	12
50-64	4	3.0	2	2	2	3	4	5	5	5
65+	9	3.8	7	<1	<1	4	5	8	9	9
B. *Operated*										
0-19 YRS	264	1.9	1	<1	1	2	2	3	4	8
20-34	380	2.4	3	1	1	2	3	4	5	9
35-49	146	2.7	6	<1	1	2	3	5	6	13
50-64	96	2.5	4	1	1	2	3	4	6	13
65+	68	3.4	8	1	1	3	4	7	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	3.9	23	1	1	2	4	8	15	25
20-34	60	2.9	3	<1	<1	3	4	5	6	9
35-49	25	4.0	22	<1	1	3	4	10	14	23
50-64	26	8.2	135	1	1	4	7	29	38	48
65+	78	8.1	72	1	1	5	10	18	26	45
B. *Operated*										
0-19 YRS	314	2.5	4	<1	1	2	3	4	6	10
20-34	571	3.6	22	<1	1	2	4	7	10	23
35-49	274	4.1	40	<1	1	3	4	7	13	40
50-64	196	4.3	31	1	1	3	5	7	13	30
65+	130	6.3	79	1	1	4	7	13	20	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	2.9	6	<1	1	2	4	6	9	12
B. *Operated*	954	2.4	3	1	1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	226	5.6	52	<1	1	3	6	12	21	38
B. *Operated*	1485	3.8	29	1	1	2	4	7	11	26
1. SINGLE DX	1007	2.4	3	1	1	2	3	4	6	10
2. MULTIPLE DX	1711	4.0	32	1	1	2	4	7	12	30
A. NOT OPERATED	279	5.1	45	<1	1	3	5	11	18	34
B. OPERATED	2439	3.2	19	1	1	2	3	6	8	22
TOTAL 0-19 YRS	629	2.3	4	<1	1	2	3	4	5	10
20-34	1032	3.1	14	<1	1	2	3	5	7	16
35-49	450	3.7	28	<1	1	2	4	6	10	28
50-64	322	4.0	33	1	1	2	4	7	12	34
65+	285	6.1	61	1	1	4	7	13	19	42
GRAND TOTAL	**2718**	**3.4**	**22**	**1**	**1**	**2**	**4**	**6**	**9**	**24**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	15.1	143	1	2	16	24	31	35	40
20-34	7	8.1	77	2	2	4	11	23	26	26
35-49	9	6.8	101	<1	<1	5	5	22	33	33
50-64	25	12.4	55	1	2	11	18	22	25	27
65+	147	11.6	135	1	1	10	16	21	31	95
B. *Operated*										
0-19 YRS	57	10.9	73	2	3	8	13	24	29	42
20-34	45	12.1	104	4	5	9	14	20	29	60
35-49	72	11.0	26	5	6	10	13	17	21	27
50-64	308	13.0	48	5	6	12	16	20	24	40
65+	2270	17.0	60	8	10	15	20	25	31	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	17.8	266	1	2	10	30	39	46	59
20-34	22	15.1	357	1	1	6	20	49	61	67
35-49	29	13.8	338	1	1	7	13	43	58	76
50-64	76	12.7	167	1	3	8	17	27	40	68
65+	647	14.3	143	1	3	12	19	29	37	64
B. *Operated*										
0-19 YRS	118	17.7	213	3	4	14	24	35	48	80
20-34	141	18.6	312	4	5	13	22	45	73	99+
35-49	218	16.4	151	6	7	13	19	29	45	67
50-64	870	17.3	121	7	8	14	20	30	39	80
65+	7047	19.8	113	9	10	17	23	32	41	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	209	11.7	124	1	1	10	16	23	31	76
B. *Operated*	2752	16.2	62	7	9	15	19	25	30	47
2. MULTIPLE DX										
A. *Not Operated*	820	14.4	165	1	3	11	19	30	41	68
B. *Operated*	8394	19.4	120	8	10	17	23	32	41	71
1. SINGLE DX	2961	15.9	67	6	8	15	19	24	30	47
2. MULTIPLE DX	9214	18.9	126	7	9	16	22	32	41	70
A. NOT OPERATED	1029	13.8	157	1	2	11	18	29	39	68
B. OPERATED	11146	18.6	108	8	9	16	22	30	39	66
TOTAL 0-19 YRS	242	15.9	190	2	3	11	23	34	42	61
20-34	215	16.6	273	2	4	11	19	41	60	94
35-49	328	14.8	144	3	6	11	17	26	43	67
50-64	1279	15.9	109	5	7	14	19	27	37	73
65+	10111	18.7	107	7	9	16	22	30	38	64
GRAND TOTAL	**12175**	**18.2**	**114**	**7**	**9**	**16**	**21**	**30**	**39**	**66**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	194	18.7	168	1	2	18	27	35	39	60
20-34	22	21.8	365	2	3	21	41	68	99+	99+
35-49	13	17.4	281	<1	2	9	37	41	46	47
50-64	18	18.9	537	2	3	8	20	50	72	86
65+	64	19.7	398	2	2	12	28	56	70	98
B. *Operated*										
0-19 YRS	246	15.1	169	2	2	12	23	33	40	52
20-34	96	12.9	106	2	3	11	16	21	30	61
35-49	32	12.8	53	1	3	13	17	23	25	27
50-64	54	19.9	320	3	5	13	22	45	58	81
65+	151	19.7	186	6	9	16	22	33	53	78
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	289	19.1	166	1	2	20	28	36	43	57
20-34	55	18.4	268	2	2	12	31	45	48	64
35-49	29	19.2	294	2	3	12	30	44	53	62
50-64	68	27.5	615	2	4	18	46	60	77	96
65+	195	22.3	423	3	4	15	30	59	72	99+
B. *Operated*										
0-19 YRS	504	18.8	276	2	3	15	26	39	52	87
20-34	447	23.1	353	3	5	17	31	51	62	97
35-49	153	23.2	351	2	4	18	32	52	67	99
50-64	173	24.6	288	6	8	21	33	52	79	99+
65+	514	25.6	286	8	10	21	33	49	66	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	311	19.1	251	1	2	17	28	40	51	92
B. *Operated*	579	16.3	177	2	3	14	21	32	44	65
2. MULTIPLE DX										
A. *Not Operated*	636	20.9	313	2	3	18	29	46	59	97
B. *Operated*	1791	22.8	312	3	5	18	30	48	62	99+
1. SINGLE DX	890	17.2	204	2	3	15	23	36	46	77
2. MULTIPLE DX	2427	22.3	313	2	4	18	30	48	61	99
A. NOT OPERATED	947	20.3	293	2	3	17	28	44	57	97
B. OPERATED	2370	21.2	287	2	4	17	28	46	58	97
TOTAL 0-19 YRS	1233	18.1	214	2	2	16	26	36	44	71
20-34	620	21.0	321	2	4	15	28	48	62	97
35-49	227	20.9	308	2	3	16	29	47	61	93
50-64	313	24.1	382	4	6	18	37	53	76	99+
65+	924	23.5	312	4	7	19	30	50	67	99+
GRAND TOTAL	**3317**	**20.9**	**289**	**2**	**4**	**17**	**28**	**45**	**58**	**97**

353: Fracture of tibia and fibula (823)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	148	3.0	7	1	1	2	4	5	7	17
20-34	90	3.8	9	1	1	3	4	7	9	18
35-49	83	5.3	27	1	2	3	6	10	15	28
50-64	69	7.6	59	2	2	6	9	13	14	51
65+	87	8.4	43	2	2	7	12	16	19	36
B. *Operated*										
0-19 YRS	326	4.5	20	1	1	3	5	9	11	29
20-34	283	7.3	53	1	2	5	9	12	19	47
35-49	181	7.4	45	2	2	5	10	14	16	34
50-64	136	10.1	84	3	3	7	12	18	33	59
65+	115	12.7	147	3	4	10	14	22	41	67
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	187	3.5	13	1	1	3	4	7	8	25
20-34	177	4.4	11	1	1	3	6	9	10	18
35-49	122	7.0	40	1	2	6	9	12	17	39
50-64	178	7.9	41	1	2	6	10	17	24	28
65+	301	11.7	116	2	3	9	13	22	32	59
B. *Operated*										
0-19 YRS	567	7.2	86	1	1	4	8	15	23	53
20-34	689	11.4	175	2	3	7	13	25	39	90
35-49	453	11.4	130	2	3	8	14	23	33	60
50-64	344	12.4	137	2	3	9	16	24	33	72
65+	285	17.3	185	4	5	13	21	38	47	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	477	5.2	29	1	1	4	6	11	14	28
B. *Operated*	1041	7.4	62	1	2	5	9	14	19	47
2. MULTIPLE DX										
A. *Not Operated*	965	7.5	63	1	2	5	10	15	21	43
B. *Operated*	2338	11.2	149	2	2	7	14	25	36	72
1. SINGLE DX	1518	6.7	53	1	2	5	8	13	17	46
2. MULTIPLE DX	3303	10.1	127	1	2	7	12	22	33	62
A. NOT OPERATED	1442	6.7	53	1	1	5	8	13	19	36
B. OPERATED	3379	10.1	125	1	2	6	12	22	33	61
TOTAL 0-19 YRS	1228	5.4	51	1	1	3	6	11	16	42
20-34	1239	8.9	120	1	2	6	10	18	30	72
35-49	839	9.3	94	2	2	7	11	18	27	56
50-64	727	10.4	100	2	3	7	13	22	29	60
65+	788	13.5	147	3	4	10	16	28	41	62
GRAND TOTAL	**4821**	**9.1**	**106**	**1**	**2**	**6**	**11**	**19**	**29**	**57**

354: Miscellaneous fractures of lower extremity (822; 824-827)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	3.0	16	<1	1	2	3	4	5	30
20-34	90	3.7	6	1	1	3	5	7	9	11
35-49	74	4.1	14	1	1	3	5	7	10	24
50-64	99	4.3	8	1	2	4	5	9	10	14
65+	106	6.2	21	1	2	5	8	10	15	25
B. *Operated*										
0-19 YRS	396	4.0	11	1	1	3	5	7	9	15
20-34	637	4.8	11	2	2	4	6	8	10	19
35-49	448	5.8	27	2	2	5	7	9	12	21
50-64	480	6.2	11	2	3	6	8	10	13	16
65+	319	8.3	23	2	3	7	10	15	17	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	128	3.3	9	1	1	2	4	6	10	16
20-34	219	4.2	10	1	1	3	5	9	11	14
35-49	168	4.8	14	1	1	4	6	9	11	21
50-64	239	7.0	43	1	2	5	8	14	18	32
65+	387	8.9	65	2	2	7	11	17	25	48
B. *Operated*										
0-19 YRS	602	5.4	41	1	2	4	6	9	14	37
20-34	1178	6.4	42	2	2	5	7	11	16	37
35-49	879	7.2	45	2	3	6	8	13	16	40
50-64	870	8.4	68	2	3	7	10	15	20	48
65+	717	11.4	106	3	4	9	14	20	30	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	420	4.4	14	1	1	4	6	9	10	24
B. *Operated*	2280	5.6	17	2	2	5	7	10	13	20
2. MULTIPLE DX										
A. *Not Operated*	1141	6.4	41	1	1	5	8	13	17	31
B. *Operated*	4246	7.7	62	2	2	6	9	14	20	44
1. SINGLE DX	2700	5.5	17	1	2	5	7	10	13	21
2. MULTIPLE DX	5387	7.4	58	2	2	5	9	14	19	43
A. NOT OPERATED	1561	5.9	34	1	1	4	7	12	16	30
B. OPERATED	6526	7.0	48	2	2	5	8	13	17	38
TOTAL 0-19 YRS	1177	4.6	27	1	1	3	5	8	12	30
20-34	2124	5.6	28	1	2	4	6	10	13	29
35-49	1569	6.4	36	2	2	5	7	11	15	31
50-64	1688	7.4	46	2	3	6	9	13	16	38
65+	1529	9.8	75	2	3	7	12	18	25	48
GRAND TOTAL	**8087**	**6.8**	**45**	**1**	**2**	**5**	**8**	**13**	**17**	**37**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	2.2	2	1	1	2	3	4	5	5
20-34	15	3.8	9	<1	1	3	5	6	11	12
35-49	9	3.1	4	1	1	3	4	6	7	7
50-64	12	2.8	6	1	1	2	4	7	8	8
65+	15	6.6	32	<1	2	6	8	11	21	24
B. *Operated*										
0-19 YRS	21	2.8	1	1	1	3	4	4	5	5
20-34	31	3.6	4	1	1	3	5	7	8	8
35-49	10	5.3	49	2	2	3	4	15	25	25
50-64	6	3.8		3	3	4	4	4	4	4
65+	2	12.0	50	7	7	12	17	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	96	3.1	10	1	1	2	4	7	8	18
20-34	152	4.1	12	1	1	3	6	9	12	16
35-49	77	4.9	9	1	2	4	7	9	11	13
50-64	76	6.2	28	1	1	6	8	9	12	32
65+	194	9.5	50	2	3	8	12	19	22	36
B. *Operated*										
0-19 YRS	76	4.3	12	1	1	3	6	9	10	21
20-34	99	6.6	53	1	2	4	7	14	21	45
35-49	43	7.4	34	1	2	5	13	16	18	23
50-64	34	7.3	46	1	1	5	9	16	24	29
65+	34	12.9	60	3	5	13	17	23	27	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	70	3.7	13	1	1	3	5	7	10	22
B. *Operated*	70	3.9	12	1	1	3	4	6	8	23
2. MULTIPLE DX										
A. *Not Operated*	595	6.1	32	1	1	4	8	12	17	29
B. *Operated*	286	6.9	45	1	2	5	8	16	21	33
1. SINGLE DX	140	3.8	12	1	1	3	5	7	8	24
2. MULTIPLE DX	881	6.3	36	1	1	4	8	14	18	30
A. NOT OPERATED	665	5.8	30	1	1	4	8	12	16	29
B. OPERATED	356	6.3	40	1	2	4	8	15	20	29
TOTAL 0-19 YRS	212	3.4	10	1	1	3	4	7	9	16
20-34	297	4.9	26	1	1	3	6	10	13	24
35-49	139	5.6	20	1	2	4	7	12	15	23
50-64	128	6.1	30	1	1	5	8	11	16	31
65+	245	9.8	52	2	3	8	14	20	23	35
GRAND TOTAL	**1021**	**6.0**	**34**	**1**	**1**	**4**	**8**	**13**	**17**	**29**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.8	4	1	1	2	4	6	7	7
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64	2	9.0	98	2	2	9	16	16	16	16
65+	2	8.5	1	8	8	8	9	9	9	9
B. *Operated*										
0-19 YRS	2	11.5	145	3	3	11	20	20	20	20
20-34	3	4.0	4	2	2	4	5	6	6	6
35-49	2	8.0	18	5	5	8	11	11	11	11
50-64	1	10.0		10	10	10	10	10	10	10
65+	2	13.5	61	8	8	13	19	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	4.3	15	1	1	3	5	10	14	15
20-34	10	10.5	302	1	1	5	7	36	59	59
35-49	4	17.0	328	1	1	12	28	43	43	43
50-64	7	13.9	348	5	5	7	9	47	56	56
65+	8	13.8	185	3	3	11	17	37	44	44
B. *Operated*										
0-19 YRS	7	6.1	14	1	1	5	9	11	12	12
20-34	18	18.5	495	3	4	10	24	44	77	94
35-49	10	15.8	127	3	3	13	24	33	35	35
50-64	5	30.2	1347	8	8	12	45	94	94	94
65+	4	26.8	1192	3	3	13	46	78	78	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	4.6	19	1	1	3	7	10	15	16
B. *Operated*	10	8.8	40	2	2	7	11	19	20	20
2. MULTIPLE DX										
A. *Not Operated*	50	9.4	173	1	1	5	10	18	44	59
B. *Operated*	44	18.0	481	2	3	10	22	37	83	94
1. SINGLE DX	23	6.4	31	1	1	4	9	17	19	20
2. MULTIPLE DX	94	13.4	332	1	2	7	13	31	55	94
A. NOT OPERATED	63	8.4	144	1	1	4	9	15	43	59
B. OPERATED	54	16.3	410	2	3	10	19	31	73	94
TOTAL 0-19 YRS	38	4.7	19	1	1	3	6	11	15	20
20-34	32	14.2	388	2	2	7	12	34	58	94
35-49	16	15.1	151	2	3	11	21	35	41	43
50-64	15	18.4	619	3	5	9	15	56	84	94
65+	16	16.3	371	3	3	10	17	42	68	78
GRAND TOTAL	**117**	**12.1**	**280**	**1**	**1**	**7**	**12**	**26**	**49**	**94**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.5		<1	<1	1	2	2	2	2
20-34	16	1.8	1	<1	<1	1	3	4	4	4
35-49	5	3.0	10	<1	<1	1	5	8	8	8
50-64	5	1.6		1	1	2	2	2	2	2
65+	12	2.7	5	1	1	2	4	6	7	7
B. *Operated*										
0-19 YRS	81	3.2	6	1	1	3	4	5	6	17
20-34	229	3.3	3	1	1	3	4	5	6	8
35-49	85	3.5	4	1	1	3	4	5	8	10
50-64	27	3.7	6	<1	1	3	5	7	8	11
65+	32	2.9	6	<1	1	2	4	6	6	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.7	1	1	1	3	4	4	4	4
20-34	18	3.4	10	<1	<1	3	4	8	11	13
35-49	14	2.7	2	<1	1	2	4	5	5	5
50-64	23	4.1	10	<1	1	3	6	9	11	14
65+	42	6.8	66	<1	1	5	9	13	17	50
B. *Operated*										
0-19 YRS	65	3.3	8	1	1	3	4	7	9	16
20-34	205	4.1	10	1	2	3	5	7	10	15
35-49	73	4.2	21	1	1	3	4	9	12	27
50-64	53	5.6	44	1	1	3	7	13	24	32
65+	77	6.3	95	<1	1	3	7	14	19	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	2.1	3	<1	<1	1	3	4	6	8
B. *Operated*	454	3.3	4	1	1	3	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	103	4.8	34	<1	1	3	6	10	13	33
B. *Operated*	473	4.5	30	1	1	3	5	9	13	28
1. SINGLE DX	498	3.2	4	1	1	3	4	5	7	11
2. MULTIPLE DX	576	4.6	30	1	1	3	5	9	13	28
A. NOT OPERATED	147	4.0	26	<1	1	2	5	9	12	18
B. OPERATED	927	3.9	18	1	1	3	4	7	10	21
TOTAL 0-19 YRS	158	3.2	6	1	1	3	4	5	7	17
20-34	468	3.6	6	1	1	3	4	6	8	15
35-49	177	3.7	11	1	1	3	4	7	9	21
50-64	108	4.6	26	1	1	3	5	9	14	29
65+	163	5.5	66	<1	1	3	6	12	16	50
GRAND TOTAL	**1074**	**3.9**	**19**	**1**	**1**	**3**	**4**	**7**	**10**	**20**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	1.8	3	<1	<1	1	2	5	6	6
20-34	23	2.2	3	<1	<1	2	3	4	6	9
35-49	8	2.4	2	1	1	2	3	5	5	5
50-64										
65+	4	4.3	21	1	1	2	7	11	11	11
B. *Operated*										
0-19 YRS	728	3.2	3	1	1	3	4	5	6	8
20-34	1580	3.3	4	1	1	3	4	6	7	9
35-49	761	3.4	5	1	1	3	4	6	7	11
50-64	399	3.6	5	1	2	3	5	6	8	10
65+	95	4.9	17	2	2	4	7	8	11	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	2.0	2	<1	<1	1	3	4	5	5
20-34	33	3.3	7	<1	1	3	4	8	10	11
35-49	20	4.2	14	<1	<1	4	5	8	13	17
50-64	8	4.8	31	1	1	3	5	14	18	18
65+	16	5.5	16	<1	1	4	7	12	15	16
B. *Operated*										
0-19 YRS	546	3.6	5	1	2	3	4	6	7	12
20-34	1350	3.8	8	1	2	3	5	7	8	16
35-49	721	4.0	10	1	2	3	5	7	9	16
50-64	571	4.3	12	1	2	3	5	8	10	18
65+	213	5.7	27	2	2	4	7	11	16	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	2.3	4	<1	<1	2	3	5	6	11
B. *Operated*	3563	3.4	5	1	1	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	94	3.7	12	<1	1	3	5	8	11	18
B. *Operated*	3401	4.0	10	1	2	3	5	7	9	17
1. SINGLE DX	3610	3.4	5	1	1	3	4	6	7	10
2. MULTIPLE DX	3495	4.0	10	1	2	3	5	7	9	17
A. NOT OPERATED	141	3.3	10	<1	<1	2	4	7	10	17
B. OPERATED	6964	3.7	7	1	2	3	5	6	8	14
TOTAL 0-19 YRS	1303	3.3	4	1	1	3	4	6	7	10
20-34	2986	3.5	6	1	1	3	5	6	7	12
35-49	1510	3.7	8	1	1	3	5	6	8	14
50-64	978	4.0	9	1	2	3	5	7	9	17
65+	328	5.5	23	2	2	4	7	11	13	27
GRAND TOTAL	**7105**	**3.7**	**7**	**1**	**1**	**3**	**5**	**6**	**8**	**14**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	5.9	31	<1	1	4	8	13	20	21
20-34	39	5.8	25	1	1	3	8	13	18	20
35-49	20	7.7	46	1	1	7	10	20	24	24
50-64	10	5.1	15	1	1	4	10	11	11	11
65+	10	5.8	15	1	2	5	6	11	16	16
B. *Operated*										
0-19 YRS	116	3.1	8	1	1	2	4	7	9	14
20-34	151	3.8	10	1	1	3	5	8	9	13
35-49	75	5.4	27	1	1	4	8	12	13	28
50-64	46	5.2	20	1	1	4	6	13	15	21
65+	43	9.3	64	1	2	7	13	24	29	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	4.4	30	1	1	3	4	11	20	24
20-34	83	6.0	35	<1	1	4	7	14	20	28
35-49	59	7.2	41	<1	1	5	10	15	18	33
50-64	39	8.8	69	1	2	7	12	16	20	48
65+	40	7.9	50	1	1	6	11	18	24	28
B. *Operated*										
0-19 YRS	164	5.2	56	1	1	2	6	14	20	42
20-34	339	9.0	126	1	1	5	11	22	28	66
35-49	246	9.2	135	1	2	7	11	18	27	56
50-64	141	8.7	81	1	2	6	12	17	25	43
65+	76	10.2	92	1	2	7	15	26	31	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	105	6.1	28	1	1	5	8	13	19	24
B. *Operated*	431	4.6	22	1	1	3	6	11	13	27
2. MULTIPLE DX										
A. *Not Operated*	262	6.7	44	1	1	4	9	15	20	30
B. *Operated*	966	8.5	109	1	1	5	10	19	26	57
1. SINGLE DX	536	4.9	24	1	1	3	7	11	15	25
2. MULTIPLE DX	1228	8.1	96	1	1	5	10	18	24	56
A. NOT OPERATED	367	6.5	40	1	1	4	9	15	20	29
B. OPERATED	1397	7.3	85	1	1	4	9	16	23	55
TOTAL 0-19 YRS	347	4.4	36	1	1	2	5	11	17	24
20-34	612	7.1	83	1	1	4	9	15	23	51
35-49	400	8.1	98	1	1	6	10	15	22	54
50-64	236	7.9	66	1	2	5	10	16	22	41
65+	169	9.2	71	1	2	6	13	22	29	99+
GRAND TOTAL	**1764**	**7.1**	**76**	**1**	**1**	**4**	**9**	**15**	**22**	**50**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	2.8	3	<1	1	2	4	5	6	7
20-34	49	2.9	4	1	1	2	4	6	7	9
35-49	28	3.8	7	1	1	3	4	8	10	11
50-64	15	3.0	1	<1	1	3	4	4	5	5
65+	18	5.3	9	2	3	5	6	8	12	15
B. *Operated*										
0-19 YRS	222	3.6	6	1	1	3	5	6	7	11
20-34	305	3.9	6	1	1	3	5	7	8	12
35-49	81	3.9	7	1	2	3	5	7	9	14
50-64	24	4.6	6	1	2	4	6	8	9	10
65+	11	6.0	16	1	2	6	8	12	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	2.4	2	<1	<1	2	4	5	5	5
20-34	65	3.8	16	<1	1	3	5	7	9	24
35-49	41	5.7	29	1	2	4	6	15	18	24
50-64	56	5.1	10	1	2	4	7	10	10	16
65+	85	7.3	33	2	3	6	9	13	16	34
B. *Operated*										
0-19 YRS	324	4.2	7	1	2	4	6	7	9	12
20-34	522	4.7	7	1	2	4	6	8	10	13
35-49	194	5.5	41	1	2	4	7	9	12	24
50-64	66	7.6	68	2	2	6	8	13	26	47
65+	22	11.2	167	3	4	7	12	20	38	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	138	3.4	5	1	1	3	4	6	7	11
B. *Operated*	643	3.9	6	1	1	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	273	5.3	23	1	1	4	7	10	15	24
B. *Operated*	1128	5.0	21	1	2	4	6	8	10	20
1. SINGLE DX	781	3.8	6	1	1	3	5	7	8	12
2. MULTIPLE DX	1401	5.0	21	1	2	4	6	9	11	22
A. NOT OPERATED	411	4.7	18	1	1	4	6	9	13	23
B. OPERATED	1771	4.6	16	1	2	4	6	8	10	17
TOTAL 0-19 YRS	600	3.9	6	1	1	4	5	7	8	12
20-34	941	4.3	7	1	1	4	6	7	9	13
35-49	344	5.0	29	1	2	4	6	9	12	22
50-64	161	5.8	35	1	2	4	7	10	13	40
65+	136	7.6	52	2	3	6	9	13	19	43
GRAND TOTAL	**2182**	**4.6**	**16**	**1**	**2**	**4**	**6**	**8**	**10**	**18**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	94	5.5	12	1	2	5	7	10	11	17
20-34	1077	6.3	17	2	2	5	8	11	13	20
35-49	1085	6.7	16	2	3	6	8	12	14	19
50-64	500	6.6	12	2	3	6	9	11	13	18
65+	167	7.6	19	3	3	7	10	13	16	23
B. *Operated*										
0-19 YRS	12	6.0	19	2	2	5	8	12	16	17
20-34	263	7.2	20	2	2	6	10	14	15	19
35-49	243	7.6	25	2	2	7	10	14	17	25
50-64	63	7.5	19	3	3	6	10	16	17	21
65+	4	7.5	20	3	3	7	11	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	108	5.3	13	1	1	5	7	10	11	16
20-34	1149	6.8	17	2	3	6	8	12	15	21
35-49	1446	7.5	24	2	3	7	9	14	16	24
50-64	1156	7.6	21	2	3	7	9	13	16	24
65+	713	8.2	28	3	3	7	10	15	18	26
B. *Operated*										
0-19 YRS	13	6.6	15	2	3	6	9	13	15	15
20-34	242	9.2	41	2	3	8	11	16	21	32
35-49	289	10.1	41	2	3	9	13	19	23	32
50-64	144	10.9	59	4	5	9	14	19	22	44
65+	53	14.5	79	5	6	11	18	29	32	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2923	6.6	16	2	3	6	8	11	14	19
B. *Operated*	585	7.4	22	2	2	6	10	14	16	22
2. MULTIPLE DX										
A. *Not Operated*	4572	7.4	22	2	3	6	9	13	16	24
B. *Operated*	741	10.2	49	3	3	9	13	18	23	33
1. SINGLE DX	3508	6.7	17	2	3	6	9	12	14	20
2. MULTIPLE DX	5313	7.8	27	2	3	7	10	14	17	26
A. NOT OPERATED	7495	7.1	20	2	3	6	9	12	15	23
B. OPERATED	1326	8.9	39	2	3	8	12	16	20	31
TOTAL 0-19 YRS	227	5.5	13	1	2	5	7	10	12	17
20-34	2731	6.8	20	2	3	6	9	12	15	22
35-49	3063	7.5	24	2	3	6	9	14	16	24
50-64	1863	7.6	23	2	3	7	9	13	16	24
65+	937	8.5	31	3	3	7	11	15	19	29
GRAND TOTAL	**8821**	**7.4**	**23**	**2**	**3**	**6**	**9**	**13**	**16**	**24**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	124	3.7	10	1	1	3	5	7	10	18
20-34	742	5.6	12	1	2	5	7	10	12	17
35-49	619	6.3	15	2	2	5	8	11	14	22
50-64	264	6.1	16	2	2	5	8	11	13	22
65+	106	6.7	17	2	2	6	9	12	14	21
B. *Operated*										
0-19 YRS	12	6.5	48	2	2	4	7	15	25	27
20-34	227	6.1	16	2	2	5	8	11	15	19
35-49	186	6.7	18	2	2	5	9	12	15	18
50-64	45	6.3	16	2	2	6	9	11	13	19
65+	7	12.4	177	3	3	6	23	34	35	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	308	4.2	14	1	1	3	5	8	11	17
20-34	1482	6.0	18	1	2	5	8	11	14	20
35-49	1371	6.9	21	2	2	6	9	12	15	21
50-64	814	7.2	23	2	2	6	9	14	17	24
65+	576	7.7	30	2	3	6	10	15	18	26
B. *Operated*										
0-19 YRS	18	5.7	26	1	1	4	8	12	18	21
20-34	299	8.2	35	2	2	7	11	16	20	30
35-49	310	9.5	47	2	3	8	12	17	23	39
50-64	130	10.3	48	2	3	9	13	19	25	35
65+	37	13.0	87	2	3	10	18	25	34	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1855	5.9	14	1	2	5	8	11	13	20
B. *Operated*	477	6.4	20	2	2	5	8	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	4551	6.6	22	1	2	6	9	12	15	23
B. *Operated*	794	9.2	45	2	3	8	12	17	21	35
1. SINGLE DX	2332	6.0	15	2	2	5	8	11	13	20
2. MULTIPLE DX	5345	7.0	26	1	2	6	9	13	16	25
A. NOT OPERATED	6406	6.4	20	1	2	5	8	12	15	22
B. OPERATED	1271	8.2	38	2	2	7	10	15	20	32
TOTAL 0-19 YRS	462	4.2	14	1	1	3	5	8	11	21
20-34	2750	6.1	19	1	2	5	8	11	14	21
35-49	2486	7.0	23	2	2	6	9	13	15	24
50-64	1253	7.2	25	2	2	6	10	14	17	25
65+	726	7.9	34	2	3	6	10	15	19	27
GRAND TOTAL	**7677**	**6.7**	**23**	**1**	**2**	**6**	**9**	**12**	**15**	**24**

363: Other sprains and strains (840-843; 845; 848)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	3.1	3	1	1	3	4	5	6	8
20-34	97	3.2	4	1	1	3	4	6	8	10
35-49	53	4.2	11	<1	1	3	6	8	12	15
50-64	43	4.2	15	1	1	3	5	10	11	20
65+	36	5.5	21	1	1	4	8	13	16	19
B. *Operated*										
0-19 YRS	101	3.1	2	1	1	3	4	5	6	9
20-34	225	3.3	4	1	1	3	4	5	7	12
35-49	196	3.5	5	1	2	3	4	6	7	13
50-64	201	4.9	10	2	2	4	6	8	11	14
65+	62	5.7	13	2	3	5	6	11	14	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	75	3.1	5	1	1	2	4	5	7	13
20-34	146	4.2	11	<1	1	4	5	8	11	15
35-49	148	4.6	14	1	2	3	6	9	10	24
50-64	156	5.6	21	1	2	4	7	11	14	27
65+	208	7.2	32	2	2	6	9	15	17	27
B. *Operated*										
0-19 YRS	107	3.4	8	1	1	3	4	5	7	18
20-34	234	3.6	10	1	1	3	4	6	7	18
35-49	166	4.5	10	1	2	4	6	8	11	18
50-64	199	5.4	14	2	2	4	6	11	13	19
65+	110	7.4	30	2	3	6	9	16	19	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	273	3.8	10	1	1	3	5	8	10	17
B. *Operated*	785	3.9	7	1	2	3	5	6	9	14
2. MULTIPLE DX										
A. *Not Operated*	733	5.3	21	1	1	4	7	11	14	24
B. *Operated*	816	4.7	15	1	2	4	6	9	12	20
1. SINGLE DX	1058	3.9	8	1	1	3	5	7	9	14
2. MULTIPLE DX	1549	5.0	18	1	2	4	6	10	13	22
A. NOT OPERATED	1006	4.9	18	1	1	4	6	10	13	22
B. OPERATED	1601	4.3	11	1	2	4	5	8	11	18
TOTAL 0-19 YRS	327	3.2	5	1	1	3	4	5	6	14
20-34	702	3.5	8	1	1	3	4	6	8	13
35-49	563	4.2	10	1	2	3	5	8	10	15
50-64	599	5.2	15	1	2	4	6	10	12	19
65+	416	6.9	28	2	2	5	9	15	17	27
GRAND TOTAL	**2607**	**4.6**	**14**	**1**	**1**	**4**	**5**	**9**	**12**	**19**

364: Concussion (850)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	883	1.6	2	<1	1	1	2	3	4	6
20-34	277	2.0	2	<1	1	1	3	4	5	7
35-49	63	2.1	2	1	1	2	3	4	5	6
50-64	35	3.1	7	1	1	2	4	7	8	12
65+	35	3.2	14	1	1	2	4	5	10	21
B. *Operated*										
0-19 YRS	8	1.6	2	<1	<1	1	2	4	5	5
20-34	4	2.5	3	1	1	2	4	5	5	5
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	2.0		2	2	2	2	2	2	2
65+	1	20.0		20	20	20	20	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2307	2.1	4	1	1	1	2	4	5	11
20-34	1496	2.9	6	1	1	2	4	6	8	14
35-49	562	3.9	18	1	1	3	5	8	11	20
50-64	396	4.8	18	1	1	4	6	9	12	21
65+	448	6.2	40	1	1	4	8	13	18	33
B. *Operated*										
0-19 YRS	322	4.0	41	1	1	2	4	8	12	28
20-34	340	4.9	54	1	1	3	5	11	15	43
35-49	147	4.8	41	1	1	2	6	11	13	31
50-64	118	6.3	28	1	1	5	8	13	18	25
65+	106	10.0	177	1	1	6	12	20	43	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1293	1.8	2	<1	1	1	2	3	4	7
B. *Operated*	16	3.1	22	<1	1	2	2	5	16	20
2. MULTIPLE DX										
A. *Not Operated*	5209	3.1	12	1	1	2	4	6	9	18
B. *Operated*	1033	5.3	61	1	1	3	6	11	15	44
1. SINGLE DX	1309	1.8	3	<1	1	1	2	3	4	7
2. MULTIPLE DX	6242	3.4	21	1	1	2	4	7	11	20
A. NOT OPERATED	6502	2.8	10	1	1	2	3	6	8	17
B. OPERATED	1049	5.2	60	1	1	3	6	11	15	43
TOTAL 0-19 YRS	3520	2.1	7	<1	1	1	2	4	6	12
20-34	2117	3.1	14	<1	1	2	4	6	8	15
35-49	773	3.9	21	1	1	2	5	8	11	20
50-64	551	5.0	20	1	1	4	6	10	14	23
65+	590	6.7	66	1	1	4	9	14	20	44
GRAND TOTAL	**7551**	**3.2**	**18**	**1**	**1**	**2**	**3**	**7**	**10**	**19**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	326	1.9	5	<1	1	1	2	4	5	11
20-34	146	3.8	54	<1	1	2	3	8	10	54
35-49	58	2.9	10	<1	<1	2	3	6	7	20
50-64	27	3.0	7	1	1	2	4	8	9	11
65+	33	5.7	42	1	1	3	7	18	22	23
B. *Operated*										
0-19 YRS	20	9.8	155	1	1	5	9	30	40	49
20-34	25	15.1	314	1	2	9	19	41	62	70
35-49	15	12.4	27	4	7	12	15	18	23	25
50-64	25	14.6	373	2	3	9	13	56	90	99+
65+	51	13.9	95	3	4	11	19	27	33	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1019	3.0	18	<1	1	2	3	6	10	24
20-34	675	5.1	73	<1	1	3	5	11	17	52
35-49	242	4.8	53	<1	1	3	5	9	17	36
50-64	211	6.9	73	1	1	4	8	17	21	43
65+	274	8.8	96	1	1	6	10	20	27	51
B. *Operated*										
0-19 YRS	208	13.9	328	1	1	7	22	62	99+	99+
20-34	254	17.5	383	1	2	9	28	58	82	99+
35-49	92	20.8	502	1	2	11	32	66	82	99+
50-64	87	17.7	324	2	2	12	25	53	84	99+
65+	166	20.5	303	2	4	16	27	43	65	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	590	2.7	21	<1	1	1	3	5	9	21
B. *Operated*	136	13.5	185	2	3	10	16	28	45	89
2. MULTIPLE DX										
A. *Not Operated*	2421	4.8	54	1	1	2	5	11	17	40
B. *Operated*	807	17.6	364	1	2	11	26	57	82	99+
1. SINGLE DX	726	4.7	69	<1	1	2	5	11	19	50
2. MULTIPLE DX	3228	8.0	162	1	1	3	9	22	40	99+
A. NOT OPERATED	3011	4.4	48	1	1	2	5	10	16	36
B. OPERATED	943	17.0	340	1	2	11	24	55	79	99+
TOTAL 0-19 YRS	1573	4.3	72	1	1	2	3	9	19	81
20-34	1100	8.0	176	1	1	3	8	22	45	99+
35-49	407	8.4	194	<1	1	4	9	21	40	88
50-64	350	9.8	176	1	1	5	11	24	41	99+
65+	524	12.8	188	1	2	8	17	30	42	76
GRAND TOTAL	**3954**	**7.4**	**146**	**1**	**1**	**3**	**8**	**20**	**35**	**86**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	3.8	9	<1	1	3	5	8	10	11
20-34	33	3.1	4	1	1	3	5	6	6	9
35-49	12	4.2	8	<1	1	3	6	9	9	9
50-64	8	4.0	10	1	1	3	6	9	10	10
65+	6	3.8	10	1	1	3	6	9	9	9
B. *Operated*										
0-19 YRS	16	5.5	4	3	3	5	6	9	10	11
20-34	57	6.5	18	2	3	5	8	10	18	21
35-49	19	6.6	10	3	3	5	8	12	14	15
50-64	11	6.5	5	3	4	6	9	10	10	10
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	53	4.4	23	1	1	4	5	6	9	33
20-34	123	4.9	11	1	1	4	6	9	11	16
35-49	79	5.1	15	1	1	4	6	11	14	16
50-64	67	6.9	38	1	2	6	8	14	22	30
65+	42	7.6	25	1	2	7	11	16	18	19
B. *Operated*										
0-19 YRS	102	9.4	72	3	3	7	13	17	21	49
20-34	311	10.3	106	2	3	8	13	19	32	72
35-49	122	11.1	110	2	3	7	12	24	38	49
50-64	81	14.4	195	2	3	10	18	28	40	80
65+	66	17.7	366	3	4	10	19	45	65	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	72	3.5	6	1	1	3	5	7	9	11
B. *Operated*	104	6.3	13	2	3	5	8	10	13	20
2. MULTIPLE DX										
A. *Not Operated*	364	5.5	21	1	1	4	7	11	15	26
B. *Operated*	682	11.5	142	2	3	8	13	23	37	69
1. SINGLE DX	176	5.2	12	1	1	5	7	9	11	20
2. MULTIPLE DX	1046	9.4	108	2	2	6	11	18	28	64
A. NOT OPERATED	436	5.2	19	1	1	4	6	10	14	22
B. OPERATED	786	10.8	128	3	3	8	12	21	32	68
TOTAL 0-19 YRS	184	7.2	53	1	2	5	8	16	18	40
20-34	524	8.1	75	1	2	6	10	15	21	67
35-49	232	8.3	72	1	2	6	10	16	24	44
50-64	167	10.4	126	2	2	7	11	24	29	58
65+	115	13.2	247	1	3	8	14	26	47	85
GRAND TOTAL	**1222**	**8.8**	**96**	**1**	**2**	**6**	**10**	**17**	**26**	**60**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	124	3.3	9	1	1	2	5	7	9	15
20-34	74	3.3	4	1	1	3	5	6	7	11
35-49	21	5.8	63	<1	1	4	5	13	24	37
50-64	10	3.4	4	1	1	3	4	6	7	7
65+	7	4.4	23	1	1	3	6	13	14	14
B. *Operated*										
0-19 YRS	63	8.0	27	3	4	7	8	14	19	31
20-34	86	7.0	12	2	2	7	9	12	13	16
35-49	22	7.4	8	2	3	7	9	11	12	14
50-64	19	7.3	14	1	2	7	9	12	15	16
65+	4	15.3	155	<1	<1	14	24	31	31	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	274	3.9	10	1	1	3	5	8	10	17
20-34	221	4.4	29	1	1	3	5	8	10	24
35-49	85	4.9	13	1	1	4	6	9	12	20
50-64	39	5.2	8	1	2	5	7	9	10	14
65+	46	9.8	100	2	2	7	12	17	32	51
B. *Operated*										
0-19 YRS	295	10.7	117	2	4	8	11	21	31	66
20-34	577	12.5	124	3	5	9	13	24	36	64
35-49	234	14.3	177	4	5	10	16	27	42	74
50-64	124	16.0	165	4	5	12	20	36	43	79
65+	80	18.6	316	3	5	13	22	46	72	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	236	3.6	13	1	1	3	5	7	9	15
B. *Operated*	194	7.5	20	2	3	7	9	13	15	27
2. MULTIPLE DX										
A. *Not Operated*	665	4.7	25	1	1	3	6	9	12	22
B. *Operated*	1310	13.1	151	3	5	9	15	27	39	73
1. SINGLE DX	430	5.4	20	1	1	5	7	10	13	21
2. MULTIPLE DX	1975	10.3	125	1	2	7	11	21	32	65
A. NOT OPERATED	901	4.4	22	1	1	3	6	8	11	19
B. OPERATED	1504	12.4	138	3	5	9	13	24	37	71
TOTAL 0-19 YRS	756	6.8	64	1	1	5	8	12	19	42
20-34	958	9.4	97	1	2	7	11	18	28	59
35-49	362	11.2	139	2	2	8	12	22	33	64
50-64	192	12.3	135	2	3	9	15	27	39	69
65+	137	14.8	243	1	2	10	17	31	51	90
GRAND TOTAL	**2405**	**9.4**	**109**	**1**	**2**	**7**	**11**	**19**	**28**	**62**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	3.0	6	<1	<1	2	3	7	9	9
20-34	8	3.6	4	1	1	3	4	7	8	8
35-49	3	2.7	4	1	1	2	4	5	5	5
50-64										
65+	6	3.3	7	<1	<1	2	6	7	7	7
B. *Operated*										
0-19 YRS	112	2.3	3	<1	1	2	3	5	6	7
20-34	63	3.0	4	1	1	3	4	6	7	9
35-49	37	3.5	11	1	1	2	4	7	12	16
50-64	16	2.6	1	1	1	3	4	4	5	5
65+	14	6.1	66	1	1	3	8	12	28	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	3.3	5	<1	1	3	4	6	7	11
20-34	44	2.4	2	<1	<1	2	3	4	5	7
35-49	19	4.0	3	1	2	4	5	7	7	7
50-64	5	2.4	1	1	1	2	3	4	4	4
65+	12	5.8	16	<1	1	5	9	12	13	13
B. *Operated*										
0-19 YRS	278	3.8	14	1	1	3	5	7	10	22
20-34	267	4.5	28	1	1	4	6	8	10	16
35-49	112	4.2	13	1	1	3	5	8	12	19
50-64	41	7.5	82	1	2	3	10	15	32	41
65+	65	6.3	33	1	1	4	8	14	20	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	3.2	5	<1	1	3	4	7	8	9
B. *Operated*	242	2.9	8	<1	1	2	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	114	3.3	5	<1	1	3	4	6	8	12
B. *Operated*	763	4.5	25	1	1	3	6	9	12	24
1. SINGLE DX	269	2.9	8	<1	1	2	4	6	7	12
2. MULTIPLE DX	877	4.3	22	1	1	3	5	8	12	23
A. NOT OPERATED	141	3.3	5	<1	1	3	4	6	8	11
B. OPERATED	1005	4.1	21	1	1	3	5	8	11	22
TOTAL 0-19 YRS	434	3.3	10	1	1	2	4	6	8	18
20-34	382	4.0	21	1	1	3	5	7	9	14
35-49	171	4.0	11	1	1	3	5	7	11	18
50-64	62	5.8	60	1	1	3	6	13	22	40
65+	97	6.0	33	<1	1	4	8	13	19	29
GRAND TOTAL	**1146**	**4.0**	**19**	**1**	**1**	**3**	**5**	**8**	**11**	**21**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	2.0	4	<1	<1	1	2	4	5	11
20-34	38	2.7	6	<1	<1	2	3	7	8	11
35-49	21	2.2	2	<1	<1	2	3	4	5	5
50-64	17	2.9	8	<1	<1	2	4	8	10	10
65+	15	2.7	4	1	1	2	4	6	6	6
B. *Operated*										
0-19 YRS	165	1.9	6	<1	<1	1	2	3	5	9
20-34	115	2.9	6	1	1	2	4	5	7	14
35-49	43	3.5	15	<1	<1	2	4	10	14	15
50-64	21	2.5	3	1	1	2	3	5	6	8
65+	17	3.8	19	1	1	2	4	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	252	2.8	8	1	1	2	3	5	9	13
20-34	427	3.0	16	<1	1	2	4	5	8	13
35-49	184	3.7	11	1	1	3	5	8	10	15
50-64	144	4.0	11	<1	1	3	5	8	11	17
65+	279	5.7	35	1	1	4	7	13	19	33
B. *Operated*										
0-19 YRS	687	2.8	10	<1	1	2	3	6	9	16
20-34	882	4.7	48	<1	1	3	5	9	13	41
35-49	396	4.8	29	1	1	3	6	10	15	28
50-64	287	5.8	57	1	1	3	7	12	16	35
65+	297	7.0	93	1	1	4	7	14	19	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	142	2.4	4	<1	<1	1	3	5	7	11
B. *Operated*	361	2.5	7	<1	1	2	3	5	7	15
2. MULTIPLE DX										
A. *Not Operated*	1286	3.8	18	<1	1	2	4	8	11	20
B. *Operated*	2549	4.6	43	1	1	3	5	9	14	36
1. SINGLE DX	503	2.5	7	<1	1	2	3	5	7	14
2. MULTIPLE DX	3835	4.3	35	1	1	3	5	9	13	30
A. NOT OPERATED	1428	3.6	17	<1	1	2	4	8	11	19
B. OPERATED	2910	4.4	39	1	1	3	5	9	13	34
TOTAL 0-19 YRS	1155	2.7	9	<1	1	2	3	5	8	15
20-34	1462	4.0	35	<1	1	3	5	8	12	34
35-49	644	4.3	22	1	1	3	5	9	13	25
50-64	469	5.0	40	1	1	3	6	11	14	30
65+	608	6.2	63	1	1	4	7	13	19	43
GRAND TOTAL	**4338**	**4.1**	**32**	**<1**	**1**	**2**	**5**	**9**	**12**	**28**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	67	2.3	6	<1	1	1	3	4	6	16
20-34	165	2.0	2	<1	<1	1	2	4	5	9
35-49	47	2.7	6	<1	<1	2	3	5	6	16
50-64	18	2.8	2	1	1	2	4	5	6	6
65+	6	4.5	14	1	1	4	7	10	10	10
B. *Operated*										
0-19 YRS	96	3.5	13	<1	1	2	4	7	11	21
20-34	150	4.4	8	1	1	4	6	8	9	15
35-49	54	6.1	21	<1	1	6	9	13	14	19
50-64	23	4.9	24	<1	1	3	5	12	17	18
65+	5	16.2	336	2	2	12	24	47	47	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	173	2.9	5	1	1	2	4	6	7	13
20-34	460	2.9	11	<1	1	2	3	6	8	14
35-49	166	3.2	17	<1	1	2	4	6	9	15
50-64	68	4.0	13	1	1	3	5	7	11	19
65+	41	7.8	64	2	2	5	9	18	28	37
B. *Operated*										
0-19 YRS	326	6.3	55	1	1	5	8	12	15	42
20-34	805	7.9	73	1	2	6	9	14	22	49
35-49	281	9.9	105	1	2	7	12	21	30	48
50-64	112	10.7	153	1	2	6	11	30	43	77
65+	55	9.5	65	1	2	7	16	19	27	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	303	2.2	4	<1	<1	2	3	4	6	10
B. *Operated*	328	4.6	19	<1	1	3	6	9	12	19
2. MULTIPLE DX										
A. *Not Operated*	908	3.3	15	<1	1	2	4	6	9	19
B. *Operated*	1579	8.2	82	1	1	6	9	16	24	53
1. SINGLE DX	631	3.5	13	<1	1	2	5	7	10	18
2. MULTIPLE DX	2487	6.4	63	1	1	4	8	13	19	45
A. NOT OPERATED	1211	3.0	12	<1	1	2	3	6	8	17
B. OPERATED	1907	7.6	73	1	1	6	9	14	22	49
TOTAL 0-19 YRS	662	4.6	34	1	1	3	6	9	12	26
20-34	1580	5.5	48	1	1	4	7	11	15	36
35-49	548	6.9	72	1	1	4	9	14	22	47
50-64	221	7.4	96	1	1	4	9	17	30	60
65+	107	8.9	75	1	2	7	12	19	29	69
GRAND TOTAL	**3118**	**5.8**	**54**	**1**	**1**	**4**	**7**	**12**	**18**	**40**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	57	2.7	3	<1	1	2	4	5	6	8
20-34	102	2.3	3	<1	<1	2	3	5	6	9
35-49	35	3.0	9	<1	1	2	4	5	8	17
50-64	16	5.6	56	1	1	2	5	19	25	27
65+	12	3.6	3	1	2	3	5	6	6	6
B. *Operated*										
0-19 YRS	381	2.2	3	1	1	2	3	4	6	9
20-34	618	2.6	7	<1	1	2	3	5	7	16
35-49	282	2.6	6	1	1	2	3	5	7	12
50-64	161	2.8	12	<1	1	2	3	5	7	15
65+	46	3.2	13	<1	1	2	4	8	10	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	150	3.3	13	<1	<1	2	4	6	9	20
20-34	332	3.5	19	<1	1	3	4	7	8	15
35-49	158	4.1	9	<1	1	3	5	8	10	15
50-64	69	3.7	6	1	1	3	5	8	9	10
65+	69	5.1	11	1	1	4	7	9	12	16
B. *Operated*										
0-19 YRS	820	2.9	9	1	1	2	3	6	9	16
20-34	1539	3.5	17	1	1	2	4	7	10	21
35-49	603	3.9	28	1	1	2	4	8	11	27
50-64	388	4.9	48	1	1	3	5	10	17	42
65+	184	5.3	56	1	1	3	6	12	18	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	222	2.8	8	<1	1	2	3	5	7	18
B. *Operated*	1488	2.6	7	<1	1	2	3	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	778	3.7	14	<1	1	3	5	7	9	16
B. *Operated*	3534	3.7	23	1	1	2	4	8	11	23
1. SINGLE DX	1710	2.6	7	<1	1	2	3	5	7	14
2. MULTIPLE DX	4312	3.7	21	1	1	2	4	8	11	22
A. NOT OPERATED	1000	3.5	13	<1	1	3	5	7	9	17
B. OPERATED	5022	3.4	18	1	1	2	4	7	10	21
TOTAL 0-19 YRS	1408	2.8	8	<1	1	2	3	5	8	15
20-34	2591	3.3	15	<1	1	2	4	6	9	19
35-49	1078	3.6	19	1	1	2	4	7	10	21
50-64	634	4.3	35	1	1	2	5	9	12	36
65+	311	4.8	38	1	1	3	6	10	15	38
GRAND TOTAL	**6022**	**3.4**	**17**	**1**	**1**	**2**	**4**	**7**	**10**	**20**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	90	2.8	5	1	1	2	4	5	6	14
20-34	119	3.4	6	1	1	3	4	7	9	39
35-49	49	4.1	26	1	1	2	5	9	11	33
50-64	19	5.3	34	<1	1	3	5	15	21	22
65+	14	6.8	62	2	2	4	8	17	28	31
B. *Operated*										
0-19 YRS	276	4.2	20	1	1	3	5	9	13	25
20-34	232	4.9	30	1	1	3	6	10	13	28
35-49	97	5.3	42	1	1	3	5	11	19	38
50-64	59	6.8	44	1	2	5	7	13	24	33
65+	49	9.2	72	1	2	6	12	20	28	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	197	3.8	10	1	1	3	5	7	9	18
20-34	259	4.6	43	1	1	3	5	9	12	40
35-49	140	3.8	8	1	1	3	5	7	9	13
50-64	97	7.0	24	1	2	6	9	13	15	27
65+	113	9.4	90	1	2	7	11	17	23	62
B. *Operated*										
0-19 YRS	497	5.7	52	1	1	3	6	12	19	38
20-34	546	7.9	96	1	1	4	9	19	29	53
35-49	247	9.3	160	2	2	5	10	19	28	78
50-64	160	10.0	126	1	2	5	12	25	36	50
65+	123	13.1	151	2	2	9	18	32	37	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	291	3.6	14	1	1	3	4	7	10	27
B. *Operated*	713	5.1	33	1	1	3	6	11	16	32
2. MULTIPLE DX										
A. *Not Operated*	806	5.2	37	1	1	4	6	10	14	31
B. *Operated*	1573	8.1	104	1	1	4	9	19	29	51
1. SINGLE DX	1004	4.7	28	1	1	3	5	10	14	31
2. MULTIPLE DX	2379	7.1	83	1	1	4	8	16	24	49
A. NOT OPERATED	1097	4.8	31	1	1	3	6	9	13	31
B. OPERATED	2286	7.1	84	1	1	4	8	16	25	48
TOTAL 0-19 YRS	1060	4.7	33	1	1	3	5	9	15	34
20-34	1156	6.1	65	1	1	4	7	13	22	49
35-49	533	6.7	92	1	1	4	7	13	21	49
50-64	335	8.3	79	1	2	5	9	19	28	46
65+	299	10.8	114	2	2	8	14	23	33	59
GRAND TOTAL	**3383**	**6.4**	**68**	**1**	**1**	**4**	**7**	**14**	**22**	**43**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	2	1	1	3	4	4	4	4
20-34	5	10.4	164	1	1	7	16	32	32	32
35-49	3	4.7	8	3	3	3	7	8	8	8
50-64	2	1.5	1	1	1	1	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	14	4.0	13	1	2	3	5	8	13	15
20-34	13	5.1	18	1	1	5	8	10	14	15
35-49	4	5.0	25	1	1	3	8	12	12	12
50-64										
65+	3	3.7	8	2	2	2	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	3.6	19	<1	1	2	4	6	15	20
20-34	8	3.3	20	<1	<1	1	3	11	14	14
35-49	8	5.4	79	<1	<1	2	4	20	27	27
50-64	5	6.4	16	2	2	7	9	12	12	12
65+	15	10.1	118	1	1	6	14	29	32	33
B. *Operated*										
0-19 YRS	38	9.6	174	1	1	5	10	26	35	69
20-34	89	9.9	138	1	1	6	11	25	38	58
35-49	32	9.8	109	1	1	6	12	27	36	38
50-64	19	14.2	255	1	2	7	18	32	53	68
65+	6	4.2	3	1	1	5	5	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	5.9	71	1	1	3	7	15	29	32
B. *Operated*	34	4.5	15	1	1	3	6	10	14	15
2. MULTIPLE DX										
A. *Not Operated*	54	5.9	60	<1	1	3	7	15	27	33
B. *Operated*	184	10.1	148	1	1	6	12	26	36	66
1. SINGLE DX	47	4.9	29	1	1	3	6	11	15	32
2. MULTIPLE DX	238	9.1	131	1	1	5	10	25	34	62
A. NOT OPERATED	67	5.9	61	<1	1	3	7	14	27	33
B. OPERATED	218	9.2	131	1	1	5	10	23	35	63
TOTAL 0-19 YRS	73	6.8	105	1	1	3	7	15	26	62
20-34	115	8.9	120	1	1	5	10	23	31	56
35-49	47	8.3	92	1	1	4	10	23	35	38
50-64	26	11.7	205	1	1	7	16	27	41	68
65+	24	7.8	82	1	1	5	8	26	30	33
GRAND TOTAL	**285**	**8.4**	**117**	**1**	**1**	**5**	**9**	**21**	**31**	**58**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	2.7	2	<1	1	2	4	4	6	7
20-34	46	4.8	26	1	1	3	5	9	14	29
35-49	24	5.1	16	1	1	4	7	10	14	18
50-64	13	7.6	26	3	3	6	9	13	20	22
65+	25	13.8	165	2	3	11	16	25	39	62
B. *Operated*										
0-19 YRS	175	3.7	10	1	1	3	4	7	9	17
20-34	287	4.3	17	1	1	3	5	8	12	22
35-49	163	6.0	53	1	2	4	7	12	19	38
50-64	88	6.5	67	1	2	4	8	13	18	49
65+	30	8.6	102	1	2	4	13	19	26	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	8.4	233	<1	1	3	8	32	48	99+
20-34	110	10.1	149	1	1	5	11	32	39	99+
35-49	74	8.6	147	1	2	5	10	19	31	76
50-64	53	9.0	99	2	2	5	9	21	38	44
65+	169	13.8	128	2	3	11	18	28	34	57
B. *Operated*										
0-19 YRS	174	4.3	29	1	1	3	5	9	13	45
20-34	341	5.8	78	1	2	3	6	11	16	46
35-49	199	8.1	123	2	2	4	9	17	32	62
50-64	119	10.1	204	2	2	5	9	26	43	72
65+	86	16.9	265	2	3	13	23	42	49	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	132	6.4	59	1	1	4	8	14	21	37
B. *Operated*	743	5.0	34	1	1	3	6	10	15	32
2. MULTIPLE DX										
A. *Not Operated*	458	10.9	148	1	2	7	15	28	36	86
B. *Operated*	919	7.6	124	1	2	4	8	16	30	63
1. SINGLE DX	875	5.2	38	1	1	3	6	10	16	32
2. MULTIPLE DX	1377	8.7	135	1	2	4	10	22	33	67
A. NOT OPERATED	590	9.9	132	1	2	6	12	25	34	65
B. OPERATED	1662	6.4	85	1	2	3	7	13	22	49
TOTAL 0-19 YRS	425	4.4	46	1	1	3	5	9	13	46
20-34	784	5.8	66	1	1	3	6	12	21	46
35-49	460	7.3	97	1	2	4	8	15	25	52
50-64	273	8.6	133	2	2	5	9	19	32	56
65+	310	14.2	170	2	2	11	18	32	42	64
GRAND TOTAL	**2252**	**7.3**	**100**	**1**	**2**	**4**	**8**	**17**	**28**	**53**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	146	4.1	5	1	2	4	5	6	7	15
20-34	53	3.4	4	1	1	3	5	5	7	10
35-49	20	4.2	5	1	2	4	5	5	9	12
50-64	6	6.8	22	2	2	6	8	14	15	15
65+	9	2.3	2	1	1	2	3	5	5	5
B. *Operated*										
0-19 YRS	10	6.2	11	3	3	5	8	11	13	13
20-34	3	7.0	19	2	2	9	10	10	10	10
35-49										
50-64	1	11.0		11	11	11	11	11	11	11
65+	5	4.0	13	<1	<1	3	5	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	237	4.3	6	1	2	4	5	7	9	13
20-34	152	4.0	7	1	1	3	5	7	9	13
35-49	59	4.2	6	1	1	4	5	8	9	12
50-64	31	4.1	7	1	1	3	5	9	9	10
65+	37	4.8	14	1	1	4	6	12	14	15
B. *Operated*										
0-19 YRS	28	4.7	14	1	1	4	6	11	14	14
20-34	25	8.8	123	1	2	5	9	15	41	47
35-49	17	4.6	14	1	1	4	6	8	14	17
50-64	7	3.7	2	2	2	3	5	6	6	6
65+	6	5.3	17	<1	<1	4	10	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	234	3.9	5	1	2	4	5	6	7	15
B. *Operated*	19	6.0	13	1	2	5	9	11	12	13
2. MULTIPLE DX										
A. *Not Operated*	516	4.2	7	1	1	4	5	7	9	13
B. *Operated*	83	5.9	48	1	1	4	7	12	15	44
1. SINGLE DX	253	4.1	6	1	2	4	5	6	8	15
2. MULTIPLE DX	599	4.5	13	1	1	4	5	8	10	15
A. NOT OPERATED	750	4.1	6	1	1	4	5	7	9	13
B. OPERATED	102	5.9	41	1	2	4	7	11	14	43
TOTAL 0-19 YRS	421	4.3	6	1	2	4	5	7	9	14
20-34	233	4.4	21	1	1	4	5	8	10	19
35-49	96	4.3	7	1	1	4	5	8	9	15
50-64	45	4.6	10	1	1	4	6	9	10	15
65+	57	4.4	12	<1	1	3	5	10	13	15
GRAND TOTAL	**852**	**4.3**	**11**	**1**	**1**	**4**	**5**	**7**	**10**	**15**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	383	2.2	4	<1	1	2	2	4	5	9
20-34	367	2.9	6	<1	1	2	4	6	7	14
35-49	142	3.4	7	1	1	3	4	7	9	13
50-64	125	3.9	9	1	1	3	6	8	10	13
65+	165	4.9	16	1	1	4	7	10	13	20
B. *Operated*										
0-19 YRS	65	2.8	9	<1	1	2	3	5	7	20
20-34	72	3.6	10	1	1	3	4	7	11	17
35-49	51	3.9	13	<1	1	2	4	9	14	15
50-64	37	4.8	13	1	2	4	6	10	13	16
65+	45	9.2	96	1	1	7	11	20	28	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1376	2.5	6	<1	1	2	3	5	6	11
20-34	1739	3.3	10	1	1	3	4	6	9	13
35-49	993	4.3	15	1	1	3	5	8	11	19
50-64	876	5.6	23	1	1	4	7	11	14	23
65+	2130	7.7	45	1	2	6	10	15	19	33
B. *Operated*										
0-19 YRS	213	5.0	41	1	1	3	6	9	16	37
20-34	284	5.2	33	1	1	3	7	10	14	34
35-49	159	6.2	40	1	1	4	8	13	15	29
50-64	156	9.7	109	1	2	6	11	20	33	45
65+	228	12.2	96	2	3	10	17	24	30	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1182	3.1	8	<1	1	2	4	7	9	14
B. *Operated*	270	4.6	30	1	1	3	5	10	14	28
2. MULTIPLE DX										
A. *Not Operated*	7114	4.9	26	1	1	3	6	10	14	24
B. *Operated*	1040	7.5	70	1	1	5	9	17	23	43
1. SINGLE DX	1452	3.4	13	1	1	2	4	7	10	17
2. MULTIPLE DX	8154	5.2	32	1	1	4	6	11	15	28
A. NOT OPERATED	8296	4.6	24	1	1	3	6	10	13	23
B. OPERATED	1310	6.9	63	1	1	4	9	16	21	40
TOTAL 0-19 YRS	2037	2.7	10	<1	1	2	3	5	7	15
20-34	2462	3.5	12	1	1	3	4	7	9	15
35-49	1345	4.4	17	1	1	3	5	9	12	19
50-64	1194	5.9	35	1	1	4	7	12	16	31
65+	2568	7.9	50	1	2	6	10	16	21	35
GRAND TOTAL	**9606**	**4.9**	**30**	**1**	**1**	**3**	**6**	**11**	**14**	**26**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	2.3	3	1	1	2	2	5	7	8
20-34	27	3.3	12	<1	1	2	3	9	12	15
35-49	8	3.5	8	1	1	3	6	8	8	8
50-64	2	5.0	2	4	[illegible]	5	6	6	6	6
65+	4	7.5	36	1	1	7	12	15	15	15
B. *Operated*										
0-19 YRS	10	4.3	18	1	1	3	5	12	13	13
20-34	27	4.6	16	<1	1	3	6	11	14	17
35-49	13	5.1	10	1	1	6	6	10	12	12
50-64	14	7.9	193	<1	1	4	8	16	46	55
65+	5	2.4	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	2.9	4	1	1	2	3	6	7	10
20-34	65	3.9	16	1	1	3	5	8	10	25
35-49	28	4.1	8	1	1	3	6	8	9	11
50-64	12	4.5	11	1	1	4	4	10	13	13
65+	13	4.5	10	1	1	4	6	9	11	12
B. *Operated*										
0-19 YRS	59	6.4	71	1	1	4	7	15	21	52
20-34	116	7.7	82	1	1	4	10	17	22	45
35-49	67	6.9	45	1	1	4	10	15	20	32
50-64	43	6.7	70	1	1	4	8	15	24	44
65+	8	7.3	45	1	1	4	14	16	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	3.4	11	1	1	2	4	8	11	15
B. *Operated*	69	5.2	49	1	1	3	6	11	13	48
2. MULTIPLE DX										
A. *Not Operated*	148	3.9	11	1	1	3	5	8	10	14
B. *Operated*	293	7.1	68	1	1	4	9	16	22	44
1. SINGLE DX	126	4.3	33	1	1	3	5	9	12	26
2. MULTIPLE DX	441	6.0	51	1	1	3	7	14	18	39
A. NOT OPERATED	205	3.7	11	1	1	3	5	8	10	15
B. OPERATED	362	6.7	65	1	1	4	8	15	20	44
TOTAL 0-19 YRS	115	4.7	42	1	1	3	5	11	15	37
20-34	235	5.8	51	1	1	3	7	14	17	40
35-49	116	5.8	31	1	1	4	7	13	16	29
50-64	71	6.5	81	1	1	4	7	13	22	53
65+	30	5.3	22	1	1	4	7	14	15	17
GRAND TOTAL	**567**	**5.6**	**47**	**1**	**1**	**3**	**6**	**13**	**17**	**39**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.0		<1	<1	<1	1	1	1	1
20-34	5	1.8	2	1	1	1	2	4	4	4
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	6	1.7	3	<1	<1	1	1	5	5	5
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	1	6.0		6	6	6	6	6	6	6
50-64	2	2.0	2	1	1	2	3	3	3	3
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.8	1	1	1	2	2	3	3	3
20-34	7	3.3	3	1	1	3	5	6	6	6
35-49	2	3.0	8	1	1	3	5	5	5	5
50-64	1	4.0		4	4	4	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	8	2.4	2	<1	<1	2	3	5	5	5
20-34	12	2.8	3	1	1	2	4	5	6	6
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	1.4	1	<1	<1	1	1	3	4	4
B. *Operated*	11	2.1	3	<1	<1	1	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*	14	2.9	3	1	1	3	4	5	6	6
B. *Operated*	24	2.6	2	<1	1	2	4	5	5	6
1. SINGLE DX	22	1.7	2	<1	<1	1	2	4	5	6
2. MULTIPLE DX	38	2.7	2	1	1	2	4	5	6	6
A. NOT OPERATED	25	2.2	3	<1	<1	1	3	5	5	6
B. OPERATED	35	2.4	3	<1	1	2	4	5	6	6
TOTAL 0-19 YRS	24	1.8	2	<1	<1	1	2	4	5	5
20-34	26	2.7	3	1	1	2	4	5	6	6
35-49	5	3.0	6	1	1	2	5	6	6	6
50-64	4	3.0	2	1	1	3	4	4	4	4
65+	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**60**	**2.3**	**3**	**<1**	**<1**	**2**	**4**	**5**	**6**	**6**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	333	1.3	1	<1	<1	1	1	2	3	7
20-34	65	1.6	1	<1	1	1	2	3	5	7
35-49	81	1.8	3	<1	<1	1	2	3	5	10
50-64	82	1.6	2	<1	<1	1	2	3	5	8
65+	63	2.0	3	<1	1	1	2	4	5	11
B. *Operated*										
0-19 YRS	65	2.7	8	<1	1	1	3	7	9	14
20-34	21	4.5	27	<1	<1	2	5	13	17	19
35-49	16	3.0	13	<1	1	2	4	6	12	15
50-64	21	4.5	92	<1	1	1	3	11	27	44
65+	21	5.4	118	<1	1	2	4	10	29	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	260	1.8	2	<1	<1	1	2	3	5	8
20-34	98	2.5	11	<1	1	1	2	6	12	17
35-49	101	3.4	15	<1	1	2	4	9	13	18
50-64	119	3.1	10	<1	1	2	4	7	9	16
65+	214	4.4	27	1	1	3	5	10	14	24
B. *Operated*										
0-19 YRS	70	3.0	13	<1	1	2	3	7	11	20
20-34	46	7.2	72	1	1	4	9	19	29	38
35-49	39	5.8	45	1	1	3	7	14	23	28
50-64	57	3.5	15	1	1	4	6	8	13	19
65+	118	6.7	60	1	1	3	8	18	22	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	624	1.5	2	<1	<1	1	2	2	4	8
B. *Operated*	144	3.7	39	<1	1	2	4	9	12	44
2. MULTIPLE DX										
A. *Not Operated*	792	3.0	14	<1	1	2	3	7	11	18
B. *Operated*	330	5.5	44	1	1	3	7	14	20	32
1. SINGLE DX	768	1.9	9	<1	<1	1	2	4	6	11
2. MULTIPLE DX	1122	3.7	24	<1	1	2	4	8	14	25
A. NOT OPERATED	1416	2.3	9	<1	<1	1	2	5	8	16
B. OPERATED	474	4.9	43	1	1	3	5	12	19	35
TOTAL 0-19 YRS	728	1.8	3	<1	<1	1	2	3	5	11
20-34	230	3.4	26	<1	1	1	3	9	14	29
35-49	237	3.2	17	<1	1	2	3	7	13	21
50-64	279	3.1	16	<1	1	2	3	7	9	17
65+	416	4.7	39	1	1	3	5	11	17	31
GRAND TOTAL	**1890**	**3.0**	**19**	**<1**	**1**	**1**	**3**	**7**	**11**	**21**

380: Third degree burns (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	6.8	36	<1	1	5	9	11	21	27
20-34	20	8.7	70	1	1	6	12	14	27	39
35-49	9	5.2	27	<1	<1	4	6	14	18	18
50-64	8	10.1	101	3	3	7	12	27	33	33
65+	2	11.0	32	7	7	11	15	15	15	15
B. *Operated*										
0-19 YRS	51	10.4	104	2	2	6	13	24	34	45
20-34	58	10.2	100	2	2	8	12	20	31	54
35-49	36	11.4	83	2	2	9	16	26	33	37
50-64	20	22.9	367	2	3	16	40	55	56	56
65+	24	16.4	87	2	6	15	24	27	33	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	8.2	88	1	2	5	9	16	25	56
20-34	68	9.2	69	1	2	7	14	20	22	41
35-49	53	11.7	87	1	2	11	18	21	27	49
50-64	43	11.9	97	1	2	9	16	28	34	41
65+	40	15.9	96	2	4	14	25	28	32	38
B. *Operated*										
0-19 YRS	119	17.4	278	1	2	14	23	39	51	85
20-34	185	20.5	283	3	4	15	31	43	47	90
35-49	127	23.7	310	3	4	20	35	50	58	84
50-64	100	23.6	437	2	4	18	36	55	88	99+
65+	99	32.5	398	8	10	29	46	66	83	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	7.8	55	1	1	6	10	15	24	39
B. *Operated*	189	12.6	138	2	2	9	17	29	38	55
2. MULTIPLE DX										
A. *Not Operated*	262	11.0	91	1	2	8	16	24	28	42
B. *Operated*	630	22.9	350	2	4	18	33	48	66	99+
1. SINGLE DX	246	11.5	122	2	2	8	15	27	36	55
2. MULTIPLE DX	892	19.4	304	2	3	14	28	44	57	96
A. NOT OPERATED	319	10.4	86	1	2	7	15	23	28	41
B. OPERATED	819	20.6	320	2	3	15	30	46	59	96
TOTAL 0-19 YRS	246	13.0	197	1	2	8	17	30	42	68
20-34	331	15.6	223	2	3	11	21	38	44	70
35-49	225	18.2	250	2	3	14	26	44	50	72
50-64	171	20.0	353	2	3	14	29	46	69	99+
65+	165	25.9	340	5	7	23	35	56	69	99+
GRAND TOTAL	**1138**	**17.7**	**275**	**2**	**3**	**12**	**25**	**42**	**52**	**91**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	172	5.3	22	1	1	4	7	11	14	26
20-34	138	4.9	21	1	1	3	7	12	14	23
35-49	66	5.7	25	1	1	4	8	14	15	21
50-64	26	6.3	57	<1	1	4	7	13	21	37
65+	21	7.8	45	<1	1	7	11	18	22	25
B. *Operated*										
0-19 YRS	43	8.4	124	1	1	6	10	17	26	67
20-34	40	8.8	69	1	2	6	12	18	28	37
35-49	21	11.0	90	1	2	9	17	25	31	34
50-64	14	10.7	76	1	1	7	16	21	29	32
65+	5	8.8	38	3	3	8	11	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	720	6.5	31	1	1	5	9	13	17	28
20-34	658	6.3	35	1	1	5	9	14	18	31
35-49	298	7.9	65	1	1	6	11	17	22	32
50-64	183	9.8	104	1	2	7	13	19	28	55
65+	180	13.9	164	2	3	10	18	28	39	67
B. *Operated*										
0-19 YRS	133	12.7	143	1	2	9	16	29	37	66
20-34	168	13.4	198	2	2	10	16	26	39	75
35-49	106	18.0	229	2	3	15	27	39	49	89
50-64	57	29.0	434	4	8	23	40	61	67	95
65+	66	27.0	313	6	8	25	34	48	60	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	423	5.4	26	1	1	4	7	12	14	25
B. *Operated*	123	9.2	90	1	2	6	11	19	29	45
2. MULTIPLE DX										
A. *Not Operated*	2039	7.6	60	1	1	5	10	16	22	37
B. *Operated*	530	17.5	265	2	3	13	24	39	52	76
1. SINGLE DX	546	6.2	43	1	1	4	8	14	18	32
2. MULTIPLE DX	2569	9.6	119	1	1	6	12	22	30	60
A. NOT OPERATED	2462	7.2	55	1	1	5	9	15	21	35
B. OPERATED	653	15.9	242	1	2	11	22	36	48	75
TOTAL 0-19 YRS	1068	7.1	52	1	1	5	9	15	20	35
20-34	1004	7.4	69	1	1	5	9	16	22	38
35-49	491	9.9	114	1	1	6	13	23	32	52
50-64	280	13.4	227	1	2	8	17	32	47	67
65+	272	16.5	226	2	3	11	23	36	43	73
GRAND TOTAL	**3115**	**9.0**	**107**	**1**	**1**	**6**	**11**	**20**	**28**	**56**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.7	3	<1	<1	2	4	5	6	7
20-34	33	4.9	28	<1	1	3	5	12	20	23
35-49	18	5.8	16	1	1	5	7	12	14	14
50-64	13	11.4	437	1	2	6	9	26	70	80
65+	4	9.8	58	3	3	8	16	19	19	19
B. *Operated*										
0-19 YRS	33	2.3	1	1	1	2	3	4	4	5
20-34	61	3.3	21	1	1	2	3	6	7	32
35-49	36	3.9	57	1	1	2	3	7	11	46
50-64	19	3.4	13	2	2	3	3	4	12	18
65+	2	7.0	72	1	1	7	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	53	3.9	11	<1	1	3	5	8	12	16
20-34	90	6.5	90	1	1	4	7	15	20	91
35-49	54	6.4	27	1	1	5	8	11	17	29
50-64	32	13.3	311	1	2	7	12	33	51	87
65+	65	9.9	127	2	3	7	11	19	43	94
B. *Operated*										
0-19 YRS	85	5.9	126	1	1	2	5	13	43	99+
20-34	163	6.7	140	1	1	3	6	15	24	65
35-49	83	7.1	103	1	1	3	7	21	34	83
50-64	44	9.0	150	1	1	4	10	37	49	99+
65+	18	13.4	381	1	1	5	12	39	65	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	83	5.9	89	<1	1	3	6	13	16	61
B. *Operated*	151	3.3	24	1	1	2	3	5	8	35
2. MULTIPLE DX										
A. *Not Operated*	294	7.5	103	1	1	5	8	16	23	83
B. *Operated*	393	7.2	142	1	1	3	7	19	39	97
1. SINGLE DX	234	4.2	49	1	1	2	4	7	13	37
2. MULTIPLE DX	687	7.3	125	1	1	4	7	17	31	90
A. NOT OPERATED	377	7.2	100	1	1	5	8	15	21	80
B. OPERATED	544	6.1	112	1	1	3	5	13	28	78
TOTAL 0-19 YRS	186	4.4	63	1	1	2	4	7	14	90
20-34	347	5.9	97	1	1	3	6	13	20	66
35-49	191	6.2	65	1	1	3	7	12	23	50
50-64	108	9.6	213	1	2	4	10	25	49	92
65+	89	10.5	171	2	2	7	12	20	45	91
GRAND TOTAL	**921**	**6.5**	**107**	**1**	**1**	**3**	**7**	**14**	**25**	**79**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	141	2.5	5	1	1	2	3	5	6	13
20-34	161	3.3	11	<1	1	2	4	8	10	15
35-49	82	3.8	8	1	1	3	5	7	10	13
50-64	32	4.5	11	1	1	3	7	9	10	14
65+	38	5.5	44	<1	1	3	7	12	22	31
B. *Operated*										
0-19 YRS	46	3.7	8	1	1	3	5	8	9	12
20-34	108	5.4	41	1	1	4	6	11	13	39
35-49	43	5.4	30	1	1	3	7	13	19	25
50-64	45	5.4	20	1	1	4	8	12	14	18
65+	13	9.2	60	2	3	8	13	19	28	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	361	2.6	4	1	1	2	3	5	7	11
20-34	497	3.6	9	1	1	3	5	7	9	15
35-49	271	4.8	16	1	1	4	6	9	12	21
50-64	194	6.0	29	1	2	4	8	11	18	29
65+	343	8.2	48	2	2	6	10	15	22	39
B. *Operated*										
0-19 YRS	143	6.7	80	1	1	4	8	13	22	46
20-34	243	9.7	180	1	2	5	10	23	35	71
35-49	117	9.1	77	1	2	7	12	21	28	64
50-64	100	11.6	185	1	2	7	13	25	45	69
65+	74	16.7	259	2	3	12	24	40	55	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	454	3.4	12	1	1	2	4	8	10	15
B. *Operated*	255	5.3	31	1	1	4	7	12	14	31
2. MULTIPLE DX										
A. *Not Operated*	1666	4.8	23	1	1	3	6	10	13	25
B. *Operated*	677	10.0	157	1	2	6	12	24	37	70
1. SINGLE DX	709	4.1	20	1	1	3	5	9	12	25
2. MULTIPLE DX	2343	6.3	67	1	1	4	7	13	21	47
A. NOT OPERATED	2120	4.5	21	1	1	3	6	9	12	24
B. OPERATED	932	8.7	127	1	1	5	10	20	32	63
TOTAL 0-19 YRS	691	3.5	23	1	1	2	4	7	9	23
20-34	1009	5.2	60	1	1	3	6	10	15	46
35-49	513	5.7	33	1	1	4	7	12	17	31
50-64	371	7.3	75	1	2	5	9	14	21	50
65+	468	9.3	92	1	2	6	12	20	27	54
GRAND TOTAL	**3052**	**5.8**	**57**	**1**	**1**	**3**	**7**	**12**	**18**	**43**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	406	1.8	3	<1	1	1	2	3	4	9
20-34	247	2.3	4	<1	<1	2	3	5	5	8
35-49	110	2.8	7	<1	1	2	4	6	8	15
50-64	56	3.3	14	<1	1	2	4	7	13	20
65+	54	6.0	28	1	1	5	8	11	11	32
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49										
50-64										
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2107	2.7	13	<1	1	2	3	5	7	18
20-34	2610	3.8	24	<1	1	2	4	7	11	26
35-49	1378	4.9	40	1	1	3	6	10	15	32
50-64	840	6.1	43	1	1	4	7	12	17	38
65+	1398	7.4	32	2	2	6	9	14	19	26
B. *Operated*										
0-19 YRS	22	5.7	20	1	1	5	10	14	45	99+
20-34	117	6.8	122	1	1	2	7	16	29	59
35-49	67	8.3	95	1	1	6	13	20	39	99+
50-64	59	11.5	77	2	3	10	15	20	36	39
65+	86	13.7	103	3	4	11	17	26	32	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	873	2.5	7	<1	1	2	3	5	7	14
B. *Operated*	4	4.0	3	2	2	4	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	8333	4.5	30	1	1	3	5	10	14	27
B. *Operated*	351	9.5	106	1	1	7	13	21	31	70
1. SINGLE DX	877	2.5	7	<1	1	2	3	5	7	14
2. MULTIPLE DX	8684	4.7	34	1	1	3	6	10	15	29
A. NOT OPERATED	9206	4.3	28	1	1	3	5	9	13	26
B. OPERATED	355	9.4	105	1	1	7	13	21	31	69
TOTAL 0-19 YRS	2536	2.6	11	<1	1	2	3	5	7	17
20-34	2976	3.8	27	<1	1	2	4	7	11	27
35-49	1555	4.9	41	1	1	3	6	10	15	34
50-64	955	6.3	46	1	1	4	8	13	18	38
65+	1539	7.7	38	2	2	6	10	14	19	30
GRAND TOTAL	**9561**	**4.5**	**32**	**1**	**1**	**3**	**5**	**10**	**14**	**28**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	342	1.8	1	<1	1	1	2	3	5	6
20-34	234	2.0	3	<1	1	1	2	4	5	9
35-49	108	2.0	3	1	1	1	2	4	5	8
50-64	64	2.7	13	1	1	2	3	6	7	22
65+	45	2.3	4	1	1	2	3	5	6	9
B. *Operated*										
0-19 YRS	11	6.7	20	2	2	7	10	13	16	16
20-34	18	3.4	9	<1	<1	3	5	7	11	13
35-49	7	4.9	25	2	2	4	4	14	16	16
50-64	9	3.8	4	1	1	4	5	6	7	7
65+	2	13.5	113	6	6	13	21	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	931	2.0	3	1	1	1	2	3	5	9
20-34	513	2.6	6	1	1	2	3	5	7	14
35-49	323	3.1	8	1	1	2	4	6	8	14
50-64	278	4.0	17	1	1	3	5	9	12	20
65+	156	5.0	28	1	1	3	6	11	16	29
B. *Operated*										
0-19 YRS	19	7.1	135	1	1	3	7	12	35	53
20-34	21	5.7	14	1	1	6	7	12	13	13
35-49	24	12.0	296	1	2	6	11	34	51	79
50-64	15	8.9	76	1	1	7	12	18	31	35
65+	16	17.9	215	3	3	12	30	41	45	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	793	2.0	3	1	1	1	2	4	5	8
B. *Operated*	47	4.9	19	1	1	4	6	11	16	21
2. MULTIPLE DX										
A. *Not Operated*	2201	2.8	9	1	1	2	3	6	8	16
B *Operated*	95	10.1	164	1	2	6	11	28	39	67
1. SINGLE DX	840	2.1	4	1	1	1	2	4	6	11
2. MULTIPLE DX	2296	3.1	17	1	1	2	3	6	9	19
A. NOT OPERATED	2994	2.5	7	1	1	2	3	5	7	15
B. OPERATED	142	8.4	122	1	1	5	10	17	34	55
TOTAL 0-19 YRS	1303	2.0	5	1	1	1	2	4	5	10
20-34	786	2.5	6	<1	1	2	3	5	7	13
35-49	462	3.3	26	1	1	2	4	6	8	20
50-64	366	4.0	19	1	1	2	5	9	12	22
65+	219	5.5	50	1	1	3	6	12	20	39
GRAND TOTAL	**3136**	**2.8**	**14**	**1**	**1**	**2**	**3**	**6**	**8**	**18**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	233	2.0	2	<1	1	2	2	4	5	8
20-34	171	2.6	5	<1	1	2	3	5	8	12
35-49	145	2.9	7	1	1	2	4	6	8	12
50-64	102	3.0	5	1	1	2	4	6	8	12
65+	82	4.0	8	1	1	4	5	7	9	15
B. *Operated*										
0-19 YRS	4	3.3	3	<1	<1	3	4	5	5	5
20-34	5	13.6	104	3	3	9	24	25	25	25
35-49	7	10.4	120	2	2	7	12	30	34	34
50-64	7	4.9	10	1	1	5	7	10	10	10
65+	4	8.8	148	2	2	3	15	27	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	397	3.0	12	1	1	2	3	6	8	21
20-34	462	3.0	6	1	1	2	4	6	7	13
35-49	401	4.0	14	1	1	3	5	8	11	20
50-64	553	5.9	38	1	1	4	7	12	16	36
65+	965	7.2	35	2	2	6	9	14	19	29
B. *Operated*										
0-19 YRS	19	11.5	175	<1	1	5	16	36	43	44
20-34	51	11.6	292	1	1	5	13	34	72	99+
35-49	38	9.7	93	1	2	6	16	23	39	99+
50-64	81	13.5	195	2	2	9	16	28	43	75
65+	111	16.6	293	3	4	11	20	41	62	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	733	2.7	5	1	1	2	3	5	7	12
B. *Operated*	27	8.3	77	1	2	5	9	25	28	34
2. MULTIPLE DX										
A. *Not Operated*	2778	5.2	27	1	1	4	7	10	15	25
B. *Operated*	300	13.7	237	2	2	8	17	30	52	99+
1. SINGLE DX	760	2.9	9	1	1	2	3	6	8	14
2. MULTIPLE DX	3078	6.0	54	1	1	4	7	13	18	40
A. NOT OPERATED	3511	4.7	24	1	1	3	6	10	14	24
B. OPERATED	327	13.3	226	1	2	8	17	30	51	99+
TOTAL 0-19 YRS	653	2.9	15	1	1	2	3	6	8	22
20-34	689	3.6	33	1	1	2	4	7	10	28
35-49	591	4.2	21	1	1	3	5	9	12	24
50-64	743	6.3	57	1	1	4	7	14	18	44
65+	1162	7.9	66	1	2	6	9	16	22	44
GRAND TOTAL	**3838**	**5.4**	**47**	**1**	**1**	**3**	**6**	**11**	**16**	**35**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	3.1	13	<1	1	2	4	6	13	17
20-34	39	4.3	19	<1	<1	3	6	10	15	18
35-49	39	4.6	20	<1	1	3	7	10	14	21
50-64	37	6.8	48	1	2	5	9	12	13	42
65+	73	6.4	34	1	2	5	7	13	21	31
B. *Operated*										
0-19 YRS	232	4.6	32	<1	<1	3	6	10	12	22
20-34	313	5.1	34	1	1	3	5	11	15	38
35-49	337	5.6	42	1	1	3	6	14	18	29
50-64	458	8.5	69	1	2	6	12	18	22	36
65+	732	10.1	95	1	2	7	14	22	29	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	5.1	17	1	1	3	7	11	16	17
20-34	116	6.1	52	1	1	4	7	12	19	44
35-49	101	5.1	18	1	1	4	6	10	14	21
50-64	131	6.8	42	1	2	5	10	14	17	34
65+	274	8.5	89	1	2	6	10	16	27	45
B. *Operated*										
0-19 YRS	341	8.0	86	1	2	5	9	18	30	46
20-34	610	7.2	76	1	1	4	9	16	22	49
35-49	750	8.9	111	1	2	6	12	19	28	74
50-64	1257	9.7	108	1	2	6	13	22	30	68
65+	1706	12.6	161	2	2	9	17	28	39	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	225	5.3	29	<1	1	4	7	11	14	26
B. *Operated*	2072	7.6	69	1	1	4	10	18	24	40
2. MULTIPLE DX										
A. *Not Operated*	673	7.0	59	1	2	5	8	14	19	41
B. *Operated*	4664	10.2	126	1	2	6	13	23	33	67
1. SINGLE DX	2297	7.4	66	1	1	4	10	17	23	40
2. MULTIPLE DX	5337	9.8	119	1	2	6	13	22	31	65
A. NOT OPERATED	898	6.6	52	1	1	5	8	14	18	40
B. OPERATED	6736	9.4	110	1	2	6	12	21	30	58
TOTAL 0-19 YRS	661	6.3	61	<1	1	4	8	13	20	43
20-34	1078	6.3	60	1	1	4	7	14	21	45
35-49	1227	7.6	84	1	1	4	10	17	24	52
50-64	1883	9.1	93	1	2	6	12	20	28	63
65+	2785	11.4	136	2	2	8	15	25	35	62
GRAND TOTAL	**7634**	**9.1**	**104**	**1**	**2**	**6**	**12**	**20**	**29**	**54**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	144	1.9	2	<1	1	1	2	4	5	6
20-34	207	2.6	3	<1	1	2	3	5	6	8
35-49	104	3.2	4	1	1	3	4	6	8	10
50-64	97	3.7	4	1	1	3	5	7	8	10
65+	152	4.4	6	1	2	4	6	7	9	12
B. *Operated*										
0-19 YRS	110	2.1	5	<1	1	1	2	4	6	15
20-34	190	2.6	4	<1	1	2	4	5	7	10
35-49	88	3.9	11	1	1	3	5	8	9	19
50-64	44	3.8	12	1	1	2	5	9	11	17
65+	62	5.7	24	1	2	4	7	11	15	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	78	2.4	4	<1	<1	2	3	6	7	10
20-34	150	3.3	8	1	1	3	4	6	9	16
35-49	111	4.3	15	1	1	3	6	9	11	21
50-64	137	4.4	13	1	1	3	6	8	10	24
65+	217	5.1	13	1	1	4	6	9	12	19
B. *Operated*										
0-19 YRS	68	3.5	13	1	1	2	4	8	9	21
20-34	169	4.4	18	1	1	3	6	9	12	23
35-49	98	5.3	95	1	1	3	7	9	12	60
50-64	89	7.9	52	1	2	5	11	17	24	31
65+	115	7.4	30	2	2	5	9	16	20	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	704	3.1	4	1	1	3	4	6	7	10
B. *Operated*	494	3.2	10	1	1	2	4	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	693	4.1	12	1	1	3	5	8	10	18
B. *Operated*	539	5.7	42	1	1	4	7	12	16	28
1. SINGLE DX	1198	3.1	7	1	1	2	4	6	8	12
2. MULTIPLE DX	1232	4.8	26	1	1	3	6	10	13	23
A. NOT OPERATED	1397	3.6	9	1	1	3	5	7	9	14
B. OPERATED	1033	4.5	28	1	1	3	6	9	13	24
TOTAL 0-19 YRS	400	2.3	5	<1	1	2	3	5	7	12
20-34	716	3.2	8	1	1	2	4	6	9	14
35-49	401	4.2	31	1	1	3	5	8	10	20
50-64	367	5.0	23	1	1	3	6	10	15	28
65+	546	5.4	17	1	2	4	7	10	14	23
GRAND TOTAL	**2430**	**4.0**	**17**	**1**	**1**	**3**	**5**	**8**	**10**	**21**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	5.4	14	1	1	5	7	10	11	20
20-34	134	5.3	13	1	2	4	7	10	13	17
35-49	95	7.0	21	2	3	6	9	13	15	24
50-64	75	8.4	70	2	3	7	9	13	18	57
65+	59	9.1	34	2	3	8	11	18	19	30
B. *Operated*										
0-19 YRS	58	7.2	25	2	2	6	10	14	18	21
20-34	106	7.0	39	2	2	5	9	13	17	38
35-49	84	9.5	56	1	3	7	13	22	26	31
50-64	90	12.3	129	2	3	9	17	29	33	59
65+	64	13.3	149	1	2	10	17	33	42	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	6.3	21	2	2	5	7	14	18	20
20-34	128	6.8	33	2	2	5	8	13	15	35
35-49	128	7.9	46	2	3	6	9	13	17	37
50-64	160	9.3	42	2	3	8	12	18	22	33
65+	165	11.9	82	3	4	10	15	22	26	50
B. *Operated*										
0-19 YRS	48	10.7	77	2	3	9	14	26	33	99+
20-34	130	11.0	113	2	2	7	14	27	35	48
35-49	104	13.3	144	2	3	11	15	27	36	65
50-64	170	17.8	304	2	3	12	21	41	66	90
65+	163	16.8	203	3	5	13	24	32	39	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	407	6.8	30	2	2	5	9	13	16	24
B. *Operated*	402	9.7	84	2	2	7	12	22	29	45
2. MULTIPLE DX										
A. *Not Operated*	628	9.0	54	2	3	7	11	17	22	36
B. *Operated*	615	14.8	199	2	3	11	19	32	42	82
1. SINGLE DX	809	8.2	59	2	2	6	10	17	23	40
2. MULTIPLE DX	1243	11.8	134	2	3	8	15	25	33	70
A. NOT OPERATED	1035	8.1	46	2	3	6	10	16	20	33
B. OPERATED	1017	12.8	160	2	3	9	16	28	36	74
TOTAL 0-19 YRS	197	7.4	37	2	2	6	9	15	21	36
20-34	498	7.5	54	2	2	5	9	15	21	42
35-49	411	9.4	72	2	3	7	12	19	26	45
50-64	495	12.6	167	2	3	9	15	27	37	76
65+	451	13.5	136	2	4	10	17	28	33	67
GRAND TOTAL	**2052**	**10.4**	**108**	**2**	**3**	**7**	**13**	**22**	**30**	**59**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	3.9	12	1	1	3	5	7	12	16
20-34	68	5.8	48	1	1	4	7	10	15	42
35-49	71	5.3	16	1	1	4	7	11	13	20
50-64	64	6.4	27	1	2	5	8	13	17	29
65+	60	7.2	46	1	2	5	9	14	20	39
B. *Operated*										
0-19 YRS	53	4.1	20	<1	<1	3	5	7	14	24
20-34	130	6.2	31	1	1	5	8	14	16	28
35-49	155	7.0	40	1	2	5	9	15	18	33
50-64	136	8.3	103	1	2	5	10	16	27	53
65+	111	8.1	74	1	2	5	11	18	28	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	70	4.1	27	1	1	3	4	9	13	32
20-34	156	5.4	41	1	1	4	6	10	12	31
35-49	156	6.8	94	1	1	5	7	12	21	63
50-64	197	7.8	40	2	2	6	9	15	23	31
65+	246	9.3	64	2	3	7	12	18	26	45
B. *Operated*										
0-19 YRS	57	7.3	86	1	1	5	9	14	24	57
20-34	256	8.4	72	1	2	6	10	17	24	52
35-49	311	10.6	119	2	2	7	12	22	35	59
50-64	350	12.9	200	2	2	8	16	27	41	81
65+	421	12.6	166	1	2	9	16	28	38	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	283	6.0	33	1	1	4	7	12	15	35
B. *Operated*	585	7.1	59	1	2	5	9	15	20	42
2. MULTIPLE DX										
A. *Not Operated*	825	7.3	59	1	2	5	9	14	22	35
B. *Operated*	1395	11.3	146	1	2	8	14	25	36	64
1. SINGLE DX	868	6.7	50	1	2	5	8	14	18	37
2. MULTIPLE DX	2220	9.8	118	1	2	7	12	21	30	58
A. NOT OPERATED	1108	7.0	53	1	2	5	9	13	21	36
B. OPERATED	1980	10.0	124	1	2	7	13	22	31	58
TOTAL 0-19 YRS	200	5.0	42	<1	1	3	6	10	15	32
20-34	610	6.9	54	1	1	5	9	14	20	43
35-49	693	8.4	89	1	2	6	10	17	24	52
50-64	747	10.2	132	2	2	7	12	22	31	64
65+	838	10.7	119	2	2	7	14	24	32	55
GRAND TOTAL	**3088**	**8.9**	**101**	**1**	**2**	**6**	**11**	**19**	**27**	**53**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	2.5	2	1	1	2	3	4	6	7
20-34	7	2.4	3	1	1	2	4	5	5	5
35-49	5	4.8	10	<1	<1	6	7	8	8	8
50-64	4	1.8	1	1	1	2	2	3	3	3
65+	7	4.3	11	1	1	3	5	10	11	11
B. *Operated*										
0-19 YRS										
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	3	5.3	8	2	2	7	7	7	7	7
50-64	1	7.0		7	7	7	7	7	7	7
65+	2	4.0	8	2	2	4	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	3.3	6	1	1	3	5	6	6	13
20-34	20	5.0	9	1	1	5	6	9	12	13
35-49	14	5.6	25	1	1	3	9	14	15	15
50-64	21	5.0	33	1	1	3	8	10	17	25
65+	23	6.3	47	1	2	3	6	16	22	27
B. *Operated*										
0-19 YRS	2	7.5	1	7	7	7	8	8	8	8
20-34	8	5.8	4	4	4	5	7	9	9	9
35-49	8	7.4	37	2	2	5	9	18	21	21
50-64	8	7.3	33	1	1	6	9	16	19	19
65+	6	12.3	63	6	6	10	14	26	27	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	3.0	5	1	1	2	4	6	7	11
B. *Operated*	8	4.6	6	2	2	5	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	116	4.8	22	1	1	3	6	10	14	26
B. *Operated*	32	7.9	32	2	3	7	9	15	21	27
1. SINGLE DX	52	3.2	5	1	1	3	4	7	7	11
2. MULTIPLE DX	148	5.4	26	1	1	4	7	12	15	27
A. NOT OPERATED	160	4.3	18	1	1	3	5	10	13	24
B. OPERATED	40	7.2	28	2	2	6	8	13	20	27
TOTAL 0-19 YRS	61	3.2	5	1	1	3	4	6	7	12
20-34	37	4.5	8	1	1	4	6	8	10	13
35-49	30	5.9	23	1	1	5	8	12	15	21
50-64	34	5.2	29	1	1	3	8	10	17	25
65+	38	6.7	45	1	2	4	7	15	24	27
GRAND TOTAL	**200**	**4.9**	**21**	**1**	**1**	**3**	**6**	**10**	**14**	**26**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	25	1.4		<1	<1	<1	1	3	3	3
35-49	11	1.6	1	<1	<1	1	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	65	1.8	1	<1	<1	2	2	3	4	5
20-34	5271	1.7	1	<1	<1	1	2	3	4	5
35-49	1843	1.7	1	<1	<1	1	2	3	3	5
50-64	16	2.0	3	<1	<1	1	2	4	7	8
65+	7	2.1		1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	1.2		<1	<1	1	1	2	2	2
20-34	71	1.3	1	<1	<1	1	1	2	3	7
35-49	18	1.9	2	<1	<1	1	3	3	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	53	3.7	6	<1	1	3	5	8	8	9
20-34	2824	2.2	4	<1	<1	2	3	4	5	7
35-49	1091	2.2	2	<1	<1	2	2	4	5	7
50-64	6	1.3		<1	<1	1	2	2	2	2
65+	3	3.3	10	1	1	2	6	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	1.4	1	<1	<1	1	2	3	3	3
B. *Operated*	7202	1.7	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	94	1.4	1	<1	<1	1	1	2	3	7
B. *Operated*	3977	2.2	3	<1	<1	2	3	4	5	8
1. SINGLE DX	7238	1.7	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX	4071	2.2	3	<1	<1	2	3	4	5	8
A. NOT OPERATED	130	1.4	1	<1	<1	1	1	3	3	6
B. OPERATED	11179	1.9	2	<1	<1	2	2	3	4	6
TOTAL 0-19 YRS	123	2.6	4	<1	<1	2	3	5	7	9
20-34	8191	1.9	2	<1	<1	2	2	3	4	6
35-49	2963	1.9	1	<1	<1	2	2	3	4	7
50-64	22	1.8	3	<1	<1	1	2	3	6	8
65+	10	2.5	3	1	1	2	3	5	7	7
GRAND TOTAL	**11309**	**1.9**	**2**	**<1**	**<1**	**2**	**2**	**3**	**4**	**6**

Appendix

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2

290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Index to the Length of Stay Tables

If a diagnosis does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 2, Diseases: Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The diagnosis group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – *see Appendicitis, acute*
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – *see Dependence*
	Adenocarcinoma – *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	2	39.0	162	30	30	39	48	48	48	48
1500-1749	12	18.3	67	8	9	19	22	29	36	37
1750-2499	3257	3.5	5	2	2	3	4	6	7	13
2500+	139694	3.0	2	1	2	3	4	5	5	7
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	2	5.0	18	2	2	5	8	8	8	8
2500+	85	4.2	6	1	2	4	5	8	9	12
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	32	62.3	486	13	23	69	80	99	99+	99+
1000-1499	295	39.4	232	17	23	38	49	62	68	83
1500-1749	422	24.9	83	12	15	24	30	36	42	51
1750-2499	5890	7.8	46	2	2	6	10	16	20	33
2500+	43964	4.0	5	2	2	3	5	6	7	12
B. *Operated*										
1-999 G	66	71.1	474	32	49	88	99+	99+	99+	99+
1000-1499	252	49.2	308	25	29	49	62	79	95	99+
1500-1749	155	33.6	211	17	20	30	42	56	66	99+
1750-2499	436	16.8	168	3	5	14	22	32	46	86
2500+	1088	8.7	92	2	3	6	10	15	22	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	142965	3.1	2	1	2	3	4	5	5	7
B. *Operated*	87	4.3	6	1	2	4	5	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	50603	4.9	26	2	2	4	5	7	11	28
B. *Operated*	1997	19.5	438	2	3	11	29	57	78	99+
1. SINGLE DX	143052	3.1	2	1	2	3	4	5	5	7
2. MULTIPLE DX	52600	5.4	50	2	2	4	5	8	14	43
A. NOT OPERATED	193568	3.5	9	2	2	3	4	5	6	14
B. OPERATED	2084	18.9	429	2	3	10	27	56	78	99+
TOTAL 1-999 G	98	68.2	490	21	46	80	99+	99+	99+	99+
1000-1499	549	43.9	290	20	25	42	56	70	80	99+
1500-1749	589	27.0	132	12	15	25	32	42	49	71
1750-2499	9585	6.8	47	2	2	4	8	15	19	33
2500+	184831	3.3	3	2	2	3	4	5	6	9
GRAND TOTAL	**195652**	**3.7**	**16**	**2**	**2**	**3**	**4**	**6**	**7**	**18**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	1	18.0		18	18	18	18	18	18	18
1500-1749	6	21.2	89	10	10	20	25	36	37	37
1750-2499	398	5.1	9	2	3	4	6	8	11	18
2500+	1179	4.3	3	2	2	4	5	6	7	9
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	1	91.0		91	91	91	91	91	91	91
1000-1499	72	37.0	149	17	23	36	44	56	59	64
1500-1749	97	24.3	60	14	15	24	29	36	38	44
1750-2499	813	9.4	46	2	3	7	13	19	22	30
2500+	521	5.4	7	2	3	5	6	8	10	19
B. *Operated*										
1-999 G	8	79.5	362	42	62	93	99+	99+	99+	99+
1000-1499	53	50.3	337	23	24	50	62	82	87	99+
1500-1749	31	35.2	170	21	21	34	43	53	56	69
1750-2499	67	18.0	82	5	6	16	26	31	34	90
2500+	15	8.8	49	4	4	7	9	11	27	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1584	4.6	6	2	2	4	5	7	8	14
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1504	10.4	98	3	3	6	13	23	31	49
B. *Operated*	174	32.9	510	6	8	28	50	81	95	99+
1. SINGLE DX	1584	4.6	6	2	2	4	5	7	8	14
2. MULTIPLE DX	1678	12.7	188	3	3	7	16	30	42	82
A. NOT OPERATED	3088	7.4	59	2	3	5	7	16	23	41
B. OPERATED	174	32.9	510	6	8	28	50	81	95	99+
TOTAL 1-999 G	9	80.8	331	44	65	92	99+	99+	99+	99+
1000-1499	126	42.5	272	22	24	41	53	64	80	99+
1500-1749	134	26.7	107	14	16	25	32	39	45	58
1750-2499	1278	8.5	45	2	3	6	12	18	22	32
2500+	1715	4.7	5	2	2	4	6	7	8	12
GRAND TOTAL	**3262**	**8.8**	**116**	**2**	**3**	**5**	**8**	**20**	**31**	**61**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	32	3.8	11	1	1	3	4	8	12	15
2500+	361	2.7	2	1	1	2	3	4	5	10
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	4	39.8	518	16	16	37	57	68	68	68
1500-1749	8	22.5	41	15	15	23	27	31	32	32
1750-2499	61	9.4	92	1	2	6	13	20	27	53
2500+	136	4.3	10	1	2	3	5	7	13	17
B. *Operated*										
1-999 G	1	56.0		56	56	78	99+	99+	99+	99+
1000-1499	3	56.3	400	36	36	57	71	76	76	76
1500-1749	4	30.8	179	15	15	31	41	45	45	45
1750-2499	8	16.0	158	<1	<1	15	21	35	40	40
2500+	4	12.8	172	4	4	7	21	32	32	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	393	2.8	3	1	1	2	3	4	5	12
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	209	7.2	78	1	2	4	8	17	24	51
B. *Operated*	20	26.4	432	1	3	24	41	65	87	99+
1. SINGLE DX	393	2.8	3	1	1	2	3	4	5	12
2. MULTIPLE DX	229	8.8	137	1	2	4	11	23	32	70
A. NOT OPERATED	602	4.3	33	1	1	3	4	8	14	29
B. OPERATED	20	26.4	432	1	3	24	41	65	87	99+
TOTAL 1-999 G	1	56.0		56	56	78	99+	99+	99+	99+
1000-1499	7	46.9	471	16	18	47	65	74	76	76
1500-1749	12	25.3	91	15	15	25	30	40	44	45
1750-2499	101	8.2	82	1	1	4	12	18	24	48
2500+	501	3.2	7	1	1	3	3	5	7	14
GRAND TOTAL	**622**	**5.0**	**61**	**1**	**1**	**3**	**4**	**11**	**17**	**49**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	1.8	1	<1	1	1	3	4	4	4
20-34	12	2.3	4	<1	<1	2	3	5	8	8
35-49	8	4.4	29	1	1	2	5	14	17	17
50-64	14	3.8	9	<1	1	3	5	7	12	13
65+	3	2.3	2	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	514	2.4	2	<1	1	2	3	4	5	7
20-34	751	2.7	4	<1	1	2	3	5	6	8
35-49	413	2.7	4	1	1	2	3	4	5	13
50-64	334	3.5	25	1	1	3	4	5	8	19
65+	250	4.8	26	1	1	3	5	10	14	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	1.3		<1	<1	1	2	2	2	2
20-34	3	1.7		<1	<1	2	2	2	2	2
35-49	7	3.1	6	1	1	3	4	7	8	8
50-64	5	3.0	2	2	2	3	4	5	5	5
65+	3	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	101	4.6	33	1	1	3	4	7	18	33
20-34	168	3.8	15	<1	1	3	4	8	10	26
35-49	79	5.2	35	2	2	3	6	9	12	36
50-64	105	6.2	51	1	1	4	7	15	20	38
65+	108	9.9	83	2	2	6	14	20	33	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56	2.8	8	<1	1	2	3	5	7	17
B. *Operated*	2262	3.0	10	<1	1	2	3	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	24	2.2	3	<1	1	2	3	4	6	8
B. *Operated*	561	5.8	45	1	2	3	6	13	19	36
1. SINGLE DX	2318	3.0	10	<1	1	2	3	5	7	14
2. MULTIPLE DX	585	5.6	44	1	1	3	6	13	19	36
A. NOT OPERATED	80	2.6	6	<1	1	2	3	5	7	16
B. OPERATED	2823	3.5	18	1	1	2	4	6	9	23
TOTAL 0-19 YRS	640	2.7	8	<1	1	2	3	4	6	18
20-34	934	2.9	6	<1	1	2	3	5	6	11
35-49	507	3.2	10	1	1	2	4	5	8	15
50-64	458	4.1	31	1	1	3	4	7	12	27
65+	364	6.2	49	1	2	4	7	14	18	36
GRAND TOTAL	**2903**	**3.5**	**18**	**1**	**1**	**2**	**4**	**6**	**9**	**22**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	6.0		6	6	6	6	6	6	6
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65+	4	1.8		1	1	2	2	2	2	2
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	5.0		5	5	5	5	5	5	5
65+	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	79	1.5	2	<1	1	1	1	2	4	11
20-34	1	4.0		4	4	4	4	4	4	4
35-49	25	2.5	3	1	1	2	3	3	6	10
50-64	231	1.2	1	1	1	1	1	1	2	6
65+	227	1.3	1	1	1	1	1	2	3	4
B. *Operated*										
0-19 YRS	2	7.5	25	4	4	7	11	11	11	11
20-34	3	5.7	14	3	3	4	8	10	10	10
35-49	10	4.1	8	1	1	3	4	9	10	10
50-64	19	8.2	98	1	1	5	8	26	35	35
65+	11	8.1	72	2	2	5	11	20	30	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	2.3	3	1	1	2	3	5	6	6
B. *Operated*	2	8.0	18	5	5	8	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	563	1.3	1	1	1	1	1	2	3	6
B. *Operated*	45	7.0	62	1	2	4	8	13	32	35
1. SINGLE DX	10	3.4	10	1	1	2	5	8	11	11
2. MULTIPLE DX	608	1.8	8	1	1	1	1	3	4	13
A. NOT OPERATED	571	1.4	1	1	1	1	1	2	3	6
B. OPERATED	47	7.1	60	1	2	4	9	13	31	35
TOTAL 0-19 YRS	82	1.6	3	<1	1	1	1	3	4	12
20-34	5	5.4	8	3	3	4	7	10	10	10
35-49	36	2.9	5	1	1	2	3	5	9	10
50-64	252	1.7	11	1	1	1	1	2	5	13
65+	243	1.6	6	1	1	1	1	2	4	12
GRAND TOTAL	**618**	**1.8**	**8**	**1**	**1**	**1**	**1**	**3**	**5**	**13**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	849	2.5	8	<1	<1	2	3	5	7	15
20-34	1200	2.5	14	<1	<1	2	3	4	6	17
35-49	602	3.1	24	<1	1	2	4	5	8	24
50-64	840	3.0	10	<1	1	2	4	5	8	17
65+	679	4.7	62	1	1	3	5	9	16	99+
B. *Operated*										
0-19 YRS	436	3.3	21	<1	1	2	3	7	10	21
20-34	2069	2.9	10	<1	<1	2	3	6	8	15
35-49	1054	3.7	13	<1	1	2	5	9	11	15
50-64	747	4.4	18	1	1	3	6	10	13	19
65+	684	4.3	21	1	1	2	5	10	13	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	715	3.8	23	<1	1	2	4	7	13	24
20-34	1504	3.9	46	1	1	2	4	7	10	36
35-49	1978	3.9	40	<1	1	2	4	7	11	35
50-64	4225	3.9	36	1	1	2	4	7	11	33
65+	4013	5.6	70	1	1	3	6	14	21	48
B. *Operated*										
0-19 YRS	278	5.3	59	1	1	3	6	12	18	47
20-34	1530	4.3	59	<1	1	2	4	8	13	56
35-49	1357	5.2	49	1	1	3	6	11	17	58
50-64	1635	6.4	75	1	1	3	8	14	21	54
65+	1704	7.9	129	1	1	4	10	17	31	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4170	3.0	22	<1	1	2	3	6	8	24
B. *Operated*	4990	3.5	15	<1	<1	2	4	8	11	17
2. MULTIPLE DX										
A. *Not Operated*	12435	4.4	49	1	1	2	5	9	15	39
B. *Operated*	6504	6.0	81	1	1	3	7	13	21	65
1. SINGLE DX	9160	3.3	18	<1	<1	2	4	7	10	19
2. MULTIPLE DX	18939	5.0	60	1	1	3	5	11	17	47
A. NOT OPERATED	16605	4.1	42	<1	1	2	4	8	14	38
B. OPERATED	11494	4.9	54	<1	1	3	5	11	15	46
TOTAL 0-19 YRS	2278	3.4	22	<1	1	2	4	7	11	24
20-34	6303	3.4	32	<1	<1	2	4	6	9	29
35-49	4991	4.1	35	<1	1	2	5	8	12	36
50-64	7447	4.4	41	1	1	2	5	9	14	35
65+	7080	6.0	80	1	1	3	6	14	22	56
GRAND TOTAL	**28099**	**4.4**	**47**	**<1**	**1**	**2**	**5**	**9**	**14**	**40**

DIAGNOSIS INDEX (continued)

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease – *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis – *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

DIAGNOSIS INDEX (continued)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer — *see Neoplasm, malignant*
	Carcinoma — *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

DIAGNOSIS INDEX (continued)

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs – *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

DIAGNOSIS INDEX (continued)

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital — *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

DIAGNOSIS INDEX (continued)

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

DIAGNOSIS INDEX (continued)

Group Number	Title
73	Diabetes mellitus, uncontrolled
72	Diabetic acidosis
73	Diabetic cataract
72	Diabetic coma
73	Diabetic gangrene
73	Diabetic nephropathy
73	Diabetic neuropathy
73	Diabetic retinopathy
73	Diabetic ulcer
397	Dialysis, peritoneal
397	Dialysis, renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Diarrhea, functional
1	Diarrhea, infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotic cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular — *see Cerebrovascular accident*
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer – *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

DIAGNOSIS INDEX (continued)

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer – *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
239	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

DIAGNOSIS INDEX (continued)

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve – *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes – *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

DIAGNOSIS INDEX (continued)

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

DIAGNOSIS INDEX (continued)

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease — *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

DIAGNOSIS INDEX (continued)

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

DIAGNOSIS INDEX (continued)

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease — *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer — *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

DIAGNOSIS INDEX (continued)

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
286	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma — *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

DIAGNOSIS INDEX (continued)

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

DIAGNOSIS INDEX (continued)

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE).
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever

Length of Stay by Operation, Southern Region, 1982

A Companion Volume To Length of Stay by Diagnosis, Southern Region, 1982

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1983

LENGTH OF STAY

Copyright 1983 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1982
. . . by Diagnosis, United States, North Central Region, 1982
. . . by Diagnosis, United States, Northeastern Region, 1982
. . . by Diagnosis, United States, Southern Region, 1982
. . . by Diagnosis, United States, Western Region, 1982
. . . by Diagnosis, Canada, 1982

. . . by Operation, United States, 1982
. . . by Operation, United States, North Central Region, 1982
. . . by Operation, United States, Northeastern Region, 1982
. . . by Operation, United States, Southern Region, 1982
. . . by Operation, United States, Western Region, 1982
. . . by Operation, Canada, 1982

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1982
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1982

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1982 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1982 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1982 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Carol A. Prevost, Research Assistant

CONTENTS

Preface iii

Discussion of the Data 1

Source of the Data. 1

Data Quality. 2

Coverage 3

Organization of Length of Stay Tables. 5

Definition of Multiple Diagnosis Patients 5

Definition of Operated Patients 6

Explanation of Statistics. 6

Defining the Extended Stay Case 7

Length of Stay Tables 15

Summary of All Patients. 16

Operation Groups 501-764 17

Appendix: *ICD-9-CM* Codes for Selected Operation Groups 83

Index to Length of Stay Tables 87

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, non-federal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Colorado Hospital Association, Kansas Hospital Association, Kaiser Foundation Hospitals, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.



** Includes Alaska and Hawaii

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S.
January-December 1982

	Short-Term Nonfederal Hospitals			Beds		
Hospital Class (1)	U.S. Total[2] (2)	Number in Books (3)	Percent in Books (4)	U.S. Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
6-24 beds	254	35	13.8	4,814	696	14.5
25-49	971	180	18.5	35,155	6,841	19.5
50-99	1,432	318	22.2	103,270	23,365	22.6
100-199	1,374	357	26.0	193,551	50,983	26.3
200-299	712	227	31.9	172,913	55,670	32.2
300-399	423	136	32.2	144,133	46,500	32.3
400-499	267	94	35.2	117,869	41,567	35.3
500 or more	328	84	25.6	226,214	55,946	24.7
Total	5,761	1,431	24.8	997,919	281,568	28.2
Region and Census Division						
Northeast	828	283	34.2	213,258	67,701	31.7
New England	244	61	25.0	49,916	13,631	27.3
Middle Atlantic	584	222	38.0	163,342	54,070	33.1
North Central	1,694	571	33.7	295,316	110,053	37.3
East North Central	897	350	39.0	195,881	77,902	39.8
West North Central	797	221	27.7	99,435	32,151	32.3
South	2,162	306	14.2	340,530	61,715	18.1
South Atlantic	815	211	25.9	160,263	42,298	26.4
East South Central	500	30	6.0	73,359	7,375	10.1
West South Central	847	65	7.7	106,908	12,042	11.3
West	1,077	271	25.2	148,815	42,099	28.3
Mountain	369	92	24.9	41,978	14,587	34.7
Pacific	708	179	25.3	106,837	27,512	25.8
Total	5,761	1,431	24.8	997,919	281,568	28.2

The Pediatric book was compiled from the data of 1,428 hospitals. The Geriatric book was compiled from the data of 1,427 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals,

[2] 1981 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The operated classification system is called *ICD-9-CM List B: Hospital Procedure Groups.*[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age.

Patient data were assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS)[2] and generally is that therapeutic procedure most related to the principal diagnosis. Procedure information for all patient data included in this book was coded using *ICD-9-CM.*

In *List B* there are 250 groups that contain at least one UHDDS Class 1 procedure. Fourteen of the 264 *List B* groups consist solely of Class 2, 3, or 4 procedures. This book displays data only for those 250 groups with Class 1 procedures.

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

---

[1] *ICD-9-CM List B: Hospital Procedure Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

Operated patients are patients with an *ICD-9-CM* procedure code that fell into a UHDDS category containing at least one Class 1 procedure. Class 1 procedures are defined as those procedures that carry an operative or anesthetic risk, require highly trained personnel, or require special facilities or equipment. The following *ICD-9-CM List B* codes contain a mixture of Class 1 and 2-4 procedures: 548, 557, 575, 576, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764. All the other *ICD-9-CM List B* groups contain only Class 1 procedures or they contain only Class 2-4 procedures and are excluded from this book.

Explanation of Statistics

The *List B* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in the *List B* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the correct day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the most important scheduled operation, whether the patient had single or multiple diagnoses, and the patient's age.

While the usual procedure for assigning the initial review date is based upon the admitting diagnosis (problem), there are circumstances when a table based upon the contemplated operation is much more meaningful. The latter situations involve diagnoses where two or more quite different operations (and different lengths of stay) could be appropriate managements. Examples would be benign prostatic hypertrophy (cystoscopy, transurethral resection [TUR] or other prostatectomy); primary malignancy of lung, suspected or previously diagnosed (bronchoscopy or resection of lung); and angina pectoris (coronary arteriography or bypass surgery). Many diagnoses, on the other hand, are usually managed by a single type of operation and the operated section of the diagnosis table and the operation table appear to be almost identical. Examples would be uncomplicated inguinal hernia (herniorrhaphy), acute appendicitis (appendectomy), and chronic cholecystitis with cholelithiasis (cholecystectomy).

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay operation group (derived from the *ICD-9-CM List B: Hospital Procedure Groups*[1]) that contains the contemplated operation in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4 where appropriate reference is made to the operation tables.

b. Procedures can also be found in the Alphabetic Index at the back of the length of stay books.

c. If an operation is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 3 of *ICD-9-CM.*[3] That code can then be located in *List B* or in the heading of the length of stay table.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 5. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 57-year-old patient is admitted to a hospital for elective surgery, a transurethral resection. The admitting diagnosis is prostatic hyperplasia, and no secondary diagnoses are recorded. The following illustrations show the five steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *ICD-9-CM List B: Hospital Procedure Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 3, Procedures: Tabular List and Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways.

a. Prostatic hyperplasia (benign prostatic hypertrophy) is listed as a diagnosis in *Concurrent Review Screening.* Select the contemplated surgery (TUR). The length of stay table in the operation volume is 648.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Pregnancy, undelivered			
pre-eclampsia, during pregnancy	3		261
Criteria for admission			
1. Diastolic BP > 110			
2. Not controlled by outpatient Rx			
3.			
4.			
premature labor, threatened	1		268
premature rupture of membranes	1		268
premature separation of placenta	1		265
Pre-infarction syndrome	1		142
Prepuce, redundant or phimosis	2		239
Proctitis	4		211
Prolonged labor, excludes uterine inertia	1		280
Prostatic hyperplasia	2		235
for: Cystoscopy			636
TUR			648
Other prostatectomy			649
Prostatitis			
acute	3		236
Criteria for admission			
1. Sepsis or fever > 102°, chills			
2. Abscess formation			

b. The Alphabetic Index at the back of the operation length of stay book also shows that TUR is included in operation group 648.



OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	**Transurethral approach**
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

c. Transurethral resection can be found in Volume 3 of *ICD-9-CM* on page 408.



Procedure **INDEX TO PROCEDURES**

- **Procedure** — *continued*
  - diagnostic NEC — *continued*
    - pleura 34.28
    - posterior chamber, eye 14.19
    - prostate 60.18
    - pulmonary 33.29
    - rectum 48.29
    - renal 55.29
    - respiratory 33.29
    - retina 14.19
    - retroperitoneum 59.29
    - salivary gland or duct 26.19
    - sclera 12.29
    - scrotum 61.19
    - seminal vesicle 60.19
    - sigmoid 45.28
    - sinus, nasal 22.19
    - skin 86.19
    - skull 01.19
    - soft tissue 83.29
    - spermatic cord 63.09
    - sphincter of Oddi 51.19
    - spine, spinal (canal) (cord) (meninges) (structure) 03.39
    - spleen 41.39
    - stomach 44.19
    - subcutaneous tissue 86.19
    - sympathetic nerve 05.19
    - tarsus 09.19
    - tendon NEC 83.29
      - extraocular 15.09
    - testicle 62.19
    - thalamus 01.18
    - thoracic duct 40.19
    - thorax 34.28
    - thymus 07.19
    - thyroid gland 06.19
    - tongue 25.09
    - tonsils 28.19
    - tooth 24.19
    - trachea 31.49
    - tunica vaginalis 61.19
    - ureter 56.39
    - urethra 58.29
    - uterus and supporting structures 68.19
    - uvula 27.29
    - vagina 70.29
    - vas deferens 63.09
    - vesical 57.39
    - vessel (blood) (any site) 38.29
    - vitreous 14.19
    - vulva 71.19
  - fistulizing, sclera NEC 12.69
  - miscellaneous (nonoperative) NEC 99.99
  - respiratory (nonoperative) NEC 93.99
  - surgical — *see* Operation
- **Proctectasis** 96.22
- **Proctectomy** (partial) *(see also* Resection, rectum) 48.69
  - abdominoperineal 48.5
- **Proctectomy** (partial) — *continued*
  - complete (Miles) (Rankin) 48.5
  - pull-through 48.49
- **Proctoclysis** 96.37
- **Proctolysis** 48.99
- **Proctopexy** (Delorme) 48.76
  - abdominal (Ripstein) 48.75
- **Proctoplasty** 48.79
- **Proctorrhaphy** 48.71
- **Proctoscopy** 48.23
  - through stoma (artificial) 48.22
  - transabdominal approach 48.21
- **Proctosigmoidectomy** *(see also* Resection, rectum) 48.69
- **Proctosigmoidopexy** 48.76
- **Proctosigmoidoscopy** 48.23
  - through stoma (artificial) 48.22
  - transabdominal approach 48.21
- **Proctostomy** 48.1
- **Proctotomy** (decompression) (linear) 48.0
- **Production** — *see also* Formation
  - atrial septal defect 35.42
  - subcutaneous tunnel for esophageal anastomosis 42.86
    - with anastomosis — *see* Anastomosis, esophagus, antesternal
- **Prognathic recession** 76.64
- **Prophylaxis, dental** (scaling) (polishing) 96.54
- **Prostatectomy** (complete) (partial) NEC 60.69
  - loop 60.2
  - perineal 60.62
  - radical (any approach) 60.5
  - retropubic (punch) (transcapsular) 60.4
  - suprapubic (punch) (transvesical) 60.3
  - transcapsular NEC 60.69
    - retropubic 60.4
  - **transurethral 60.2**
  - transvesical punch (suprapubic) 60.3
- **Prostatocystotomy** 60.0
- **Prostatolithotomy** 60.0
- **Prostatotomy** (perineal) 60.0
- **Prostatovesiculectomy** 60.5
- **Protection** (of)
  - individual from his surroundings 99.84
  - surroundings from individual 99.84
- **Psychoanalysis** 94.31
- **Psychodrama** 94.43
- **Psychotherapy** NEC 94.39
  - biofeedback 94.39
  - exploratory verbal 94.37
  - group 94.44
    - for psychosexual dysfunctions 94.41
  - play 94.36
  - psychosexual dysfunctions 94.34
  - supportive verbal 94.38
- **Ptyalectasis** 26.91
- **Ptyalithotomy** 26.0
- **Ptyalolithotomy** 26.0

Step 2. Find the table for group 648 in the length of stay book.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	15	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top five lines of the table (1. Single Dx).

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 4. The patient is 57 years old and therefore falls in the age group 50-64.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 5. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the sixth day after admission to be the day that this patient comes up for extended stay review.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

The patient was admitted on 3 November; therefore the sixth day will fall on 9 November. Prior to or on 9 November the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay
Tables

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	108511	3.1	10	1	1	2	4	6	8	15
20-34	203708	3.7	11	1	1	3	4	7	9	16
35-49	100862	5.1	22	1	1	4	7	10	13	22
50-64	90146	6.1	31	1	2	4	8	12	16	27
65+	90632	7.2	47	2	2	5	9	15	20	33
2. MULTIPLE DX										
0-19 YRS	90382	4.9	51	1	1	3	5	9	14	42
20-34	215308	5.3	30	1	2	4	6	9	13	29
35-49	152527	7.1	48	2	2	6	8	13	18	37
50-64	191385	8.8	70	2	2	7	11	17	24	45
65+	299034	11.0	99	2	3	8	14	22	30	54
TOT. SINGLE DX	593859	4.7	23	1	1	3	6	10	13	24
" MULTIPLE DX	948636	8.1	71	2	2	6	10	17	23	45
TOTAL 0-19 YRS	198893	4.0	29	1	1	3	4	7	10	28
20-34	419016	4.5	22	1	2	3	5	8	11	23
35-49	253389	6.3	38	1	2	5	8	12	16	31
50-64	281531	7.9	59	2	2	6	10	16	21	40
65+	389666	10.1	90	2	2	8	13	21	28	50
GRAND TOTAL	**1542495**	**6.8**	**55**	**1**	**2**	**4**	**8**	**14**	**20**	**38**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	55	13.0	159	2	3	9	16	36	46	55
20-34	90	14.4	114	4	6	12	16	24	30	66
35-49	98	14.1	80	4	7	12	18	25	30	50
50-64	148	16.1	137	4	6	14	19	27	35	87
65+	145	16.7	95	5	7	14	22	29	37	46
2. MULTIPLE DX										
0-19 YRS	82	19.7	378	3	4	14	26	56	85	99+
20-34	86	23.9	305	7	8	18	32	53	66	94
35-49	106	22.5	302	6	7	18	30	52	80	99+
50-64	249	24.3	326	7	9	19	31	56	77	99+
65+	272	27.4	309	8	10	23	36	56	76	99+
TOT. SINGLE DX	536	15.3	115	3	5	13	18	27	37	59
" MULTIPLE DX	795	24.6	325	6	8	19	32	55	76	99+
TOTAL 0-19 YRS	137	17.0	300	2	3	10	20	48	64	99+
20-34	176	19.1	229	5	7	14	23	42	54	82
35-49	204	18.5	212	5	7	14	23	37	55	99+
50-64	397	21.2	271	5	8	17	26	45	68	99+
65+	417	23.7	261	7	8	19	31	51	64	99+
GRAND TOTAL	**1331**	**20.9**	**261**	**5**	**7**	**16**	**27**	**47**	**61**	**99+**

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	45	9.6	54	3	3	7	12	20	29	32
20-34	64	16.5	149	5	7	12	22	33	54	94
35-49	82	16.2	155	5	7	14	19	27	31	85
50-64	115	16.9	129	5	7	14	19	33	42	60
65+	116	17.5	118	6	7	14	24	37	42	64
2. MULTIPLE DX										
0-19 YRS	67	18.0	359	3	4	13	26	70	99+	99+
20-34	86	17.9	200	6	6	13	22	38	56	99+
35-49	82	26.8	431	7	8	23	40	75	99+	99+
50-64	125	23.9	312	7	8	19	31	52	74	99+
65+	218	23.9	263	6	8	20	31	46	59	85
TOT. SINGLE DX	422	16.1	131	4	6	13	20	30	40	69
" MULTIPLE DX	578	22.7	306	6	7	18	31	52	74	99+
TOTAL 0-19 YRS	112	14.6	252	3	3	9	18	46	85	99+
20-34	150	17.3	178	5	6	13	22	36	55	99+
35-49	164	21.5	320	6	8	16	26	53	79	99+
50-64	240	20.5	236	6	8	16	26	44	53	99+
65+	334	21.6	222	6	7	17	28	42	53	82
GRAND TOTAL	**1000**	**19.9**	**243**	**5**	**6**	**16**	**26**	**43**	**64**	**99+**

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	97	6.1	42	2	2	5	7	9	11	41
20-34	37	7.2	20	2	2	6	9	15	17	19
35-49	13	8.6	42	3	3	7	9	20	24	25
50-64	7	5.1	3	3	3	5	6	8	9	9
65+	4	13.3	80	5	5	11	19	26	26	26
2. MULTIPLE DX										
0-19 YRS	86	9.7	149	2	2	6	10	15	37	74
20-34	67	12.4	168	3	3	8	13	28	37	67
35-49	42	11.1	97	3	4	8	15	26	38	99+
50-64	18	19.6	333	5	6	12	25	54	65	66
65+	12	11.3	40	3	5	9	15	22	23	23
TOT. SINGLE DX	158	6.7	37	2	3	5	8	11	15	26
" MULTIPLE DX	225	11.6	158	2	3	8	12	26	37	71
TOTAL 0-19 YRS	183	7.8	95	2	2	6	8	11	17	62
20-34	104	10.5	121	2	3	7	12	21	32	64
35-49	55	10.5	84	3	3	7	14	24	28	97
50-64	25	15.6	281	3	4	9	18	31	64	66
65+	16	11.8	46	4	5	10	15	23	25	26
GRAND TOTAL	**383**	**9.6**	**114**	**2**	**3**	**7**	**10**	**19**	**29**	**65**

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	71	8.6	34	2	3	8	10	13	20	35
20-34	17	9.8	23	3	4	10	14	20	69	99+
35-49	12	17.0	143	4	5	13	22	32	46	48
50-64	20	17.9	119	6	7	13	23	35	41	45
65+	37	17.2	118	6	8	14	22	30	44	52
2. MULTIPLE DX										
0-19 YRS	102	24.6	495	3	4	16	42	62	93	99+
20-34	29	19.1	187	6	7	14	26	37	50	64
35-49	20	28.9	694	5	7	28	95	99+	99+	99+
50-64	29	26.4	502	5	8	16	32	69	74	79
65+	76	28.1	375	7	11	24	32	58	69	98
TOT. SINGLE DX	157	12.6	88	3	4	10	15	24	34	52
" MULTIPLE DX	256	25.6	442	4	7	19	37	66	95	99+
TOTAL 0-19 YRS	173	18.1	367	3	4	10	23	50	70	99+
20-34	46	15.7	145	4	6	11	20	31	51	99+
35-49	32	24.4	511	4	6	19	60	99+	99+	99+
50-64	49	22.9	358	5	8	14	27	55	71	79
65+	113	24.5	316	7	8	21	29	46	64	96
GRAND TOTAL	**413**	**20.6**	**347**	**4**	**5**	**14**	**27**	**54**	**73**	**99+**

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	111	7.5	56	2	2	6	9	12	15	46
20-34	26	8.1	131	1	1	5	9	15	26	60
35-49	16	19.3	142	3	5	17	26	36	43	46
50-64	7	15.4	22	9	9	15	20	22	22	22
65+	10	8.0	14	3	3	8	9	14	16	16
2. MULTIPLE DX										
0-19 YRS	241	14.0	287	2	2	8	17	37	56	99+
20-34	60	18.1	308	2	4	12	27	48	67	99+
35-49	43	18.0	206	3	4	13	26	51	74	99+
50-64	44	21.1	317	5	7	16	26	51	60	74
65+	56	23.0	248	7	8	18	28	48	56	69
TOT. SINGLE DX	170	9.0	84	2	2	7	11	17	27	57
" MULTIPLE DX	444	16.8	290	2	3	11	23	47	57	99+
TOTAL 0-19 YRS	352	11.9	223	2	2	7	12	30	50	99
20-34	86	15.0	274	1	3	8	19	46	57	99+
35-49	59	18.4	187	3	4	14	26	46	59	99+
50-64	51	20.3	280	6	7	15	24	49	57	74
65+	66	20.7	242	5	7	16	28	48	56	69
GRAND TOTAL	614	14.6	244	2	3	9	19	38	54	99+

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	9.0	16	5	5	8	10	16	17	17
20-34	279	10.1	30	4	5	8	12	17	20	35
35-49	544	10.6	24	5	6	9	13	17	21	29
50-64	497	12.0	33	5	6	10	15	21	24	31
65+	223	15.9	89	7	8	13	19	27	33	54
2. MULTIPLE DX										
0-19 YRS	18	21.2	222	4	6	20	33	78	99+	99+
20-34	178	16.0	143	5	6	13	19	28	42	73
35-49	356	14.4	79	5	7	12	18	25	31	57
50-64	492	17.4	147	6	8	14	21	31	40	72
65+	351	22.5	239	8	9	18	29	43	62	99
TOT. SINGLE DX	1553	11.7	41	5	6	10	14	20	24	34
" MULTIPLE DX	1395	17.8	162	6	7	14	22	33	47	87
TOTAL 0-19 YRS	28	16.9	181	5	5	14	24	54	99+	99+
20-34	457	12.4	82	4	5	10	15	22	28	58
35-49	900	12.1	50	5	6	10	14	21	25	42
50-64	989	14.7	98	6	7	12	18	26	32	56
65+	574	20.0	191	7	9	16	24	36	52	88
GRAND TOTAL	2948	14.6	108	5	6	12	18	26	34	63

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	8.8	26	3	3	7	12	17	19	19
20-34	86	8.1	85	1	2	5	11	17	25	53
35-49	84	8.3	37	1	2	7	12	16	21	26
50-64	58	11.0	99	2	2	10	15	21	32	50
65+	31	13.2	212	1	2	10	17	27	32	77
2. MULTIPLE DX										
0-19 YRS	70	18.0	154	2	5	15	22	34	44	62
20-34	113	14.6	174	2	3	11	17	32	43	85
35-49	120	13.2	204	2	3	9	15	29	49	69
50-64	110	15.6	149	2	3	12	21	33	40	85
65+	77	21.5	296	2	4	19	30	46	55	81
TOT. SINGLE DX	281	9.4	85	1	2	7	13	19	24	49
" MULTIPLE DX	490	16.0	199	2	3	12	21	34	47	76
TOTAL 0-19 YRS	92	15.8	139	3	4	14	19	32	43	59
20-34	199	11.8	146	1	2	9	15	28	34	72
35-49	204	11.2	141	2	2	8	13	22	30	58
50-64	168	14.0	136	2	2	11	18	30	39	71
65+	108	19.1	284	2	3	14	27	42	52	82
GRAND TOTAL	771	13.6	167	2	2	10	17	30	40	67

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	31	2.7	2	<1	1	2	3	5	6	8
20-34	221	3.1	7	<1	1	2	3	6	9	17
35-49	361	3.4	7	1	2	3	4	6	9	17
50-64	460	3.2	7	1	2	3	3	5	8	13
65+	240	3.8	18	1	2	3	4	6	10	21
2. MULTIPLE DX										
0-19 YRS	23	4.5	25	1	2	3	4	9	15	25
20-34	103	5.0	30	1	2	3	5	11	18	29
35-49	185	5.4	38	2	2	3	5	10	17	40
50-64	242	5.5	45	2	2	3	5	12	17	36
65+	146	7.0	56	2	2	4	8	18	31	99+
TOT. SINGLE DX	1313	3.4	9	1	1	3	4	6	9	15
" MULTIPLE DX	699	5.7	43	2	2	3	6	12	18	38
TOTAL 0-19 YRS	54	3.5	13	<1	1	3	4	6	9	24
20-34	324	3.7	15	1	1	2	4	7	11	21
35-49	546	4.1	19	1	2	3	4	8	10	21
50-64	702	4.0	21	1	2	3	4	8	11	23
65+	386	5.0	35	1	2	3	5	11	16	39
GRAND TOTAL	2012	4.2	22	1	2	3	4	8	12	27

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	104	2.8	11	1	1	2	3	4	6	20
20-34	772	2.5	2	<1	1	2	3	4	6	10
35-49	1284	2.6	3	1	1	2	3	4	5	10
50-64	1253	2.7	4	<1	1	2	3	4	6	11
65+	624	2.9	8	<1	1	2	3	5	7	15
2. MULTIPLE DX										
0-19 YRS	155	3.3	24	1	1	2	3	5	7	23
20-34	472	3.7	20	1	1	2	4	7	11	27
35-49	546	4.4	20	1	2	3	5	9	12	22
50-64	644	5.1	23	1	2	3	6	11	14	26
65+	436	5.3	26	1	2	3	7	11	14	29
TOT. SINGLE DX	4037	2.6	5	<1	1	2	3	4	6	11
" MULTIPLE DX	2253	4.6	23	1	1	3	5	10	13	27
TOTAL 0-19 YRS	259	3.1	19	1	1	2	3	5	7	23
20-34	1244	3.0	10	1	1	2	3	5	7	16
35-49	1830	3.1	9	1	1	2	3	5	8	15
50-64	1897	3.5	13	1	1	2	4	7	10	18
65+	1060	3.9	17	1	1	2	4	8	11	22
GRAND TOTAL	**6290**	**3.3**	**12**	**1**	**1**	**2**	**3**	**6**	**9**	**17**

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	4.3	2	3	3	4	5	6	6	6
20-34	30	7.9	17	4	5	6	9	15	19	20
35-49	29	8.5	19	3	3	8	11	15	16	18
50-64	36	9.3	32	4	5	8	10	14	19	35
65+	38	10.3	23	3	4	10	13	16	20	23
2. MULTIPLE DX										
0-19 YRS	2	6.0	2	5	5	6	7	7	7	7
20-34	35	8.9	43	4	4	6	11	19	22	32
35-49	42	10.8	81	2	3	8	15	25	30	43
50-64	69	14.2	114	4	5	12	18	24	31	68
65+	163	16.9	169	6	7	13	19	32	44	93
TOT. SINGLE DX	137	9.0	24	3	4	8	11	16	17	25
" MULTIPLE DX	311	14.5	138	4	5	11	18	27	36	81
TOTAL 0-19 YRS	6	4.8	3	3	3	5	6	7	7	7
20-34	65	8.5	31	4	4	6	9	18	20	30
35-49	71	9.9	57	2	3	8	13	18	26	41
50-64	105	12.5	91	4	5	10	15	22	29	56
65+	201	15.7	148	6	7	12	18	28	41	92
GRAND TOTAL	**448**	**12.8**	**110**	**4**	**5**	**10**	**16**	**23**	**32**	**63**

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	3.0	4	1	1	2	4	6	6	6
20-34	23	5.6	85	1	1	2	5	12	33	38
35-49	48	5.8	22	1	2	4	8	11	16	23
50-64	35	5.6	15	<1	<1	5	8	11	14	16
65+	15	4.2	6	2	2	3	5	9	9	9
2. MULTIPLE DX										
0-19 YRS	9	3.8	4	1	1	4	4	7	8	8
20-34	32	8.5	38	2	3	5	12	18	23	25
35-49	51	7.4	40	1	2	5	10	16	21	30
50-64	40	10.0	102	2	3	7	11	20	31	55
65+	44	15.3	150	2	3	12	22	29	43	56
TOT. SINGLE DX	126	5.4	29	1	1	4	7	11	14	32
" MULTIPLE DX	176	10.0	90	2	3	7	13	22	26	54
TOTAL 0-19 YRS	14	3.5	4	1	1	3	4	6	8	8
20-34	55	7.3	59	1	1	5	10	18	24	38
35-49	99	6.6	32	1	2	4	9	15	20	27
50-64	75	7.9	66	1	2	6	10	14	21	51
65+	59	12.5	137	2	2	8	18	25	36	55
GRAND TOTAL	**302**	**8.1**	**69**	**1**	**2**	**5**	**10**	**18**	**24**	**45**

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	104	4.5	9	2	2	4	5	6	10	21
20-34	733	4.5	4	2	3	4	5	6	8	14
35-49	866	4.4	3	3	3	4	5	6	7	12
50-64	656	4.7	7	3	3	4	5	7	8	13
65+	294	5.8	31	3	3	5	6	9	13	23
2. MULTIPLE DX										
0-19 YRS	33	4.9	5	2	3	4	5	8	11	13
20-34	261	5.7	17	3	3	5	6	9	13	29
35-49	397	6.0	32	3	3	5	6	10	14	27
50-64	496	7.1	29	3	3	5	8	13	17	30
65+	339	9.3	45	3	4	7	12	18	23	33
TOT. SINGLE DX	2653	4.6	8	3	3	4	5	7	8	14
" MULTIPLE DX	1526	7.0	33	3	3	5	8	13	17	30
TOTAL 0-19 YRS	137	4.6	9	2	2	4	5	7	10	20
20-34	994	4.8	9	2	3	4	5	7	9	17
35-49	1263	4.9	13	3	3	4	5	7	10	17
50-64	1152	5.7	18	3	3	4	6	10	13	25
65+	633	7.7	42	3	3	6	9	15	20	32
GRAND TOTAL	4179	5.5	19	3	3	4	6	9	13	24

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	173	2.4	1	1	1	2	3	4	5	9
20-34	112	3.4	3	1	2	3	4	5	7	11
35-49	93	4.0	5	2	2	3	5	7	10	12
50-64	92	5.1	19	2	2	4	6	8	10	30
65+	60	6.3	18	1	2	5	9	12	15	18
2. MULTIPLE DX										
0-19 YRS	27	4.5	14	1	2	3	6	8	10	19
20-34	66	6.6	44	2	2	5	7	14	18	40
35-49	91	7.9	46	2	3	6	9	16	19	40
50-64	148	10.8	93	3	4	8	13	20	28	57
65+	162	13.2	123	4	4	9	18	26	39	62
TOT. SINGLE DX	530	3.8	9	1	2	3	4	7	9	15
" MULTIPLE DX	494	10.1	91	2	3	7	12	22	28	56
TOTAL 0-19 YRS	200	2.7	4	1	1	2	3	5	6	10
20-34	178	4.6	21	1	2	3	5	8	12	25
35-49	184	5.9	29	2	2	4	7	11	16	33
50-64	240	8.6	72	2	3	6	10	17	25	48
65+	222	11.3	104	2	3	8	14	24	33	59
GRAND TOTAL	1024	6.9	58	1	2	4	8	15	22	43

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13	10.5	27	2	5	10	12	17	22	23
20-34	45	10.6	14	6	7	10	12	16	18	25
35-49	33	11.7	51	5	6	10	12	23	26	37
50-64	28	15.3	89	7	7	14	17	26	32	52
65+	18	15.6	94	4	8	12	19	31	38	41
2. MULTIPLE DX										
0-19 YRS	8	15.4	108	3	4	12	23	31	33	33
20-34	44	14.0	90	6	7	11	15	26	34	53
35-49	47	17.1	102	7	8	14	21	36	38	42
50-64	51	18.9	148	5	6	15	26	39	45	99
65+	29	17.3	82	4	5	17	21	32	34	42
TOT. SINGLE DX	137	12.5	54	6	6	10	14	22	26	42
" MULTIPLE DX	179	16.8	110	5	7	14	21	34	40	53
TOTAL 0-19 YRS	21	12.4	60	2	5	10	15	25	30	33
20-34	89	12.3	55	6	7	10	13	22	26	46
35-49	80	14.9	88	5	6	12	19	30	37	42
50-64	79	17.6	129	5	7	14	23	37	44	86
65+	47	16.6	86	4	6	16	21	32	35	42
GRAND TOTAL	316	14.9	90	5	7	12	18	30	37	52

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	128	1.5		<1	<1	1	2	2	3	7
20-34	32	1.5		<1	<1	1	2	3	3	3
35-49	38	2.1	4	<1	<1	2	2	4	6	12
50-64	85	2.3	3	<1	1	2	2	4	6	10
65+	157	2.4	4	<1	1	2	2	4	5	11
2. MULTIPLE DX										
0-19 YRS	30	2.2	3	<1	<1	2	3	4	7	8
20-34	19	3.0	5	1	2	2	3	7	9	9
35-49	50	4.3	21	1	1	3	6	10	15	23
50-64	107	5.1	22	1	1	3	8	11	15	20
65+	153	5.2	25	1	2	3	7	12	16	23
TOT. SINGLE DX	440	2.0	3	<1	<1	2	2	3	5	10
" MULTIPLE DX	359	4.7	22	1	1	3	6	11	15	21
TOTAL 0-19 YRS	158	1.6	1	<1	<1	1	2	3	3	8
20-34	51	2.1	3	<1	<1	2	2	3	5	9
35-49	88	3.4	15	<1	1	2	3	8	12	21
50-64	192	3.8	16	1	1	2	4	10	12	19
65+	310	3.8	17	<1	1	2	4	8	12	19
GRAND TOTAL	**799**	**3.2**	**13**	**<1**	**1**	**2**	**3**	**8**	**11**	**19**

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	209	1.8		<1	1	2	2	3	3	5
20-34	78	2.3	3	<1	<1	2	3	3	7	11
35-49	148	1.9	2	<1	<1	2	2	3	5	7
50-64	233	2.0	1	<1	<1	2	2	3	4	6
65+	377	2.1	1	<1	1	2	2	3	4	8
2. MULTIPLE DX										
0-19 YRS	210	2.9	8	<1	1	2	3	6	9	16
20-34	271	3.6	18	1	1	2	4	7	9	24
35-49	204	4.2	36	1	1	3	4	6	13	37
50-64	302	3.8	24	1	1	2	4	8	12	26
65+	514	4.6	43	1	1	2	4	10	17	37
TOT. SINGLE DX	1045	2.0	2	<1	<1	2	2	3	4	8
" MULTIPLE DX	1501	4.0	29	1	1	2	4	8	12	30
TOTAL 0-19 YRS	419	2.4	5	<1	1	2	3	4	6	15
20-34	349	3.3	15	<1	1	2	4	7	9	15
35-49	352	3.2	23	<1	<1	2	3	5	8	30
50-64	535	3.0	15	<1	1	2	3	5	9	19
65+	891	3.5	27	<1	1	2	3	6	11	29
GRAND TOTAL	**2546**	**3.2**	**19**	**<1**	**1**	**2**	**3**	**6**	**9**	**25**

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	37	1.9		<1	1	2	2	3	3	6
20-34	53	2.0		1	1	2	2	3	3	4
35-49	40	2.4		1	1	2	3	4	4	4
50-64	60	2.7	2	1	1	2	3	4	5	10
65+	87	2.6	1	1	2	2	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	19	3.3	21	1	1	2	3	7	15	21
20-34	50	3.7	33	1	2	2	3	4	21	33
35-49	22	3.7	8	1	2	3	4	8	11	14
50-64	44	3.5	16	1	2	3	3	5	8	27
65+	92	3.8	23	2	2	3	4	5	8	32
TOT. SINGLE DX	277	2.4	1	1	1	2	3	3	4	6
" MULTIPLE DX	227	3.7	22	1	2	3	3	5	9	28
TOTAL 0-19 YRS	56	2.3	8	1	1	2	2	3	6	20
20-34	103	2.8	17	1	1	2	3	3	4	28
35-49	62	2.8	4	1	1	2	3	4	6	13
50-64	104	3.0	8	1	2	3	3	4	5	19
65+	179	3.2	13	2	2	3	3	5	5	15
GRAND TOTAL	**504**	**3.0**	**11**	**1**	**1**	**2**	**3**	**4**	**5**	**21**

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	1.6		<1	1	1	2	2	3	3
20-34	8	1.4		<1	<1	1	2	2	2	2
35-49	14	2.6	4	<1	1	2	2	6	8	8
50-64	7	2.3	1	1	1	2	3	4	4	4
65+	19	2.8	15	1	1	2	2	3	12	19
2. MULTIPLE DX										
0-19 YRS	18	2.1	4	<1	1	2	2	3	7	10
20-34	7	4.6	11	1	1	3	7	9	10	10
35-49	11	2.6	2	<1	<1	3	4	5	6	6
50-64	13	3.3	15	<1	<1	2	3	6	14	16
65+	17	2.6	6	<1	1	2	3	7	9	9
TOT. SINGLE DX	72	2.1	5	<1	1	2	2	3	4	17
" MULTIPLE DX	66	2.8	7	<1	1	2	3	7	9	15
TOTAL 0-19 YRS	42	1.8	2	<1	1	2	2	3	3	10
20-34	15	2.9	8	<1	1	2	3	7	9	10
35-49	25	2.6	3	<1	1	2	3	6	7	8
50-64	20	3.0	10	<1	1	2	3	4	10	16
65+	36	2.7	11	1	1	2	2	5	9	19
GRAND TOTAL	**138**	**2.5**	**6**	**<1**	**1**	**2**	**2**	**4**	**8**	**16**

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	4.2	2	2	2	4	6	6	6	6
20-34	32	3.9	1	2	2	4	5	6	6	6
35-49	20	3.6	4	1	1	3	4	7	8	8
50-64	31	4.1	9	1	1	4	5	7	11	15
65+	112	4.0	4	2	2	4	5	6	7	12
2. MULTIPLE DX										
0-19 YRS	7	5.3	17	1	1	5	5	12	14	14
20-34	20	5.5	9	3	3	5	6	8	12	17
35-49	25	6.2	59	2	2	5	6	8	19	42
50-64	46	5.5	22	2	2	4	6	9	18	23
65+	178	5.1	31	2	2	4	6	7	10	35
TOT. SINGLE DX	201	4.0	5	1	2	4	5	6	7	13
" MULTIPLE DX	276	5.3	30	2	2	4	6	7	11	35
TOTAL 0-19 YRS	13	4.8	10	1	2	4	5	8	13	14
20-34	52	4.5	5	2	3	4	5	6	7	17
35-49	45	5.0	36	1	2	4	5	8	9	42
50-64	77	4.9	17	1	2	4	5	8	16	22
65+	290	4.7	21	2	2	4	5	7	8	21
GRAND TOTAL	**477**	**4.7**	**20**	**2**	**2**	**4**	**5**	**7**	**9**	**22**

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	57	3.4	6	<1	1	3	4	7	7	15
20-34	94	2.4	3	<1	<1	2	3	4	7	9
35-49	113	1.9	2	<1	<1	2	2	3	4	9
50-64	94	2.1	2	<1	<1	2	2	4	5	9
65+	98	2.4	11	<1	<1	2	2	4	6	21
2. MULTIPLE DX										
0-19 YRS	93	4.2	12	1	1	4	6	7	8	22
20-34	107	4.5	10	1	2	4	6	8	10	19
35-49	58	4.2	15	1	1	3	5	8	12	23
50-64	55	3.7	13	1	1	2	4	9	11	18
65+	104	3.8	18	1	1	2	4	8	11	25
TOT. SINGLE DX	456	2.3	5	<1	<1	2	2	4	6	9
" MULTIPLE DX	417	4.1	14	1	1	3	5	8	11	23
TOTAL 0-19 YRS	150	3.9	10	1	1	3	5	7	8	20
20-34	201	3.5	8	<1	1	3	5	7	9	13
35-49	171	2.7	8	<1	<1	2	3	5	7	14
50-64	149	2.7	7	<1	1	2	3	5	9	16
65+	202	3.1	15	<1	1	2	3	6	9	25
GRAND TOTAL	**873**	**3.2**	**10**	**<1**	**1**	**2**	**4**	**6**	**8**	**17**

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	3.6	16	<1	<1	2	4	9	15	16
20-34	28	3.3	6	1	1	3	4	6	8	12
35-49	45	3.3	6	1	1	3	4	6	9	14
50-64	125	3.7	14	1	1	3	4	8	9	26
65+	273	3.3	6	1	2	3	3	6	9	14
2. MULTIPLE DX										
0-19 YRS	7	2.7	2	1	1	2	4	5	5	5
20-34	28	4.5	15	1	1	3	5	10	15	16
35-49	31	4.4	18	1	1	3	5	9	12	23
50-64	85	5.4	76	2	2	3	5	10	14	59
65+	243	4.5	11	1	2	3	5	9	11	17
TOT. SINGLE DX	493	3.4	9	1	1	3	4	7	9	15
" MULTIPLE DX	394	4.6	26	1	2	3	5	9	12	21
TOTAL 0-19 YRS	29	3.4	13	<1	<1	2	4	6	15	16
20-34	56	3.9	11	1	1	3	5	9	11	16
35-49	76	3.7	12	1	1	3	4	8	10	21
50-64	210	4.4	40	1	1	3	4	8	10	35
65+	516	3.8	9	1	2	3	4	7	10	16
GRAND TOTAL	**887**	**4.0**	**17**	**1**	**2**	**3**	**4**	**8**	**10**	**18**

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	21	3.0	5	<1	<1	2	4	7	8	9
20-34	25	3.8	6	1	1	3	5	8	10	10
35-49	49	2.3	1	<1	1	2	3	4	4	8
50-64	140	3.0	6	1	1	2	3	6	8	13
65+	222	3.2	7	1	1	2	4	7	8	15
2. MULTIPLE DX										
0-19 YRS	62	5.2	18	1	2	4	7	11	15	20
20-34	53	5.1	16	1	1	4	6	12	14	18
35-49	38	4.5	13	1	1	4	6	9	11	20
50-64	99	5.1	24	1	1	3	7	13	16	65
65+	232	5.0	28	1	1	3	6	11	17	27
TOT. SINGLE DX	457	3.1	7	1	1	2	4	6	8	13
" MULTIPLE DX	484	5.0	24	1	1	3	6	11	15	26
TOTAL 0-19 YRS	83	4.7	16	<1	1	3	6	9	14	19
20-34	78	4.7	14	1	1	4	6	10	14	17
35-49	87	3.3	8	1	1	2	4	7	8	17
50-64	239	3.9	15	1	1	3	4	8	13	22
65+	454	4.1	19	1	1	3	5	8	13	25
GRAND TOTAL	**941**	**4.1**	**16**	**1**	**1**	**3**	**5**	**9**	**12**	**22**

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	2.6	2	1	1	2	3	5	6	7
20-34	15	2.3	1	1	1	2	3	4	4	4
35-49	251	2.5	1	1	2	2	3	4	4	7
50-64	1764	2.6	1	1	2	2	3	4	4	7
65+	6981	2.7	2	1	2	2	3	4	5	9
2. MULTIPLE DX										
0-19 YRS	16	4.1	17	1	1	3	5	7	15	18
20-34	14	4.2	4	2	2	3	6	7	8	8
35-49	179	3.9	34	2	2	3	4	7	9	12
50-64	1241	3.4	8	2	2	3	4	5	8	15
65+	5155	3.8	16	2	2	3	4	6	9	19
TOT. SINGLE DX	9028	2.7	2	1	2	2	3	4	5	8
" MULTIPLE DX	6605	3.7	15	2	2	3	4	6	9	19
TOTAL 0-19 YRS	33	3.4	10	1	1	2	4	7	7	18
20-34	29	3.2	4	1	1	3	4	7	7	8
35-49	430	3.1	15	1	2	2	3	5	7	10
50-64	3005	2.9	4	2	2	2	3	4	6	11
65+	12136	3.2	8	2	2	3	3	5	7	14
GRAND TOTAL	**15633**	**3.1**	**8**	**2**	**2**	**3**	**3**	**5**	**7**	**14**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	86	2.3	2	1	1	2	3	3	4	10
20-34	48	2.3	1	1	1	2	2	4	4	8
35-49	451	2.3	1	1	1	2	2	3	4	7
50-64	2035	2.3		1	2	2	3	3	4	6
65+	7268	2.3	1	1	2	2	3	3	4	6
2. MULTIPLE DX										
0-19 YRS	54	2.7	2	1	1	2	3	5	7	7
20-34	53	4.1	47	1	2	3	4	6	9	50
35-49	253	3.0	6	1	2	2	3	5	7	17
50-64	1353	3.0	7	2	2	2	3	4	7	15
65+	5636	3.0	8	2	2	2	3	4	6	15
TOT. SINGLE DX	9888	2.3	1	1	2	2	3	3	4	6
" MULTIPLE DX	7349	3.0	9	2	2	2	3	4	6	15
TOTAL 0-19 YRS	140	2.5	2	1	1	2	3	4	5	8
20-34	101	3.3	26	1	2	2	3	5	7	31
35-49	704	2.5	3	1	1	2	3	4	5	10
50-64	3388	2.6	4	1	2	2	3	4	5	10
65+	12904	2.6	5	1	2	2	3	4	5	10
GRAND TOTAL	**17237**	**2.6**	**4**	**1**	**2**	**2**	**3**	**4**	**5**	**10**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	2.0		1	1	2	2	3	3	3
20-34	7	1.9		1	1	2	2	3	3	3
35-49	43	2.3	1	<1	1	2	2	4	4	8
50-64	317	2.2		1	1	2	2	3	3	5
65+	1079	2.2		1	1	2	2	3	4	6
2. MULTIPLE DX										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	3	2.0		2	2	2	2	2	2	2
35-49	19	2.9	4	<1	1	2	4	5	8	10
50-64	176	2.9	5	1	2	2	3	4	7	16
65+	642	3.2	22	1	2	2	3	4	7	20
TOT. SINGLE DX	1453	2.2	1	1	1	2	2	3	4	6
" MULTIPLE DX	842	3.1	18	1	2	2	3	4	7	18
TOTAL 0-19 YRS	9	2.3	1	1	1	2	3	4	5	5
20-34	10	1.9		1	1	2	2	3	3	3
35-49	62	2.5	2	<1	1	2	3	4	5	10
50-64	493	2.4	3	1	1	2	3	3	4	9
65+	1721	2.6	9	1	1	2	3	4	5	11
GRAND TOTAL	**2295**	**2.5**	**7**	**1**	**1**	**2**	**3**	**4**	**5**	**10**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	36	4.4	5	<1	1	4	7	8	8	9
20-34	78	5.2	6	1	2	5	7	9	10	14
35-49	80	4.9	8	1	1	4	6	8	9	16
50-64	280	5.2	7	2	2	5	7	8	10	15
65+	292	5.6	8	2	2	5	7	9	11	17
2. MULTIPLE DX										
0-19 YRS	29	5.1	4	2	2	5	6	8	9	10
20-34	64	6.5	13	1	3	6	8	11	13	19
35-49	58	7.2	31	2	3	6	8	12	13	41
50-64	197	6.5	18	2	3	5	7	12	15	24
65+	239	6.2	12	2	3	5	8	11	12	18
TOT. SINGLE DX	766	5.3	8	1	2	5	7	9	10	15
" MULTIPLE DX	587	6.4	16	2	3	6	8	11	13	22
TOTAL 0-19 YRS	65	4.8	5	1	2	4	7	8	8	10
20-34	142	5.8	10	1	2	5	8	10	12	16
35-49	138	5.8	19	1	2	5	7	9	12	20
50-64	477	5.8	13	2	2	5	7	9	12	22
65+	531	5.9	10	2	3	5	7	10	12	17
GRAND TOTAL	**1353**	**5.8**	**12**	**2**	**2**	**5**	**7**	**9**	**12**	**18**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	4.3	7	2	2	3	5	9	10	10
20-34	23	4.5	8	1	1	3	7	8	9	10
35-49	16	3.3	6	1	1	2	4	6	10	11
50-64	34	3.8	5	1	2	3	5	8	8	10
65+	92	3.4	6	1	1	2	4	7	9	14
2. MULTIPLE DX										
0-19 YRS	26	4.5	8	2	2	4	5	10	26	99+
20-34	49	5.5	15	1	1	5	7	10	10	24
35-49	37	5.2	13	1	2	5	6	9	13	20
50-64	86	4.7	12	1	1	3	7	10	11	17
65+	176	5.0	15	1	2	4	7	10	13	22
TOT. SINGLE DX	177	3.7	7	1	1	3	4	8	9	12
" MULTIPLE DX	374	5.0	14	1	2	4	7	10	13	23
TOTAL 0-19 YRS	38	4.4	8	2	2	4	5	10	12	99+
20-34	72	5.2	14	1	1	4	7	9	10	22
35-49	53	4.6	12	1	2	4	6	8	12	20
50-64	120	4.4	11	1	1	3	7	9	11	16
65+	268	4.5	13	1	2	3	5	9	12	16
GRAND TOTAL	**551**	**4.6**	**12**	**1**	**2**	**3**	**6**	**9**	**12**	**17**

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1251	1.8		1	1	2	2	2	2	3
20-34	236	2.0		1	1	2	2	3	3	4
35-49	132	2.1	1	1	1	2	2	3	4	7
50-64	73	2.0		1	1	2	2	3	3	5
65+	30	2.0		1	1	2	2	3	4	5
2. MULTIPLE DX										
0-19 YRS	273	2.3	33	1	1	2	2	2	3	5
20-34	108	2.2	2	1	1	2	2	3	3	13
35-49	64	2.4	2	1	1	2	2	3	5	12
50-64	38	2.1		1	1	2	2	3	3	4
65+	27	2.5		1	2	2	3	4	4	5
TOT. SINGLE DX	1722	1.8		1	1	2	2	2	3	4
" MULTIPLE DX	510	2.3	19	1	1	2	2	3	3	9
TOTAL 0-19 YRS	1524	1.8	6	1	1	2	2	2	2	3
20-34	344	2.1	1	1	1	2	2	3	3	6
35-49	196	2.2	2	1	1	2	2	3	4	8
50-64	111	2.0		1	1	2	2	3	3	5
65+	57	2.2	1	1	1	2	3	4	4	5
GRAND TOTAL	**2232**	**1.9**	**5**	**1**	**1**	**2**	**2**	**2**	**3**	**4**

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	2.0		<1	<1	2	2	3	4	4
20-34	3	2.3		2	2	2	3	3	3	3
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+	3	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	4	8.3	127	<1	<1	3	15	25	25	25
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65+										
TOT. SINGLE DX	18	1.9	1	<1	<1	2	2	3	4	4
" MULTIPLE DX	9	4.7	60	<1	<1	2	3	17	25	25
TOTAL 0-19 YRS	14	1.9	1	<1	<1	2	2	3	4	4
20-34	7	5.7	74	<1	<1	2	4	21	25	25
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65+	3	1.3		1	1	1	2	2	2	2
GRAND TOTAL	**27**	**2.8**	**21**	**<1**	**<1**	**2**	**2**	**4**	**8**	**25**

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	72	3.1	8	<1	1	2	4	7	8	14
20-34	85	2.7	3	1	1	2	3	4	6	11
35-49	87	3.0	4	1	1	2	3	5	7	11
50-64	59	3.1	7	1	1	2	3	6	7	19
65+	141	3.8	12	1	2	2	4	9	11	18
2. MULTIPLE DX										
0-19 YRS	85	4.4	33	1	2	3	5	7	12	38
20-34	147	5.0	30	1	2	4	6	8	14	23
35-49	60	4.1	10	1	1	3	5	8	11	17
50-64	120	5.4	59	1	2	3	5	10	18	45
65+	197	5.2	24	1	2	3	6	12	16	24
TOT. SINGLE DX	444	3.2	8	1	1	2	4	6	9	14
" MULTIPLE DX	609	5.0	32	1	2	3	5	10	15	26
TOTAL 0-19 YRS	157	3.8	22	1	1	3	4	7	10	26
20-34	232	4.2	22	1	1	3	5	7	13	21
35-49	147	3.4	7	1	1	3	4	6	10	12
50-64	179	4.6	43	1	2	3	5	8	15	32
65+	338	4.6	20	1	2	3	5	10	14	22
GRAND TOTAL	**1053**	**4.2**	**23**	**1**	**1**	**3**	**5**	**8**	**12**	**22**

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	289	2.1	3	<1	1	2	2	3	4	11
20-34	109	2.2	2	<1	<1	2	2	4	5	10
35-49	54	2.5	3	<1	1	2	3	5	8	9
50-64	65	2.2	1	<1	1	2	2	4	5	8
65+	124	2.8	5	1	1	2	3	5	8	12
2. MULTIPLE DX										
0-19 YRS	195	3.3	11	<1	1	2	4	6	8	22
20-34	106	4.2	34	1	1	2	4	8	14	38
35-49	78	4.1	17	1	1	3	5	9	11	24
50-64	109	5.5	82	1	1	2	6	11	16	51
65+	179	8.3	69	1	2	5	12	18	29	40
TOT. SINGLE DX	641	2.3	3	<1	1	2	2	4	5	11
" MULTIPLE DX	667	5.3	47	1	1	3	6	12	17	34
TOTAL 0-19 YRS	484	2.6	7	<1	1	2	3	4	6	16
20-34	215	3.2	19	<1	1	2	3	5	8	28
35-49	132	3.5	12	1	1	2	4	8	9	20
50-64	174	4.3	55	1	1	2	4	9	13	25
65+	303	6.1	51	1	1	3	8	14	19	35
GRAND TOTAL	**1308**	**3.8**	**28**	**1**	**1**	**2**	**4**	**8**	**12**	**28**

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	63	2.3		1	1	2	3	3	4	5
20-34	180	2.5		2	2	2	3	3	4	7
35-49	256	2.7	1	1	2	2	3	4	5	6
50-64	241	2.6	1	2	2	2	3	3	4	7
65+	108	2.8	1	1	2	3	3	5	5	6
2. MULTIPLE DX										
0-19 YRS	23	2.0		1	1	2	2	3	3	3
20-34	76	3.1	3	2	2	3	3	4	6	11
35-49	93	2.8	1	2	2	3	3	4	5	7
50-64	103	3.7	80	2	2	2	3	4	6	55
65+	48	2.9	2	2	2	3	3	4	5	12
TOT. SINGLE DX	848	2.6	1	1	2	2	3	4	4	6
" MULTIPLE DX	343	3.1	26	2	2	3	3	4	5	11
TOTAL 0-19 YRS	86	2.2	1	1	1	2	3	3	3	5
20-34	256	2.7	2	2	2	2	3	3	4	10
35-49	349	2.7	1	2	2	2	3	4	5	6
50-64	344	2.9	25	2	2	2	3	4	5	7
65+	156	2.8	2	2	2	3	3	4	5	7
GRAND TOTAL	**1191**	**2.7**	**8**	**2**	**2**	**2**	**3**	**4**	**5**	**7**

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	612	2.0	1	1	1	2	2	3	3	4
20-34	376	2.1		1	1	2	3	3	3	4
35-49	307	2.2		1	1	2	2	3	3	5
50-64	233	2.2		1	1	2	2	3	4	5
65+	69	2.2		1	2	2	3	3	3	4
2. MULTIPLE DX										
0-19 YRS	395	2.1		1	1	2	2	3	3	6
20-34	314	2.4	1	1	1	2	3	3	4	9
35-49	264	2.7	5	1	1	2	3	4	5	15
50-64	214	2.9	5	1	2	2	3	5	6	13
65+	111	3.5	22	1	2	2	3	5	9	34
TOT. SINGLE DX	1597	2.1	1	1	1	2	2	3	3	4
" MULTIPLE DX	1298	2.5	5	1	1	2	3	4	4	12
TOTAL 0-19 YRS	1007	2.1	1	1	1	2	2	3	3	4
20-34	690	2.2	1	1	1	2	3	3	3	7
35-49	571	2.4	3	1	1	2	3	3	4	9
50-64	447	2.5	3	1	2	2	3	4	5	9
65+	180	3.0	14	1	2	2	3	4	5	27
GRAND TOTAL	**2895**	**2.3**	**3**	**1**	**1**	**2**	**2**	**3**	**4**	**8**

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3659	1.1		<1	<1	1	1	1	2	4
20-34	82	1.9	4	<1	<1	1	2	3	4	15
35-49	65	2.0	1	1	1	2	2	3	3	9
50-64	57	2.4	9	<1	<1	2	2	3	8	21
65+	41	1.6		<1	1	1	2	3	4	5
2. MULTIPLE DX										
0-19 YRS	1879	1.9	6	<1	<1	1	2	3	5	12
20-34	67	3.1	7	1	1	2	3	7	9	14
35-49	74	3.4	13	1	1	2	3	8	14	17
50-64	67	6.3	61	1	2	3	8	16	22	43
65+	52	9.0	142	1	2	5	10	21	37	64
TOT. SINGLE DX	3904	1.2	1	<1	<1	1	1	2	2	4
" MULTIPLE DX	2139	2.3	13	<1	<1	1	2	4	8	16
TOTAL 0-19 YRS	5538	1.4	3	<1	<1	1	1	2	3	8
20-34	149	2.4	6	<1	1	2	2	4	7	14
35-49	139	2.7	8	1	1	2	3	4	10	15
50-64	124	4.5	41	<1	1	2	4	10	18	34
65+	93	5.8	93	1	1	2	7	12	22	55
GRAND TOTAL	**6043**	**1.6**	**5**	**<1**	**<1**	**1**	**1**	**2**	**3**	**11**

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	189	2.5	1	1	2	2	3	3	4	8
20-34	186	2.7	1	1	2	2	3	4	4	9
35-49	117	2.8	2	1	2	3	3	4	5	11
50-64	111	2.9	1	2	2	3	3	4	5	7
65+	47	4.3	32	2	2	3	4	7	12	39
2. MULTIPLE DX										
0-19 YRS	275	2.9	8	1	2	2	3	4	6	12
20-34	242	3.1	4	1	2	3	3	4	7	11
35-49	175	3.1	3	2	2	3	3	4	6	13
50-64	178	3.9	18	2	2	3	4	6	10	21
65+	75	5.6	40	2	2	3	6	10	21	36
TOT. SINGLE DX	650	2.8	4	1	2	2	3	4	5	10
" MULTIPLE DX	945	3.4	12	2	2	3	3	5	8	16
TOTAL 0-19 YRS	464	2.7	6	1	2	2	3	4	5	11
20-34	428	2.9	3	1	2	2	3	4	7	10
35-49	292	3.0	3	2	2	3	3	4	5	12
50-64	289	3.5	12	2	2	3	4	5	7	16
65+	122	5.1	38	2	2	3	5	9	16	39
GRAND TOTAL	**1595**	**3.1**	**9**	**2**	**2**	**3**	**3**	**4**	**7**	**14**

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	212	1.8	2	<1	<1	1	2	3	4	10
20-34	93	2.9	2	1	2	2	4	5	6	9
35-49	108	3.2	8	1	1	3	4	5	5	22
50-64	101	3.4	4	2	2	3	4	6	8	13
65+	31	2.9	3	1	1	3	3	5	7	9
2. MULTIPLE DX										
0-19 YRS	147	2.3	6	<1	<1	2	2	3	5	15
20-34	75	3.6	18	1	2	3	3	4	10	29
35-49	79	3.4	10	1	2	2	3	6	9	22
50-64	78	4.7	50	2	2	3	4	9	14	44
65+	35	7.3	161	1	2	3	6	11	44	58
TOT. SINGLE DX	545	2.6	5	<1	<1	2	3	5	6	11
" MULTIPLE DX	414	3.6	32	1	1	2	3	6	10	37
TOTAL 0-19 YRS	359	2.0	4	<1	<1	2	2	3	5	12
20-34	168	3.2	10	1	2	2	4	5	7	15
35-49	187	3.3	10	1	2	3	4	5	7	23
50-64	179	4.0	25	2	2	3	4	7	9	35
65+	66	5.3	91	1	2	3	4	8	16	56
GRAND TOTAL	**959**	**3.1**	**17**	**<1**	**1**	**2**	**3**	**5**	**8**	**19**

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	101	2.3		1	1	2	3	4	4	5
20-34	250	2.4	1	1	1	2	3	4	4	6
35-49	137	2.5	1	1	1	2	3	4	5	6
50-64	75	2.7	1	2	2	2	3	4	5	9
65+	17	4.2	16	2	2	3	4	7	15	19
2. MULTIPLE DX										
0-19 YRS	226	2.6	1	1	2	2	3	4	5	6
20-34	580	2.9	3	1	1	3	3	4	5	11
35-49	321	3.0	5	1	1	3	3	5	6	15
50-64	165	4.0	9	1	2	3	4	7	10	18
65+	38	4.6	10	2	2	4	6	9	11	17
TOT. SINGLE DX	580	2.5	2	1	1	2	3	4	4	7
" MULTIPLE DX	1330	3.1	4	1	1	3	3	5	6	14
TOTAL 0-19 YRS	327	2.5	1	1	1	2	3	4	4	6
20-34	830	2.8	3	1	1	3	3	4	5	8
35-49	458	2.9	4	1	1	2	3	4	6	15
50-64	240	3.6	7	1	2	3	4	6	9	17
65+	55	4.5	12	2	2	3	5	9	11	19
GRAND TOTAL	**1910**	**2.9**	**4**	**1**	**1**	**3**	**3**	**4**	**6**	**12**

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	615	2.4	1	1	1	2	3	4	4	6
20-34	1332	2.4	1	1	1	2	3	3	4	7
35-49	693	2.5	1	1	1	2	3	4	4	6
50-64	280	2.5	1	1	1	2	3	4	5	7
65+	90	2.6	1	1	1	2	3	4	5	8
2. MULTIPLE DX										
0-19 YRS	736	2.5	2	1	1	2	3	4	4	6
20-34	1984	2.7	4	1	1	2	3	4	5	9
35-49	1133	3.0	5	1	2	3	3	4	6	12
50-64	676	3.5	10	1	2	3	4	6	9	17
65+	206	4.6	25	1	2	3	5	9	15	29
TOT. SINGLE DX	3010	2.4	1	1	1	2	3	4	4	7
" MULTIPLE DX	4735	2.9	6	1	1	2	3	4	6	13
TOTAL 0-19 YRS	1351	2.5	2	1	1	2	3	4	4	6
20-34	3316	2.6	3	1	1	2	3	4	5	8
35-49	1826	2.8	4	1	1	2	3	4	5	9
50-64	956	3.2	8	1	2	3	3	5	8	15
65+	296	4.0	19	1	2	3	4	8	13	27
GRAND TOTAL	**7745**	**2.8**	**4**	**1**	**1**	**2**	**3**	**4**	**5**	**10**

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	103	2.4	7	<1	1	2	2	3	5	18
20-34	103	2.7	3	<1	1	2	3	5	7	11
35-49	126	2.3	2	<1	1	2	3	5	6	7
50-64	185	2.6	10	<1	1	2	3	4	5	16
65+	293	2.9	5	<1	1	2	3	5	7	13
2. MULTIPLE DX										
0-19 YRS	91	2.8	3	1	1	2	3	5	8	62
20-34	174	3.1	4	1	1	2	4	5	7	14
35-49	216	3.6	9	1	2	3	4	7	9	17
50-64	322	4.3	18	1	2	3	5	9	12	22
65+	406	6.1	40	1	2	4	8	13	16	32
TOT. SINGLE DX	810	2.6	6	<1	1	2	3	5	6	12
" MULTIPLE DX	1209	4.5	23	1	2	3	5	10	13	27
TOTAL 0-19 YRS	194	2.5	6	1	1	2	3	4	7	19
20-34	277	2.9	4	1	1	2	3	5	7	12
35-49	342	3.1	7	1	1	2	3	6	7	14
50-64	507	3.7	16	1	1	2	4	7	11	19
65+	699	4.8	28	1	1	3	5	11	14	27
GRAND TOTAL	**2019**	**3.8**	**17**	**1**	**1**	**2**	**4**	**8**	**11**	**21**

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	355	1.7	1	<1	<1	1	2	3	3	6
20-34	287	2.5	11	<1	<1	2	3	4	6	10
35-49	144	3.6	6	1	1	3	5	7	8	13
50-64	136	4.6	8	1	1	4	6	8	9	14
65+	80	4.9	9	1	2	4	6	10	12	14
2. MULTIPLE DX										
0-19 YRS	435	2.5	5	<1	1	2	3	5	6	12
20-34	515	3.9	39	<1	1	2	4	7	10	38
35-49	203	4.8	14	1	2	4	6	10	12	16
50-64	152	5.8	18	2	2	4	7	12	15	21
65+	177	7.5	38	2	3	6	9	13	17	37
TOT. SINGLE DX	1002	2.9	8	<1	1	2	4	6	7	12
" MULTIPLE DX	1482	4.2	26	<1	1	3	5	9	12	23
TOTAL 0-19 YRS	790	2.2	4	<1	<1	2	2	4	5	10
20-34	802	3.4	30	<1	1	2	3	6	9	26
35-49	347	4.3	11	1	1	3	6	9	11	15
50-64	288	5.2	14	1	2	4	7	10	12	21
65+	257	6.7	31	2	2	5	8	12	14	26
GRAND TOTAL	**2484**	**3.7**	**19**	**<1**	**1**	**2**	**4**	**7**	**10**	**19**

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	46	3.0	6	1	1	2	3	5	7	17
20-34	195	3.0	2	1	2	3	4	5	6	9
35-49	206	3.1	3	1	2	3	3	4	6	10
50-64	144	3.6	5	2	2	3	4	6	8	15
65+	79	4.3	7	2	2	3	5	9	11	13
2. MULTIPLE DX										
0-19 YRS	49	4.3	17	1	1	3	5	9	12	25
20-34	187	5.2	61	2	2	4	5	9	12	30
35-49	210	5.2	28	2	2	3	5	10	17	28
50-64	191	5.2	23	2	2	4	6	10	14	30
65+	101	7.2	83	2	2	4	8	16	19	56
TOT. SINGLE DX	670	3.3	4	1	2	3	4	5	7	13
" MULTIPLE DX	738	5.4	42	2	2	3	5	11	15	32
TOTAL 0-19 YRS	95	3.7	12	1	1	3	4	7	11	21
20-34	382	4.1	32	1	2	3	4	6	9	20
35-49	416	4.2	17	2	2	3	4	7	11	24
50-64	335	4.5	16	2	2	3	5	9	11	22
65+	180	5.9	52	2	2	4	6	12	17	47
GRAND TOTAL	**1408**	**4.4**	**25**	**2**	**2**	**3**	**4**	**8**	**11**	**25**

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	76	2.6	5	<1	1	2	3	5	8	13
20-34	142	3.5	9	1	1	3	4	7	9	14
35-49	120	4.0	9	1	2	3	4	9	11	15
50-64	112	3.8	11	1	1	3	5	7	9	19
65+	56	3.3	4	1	1	3	4	6	7	10
2. MULTIPLE DX										
0-19 YRS	115	5.6	39	<1	1	3	7	12	21	32
20-34	162	4.6	13	1	1	3	6	9	12	18
35-49	182	6.6	84	1	2	4	7	12	22	53
50-64	165	6.6	52	1	2	4	7	14	21	39
65+	108	7.6	49	2	2	5	10	17	24	35
TOT. SINGLE DX	506	3.5	9	1	1	3	4	7	9	14
" MULTIPLE DX	732	6.2	50	1	2	4	7	13	19	38
TOTAL 0-19 YRS	191	4.4	28	<1	1	2	5	10	14	26
20-34	304	4.1	11	1	1	3	5	8	11	18
35-49	302	5.6	56	1	2	3	6	11	15	39
50-64	277	5.5	38	1	2	4	6	11	16	32
65+	164	6.2	38	1	2	4	8	14	19	31
GRAND TOTAL	**1238**	**5.1**	**35**	**1**	**1**	**3**	**6**	**11**	**15**	**31**

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1447	1.7		<1	1	2	2	2	2	3
20-34	1150	1.9		1	1	2	2	2	3	4
35-49	268	2.1		1	1	2	2	3	3	6
50-64	163	2.3	1	1	1	2	2	3	4	8
65+	113	3.8	81	1	2	2	3	5	8	49
2. MULTIPLE DX										
0-19 YRS	548	2.7	18	<1	1	2	2	4	6	28
20-34	898	4.3	48	1	1	2	3	9	15	35
35-49	650	4.5	42	1	1	2	4	10	14	36
50-64	677	5.3	40	1	2	3	6	13	18	33
65+	575	6.5	76	2	2	3	8	14	20	44
TOT. SINGLE DX	3141	1.9	4	1	1	2	2	2	3	5
" MULTIPLE DX	3348	4.6	47	1	1	2	4	10	16	35
TOTAL 0-19 YRS	1995	2.0	6	<1	1	2	2	2	3	9
20-34	2048	2.9	23	1	1	2	2	4	8	29
35-49	918	3.8	32	1	1	2	3	7	12	32
50-64	840	4.7	34	1	2	3	5	11	17	30
65+	688	6.1	78	1	2	3	7	14	19	44
GRAND TOTAL	**6489**	**3.3**	**28**	**1**	**1**	**2**	**3**	**6**	**11**	**28**

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	249	1.1		<1	1	1	1	1	2	2
20-34	23	3.5	55	<1	<1	2	2	6	17	37
35-49	9	2.3	8	<1	<1	1	2	7	10	10
50-64	14	2.7	1	1	2	3	3	4	5	5
65+	6	3.2	2	2	2	3	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	189	1.6	2	<1	1	1	2	2	5	10
20-34	34	3.6	28	<1	1	2	3	7	11	31
35-49	11	4.2	18	1	1	2	6	12	13	13
50-64	7	8.3	11	2	3	9	10	12	13	13
65+	6	5.2	26	<1	<1	3	6	14	15	15
TOT. SINGLE DX	301	1.4	5	<1	1	1	1	2	3	6
" MULTIPLE DX	247	2.2	9	<1	1	1	2	5	8	13
TOTAL 0-19 YRS	438	1.3	1	<1	1	1	1	2	2	6
20-34	57	3.5	39	<1	1	2	3	6	10	37
35-49	20	3.4	14	<1	1	2	3	10	12	13
50-64	21	4.6	11	1	2	3	7	10	11	13
65+	12	4.2	14	<1	1	3	5	9	14	15
GRAND TOTAL	**548**	**1.8**	**7**	**<1**	**1**	**1**	**2**	**3**	**5**	**12**

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	53	2.4	2	1	1	2	3	4	5	12
20-34	101	2.5	1	1	1	2	3	4	5	7
35-49	212	2.6	2	1	1	2	3	4	5	9
50-64	139	3.1	4	1	1	3	4	4	6	15
65+	47	3.8	5	1	2	3	5	6	9	12
2. MULTIPLE DX										
0-19 YRS	72	2.8	2	1	1	2	4	6	6	7
20-34	72	2.6	2	1	1	2	3	4	5	10
35-49	131	4.4	41	1	2	3	4	7	14	57
50-64	137	5.3	46	1	2	3	5	11	18	41
65+	68	5.6	44	2	2	3	6	11	16	41
TOT. SINGLE DX	552	2.8	3	1	1	2	3	4	6	11
" MULTIPLE DX	480	4.3	33	1	1	3	4	7	13	41
TOTAL 0-19 YRS	125	2.6	3	1	1	2	3	5	6	8
20-34	173	2.5	2	1	1	2	3	4	5	8
35-49	343	3.3	18	1	1	2	3	5	8	35
50-64	276	4.2	27	1	2	3	4	7	12	29
65+	115	4.8	29	2	2	3	5	10	12	35
GRAND TOTAL	**1032**	**3.5**	**18**	**1**	**1**	**2**	**4**	**6**	**9**	**25**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	112	2.7	3	1	1	2	3	4	6	11
20-34	241	3.2	2	1	2	3	4	5	6	9
35-49	240	3.7	5	2	2	3	4	6	8	13
50-64	333	4.0	8	2	2	3	4	6	8	16
65+	243	4.5	7	2	2	4	5	7	10	17
2. MULTIPLE DX										
0-19 YRS	32	4.4	28	1	1	3	4	9	12	30
20-34	96	4.6	65	1	2	3	4	6	11	52
35-49	139	4.8	14	1	2	4	6	9	11	21
50-64	205	5.7	20	2	2	4	7	11	15	24
65+	242	7.5	60	2	3	5	8	15	21	45
TOT. SINGLE DX	1169	3.8	6	2	2	3	4	6	8	15
" MULTIPLE DX	714	5.9	41	2	2	4	7	11	16	31
TOTAL 0-19 YRS	144	3.1	9	1	1	2	3	5	8	14
20-34	337	3.6	21	1	2	3	4	5	7	15
35-49	379	4.1	9	2	2	3	5	7	9	18
50-64	538	4.7	13	2	2	4	5	8	11	22
65+	485	6.0	37	2	2	4	7	11	15	31
GRAND TOTAL	**1883**	**4.6**	**20**	**2**	**2**	**3**	**5**	**8**	**11**	**22**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	190	3.9	2	1	1	4	5	6	7	8
20-34	9	3.7	2	1	1	4	5	6	6	6
35-49	5	4.8	6	3	3	3	7	8	8	8
50-64	2	4.0	8	2	2	4	6	6	6	6
65+										
2. MULTIPLE DX										
0-19 YRS	123	4.4	5	1	2	4	5	6	7	12
20-34	9	4.0	6	1	1	4	4	8	10	10
35-49	11	7.4	50	1	2	5	7	20	25	25
50-64	4	8.3	33	3	3	7	12	16	16	16
65+	3	14.3	114	5	5	12	22	26	26	26
TOT. SINGLE DX	206	3.9	3	1	1	4	5	6	7	8
" MULTIPLE DX	150	4.9	13	1	2	4	5	7	9	25
TOTAL 0-19 YRS	313	4.1	4	1	2	4	5	6	7	8
20-34	18	3.8	4	1	1	4	5	6	8	10
35-49	16	6.6	37	1	3	5	7	16	23	25
50-64	6	6.8	26	2	2	5	9	15	16	16
65+	3	14.3	114	5	5	12	22	26	26	26
GRAND TOTAL	**356**	**4.3**	**8**	**1**	**2**	**4**	**5**	**6**	**7**	**17**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	406	2.7	4	<1	<1	2	3	6	6	9
20-34	136	4.4	16	1	1	3	6	9	11	18
35-49	155	3.9	15	1	1	3	4	7	12	22
50-64	284	4.0	18	1	1	2	4	9	12	25
65+	331	4.8	27	1	1	3	5	10	15	29
2. MULTIPLE DX										
0-19 YRS	305	3.6	14	<1	1	2	5	8	10	24
20-34	190	5.0	24	<1	1	3	6	11	14	30
35-49	207	6.8	81	1	2	4	7	13	27	48
50-64	318	7.1	60	1	2	4	10	15	20	37
65+	447	8.3	96	1	2	5	10	18	29	52
TOT. SINGLE DX	1312	3.8	16	<1	1	2	4	8	11	23
" MULTIPLE DX	1467	6.4	63	1	1	4	8	13	21	44
TOTAL 0-19 YRS	711	3.1	9	<1	1	2	4	6	8	14
20-34	326	4.8	21	1	1	3	6	10	13	27
35-49	362	5.6	55	1	1	3	6	11	19	43
50-64	602	5.6	43	1	1	3	7	12	18	31
65+	778	6.8	70	1	2	4	8	15	23	45
GRAND TOTAL	**2779**	**5.2**	**43**	**1**	**1**	**3**	**6**	**11**	**16**	**37**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4839	2.0		1	1	2	2	2	3	4
20-34	3824	2.2		1	1	2	2	3	4	5
35-49	417	2.3	1	1	1	2	3	3	4	7
50-64	66	2.6	5	1	2	2	3	3	5	15
65+	23	3.5	7	2	2	2	4	7	10	13
2. MULTIPLE DX										
0-19 YRS	953	2.3	8	1	1	2	2	3	4	7
20-34	621	2.9	4	1	2	2	3	5	6	12
35-49	125	3.7	27	1	2	2	3	5	12	29
50-64	27	5.3	26	1	2	4	6	14	19	22
65+	12	7.4	213	1	1	2	4	24	49	53
TOT. SINGLE DX	9169	2.1	1	1	1	2	2	3	3	5
" MULTIPLE DX	1738	2.7	10	1	1	2	3	4	5	13
TOTAL 0-19 YRS	5792	2.0	2	1	1	2	2	3	3	5
20-34	4445	2.3	1	1	1	2	2	3	4	7
35-49	542	2.7	8	1	1	2	3	4	5	14
50-64	93	3.4	13	1	2	2	3	5	13	20
65+	35	4.8	77	2	2	2	4	8	12	53
GRAND TOTAL	**10907**	**2.2**	**2**	**1**	**1**	**2**	**2**	**3**	**4**	**6**

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7955	1.9		1	1	2	2	2	3	4
20-34	443	2.3	3	1	1	2	3	3	4	7
35-49	37	2.4	1	1	1	2	3	4	5	7
50-64	7	2.3		2	2	2	2	4	4	4
65+	12	2.2	1	1	1	2	2	4	6	6
2. MULTIPLE DX										
0-19 YRS	5260	1.9		1	1	2	2	2	3	5
20-34	138	2.8	3	1	1	2	3	5	7	10
35-49	19	2.9	3	2	2	2	3	6	8	9
50-64	3	3.7	2	2	2	4	5	5	5	5
65+	8	2.4	3	1	1	2	2	6	7	7
TOT. SINGLE DX	8454	1.9	1	1	1	2	2	2	3	4
" MULTIPLE DX	5428	2.0	1	1	1	2	2	2	3	6
TOTAL 0-19 YRS	13215	1.9	1	1	1	2	2	2	3	4
20-34	581	2.5	3	1	1	2	3	4	5	9
35-49	56	2.6	2	1	2	2	3	4	7	9
50-64	10	2.7	1	2	2	2	4	5	5	5
65+	20	2.3	2	1	1	2	2	4	6	7
GRAND TOTAL	**13882**	**2.0**	**1**	**1**	**1**	**2**	**2**	**2**	**3**	**5**

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	876	1.5		<1	<1	1	2	2	2	3
20-34	16	1.6		1	1	2	2	2	3	3
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	2175	1.4		<1	<1	1	2	2	2	4
20-34	14	2.9	2	1	1	3	4	5	6	6
35-49	3	3.3		3	3	3	4	4	4	4
50-64	3	5.0	13	2	2	4	8	9	9	9
65+	1	2.0		2	2	2	2	2	2	2
TOT. SINGLE DX	894	1.5		<1	<1	1	2	2	2	3
" MULTIPLE DX	2196	1.5	1	<1	<1	1	2	2	2	5
TOTAL 0-19 YRS	3051	1.5	1	<1	<1	1	2	2	2	3
20-34	30	2.2	2	1	1	2	3	4	5	6
35-49	5	3.0	1	2	2	3	3	4	4	4
50-64	3	5.0	13	2	2	4	8	9	9	9
65+	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**3090**	**1.5**	**1**	**<1**	**<1**	**1**	**2**	**2**	**2**	**4**

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	316	2.5	3	1	1	2	3	4	5	12
20-34	274	2.4	1	1	1	2	3	4	5	7
35-49	120	3.0	4	1	1	2	4	5	7	12
50-64	92	4.7	38	1	1	2	5	10	18	38
65+	77	4.4	26	1	1	2	5	9	14	31
2. MULTIPLE DX										
0-19 YRS	131	3.4	17	1	1	2	4	6	9	19
20-34	123	3.7	21	1	1	3	4	6	11	31
35-49	54	4.9	32	1	2	3	5	10	20	29
50-64	103	7.9	70	1	2	4	10	19	26	43
65+	97	8.4	101	2	2	5	11	17	20	59
TOT. SINGLE DX	879	2.9	10	1	1	2	3	5	7	17
" MULTIPLE DX	508	5.5	51	1	1	3	6	13	19	33
TOTAL 0-19 YRS	447	2.7	8	1	1	2	3	5	6	13
20-34	397	2.8	8	1	1	2	3	5	6	14
35-49	174	3.6	14	1	1	3	4	7	8	22
50-64	195	6.4	58	1	2	3	7	15	22	44
65+	174	6.6	72	1	2	4	9	15	19	33
GRAND TOTAL	**1387**	**3.9**	**26**	**1**	**1**	**2**	**4**	**8**	**12**	**26**

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	44	2.2	5	<1	<1	1	3	4	6	14
20-34	26	3.4	3	1	1	3	4	6	7	8
35-49	38	3.2	5	<1	1	2	4	8	9	10
50-64	70	4.4	46	1	1	3	5	7	9	46
65+	49	4.7	11	1	1	4	6	10	11	17
2. MULTIPLE DX										
0-19 YRS	89	3.4	4	1	1	3	4	6	8	11
20-34	21	4.1	11	1	1	4	5	8	13	14
35-49	37	7.8	63	1	2	6	8	16	31	33
50-64	62	5.2	39	1	1	4	6	9	12	44
65+	88	7.2	86	2	2	5	7	12	24	54
TOT. SINGLE DX	227	3.7	20	<1	1	3	5	7	9	21
" MULTIPLE DX	297	5.5	46	1	1	4	6	10	14	44
TOTAL 0-19 YRS	133	3.0	5	<1	<1	3	4	6	8	12
20-34	47	3.7	7	1	1	4	5	6	9	14
35-49	75	5.5	39	1	1	4	7	9	16	33
50-64	132	4.8	43	1	1	3	5	8	11	48
65+	137	6.3	61	1	2	4	7	11	16	53
GRAND TOTAL	**524**	**4.7**	**35**	**1**	**1**	**3**	**5**	**8**	**12**	**35**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	97	1.7		<1	1	2	2	2	2	5
20-34	189	1.8		<1	1	2	2	2	3	6
35-49	338	2.0	2	1	1	2	2	2	3	9
50-64	536	2.3	7	1	1	2	2	3	4	13
65+	333	2.5	17	1	1	2	2	4	5	13
2. MULTIPLE DX										
0-19 YRS	31	3.8	125	1	1	2	2	3	6	64
20-34	58	3.0	10	1	1	2	2	6	10	17
35-49	147	3.8	28	1	1	2	3	9	13	23
50-64	325	5.0	43	1	1	2	5	12	18	36
65+	249	5.9	65	1	1	3	6	15	20	50
TOT. SINGLE DX	1493	2.2	7	1	1	2	2	3	4	11
" MULTIPLE DX	810	4.9	49	1	1	2	5	11	17	39
TOTAL 0-19 YRS	128	2.2	31	<1	1	2	2	2	3	19
20-34	247	2.1	3	<1	1	2	2	3	4	11
35-49	485	2.5	11	1	1	2	2	3	6	18
50-64	861	3.3	23	1	1	2	3	6	11	23
65+	582	4.0	41	1	1	2	3	8	14	29
GRAND TOTAL	**2303**	**3.1**	**24**	**1**	**1**	**2**	**2**	**5**	**10**	**23**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	5.2	47	1	1	2	5	18	19	19
20-34	9	7.4	43	2	2	4	10	18	21	21
35-49	19	7.4	35	1	1	8	13	16	17	18
50-64	37	10.4	62	1	1	10	16	22	24	27
65+	31	9.2	56	1	1	8	14	21	24	27
2. MULTIPLE DX										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	7	4.9	18	1	1	3	8	12	12	12
35-49	8	7.1	44	1	1	5	12	17	19	19
50-64	32	11.7	76	1	2	9	19	24	26	32
65+	28	15.5	231	2	2	14	19	51	63	99+
TOT. SINGLE DX	102	8.9	53	1	1	8	14	20	23	27
" MULTIPLE DX	77	11.7	133	1	2	9	18	23	35	89
TOTAL 0-19 YRS	8	4.4	36	1	1	2	4	15	19	19
20-34	16	6.3	32	1	2	4	10	14	19	21
35-49	27	7.3	37	1	1	7	13	16	18	19
50-64	69	11.0	68	1	2	10	18	23	25	31
65+	59	12.2	147	1	2	11	18	23	48	96
GRAND TOTAL	**179**	**10.1**	**89**	**1**	**2**	**9**	**16**	**21**	**25**	**61**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	2	18.0	98	11	11	18	25	25	25	25
35-49	10	22.9	299	2	7	16	29	49	65	65
50-64	55	17.5	78	9	10	15	21	25	36	51
65+	39	17.7	77	7	8	16	21	31	36	43
2. MULTIPLE DX										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	7	40.6	368	12	16	43	48	69	74	74
50-64	82	24.5	236	12	12	19	27	42	53	95
65+	78	25.8	257	12	13	22	30	58	86	99+
TOT. SINGLE DX	106	18.1	98	8	9	15	21	32	37	57
" MULTIPLE DX	168	25.7	259	12	13	21	30	47	74	99+
TOTAL 0-19 YRS										
20-34	3	14.0	97	6	6	11	21	25	25	25
35-49	17	30.2	387	5	12	29	43	62	71	74
50-64	137	21.7	184	10	12	18	24	39	48	87
65+	117	23.1	211	9	12	19	29	43	70	99+
GRAND TOTAL	**274**	**22.8**	**210**	**10**	**12**	**19**	**27**	**43**	**57**	**99+**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	68.0		68	68	68	68	68	68	68
35-49	2	7.5	1	7	7	7	8	8	8	8
50-64	10	9.6	156	1	1	5	11	29	43	43
65+	10	16.2	186	4	5	10	27	38	46	46
2. MULTIPLE DX										
0-19 YRS	2	13.5	145	5	5	13	22	22	22	22
20-34	4	40.8	1631	3	3	31	98	99+	99+	99+
35-49	12	26.8	964	2	3	10	42	78	93	96
50-64	21	29.2	437	4	5	31	51	99+	99+	99+
65+	27	26.9	333	5	6	28	37	75	99+	99+
TOT. SINGLE DX	24	14.4	279	2	2	8	14	43	53	68
" MULTIPLE DX	66	28.1	526	4	5	28	49	97	99+	99+
TOTAL 0-19 YRS	3	10.3	102	4	4	5	18	22	22	22
20-34	5	46.2	1372	3	6	50	98	99+	99+	99+
35-49	14	24.1	866	2	4	9	26	73	91	96
50-64	31	22.9	425	2	3	15	48	77	99+	99+
65+	37	24.0	310	4	5	23	36	54	94	99+
GRAND TOTAL	**90**	**24.4**	**494**	**3**	**4**	**20**	**40**	**74**	**99+**	**99+**

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	7.0	86	<1	<1	4	8	17	32	40
20-34	15	5.5	29	1	1	3	6	13	18	20
35-49	23	10.6	219	1	1	3	13	33	51	55
50-64	46	14.4	302	1	1	7	21	33	59	70
65+	52	10.2	186	1	1	4	13	32	48	99
2. MULTIPLE DX										
0-19 YRS	49	21.0	556	1	2	14	37	92	99+	99+
20-34	67	25.2	556	2	4	16	47	70	99+	99+
35-49	76	27.3	617	2	4	21	43	88	99+	99+
50-64	189	29.6	621	2	2	30	51	94	99+	99+
65+	207	34.3	624	3	5	33	53	86	99	99+
TOT. SINGLE DX	160	10.5	199	1	1	4	13	29	48	69
" MULTIPLE DX	588	29.7	622	2	3	26	51	88	99+	99+
TOTAL 0-19 YRS	73	16.4	443	<1	1	9	24	80	99+	99+
20-34	82	21.6	517	2	2	14	38	67	97	99+
35-49	99	23.4	572	2	2	16	39	80	96	99+
50-64	235	26.6	594	1	2	24	50	83	99+	99+
65+	259	29.5	629	2	2	25	48	81	97	99+
GRAND TOTAL	**748**	**25.6**	**593**	**1**	**2**	**19**	**46**	**79**	**99+**	**99+**

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	26	5.1	26	1	2	3	6	9	16	25
20-34	115	6.4	35	2	2	5	8	13	17	32
35-49	191	6.8	38	1	2	6	9	13	17	25
50-64	490	7.8	48	2	2	6	10	15	19	32
65+	611	9.1	56	2	2	7	11	18	23	39
2. MULTIPLE DX										
0-19 YRS	24	7.0	87	1	2	4	8	13	25	47
20-34	202	8.2	61	2	2	6	10	16	22	31
35-49	426	10.0	90	2	2	8	12	21	27	50
50-64	1281	11.4	94	2	3	9	14	23	30	53
65+	1934	13.0	110	2	3	10	17	26	33	52
TOT. SINGLE DX	1433	8.0	50	2	2	6	10	16	20	34
" MULTIPLE DX	3867	11.9	102	2	3	9	15	24	31	52
TOTAL 0-19 YRS	50	6.0	56	1	2	3	8	11	15	47
20-34	317	7.6	52	2	2	5	9	15	19	31
35-49	617	9.0	76	2	2	7	11	19	25	46
50-64	1771	10.4	84	2	3	8	13	21	27	49
65+	2545	12.1	100	2	3	9	16	24	31	51
GRAND TOTAL	**5300**	**10.8**	**91**	**2**	**3**	**8**	**14**	**22**	**28**	**50**

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34	2	25.0	72	19	19	25	31	31	31	31
35-49	1	14.0		14	14	14	14	14	14	14
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX	3	21.3	76	14	14	19	28	31	31	31
TOTAL 0-19 YRS										
20-34	2	25.0	72	19	19	25	31	31	31	31
35-49	1	14.0		14	14	14	14	14	14	14
50-64										
65+										
GRAND TOTAL	**3**	**21.3**	**76**	**14**	**14**	**19**	**28**	**31**	**31**	**31**

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	10.4	26	2	5	9	15	18	20	20
20-34	83	9.0	21	2	3	8	11	16	18	21
35-49	152	10.3	31	2	3	10	13	17	19	30
50-64	319	11.8	52	2	4	10	15	21	25	36
65+	351	12.5	67	2	3	11	17	23	27	38
2. MULTIPLE DX										
0-19 YRS	32	16.8	232	6	7	11	17	37	53	70
20-34	129	12.4	81	3	4	10	16	24	30	46
35-49	253	14.0	133	3	4	11	18	25	36	63
50-64	688	14.2	104	3	4	12	18	25	32	62
65+	995	16.0	138	2	4	14	21	31	38	59
TOT. SINGLE DX	916	11.6	53	2	3	10	15	20	25	35
" MULTIPLE DX	2097	15.0	126	3	4	12	19	28	37	60
TOTAL 0-19 YRS	43	15.2	186	6	7	10	16	30	51	70
20-34	212	11.0	61	3	4	9	14	19	26	45
35-49	405	12.6	98	3	4	10	15	22	30	54
50-64	1007	13.4	90	3	4	11	17	24	30	53
65+	1346	15.1	122	2	4	13	20	29	36	56
GRAND TOTAL	**3013**	**13.9**	**106**	**3**	**4**	**11**	**18**	**26**	**34**	**55**

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	9	12.9	16	5	7	13	17	17	17	17
35-49	63	15.7	69	7	8	13	20	25	33	50
50-64	216	15.7	45	8	9	14	18	24	27	41
65+	174	16.5	52	8	9	15	20	24	30	40
2. MULTIPLE DX										
0-19 YRS	3	13.0	39	8	8	11	18	20	20	20
20-34	17	14.6	47	6	7	12	18	27	30	30
35-49	70	16.8	79	8	8	14	19	29	34	49
50-64	378	19.4	123	9	10	17	23	32	38	81
65+	360	21.3	127	9	11	18	26	36	45	62
TOT. SINGLE DX	463	15.9	51	8	9	15	19	24	28	41
" MULTIPLE DX	828	19.9	122	9	10	17	24	33	42	65
TOTAL 0-19 YRS	4	13.5	27	8	8	13	17	20	20	20
20-34	26	14.0	36	6	7	13	17	19	29	30
35-49	133	16.3	75	8	8	14	19	28	34	50
50-64	594	18.0	98	8	9	16	22	29	36	67
65+	534	19.8	108	9	10	17	23	32	42	58
GRAND TOTAL	**1291**	**18.5**	**100**	**8**	**9**	**16**	**22**	**30**	**37**	**58**

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	127	4.3	19	<1	1	2	6	11	14	20
20-34	158	6.6	41	1	1	4	9	16	22	28
35-49	350	6.5	33	1	2	5	9	13	17	33
50-64	556	7.1	40	1	2	5	10	15	19	29
65+	572	8.3	59	1	2	6	11	18	23	34
2. MULTIPLE DX										
0-19 YRS	163	9.0	122	1	1	6	12	20	26	99+
20-34	310	9.4	94	1	2	7	11	22	29	53
35-49	740	10.2	103	2	2	7	12	21	31	50
50-64	1739	11.1	96	2	3	8	14	22	30	56
65+	2412	12.8	120	2	3	10	17	26	33	61
TOT. SINGLE DX	1763	7.1	45	1	2	5	9	15	20	31
" MULTIPLE DX	5364	11.6	110	2	3	9	15	24	31	58
TOTAL 0-19 YRS	290	6.9	83	1	1	4	9	17	22	77
20-34	468	8.4	78	1	2	6	10	18	26	44
35-49	1090	9.0	84	1	2	6	11	19	27	48
50-64	2295	10.2	86	2	2	8	13	21	28	45
65+	2984	11.9	112	2	3	9	15	24	31	58
GRAND TOTAL	**7127**	**10.5**	**98**	**2**	**2**	**8**	**14**	**22**	**29**	**53**

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	5.8	10	1	2	5	7	11	12	12
20-34	71	5.6	13	2	3	4	7	10	11	22
35-49	15	8.5	54	2	3	7	8	23	27	28
50-64	18	5.8	15	1	2	5	6	13	14	15
65+	22	10.9	44	3	4	10	14	19	25	30
2. MULTIPLE DX										
0-19 YRS	27	15.6	261	2	3	7	24	48	52	54
20-34	60	8.0	41	2	3	6	9	15	23	33
35-49	32	10.9	65	2	3	9	13	23	24	39
50-64	71	15.9	187	3	4	12	19	31	50	71
65+	70	18.8	281	3	4	15	24	38	45	90
TOT. SINGLE DX	134	6.8	26	2	3	5	9	12	17	28
" MULTIPLE DX	260	14.2	187	3	3	10	18	30	41	74
TOTAL 0-19 YRS	35	13.4	220	2	3	7	15	35	52	54
20-34	131	6.7	28	2	3	5	9	12	15	30
35-49	47	10.1	62	2	3	8	12	23	25	39
50-64	89	13.9	169	2	3	11	18	29	42	67
65+	92	16.9	236	3	4	12	22	33	42	89
GRAND TOTAL	**394**	**11.7**	**144**	**2**	**3**	**8**	**14**	**26**	**35**	**54**

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	135	6.8	22	2	3	6	8	12	16	26
20-34	530	6.2	16	2	3	5	8	11	15	22
35-49	179	8.7	50	3	3	6	10	18	22	35
50-64	188	10.6	68	2	3	8	15	21	25	36
65+	119	14.6	84	4	5	12	20	27	35	63
2. MULTIPLE DX										
0-19 YRS	253	12.0	168	3	3	8	14	27	51	99+
20-34	557	9.5	78	2	3	7	11	19	25	59
35-49	389	11.6	102	3	4	9	14	22	34	62
50-64	602	14.5	131	3	5	11	18	28	39	67
65+	724	16.3	131	4	5	14	21	31	41	58
TOT. SINGLE DX	1151	8.3	45	2	3	6	10	17	22	34
" MULTIPLE DX	2525	13.2	125	3	4	10	17	27	37	66
TOTAL 0-19 YRS	388	10.2	123	3	3	7	11	20	34	92
20-34	1087	7.9	51	2	3	6	9	15	20	45
35-49	568	10.7	88	3	3	8	13	21	29	58
50-64	790	13.6	119	3	4	11	17	27	36	65
65+	843	16.1	125	4	5	13	21	31	39	58
GRAND TOTAL	**3676**	**11.7**	**106**	**3**	**3**	**8**	**15**	**24**	**32**	**60**

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	132	6.1	11	1	2	6	7	9	12	19
20-34	135	7.5	38	1	2	6	10	15	19	35
35-49	121	8.3	51	1	2	7	11	18	22	36
50-64	169	8.9	62	2	2	7	11	17	22	46
65+	139	10.9	102	2	2	8	14	22	33	55
2. MULTIPLE DX										
0-19 YRS	60	8.9	77	2	2	7	10	20	23	49
20-34	147	10.2	80	1	2	8	14	20	31	46
35-49	193	11.9	151	2	3	8	14	25	35	68
50-64	411	13.0	110	2	3	11	18	26	32	53
65+	572	14.4	128	3	3	12	19	29	33	59
TOT. SINGLE DX	696	8.4	57	1	2	6	10	17	22	40
" MULTIPLE DX	1383	13.0	121	2	3	10	17	27	33	55
TOTAL 0-19 YRS	192	7.0	34	1	2	6	8	11	18	31
20-34	282	9.0	62	1	2	7	11	18	24	42
35-49	314	10.5	116	2	2	8	12	21	31	59
50-64	580	11.8	100	2	2	9	16	25	31	50
65+	711	13.7	125	2	3	11	18	28	33	58
GRAND TOTAL	**2079**	**11.4**	**104**	**2**	**2**	**9**	**15**	**24**	**31**	**51**

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	38	9.5	12	6	6	9	10	12	16	25
20-34	42	13.3	210	6	8	10	12	21	57	99+
35-49	77	13.9	111	8	8	11	15	19	29	77
50-64	96	12.6	13	8	9	12	14	18	20	24
65+	59	14.5	19	9	10	13	17	22	24	25
2. MULTIPLE DX										
0-19 YRS	70	12.3	31	7	7	11	14	20	24	87
20-34	53	14.8	92	8	8	12	16	26	33	99
35-49	133	17.6	147	9	10	14	18	31	44	71
50-64	238	18.0	93	9	10	15	21	28	35	57
65+	265	21.9	165	10	11	18	27	39	50	87
TOT. SINGLE DX	312	13.0	66	7	8	11	14	19	23	56
" MULTIPLE DX	759	18.6	131	8	9	15	22	32	43	78
TOTAL 0-19 YRS	108	11.3	26	6	7	10	13	17	24	63
20-34	95	14.1	143	7	8	11	15	23	34	99+
35-49	210	16.3	137	8	9	13	17	27	35	77
50-64	334	16.5	77	9	9	14	19	26	31	55
65+	324	20.6	147	9	11	17	24	36	45	86
GRAND TOTAL	**1071**	**16.9**	**118**	**8**	**9**	**14**	**19**	**29**	**38**	**77**

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	18.7	50	11	11	20	24	25	25	25
20-34	23	9.6	4	7	8	9	11	13	14	15
35-49	433	11.1	23	8	8	10	12	14	18	28
50-64	1364	11.6	17	8	8	11	13	16	19	28
65+	615	13.0	28	8	9	12	15	19	22	29
2. MULTIPLE DX										
0-19 YRS	3	11.0		11	11	11	11	11	11	11
20-34	37	12.7	19	8	8	12	14	18	22	28
35-49	803	13.0	35	8	8	11	15	20	25	38
50-64	2602	14.3	53	8	9	12	16	22	26	45
65+	1586	17.3	80	9	10	15	20	28	34	56
TOT. SINGLE DX	2438	11.8	22	8	8	11	13	17	20	28
" MULTIPLE DX	5031	15.0	61	8	9	13	17	24	29	49
TOTAL 0-19 YRS	6	14.8	38	11	11	11	20	24	25	25
20-34	60	11.5	16	7	8	11	13	16	19	27
35-49	1236	12.3	32	8	8	11	13	18	22	35
50-64	3966	13.4	42	8	8	12	15	20	25	40
65+	2201	16.1	70	8	9	14	19	26	32	52
GRAND TOTAL	**7469**	**14.0**	**51**	**8**	**8**	**12**	**16**	**22**	**27**	**44**

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	217	2.1	1	1	1	2	2	3	4	8
20-34	234	3.3	10	1	2	2	3	7	9	18
35-49	1470	3.4	8	2	2	2	3	7	10	15
50-64	2427	3.4	9	2	2	2	3	7	10	16
65+	837	4.1	15	2	2	2	5	10	12	20
2. MULTIPLE DX										
0-19 YRS	269	3.4	26	1	1	2	3	6	11	33
20-34	362	4.9	23	1	2	3	6	11	15	27
35-49	3020	4.9	26	2	2	3	6	10	14	24
50-64	6519	5.5	26	2	2	3	8	12	16	24
65+	2957	7.0	49	2	2	4	9	15	20	33
TOT. SINGLE DX	5185	3.4	10	2	2	2	3	7	10	16
" MULTIPLE DX	13127	5.7	33	2	2	3	8	12	16	27
TOTAL 0-19 YRS	486	2.9	16	1	1	2	2	4	7	23
20-34	596	4.3	19	1	2	2	5	9	13	26
35-49	4490	4.4	21	2	2	2	5	10	13	21
50-64	8946	4.9	23	2	2	3	7	11	14	22
65+	3794	6.4	44	2	2	4	9	14	18	31
GRAND TOTAL	**18312**	**5.0**	**27**	**2**	**2**	**3**	**7**	**11**	**15**	**25**

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	6	4.2	4	2	2	4	4	8	8	8
35-49	41	8.3	34	2	2	7	13	17	19	20
50-64	195	7.2	26	2	2	6	10	15	17	23
65+	755	7.6	28	2	2	6	10	14	18	26
2. MULTIPLE DX										
0-19 YRS	20	8.6	67	2	3	6	10	15	28	39
20-34	37	10.2	131	2	3	7	12	18	23	70
35-49	155	11.3	40	3	4	10	15	21	24	30
50-64	828	12.3	75	3	4	11	16	22	29	44
65+	4538	12.7	81	3	4	10	16	24	29	48
TOT. SINGLE DX	999	7.5	28	2	2	6	10	14	18	25
" MULTIPLE DX	5578	12.6	80	3	4	10	16	23	29	47
TOTAL 0-19 YRS	22	8.2	62	2	3	5	9	14	26	39
20-34	43	9.4	118	2	3	6	12	17	21	70
35-49	196	10.7	40	2	3	10	14	20	23	29
50-64	1023	11.4	70	2	3	10	15	21	27	43
65+	5293	12.0	77	3	4	10	15	22	28	46
GRAND TOTAL	**6577**	**11.8**	**76**	**3**	**4**	**10**	**15**	**22**	**28**	**45**

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	10.0	7	7	7	9	11	14	15	15
20-34	16	8.9	28	2	3	8	11	17	21	23
35-49	35	7.1	22	2	2	5	10	15	16	20
50-64	45	7.4	25	2	2	6	11	14	16	22
65+	21	11.4	54	3	4	11	15	20	27	34
2. MULTIPLE DX										
0-19 YRS	23	13.0	52	3	5	12	17	20	27	35
20-34	45	15.5	162	4	6	12	18	44	72	99+
35-49	110	12.2	100	2	3	10	16	23	30	55
50-64	213	12.6	72	3	4	11	15	23	30	52
65+	126	19.0	222	3	6	15	22	38	48	79
TOT. SINGLE DX	124	8.3	30	2	3	8	11	15	17	26
" MULTIPLE DX	517	14.4	129	3	4	11	18	29	39	69
TOTAL 0-19 YRS	30	12.3	43	3	6	11	15	19	23	35
20-34	61	13.8	135	2	6	11	17	30	57	99+
35-49	145	11.0	86	2	3	9	15	21	28	50
50-64	258	11.7	69	3	3	10	15	22	28	49
65+	147	17.9	205	3	5	14	22	37	46	74
GRAND TOTAL	**641**	**13.2**	**115**	**3**	**3**	**11**	**17**	**25**	**36**	**63**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	175	2.9	9	<1	<1	2	3	6	9	14
20-34	180	3.8	19	1	1	2	4	9	12	24
35-49	258	4.1	25	1	1	2	3	12	16	24
50-64	413	3.9	24	1	1	2	4	9	13	27
65+	366	6.1	62	1	1	2	7	16	23	40
2. MULTIPLE DX										
0-19 YRS	161	7.0	59	1	1	5	9	14	18	52
20-34	240	8.6	71	1	2	6	12	19	24	44
35-49	414	8.7	67	1	2	6	12	19	25	40
50-64	936	10.5	91	1	2	8	14	23	28	47
65+	1681	13.8	137	2	3	11	18	28	39	62
TOT. SINGLE DX	1392	4.4	33	1	1	2	4	11	16	26
" MULTIPLE DX	3432	11.6	113	1	2	9	15	25	32	55
TOTAL 0-19 YRS	336	4.9	37	<1	1	3	6	12	14	39
20-34	420	6.5	55	1	1	4	9	16	21	29
35-49	672	6.9	57	1	1	3	10	17	23	34
50-64	1349	8.5	80	1	2	5	11	20	27	44
65+	2047	12.4	133	1	2	9	17	26	37	59
GRAND TOTAL	**4824**	**9.5**	**101**	**1**	**2**	**6**	**13**	**22**	**28**	**52**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	3.1	1	1	2	3	4	5	5	6
20-34	472	3.9	2	2	2	4	5	6	7	10
35-49	669	4.7	6	2	3	4	5	8	9	16
50-64	536	5.5	26	2	3	4	6	9	12	29
65+	147	6.2	22	2	3	5	7	12	17	25
2. MULTIPLE DX										
0-19 YRS	4	3.5	1	3	3	3	4	5	5	5
20-34	92	6.3	23	2	2	5	7	15	17	24
35-49	273	6.7	38	2	3	5	7	12	16	35
50-64	314	7.9	43	3	3	6	9	15	19	39
65+	154	10.5	117	3	3	8	13	19	23	59
TOT. SINGLE DX	1846	4.8	13	2	2	4	5	8	10	17
" MULTIPLE DX	837	7.8	55	3	3	6	9	15	20	38
TOTAL 0-19 YRS	26	3.2	1	1	2	3	4	5	5	6
20-34	564	4.3	7	2	2	4	5	6	9	16
35-49	942	5.2	17	2	3	4	6	9	12	23
50-64	850	6.4	35	2	3	5	7	11	15	35
65+	301	8.4	75	3	3	6	10	16	21	41
GRAND TOTAL	**2683**	**5.8**	**28**	**2**	**3**	**4**	**6**	**10**	**14**	**27**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	8.8	37	2	2	9	10	16	24	25
20-34	29	8.8	93	1	2	6	11	19	29	47
35-49	118	9.0	31	1	2	9	12	16	20	25
50-64	481	10.8	36	3	5	10	13	17	20	32
65+	527	12.8	80	4	6	11	15	20	26	59
2. MULTIPLE DX										
0-19 YRS	38	15.3	199	2	3	12	18	37	41	73
20-34	124	11.2	82	2	2	9	15	24	32	42
35-49	408	12.7	107	2	3	10	16	25	32	90
50-64	1419	15.7	136	4	6	13	18	27	39	71
65+	1713	18.9	163	6	8	16	23	35	46	71
TOT. SINGLE DX	1167	11.5	59	3	5	10	14	18	23	41
" MULTIPLE DX	3702	16.7	150	4	6	13	20	31	41	72
TOTAL 0-19 YRS	50	13.7	167	2	3	10	14	28	41	73
20-34	153	10.8	85	2	2	8	14	23	31	46
35-49	526	11.9	93	2	3	10	15	22	29	75
50-64	1900	14.4	116	4	6	12	17	25	34	69
65+	2240	17.5	151	5	7	14	21	32	42	70
GRAND TOTAL	**4869**	**15.4**	**133**	**3**	**5**	**12**	**18**	**28**	**38**	**69**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64	2	11.5	13	9	9	11	14	14	14	14
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64	5	11.8	15	8	8	11	14	18	18	18
65+	1	8.0		8	8	8	8	8	8	8
TOT. SINGLE DX	2	11.5	13	9	9	11	14	14	14	14
" MULTIPLE DX	6	11.2	15	8	8	10	13	17	18	18
TOTAL 0-19 YRS										
20-34										
35-49										
50-64	7	11.7	13	8	8	11	14	17	18	18
65+	1	8.0		8	8	8	8	8	8	8
GRAND TOTAL	**8**	**11.3**	**13**	**8**	**8**	**10**	**13**	**17**	**18**	**18**

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	13	5.9	41	1	1	4	8	13	22	24
35-49	24	6.3	63	1	1	4	7	12	24	39
50-64	32	8.0	48	<1	1	4	13	18	21	24
65+	44	8.3	75	<1	<1	7	11	22	24	45
2. MULTIPLE DX										
0-19 YRS	39	5.4	18	1	1	4	7	12	16	18
20-34	268	6.8	39	1	2	5	8	14	18	29
35-49	425	6.7	45	1	2	5	8	13	18	41
50-64	786	7.6	64	1	2	5	10	15	20	47
65+	568	9.1	69	1	2	7	11	20	26	52
TOT. SINGLE DX	115	7.5	60	<1	1	5	10	17	23	41
" MULTIPLE DX	2086	7.7	59	1	2	5	10	15	22	44
TOTAL 0-19 YRS	41	5.3	17	1	1	4	7	11	16	18
20-34	281	6.7	39	1	2	5	8	13	18	29
35-49	449	6.7	47	1	2	5	8	13	18	41
50-64	818	7.6	64	1	2	5	10	15	21	46
65+	612	9.0	70	1	2	7	11	20	26	51
GRAND TOTAL	**2201**	**7.7**	**59**	**1**	**2**	**5**	**10**	**15**	**22**	**44**

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	201	7.8	37	1	2	6	10	14	20	28
20-34	203	6.6	38	1	1	4	9	14	19	32
35-49	332	8.9	62	1	2	7	11	18	24	41
50-64	1175	9.3	56	2	3	8	11	16	22	38
65+	1614	10.3	50	3	4	9	13	18	23	35
2. MULTIPLE DX										
0-19 YRS	1746	20.2	411	2	4	12	29	55	73	99+
20-34	628	10.5	147	1	1	7	13	23	37	63
35-49	953	12.5	180	1	2	9	15	27	42	78
50-64	3186	13.0	121	2	3	10	16	26	34	66
65+	4847	15.4	143	3	5	12	19	29	39	63
TOT. SINGLE DX	3525	9.5	53	2	3	8	12	17	23	36
" MULTIPLE DX	11360	14.9	189	2	3	11	18	31	44	80
TOTAL 0-19 YRS	1947	18.9	387	2	3	11	26	52	70	99+
20-34	831	9.5	123	1	1	6	12	21	31	61
35-49	1285	11.5	152	1	2	8	14	25	36	74
50-64	4361	12.0	107	2	3	9	15	24	32	62
65+	6461	14.1	125	3	4	11	17	27	35	61
GRAND TOTAL	**14885**	**13.6**	**162**	**2**	**3**	**10**	**16**	**28**	**39**	**76**

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	434	2.9	7	<1	1	2	3	7	9	14
20-34	488	3.9	13	1	1	3	5	8	11	18
35-49	332	4.6	20	1	1	3	6	10	14	23
50-64	378	5.9	25	1	2	4	8	12	17	25
65+	359	7.5	50	1	2	5	10	14	21	38
2. MULTIPLE DX										
0-19 YRS	163	4.7	18	1	1	3	6	10	14	22
20-34	314	7.5	45	1	2	6	10	15	20	34
35-49	338	8.3	56	2	2	6	11	17	22	42
50-64	635	9.9	63	2	3	8	13	19	25	41
65+	785	11.8	86	2	3	9	15	24	31	45
TOT. SINGLE DX	1991	4.8	25	1	1	3	6	10	14	25
" MULTIPLE DX	2235	9.6	69	2	2	7	13	19	26	43
TOTAL 0-19 YRS	597	3.4	11	<1	1	2	4	8	10	16
20-34	802	5.3	29	1	1	3	7	11	15	25
35-49	670	6.5	42	1	2	4	9	15	19	34
50-64	1013	8.4	53	2	2	7	11	17	22	37
65+	1144	10.4	79	2	2	8	14	21	28	45
GRAND TOTAL	**4226**	**7.4**	**54**	**1**	**2**	**5**	**10**	**16**	**21**	**38**

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	3.6	10	<1	<1	2	5	9	11	11
20-34	37	5.6	16	1	2	5	7	9	9	24
35-49	41	8.9	91	1	2	5	10	17	32	48
50-64	71	9.0	73	2	3	7	11	18	21	56
65+	56	9.7	56	2	3	8	11	19	23	46
2. MULTIPLE DX										
0-19 YRS	6	10.8	92	<1	<1	10	19	23	23	23
20-34	22	6.9	22	1	2	5	9	13	18	20
35-49	54	13.9	100	3	4	11	18	30	38	44
50-64	160	13.2	191	3	4	9	15	26	42	83
65+	193	12.3	111	4	4	9	15	24	30	59
TOT. SINGLE DX	222	8.2	61	1	2	7	9	17	21	47
" MULTIPLE DX	435	12.5	136	3	4	9	15	24	33	72
TOTAL 0-19 YRS	23	5.5	39	<1	<1	2	7	17	20	23
20-34	59	6.1	19	1	2	5	8	9	14	24
35-49	95	11.7	102	2	3	8	15	25	38	46
50-64	231	11.9	159	3	3	8	13	24	37	77
65+	249	11.7	100	3	4	9	15	23	28	47
GRAND TOTAL	**657**	**11.1**	**115**	**2**	**3**	**8**	**13**	**22**	**30**	**51**

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	7.7	24	2	2	10	11	11	11	11
20-34										
35-49	2	5.0	8	3	3	5	7	7	7	7
50-64	2	2.5	1	2	2	2	3	3	3	3
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49										
50-64	2	25.5	265	14	14	25	37	37	37	37
65+	1	24.0		24	24	24	24	24	24	24
TOT. SINGLE DX	7	5.4	15	2	2	3	9	11	11	11
" MULTIPLE DX	4	20.0	189	5	5	19	30	37	37	37
TOTAL 0-19 YRS	3	7.7	24	2	2	10	11	11	11	11
20-34	1	5.0		5	5	5	5	5	5	5
35-49	2	5.0	8	3	3	5	7	7	7	7
50-64	4	14.0	265	2	2	8	25	37	37	37
65+	1	24.0		24	24	24	24	24	24	24
GRAND TOTAL	**11**	**10.7**	**120**	**2**	**2**	**7**	**13**	**29**	**36**	**37**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	8.0		8	8	8	8	8	8	8
TOT. SINGLE DX	1	5.0		5	5	5	5	5	5	5
" MULTIPLE DX	1	8.0		8	8	8	8	8	8	8
TOTAL 0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34										
35-49										
50-64										
65+	1	8.0		8	8	8	8	8	8	8
GRAND TOTAL	**2**	**6.5**	**5**	**5**	**5**	**6**	**8**	**8**	**8**	**8**

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	209	6.7	25	1	2	6	8	12	15	28
20-34	228	8.5	47	2	2	7	10	18	25	32
35-49	243	8.5	50	2	2	7	10	17	22	39
50-64	373	8.2	63	2	2	6	10	15	21	44
65+	555	9.7	73	2	3	7	12	20	28	49
2. MULTIPLE DX										
0-19 YRS	272	10.3	110	2	3	7	11	19	28	65
20-34	531	11.8	120	3	4	9	13	23	31	65
35-49	708	12.0	112	2	3	9	15	23	33	57
50-64	1446	12.6	122	3	4	9	15	25	35	62
65+	3397	13.3	107	3	4	11	17	25	33	58
TOT. SINGLE DX	1608	8.6	58	2	2	7	10	17	23	41
" MULTIPLE DX	6354	12.8	113	3	4	10	16	25	33	60
TOTAL 0-19 YRS	481	8.7	77	2	2	7	10	16	23	49
20-34	759	10.8	101	2	3	8	13	22	29	58
35-49	951	11.1	99	2	3	8	14	22	30	52
50-64	1819	11.7	113	2	3	9	14	23	32	61
65+	3952	12.8	104	3	4	10	16	25	32	55
GRAND TOTAL	**7962**	**11.9**	**105**	**2**	**3**	**9**	**15**	**23**	**31**	**56**

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	21	14.0	384	2	2	5	12	51	61	72
20-34	40	12.6	124	2	2	10	16	28	40	47
35-49	35	10.9	83	1	2	9	16	26	29	31
50-64	53	10.7	163	1	3	6	12	25	43	63
65+	42	15.9	244	1	2	10	22	36	51	70
2. MULTIPLE DX										
0-19 YRS	63	22.0	537	3	4	10	38	63	81	99
20-34	83	13.8	178	2	2	10	19	31	36	76
35-49	124	13.8	194	2	3	9	16	31	48	71
50-64	198	14.7	150	2	3	11	20	33	41	83
65+	313	19.4	223	3	4	16	28	42	50	81
TOT. SINGLE DX	191	12.6	183	1	2	8	16	31	44	67
" MULTIPLE DX	781	16.9	228	2	4	12	23	38	49	87
TOTAL 0-19 YRS	84	20.0	506	3	3	9	36	57	79	97
20-34	123	13.4	161	2	2	10	18	31	37	60
35-49	159	13.2	171	2	3	9	16	28	39	70
50-64	251	13.9	155	2	3	10	18	33	42	66
65+	355	19.0	227	2	4	16	27	42	50	76
GRAND TOTAL	**972**	**16.1**	**222**	**2**	**3**	**11**	**22**	**37**	**49**	**80**

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	36	4.3	13	<1	1	3	6	10	12	15
20-34	74	5.3	24	1	1	4	7	11	17	23
35-49	115	5.4	16	1	1	4	7	12	14	20
50-64	190	6.4	57	1	1	4	8	13	22	52
65+	227	7.0	40	1	2	5	9	16	22	31
2. MULTIPLE DX										
0-19 YRS	42	6.6	48	1	1	4	8	17	22	34
20-34	189	7.5	62	2	2	6	9	13	19	41
35-49	426	8.9	96	2	2	6	11	18	24	60
50-64	689	9.7	125	1	2	7	11	20	28	76
65+	1197	11.1	122	2	2	8	13	24	32	67
TOT. SINGLE DX	642	6.2	38	1	1	4	8	13	19	32
" MULTIPLE DX	2543	10.0	115	2	2	7	12	21	28	69
TOTAL 0-19 YRS	78	5.5	33	1	1	4	7	12	18	31
20-34	263	6.9	53	1	2	5	8	12	18	38
35-49	541	8.1	81	1	2	6	10	16	21	46
50-64	879	9.0	113	1	2	6	11	19	27	74
65+	1424	10.4	112	2	2	7	13	22	30	66
GRAND TOTAL	**3185**	**9.2**	**102**	**1**	**2**	**6**	**11**	**19**	**27**	**61**

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	328	4.2	3	2	2	4	5	6	8	11
20-34	4	12.0	33	5	5	12	16	19	19	19
35-49	3	8.0	13	4	4	9	10	11	11	11
50-64	2	10.5	1	10	10	10	11	11	11	11
65+	10	18.5	143	9	9	16	19	36	50	50
2. MULTIPLE DX										
0-19 YRS	63	7.6	75	2	3	5	8	12	24	54
20-34	6	8.5	12	3	3	8	9	14	14	14
35-49	12	13.7	42	7	7	12	17	22	29	30
50-64	7	18.7	153	8	8	18	24	39	42	42
65+	36	21.1	182	6	9	16	28	44	51	57
TOT. SINGLE DX	347	4.7	14	2	2	4	5	8	10	19
" MULTIPLE DX	124	12.8	138	3	3	9	16	30	41	56
TOTAL 0-19 YRS	391	4.7	17	2	2	4	5	8	10	17
20-34	10	9.9	21	3	4	9	13	16	19	19
35-49	15	12.5	41	5	7	11	15	19	27	30
50-64	9	16.9	128	8	8	11	21	36	42	42
65+	46	20.5	172	7	9	16	23	44	50	57
GRAND TOTAL	**471**	**6.9**	**59**	**2**	**2**	**4**	**7**	**13**	**19**	**49**

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	5.5	14	3	3	4	5	12	13	13
20-34	7	10.0	78	3	3	8	10	25	29	29
35-49	6	18.0	187	6	6	14	24	40	42	42
50-64	21	16.4	129	3	6	15	19	28	42	55
65+	36	20.9	151	6	8	21	26	45	48	99+
2. MULTIPLE DX										
0-19 YRS	25	21.6	440	4	6	18	32	83	99+	99+
20-34	15	16.0	252	1	2	12	16	47	55	58
35-49	22	25.3	319	7	7	22	42	57	77	99+
50-64	111	23.1	354	4	5	18	34	60	88	99+
65+	334	25.2	291	6	8	21	36	53	72	99+
TOT. SINGLE DX	76	17.2	148	4	4	14	24	37	45	88
" MULTIPLE DX	507	24.3	313	5	7	20	35	54	76	99+
TOTAL 0-19 YRS	31	18.5	397	3	4	13	27	76	98	99+
20-34	22	14.1	199	2	3	11	15	34	51	58
35-49	28	23.8	292	7	7	21	37	54	66	99+
50-64	132	22.0	324	4	5	17	30	54	85	99+
65+	370	24.7	279	6	8	21	35	49	71	99+
GRAND TOTAL	**583**	**23.3**	**297**	**4**	**7**	**19**	**33**	**53**	**73**	**99+**

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13	5.8	10	3	3	5	7	10	14	15
20-34	125	5.6	8	2	2	5	7	9	11	38
35-49	237	6.5	20	2	2	5	8	12	16	23
50-64	249	7.1	23	1	2	6	9	13	17	25
65+	278	8.0	43	2	2	7	10	15	20	30
2. MULTIPLE DX										
0-19 YRS	42	6.6	22	1	3	5	7	11	18	24
20-34	316	7.5	44	2	3	6	9	14	17	39
35-49	796	8.0	41	2	3	7	10	14	17	34
50-64	1167	9.0	46	2	3	7	11	16	22	36
65+	2034	11.1	83	3	4	9	13	21	28	55
TOT. SINGLE DX	902	7.0	27	2	2	6	9	13	17	27
" MULTIPLE DX	4355	9.7	64	2	3	8	12	17	24	41
TOTAL 0-19 YRS	55	6.4	20	2	3	5	7	11	16	24
20-34	441	7.0	35	2	3	6	8	12	16	39
35-49	1033	7.7	37	2	3	6	10	14	17	30
50-64	1416	8.7	43	2	3	7	11	16	20	34
65+	2312	10.7	79	3	3	8	13	21	28	52
GRAND TOTAL	**5257**	**9.2**	**59**	**2**	**3**	**7**	**11**	**17**	**23**	**40**

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	8.8	20	5	5	7	12	15	15	15
20-34	84	11.2	20	6	7	10	13	18	20	25
35-49	185	13.4	45	7	8	12	15	21	25	46
50-64	186	14.3	45	7	8	13	17	21	28	41
65+	156	15.9	37	8	9	15	19	24	27	33
2. MULTIPLE DX										
0-19 YRS	6	16.0	32	11	11	13	21	25	25	25
20-34	74	14.8	73	6	8	13	17	25	28	56
35-49	225	16.1	101	7	9	13	18	25	34	59
50-64	366	19.2	137	8	9	16	24	33	45	94
65+	489	23.6	202	9	10	20	29	42	53	85
TOT. SINGLE DX	615	14.0	42	7	8	13	17	21	26	42
" MULTIPLE DX	1160	20.2	164	8	9	16	25	36	45	81
TOTAL 0-19 YRS	10	13.1	39	5	5	12	15	23	25	25
20-34	158	12.9	48	6	7	11	15	20	25	31
35-49	410	14.9	78	7	8	12	17	24	31	51
50-64	552	17.6	112	8	9	15	20	29	41	67
65+	645	21.7	174	9	10	18	27	38	47	81
GRAND TOTAL	**1775**	**18.0**	**130**	**8**	**9**	**15**	**21**	**32**	**42**	**67**

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	2	19.0	32	15	15	19	23	23	23	23
35-49	5	30.2	100	19	19	32	36	44	44	44
50-64	28	21.3	87	12	12	19	24	30	41	56
65+	31	22.3	102	10	12	18	30	36	43	47
2. MULTIPLE DX										
0-19 YRS										
20-34	3	20.3	46	15	15	18	25	28	28	28
35-49	12	19.9	134	11	11	16	20	39	49	51
50-64	41	23.6	55	13	15	23	28	35	39	40
65+	54	26.1	285	11	12	22	32	44	62	97
TOT. SINGLE DX	66	22.3	96	11	12	21	28	35	43	55
" MULTIPLE DX	110	24.4	178	11	12	21	29	37	51	82
TOTAL 0-19 YRS										
20-34	5	19.8	32	15	15	18	24	28	28	28
35-49	17	22.9	141	11	11	19	32	42	49	51
50-64	69	22.7	69	12	13	21	27	33	39	53
65+	85	24.7	220	11	12	21	30	38	58	89
GRAND TOTAL	**176**	**23.6**	**147**	**11**	**12**	**21**	**29**	**37**	**44**	**69**

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	9.3	23	6	6	8	9	18	19	19
20-34	69	10.6	21	6	7	10	12	15	21	28
35-49	129	11.5	30	6	7	10	13	18	21	31
50-64	121	12.1	32	6	7	10	15	19	21	38
65+	51	16.4	61	7	9	14	21	28	32	39
2. MULTIPLE DX										
0-19 YRS	3	11.7	100	4	4	8	19	23	23	23
20-34	74	13.9	92	6	7	11	15	25	29	56
35-49	129	13.5	39	6	7	12	16	22	29	54
50-64	169	16.2	97	7	8	13	18	26	37	52
65+	156	22.2	208	9	11	18	27	38	54	95
TOT. SINGLE DX	376	12.2	36	6	7	10	14	20	23	37
" MULTIPLE DX	531	16.9	127	7	8	14	20	29	38	81
TOTAL 0-19 YRS	9	10.1	41	4	5	8	11	21	23	23
20-34	143	12.3	60	6	7	10	14	21	26	53
35-49	258	12.5	36	6	7	11	15	21	23	41
50-64	290	14.5	74	7	7	12	17	22	33	48
65+	207	20.8	178	9	10	17	25	35	51	91
GRAND TOTAL	**907**	**15.0**	**95**	**7**	**7**	**12**	**17**	**25**	**34**	**55**

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	51	8.0	29	3	4	7	9	11	17	33
20-34	399	8.8	20	5	6	8	9	12	15	30
35-49	375	9.5	17	6	6	8	11	14	18	24
50-64	156	11.9	37	6	7	10	14	20	26	30
65+	128	13.3	56	6	7	11	17	23	30	40
2. MULTIPLE DX										
0-19 YRS	65	16.1	277	4	5	9	19	41	74	99+
20-34	658	9.7	50	5	5	8	10	15	21	47
35-49	786	10.8	65	5	6	9	11	18	23	40
50-64	503	15.1	102	6	7	12	18	28	38	59
65+	509	21.9	217	7	9	17	27	42	53	76
TOT. SINGLE DX	1109	10.0	29	5	6	8	11	16	20	32
" MULTIPLE DX	2521	13.8	125	5	6	10	15	26	37	67
TOTAL 0-19 YRS	116	12.5	184	3	4	8	13	31	44	99+
20-34	1057	9.4	39	5	5	8	10	13	19	34
35-49	1161	10.4	50	5	6	9	11	17	20	37
50-64	659	14.3	89	6	7	11	17	26	35	50
65+	637	20.2	197	7	8	16	25	39	48	73
GRAND TOTAL	**3630**	**12.6**	**99**	**5**	**6**	**9**	**14**	**23**	**32**	**57**

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	121	5.1	16	1	2	4	6	9	11	25
20-34	347	5.2	16	1	1	4	7	10	12	16
35-49	343	5.2	22	1	1	4	7	11	14	27
50-64	553	4.9	20	1	1	3	7	11	14	21
65+	583	5.7	35	1	1	3	8	14	18	27
2. MULTIPLE DX										
0-19 YRS	141	7.7	92	2	2	6	8	14	19	54
20-34	529	7.9	50	2	2	6	9	15	21	33
35-49	755	7.3	37	1	2	6	9	14	18	30
50-64	1499	7.6	46	1	2	6	10	15	19	35
65+	2519	9.5	72	1	2	7	12	19	26	43
TOT. SINGLE DX	1947	5.3	24	1	1	4	7	11	15	23
" MULTIPLE DX	5443	8.5	60	1	2	7	11	17	22	40
TOTAL 0-19 YRS	262	6.5	59	2	2	5	7	11	15	34
20-34	876	6.8	39	1	2	5	8	13	17	30
35-49	1098	6.6	34	1	1	5	9	13	17	28
50-64	2052	6.9	41	1	1	5	9	14	18	32
65+	3102	8.8	68	1	2	7	11	18	24	41
GRAND TOTAL	**7390**	**7.6**	**53**	**1**	**2**	**6**	**10**	**15**	**20**	**36**

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	10.2	34	5	6	8	11	22	23	23
20-34	41	11.0	24	6	7	9	13	19	23	25
35-49	41	12.2	35	6	7	11	14	19	23	37
50-64	58	14.5	52	7	8	14	16	21	26	47
65+	85	17.8	81	9	9	16	21	29	37	86
2. MULTIPLE DX										
0-19 YRS	62	18.9	321	6	7	12	23	57	73	99+
20-34	129	14.4	140	6	7	10	16	26	44	65
35-49	130	16.7	102	7	8	13	20	27	38	58
50-64	211	21.5	248	8	8	16	27	46	60	99+
65+	424	22.5	219	8	9	18	27	43	55	84
TOT. SINGLE DX	237	14.4	61	7	7	12	18	23	29	56
" MULTIPLE DX	956	20.2	214	7	8	16	25	42	55	89
TOTAL 0-19 YRS	74	17.5	284	6	6	11	20	52	70	99+
20-34	170	13.5	114	6	7	10	15	24	35	64
35-49	171	15.6	90	7	8	13	19	25	32	54
50-64	269	20.0	214	7	8	15	23	41	56	98
65+	509	21.7	199	8	9	18	26	42	54	85
GRAND TOTAL	**1193**	**19.0**	**189**	**7**	**8**	**15**	**22**	**37**	**53**	**85**

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	11.5	46	5	6	9	13	20	27	34
20-34	126	13.3	50	7	8	11	15	22	26	45
35-49	233	12.6	28	7	8	11	14	18	22	36
50-64	606	13.3	34	8	9	12	15	20	24	36
65+	865	16.1	56	9	9	14	18	24	31	46
2. MULTIPLE DX										
0-19 YRS	59	18.8	331	5	6	14	27	83	99+	99+
20-34	202	16.9	130	7	8	13	20	30	42	60
35-49	461	15.3	82	7	8	13	17	23	31	54
50-64	1437	16.8	76	8	9	15	19	27	32	54
65+	3168	20.2	117	10	11	17	24	33	43	70
TOT. SINGLE DX	1854	14.5	47	8	9	13	17	22	27	41
" MULTIPLE DX	5327	18.7	110	9	10	16	22	31	39	69
TOTAL 0-19 YRS	83	16.7	259	5	6	12	20	68	99+	99+
20-34	328	15.5	103	7	8	12	18	28	35	56
35-49	694	14.4	66	7	8	12	16	22	28	50
50-64	2043	15.7	67	8	9	14	18	25	30	48
65+	4033	19.3	107	9	10	17	22	31	40	65
GRAND TOTAL	**7181**	**17.6**	**97**	**8**	**9**	**15**	**21**	**29**	**37**	**62**

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	6.2	14	4	4	5	7	13	13	13
20-34	11	7.7	8	2	4	8	10	11	12	12
35-49	13	11.3	13	6	7	11	13	16	19	20
50-64	22	14.1	40	6	8	13	16	25	26	27
65+	53	14.1	47	6	8	13	16	23	31	35
2. MULTIPLE DX										
0-19 YRS	11	31.5	889	7	8	20	81	99+	99+	99+
20-34	41	14.4	153	5	6	11	16	22	43	70
35-49	39	15.1	75	5	6	13	19	26	29	46
50-64	75	17.8	101	7	9	14	23	35	42	87
65+	179	21.7	190	8	10	18	27	37	48	93
TOT. SINGLE DX	104	12.7	42	5	6	12	15	21	26	34
" MULTIPLE DX	345	19.5	185	7	8	15	24	36	49	99+
TOTAL 0-19 YRS	16	23.6	743	4	4	14	59	97	99+	99+
20-34	52	13.0	130	5	6	10	15	20	35	70
35-49	52	14.1	62	6	7	12	18	25	27	46
50-64	97	17.0	89	7	8	14	22	32	39	75
65+	232	19.9	168	8	9	16	25	35	43	88
GRAND TOTAL	**449**	**17.9**	**160**	**6**	**8**	**14**	**23**	**34**	**43**	**95**

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	73	7.1	13	2	3	7	8	12	16	18
20-34	135	8.7	11	4	4	8	11	13	15	17
35-49	157	10.3	26	4	5	10	11	15	18	33
50-64	174	10.4	29	4	6	10	12	15	18	28
65+	221	10.8	32	4	5	10	13	18	22	35
2. MULTIPLE DX										
0-19 YRS	127	13.3	137	4	5	9	15	26	43	61
20-34	284	12.6	96	5	6	10	14	23	29	71
35-49	245	15.8	155	5	6	12	20	31	42	79
50-64	334	16.3	162	6	7	12	18	34	44	77
65+	563	17.4	152	6	7	14	21	34	45	76
TOT. SINGLE DX	760	9.9	26	3	5	9	12	15	18	28
" MULTIPLE DX	1553	15.7	147	5	7	12	18	30	43	75
TOTAL 0-19 YRS	200	11.0	101	3	4	8	12	19	33	54
20-34	419	11.3	72	4	5	9	13	19	24	60
35-49	402	13.7	112	5	6	11	15	26	37	68
50-64	508	14.3	125	5	7	11	15	25	40	74
65+	784	15.6	127	5	7	12	18	28	41	60
GRAND TOTAL	**2313**	**13.8**	**114**	**5**	**6**	**11**	**15**	**25**	**37**	**65**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	9.4	36	2	4	8	12	19	24	24
20-34	14	11.6	191	3	5	8	10	22	50	58
35-49	14	17.6	403	2	3	11	18	58	66	68
50-64	30	13.4	37	5	6	13	17	22	23	28
65+	57	19.5	157	8	9	15	24	30	40	83
2. MULTIPLE DX										
0-19 YRS	20	18.6	345	6	8	13	18	67	90	99+
20-34	44	17.0	225	4	5	13	21	41	54	99+
35-49	75	20.7	222	6	9	16	23	47	53	98
50-64	179	22.4	238	8	8	17	28	45	53	97
65+	386	25.2	224	9	11	21	31	44	59	90
TOT. SINGLE DX	126	16.1	157	4	5	14	19	28	38	72
" MULTIPLE DX	704	23.3	236	8	9	19	29	44	58	99
TOTAL 0-19 YRS	31	15.3	251	4	6	12	15	36	79	99+
20-34	58	15.7	219	3	5	10	19	40	52	98
35-49	89	20.2	248	4	6	15	22	49	57	96
50-64	209	21.1	219	7	8	17	26	43	52	94
65+	443	24.4	219	9	11	21	30	43	57	87
GRAND TOTAL	**830**	**22.2**	**230**	**7**	**8**	**18**	**28**	**43**	**57**	**97**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5993	4.1	5	2	2	3	5	7	9	14
20-34	3782	4.3	5	2	2	4	5	7	8	13
35-49	1188	5.0	7	2	3	4	6	9	10	16
50-64	594	6.7	17	2	3	6	8	12	14	20
65+	279	8.4	30	3	3	7	10	15	17	34
2. MULTIPLE DX										
0-19 YRS	1325	5.9	16	2	3	5	7	11	14	21
20-34	1020	6.6	19	2	3	5	8	12	16	24
35-49	450	8.2	24	3	4	7	11	14	17	26
50-64	440	11.3	77	4	4	9	14	21	25	57
65+	370	13.7	99	4	5	11	16	24	31	57
TOT. SINGLE DX	11836	4.5	8	2	2	4	5	8	10	15
" MULTIPLE DX	3605	7.8	41	2	3	6	10	15	19	31
TOTAL 0-19 YRS	7318	4.4	8	2	2	4	5	8	10	15
20-34	4802	4.8	9	2	2	4	5	8	10	17
35-49	1638	5.9	14	2	3	5	7	11	13	20
50-64	1034	8.7	48	3	3	7	10	16	20	37
65+	649	11.4	76	3	4	9	14	20	27	49
GRAND TOTAL	**15441**	**5.2**	**18**	**2**	**2**	**4**	**6**	**10**	**12**	**22**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	72	4.5	5	1	2	4	6	7	9	13
20-34	68	4.6	3	3	3	4	5	7	8	12
35-49	22	6.0	11	2	3	5	7	12	14	14
50-64	13	6.5	7	4	4	6	7	11	13	13
65+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
0-19 YRS	47	6.3	23	2	3	5	7	12	15	30
20-34	52	7.9	30	3	4	6	9	15	21	30
35-49	18	10.2	22	3	4	10	13	14	20	23
50-64	11	16.3	94	9	9	12	19	29	42	43
65+	5	12.6	37	7	7	11	17	22	22	22
TOT. SINGLE DX	176	4.9	6	2	3	4	6	8	11	14
" MULTIPLE DX	133	8.5	39	3	3	7	10	15	21	32
TOTAL 0-19 YRS	119	5.2	13	2	2	4	6	9	12	21
20-34	120	6.0	18	3	3	5	7	9	13	28
35-49	40	7.9	21	3	3	7	11	14	14	23
50-64	24	11.0	70	4	4	9	13	19	27	43
65+	6	12.2	31	7	7	10	15	21	22	22
GRAND TOTAL	**309**	**6.5**	**24**	**2**	**3**	**5**	**8**	**12**	**15**	**28**

605: Operations on appendix, except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	7.4	11	2	3	7	10	11	13	14
20-34	7	8.1	5	4	5	8	10	11	11	11
35-49	7	11.0	13	6	6	13	14	15	15	15
50-64	12	15.2	47	4	8	14	20	24	29	30
65+	7	15.3	97	7	7	11	20	31	34	34
2. MULTIPLE DX										
0-19 YRS	10	10.6	40	4	4	9	14	21	22	22
20-34	13	10.9	33	3	4	11	16	18	21	22
35-49	11	14.7	94	6	7	11	20	30	37	38
50-64	12	16.2	81	10	10	12	19	27	40	42
65+	8	27.0	430	11	12	16	39	62	66	66
TOT. SINGLE DX	50	11.0	41	3	4	10	14	20	21	34
" MULTIPLE DX	54	15.2	136	4	6	12	17	24	41	65
TOTAL 0-19 YRS	27	8.6	23	3	3	7	11	14	20	22
20-34	20	10.0	25	3	4	10	12	17	20	22
35-49	18	13.3	64	6	6	11	15	23	32	38
50-64	24	15.7	62	8	10	14	20	22	34	42
65+	15	21.5	293	7	8	15	24	53	63	66
GRAND TOTAL	**104**	**13.2**	**94**	**3**	**5**	**11**	**16**	**21**	**31**	**59**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	106	4.5	91	<1	1	2	5	8	12	53
20-34	142	5.5	20	1	2	4	7	11	14	25
35-49	111	5.2	17	1	2	4	7	11	14	19
50-64	181	4.9	20	1	1	3	6	11	14	22
65+	212	5.9	23	1	2	4	8	12	14	25
2. MULTIPLE DX										
0-19 YRS	65	6.1	32	1	1	4	8	12	23	88
20-34	156	7.0	35	2	2	6	8	12	17	34
35-49	169	7.4	44	2	2	5	9	14	23	34
50-64	377	8.3	64	2	2	6	10	15	22	45
65+	706	10.1	81	2	3	7	13	20	29	47
TOT. SINGLE DX	752	5.3	31	1	1	4	7	11	14	21
" MULTIPLE DX	1473	8.8	68	2	2	6	11	18	25	46
TOTAL 0-19 YRS	171	5.2	69	1	1	3	6	10	19	80
20-34	298	6.2	29	1	2	5	8	12	16	26
35-49	280	6.5	35	1	2	5	9	13	18	33
50-64	558	7.2	53	1	2	5	9	14	19	36
65+	918	9.1	71	2	2	7	11	19	26	45
GRAND TOTAL	**2225**	**7.6**	**58**	**1**	**2**	**5**	**9**	**15**	**21**	**39**

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	64	2.8	2	1	1	2	4	5	6	8
20-34	313	3.3	8	1	1	3	4	5	7	15
35-49	249	3.9	28	1	1	3	4	6	9	18
50-64	136	4.9	22	1	2	4	5	9	11	32
65+	47	6.1	56	1	1	4	7	14	16	49
2. MULTIPLE DX										
0-19 YRS	23	7.7	51	1	1	5	12	18	24	28
20-34	135	5.0	14	1	2	4	6	9	12	18
35-49	176	6.1	76	1	2	4	7	11	16	48
50-64	128	6.5	35	2	2	5	8	12	15	35
65+	82	11.0	133	2	3	7	14	23	25	66
TOT. SINGLE DX	809	3.9	20	1	1	3	4	7	9	18
" MULTIPLE DX	544	6.7	62	2	2	5	8	13	17	50
TOTAL 0-19 YRS	87	4.1	20	1	1	3	5	7	14	26
20-34	448	3.8	11	1	1	3	5	7	9	15
35-49	425	4.8	50	1	2	3	5	8	12	42
50-64	264	5.7	29	1	2	4	6	11	14	32
65+	129	9.2	111	2	2	6	12	17	24	64
GRAND TOTAL	**1353**	**5.0**	**39**	**1**	**2**	**3**	**5**	**9**	**14**	**31**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13	12.2	33	3	7	12	14	17	26	28
20-34	12	13.9	40	4	4	14	18	21	24	25
35-49	61	15.9	59	5	8	15	18	28	32	39
50-64	128	14.9	27	8	10	14	18	21	25	36
65+	208	18.5	80	10	10	16	22	30	34	55
2. MULTIPLE DX										
0-19 YRS	13	19.2	139	2	4	16	26	37	38	38
20-34	33	16.0	84	4	7	14	22	29	42	99+
35-49	66	16.7	124	6	8	13	19	30	38	70
50-64	244	18.9	90	9	10	17	22	30	37	67
65+	463	23.0	182	9	11	20	27	40	51	92
TOT. SINGLE DX	422	16.7	62	8	10	15	19	26	31	44
" MULTIPLE DX	819	20.9	151	8	10	18	24	36	45	76
TOTAL 0-19 YRS	26	15.7	95	2	5	13	20	35	37	38
20-34	45	15.4	72	4	5	14	19	28	35	99+
35-49	127	16.3	93	5	8	13	19	29	37	49
50-64	372	17.5	72	9	10	16	21	27	34	47
65+	671	21.6	155	9	10	19	25	36	48	77
GRAND TOTAL	**1241**	**19.5**	**125**	**8**	**10**	**17**	**23**	**32**	**41**	**70**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	272	4.5	30	1	1	4	5	8	12	17
20-34	1085	5.3	18	1	2	4	7	9	12	24
35-49	1280	5.6	16	1	2	5	7	10	12	17
50-64	1076	5.7	18	1	2	5	7	11	13	23
65+	879	6.8	27	1	2	6	9	13	17	25
2. MULTIPLE DX										
0-19 YRS	347	6.3	26	2	2	5	8	12	15	33
20-34	2289	6.7	29	2	2	5	8	12	15	29
35-49	3691	7.2	32	2	3	6	9	13	17	31
50-64	4693	8.1	44	2	3	6	10	15	19	35
65+	6107	9.9	68	2	3	8	12	19	25	46
TOT. SINGLE DX	4592	5.7	21	1	2	5	7	10	13	23
" MULTIPLE DX	17127	8.3	50	2	3	7	10	16	21	38
TOTAL 0-19 YRS	619	5.5	29	1	2	4	7	10	14	28
20-34	3374	6.3	26	2	2	5	8	11	14	28
35-49	4971	6.8	29	2	2	5	8	12	16	29
50-64	5769	7.6	41	2	2	6	9	14	19	33
65+	6986	9.5	65	2	3	8	12	18	23	45
GRAND TOTAL	**21719**	**7.8**	**45**	**2**	**2**	**6**	**9**	**15**	**19**	**35**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	31	3.0	3	1	1	2	4	6	8	9
20-34	321	3.6	2	2	2	3	4	6	7	9
35-49	367	3.9	4	1	2	4	5	6	8	11
50-64	191	3.9	3	2	2	3	5	6	8	11
65+	66	4.3	4	2	2	4	5	7	9	12
2. MULTIPLE DX										
0-19 YRS	14	4.6	5	3	3	4	5	8	10	11
20-34	235	4.4	7	2	2	4	5	7	9	15
35-49	278	4.9	11	2	2	4	6	9	11	17
50-64	229	5.4	11	2	3	4	6	9	11	23
65+	126	8.0	87	2	3	6	9	15	24	85
TOT. SINGLE DX	976	3.8	4	2	2	3	5	6	7	11
" MULTIPLE DX	882	5.4	22	2	2	4	6	9	12	26
TOTAL 0-19 YRS	45	3.5	5	1	2	3	4	7	8	11
20-34	556	3.9	5	2	2	3	5	6	7	12
35-49	645	4.3	7	2	2	4	5	7	9	15
50-64	420	4.8	9	2	2	4	5	8	10	17
65+	192	6.7	62	2	3	5	7	11	18	65
GRAND TOTAL	**1858**	**4.5**	**13**	**2**	**2**	**4**	**5**	**7**	**10**	**17**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	74	2.8	2	<1	1	2	4	5	5	10
20-34	396	3.4	2	1	2	3	4	5	6	9
35-49	262	3.7	4	1	2	3	4	6	7	12
50-64	126	3.8	5	1	2	3	5	6	7	15
65+	58	6.1	54	1	2	4	7	11	15	51
2. MULTIPLE DX										
0-19 YRS	30	4.1	10	1	1	4	5	6	7	19
20-34	330	4.7	7	2	2	4	6	7	9	13
35-49	378	5.0	8	2	2	4	6	8	11	18
50-64	298	5.4	11	2	3	5	6	9	12	21
65+	208	6.8	28	3	3	5	8	11	17	32
TOT. SINGLE DX	916	3.7	7	1	2	3	4	6	7	12
" MULTIPLE DX	1244	5.3	13	2	3	4	6	9	11	21
TOTAL 0-19 YRS	104	3.2	5	<1	1	3	4	5	6	15
20-34	726	4.0	5	1	2	4	5	6	8	12
35-49	640	4.5	7	2	2	4	5	7	9	14
50-64	424	4.9	10	2	2	4	6	8	11	19
65+	266	6.7	34	2	3	5	8	11	16	33
GRAND TOTAL	**2160**	**4.6**	**11**	**2**	**2**	**4**	**5**	**8**	**10**	**18**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	23	4.0	2	2	2	4	4	6	7	8
20-34	671	4.9	4	2	3	5	6	7	8	11
35-49	813	5.3	4	3	3	5	6	8	9	13
50-64	513	5.5	5	3	3	5	7	8	9	13
65+	199	6.5	15	3	3	6	8	11	13	20
2. MULTIPLE DX										
0-19 YRS	75	4.6	3	3	3	5	6	7	9	77
20-34	1822	5.4	7	3	3	5	6	8	10	15
35-49	2810	6.0	13	3	3	5	7	9	11	18
50-64	2134	6.6	14	3	4	6	7	11	13	21
65+	1023	8.0	26	3	4	6	9	14	17	30
TOT. SINGLE DX	2219	5.3	6	3	3	5	6	8	10	13
" MULTIPLE DX	7864	6.2	15	3	3	5	7	10	13	21
TOTAL 0-19 YRS	98	4.5	3	2	3	4	5	7	8	56
20-34	2493	5.3	7	3	3	5	6	8	9	15
35-49	3623	5.8	11	3	3	5	7	9	11	16
50-64	2647	6.4	13	3	3	5	7	10	13	21
65+	1222	7.7	25	3	4	6	9	13	17	28
GRAND TOTAL	**10083**	**6.0**	**13**	**3**	**3**	**5**	**7**	**9**	**12**	**20**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	79	3.2	4	1	1	3	4	6	8	10
20-34	349	3.4	5	1	1	3	4	6	8	13
35-49	243	3.7	5	1	1	3	5	7	9	12
50-64	150	3.9	5	1	1	3	5	7	8	11
65+	101	6.3	21	2	2	5	7	13	18	23
2. MULTIPLE DX										
0-19 YRS	39	5.9	64	<1	1	4	6	11	18	48
20-34	180	5.1	15	1	2	4	6	9	14	22
35-49	224	5.8	21	2	2	4	7	11	13	28
50-64	217	6.5	37	1	2	5	8	13	17	28
65+	180	8.6	47	2	3	7	11	17	22	39
TOT. SINGLE DX	922	3.9	8	1	1	3	5	7	9	15
" MULTIPLE DX	840	6.4	33	2	2	5	8	12	17	29
TOTAL 0-19 YRS	118	4.1	25	1	1	3	5	7	9	30
20-34	529	4.0	10	1	1	3	5	7	9	17
35-49	467	4.7	15	1	2	4	6	9	11	25
50-64	367	5.4	26	1	2	4	7	10	14	22
65+	281	7.8	39	2	3	6	9	15	20	35
GRAND TOTAL	**1762**	**5.1**	**22**	**1**	**2**	**4**	**6**	**9**	**13**	**25**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	16.8	161	2	2	16	25	33	33	33
20-34	5	12.4	43	5	5	14	18	19	19	19
35-49	8	17.3	941	1	1	5	14	69	92	92
50-64	12	16.6	234	<1	2	14	17	38	56	59
65+	10	13.0	58	3	4	14	17	23	28	28
2. MULTIPLE DX										
0-19 YRS	2	7.0		7	7	7	7	7	7	7
20-34	20	22.1	250	6	7	18	29	44	61	67
35-49	14	14.9	142	2	2	12	17	33	42	45
50-64	25	19.6	258	2	3	12	30	45	51	56
65+	25	19.6	136	4	4	18	26	36	40	51
TOT. SINGLE DX	39	15.3	276	1	2	14	17	29	47	92
" MULTIPLE DX	86	19.1	198	3	4	15	27	37	49	63
TOTAL 0-19 YRS	6	13.5	122	2	2	11	16	31	33	33
20-34	25	20.2	221	5	6	18	24	32	59	67
35-49	22	15.8	404	1	2	[illegible]	17	36	64	92
50-64	37	18.6	246	2	3	13	28	45	54	59
65+	35	17.7	121	3	4	16	23	35	37	51
GRAND TOTAL	**125**	**17.9**	**224**	**2**	**3**	**15**	**22**	**35**	**49**	**73**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	40	5.8	56	1	1	3	7	14	24	34
20-34	224	5.1	30	1	1	3	7	12	16	28
35-49	224	5.2	30	1	1	3	7	12	17	29
50-64	281	6.8	50	1	2	4	9	15	20	40
65+	195	9.6	98	2	2	7	13	21	25	46
2. MULTIPLE DX										
0-19 YRS	67	10.5	100	2	2	7	11	22	32	53
20-34	373	11.0	144	2	2	8	13	19	35	80
35-49	527	10.3	90	2	2	8	13	21	25	51
50-64	936	11.2	101	2	2	9	14	22	30	54
65+	955	13.8	108	2	4	11	18	27	35	52
TOT. SINGLE DX	964	6.6	54	1	2	3	9	15	20	33
" MULTIPLE DX	2858	11.9	109	2	2	9	15	23	32	55
TOTAL 0-19 YRS	107	8.7	88	1	2	6	10	19	31	49
20-34	597	8.8	110	1	2	6	11	17	26	55
35-49	751	8.8	78	1	2	6	11	18	23	45
50-64	1217	10.2	93	2	2	8	13	21	28	51
65+	1150	13.1	109	2	3	11	17	25	33	52
GRAND TOTAL	**3822**	**10.5**	**101**	**2**	**2**	**8**	**14**	**22**	**29**	**51**

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	318	7.1	10	4	4	6	8	11	13	19
20-34	3812	7.1	6	4	5	6	8	10	12	16
35-49	3574	7.6	9	4	5	7	9	11	13	18
50-64	3178	8.4	11	5	5	8	10	13	15	21
65+	2157	10.4	20	5	6	9	12	16	20	26
2. MULTIPLE DX										
0-19 YRS	229	9.6	37	4	5	8	11	15	19	35
20-34	2544	9.2	23	5	5	8	11	14	17	28
35-49	3245	10.2	32	5	5	9	12	16	20	33
50-64	4388	11.9	46	5	6	10	14	19	24	39
65+	5524	15.3	78	6	8	13	18	25	32	51
TOT. SINGLE DX	13039	8.1	12	4	5	7	9	12	15	21
" MULTIPLE DX	15930	12.2	57	5	6	10	15	21	26	43
TOTAL 0-19 YRS	547	8.1	23	4	5	7	9	13	17	29
20-34	6356	7.9	14	4	5	7	9	12	14	22
35-49	6819	8.8	22	4	5	8	10	14	17	26
50-64	7566	10.4	35	5	6	9	12	17	21	34
65+	7681	13.9	67	6	7	12	16	23	29	47
GRAND TOTAL	**28969**	**10.4**	**41**	**5**	**5**	**9**	**12**	**17**	**22**	**36**

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	9.8	199	<1	1	5	12	26	48	52
20-34	52	8.7	41	1	2	8	11	18	22	27
35-49	55	10.9	75	2	3	9	13	21	22	55
50-64	77	13.3	79	2	3	12	18	24	28	44
65+	164	15.0	85	3	4	14	20	28	34	43
2. MULTIPLE DX										
0-19 YRS	5	8.0	26	2	2	8	10	16	16	16
20-34	48	12.7	62	3	4	11	17	25	26	36
35-49	103	15.8	107	4	6	13	20	29	35	54
50-64	184	18.1	157	3	6	16	23	35	46	80
65+	457	21.0	155	6	10	18	26	35	45	74
TOT. SINGLE DX	360	12.9	85	2	3	11	17	25	29	44
" MULTIPLE DX	797	19.1	150	4	7	17	24	33	43	72
TOTAL 0-19 YRS	17	9.2	144	<1	1	6	12	16	39	52
20-34	100	10.6	55	2	2	9	15	22	26	31
35-49	158	14.1	101	3	4	11	18	26	31	56
50-64	261	16.7	139	3	4	15	21	30	42	71
65+	621	19.4	144	4	8	17	25	33	41	67
GRAND TOTAL	**1157**	**17.2**	**138**	**3**	**5**	**15**	**22**	**30**	**39**	**61**

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	5.5	7	1	1	6	8	8	8	8
20-34	94	8.0	64	2	2	5	10	17	24	45
35-49	142	9.3	107	1	2	6	11	19	30	51
50-64	115	10.6	116	1	2	7	14	25	33	49
65+	124	12.9	124	2	2	10	19	27	37	53
2. MULTIPLE DX										
0-19 YRS	21	14.0	114	1	2	12	19	32	36	39
20-34	137	10.9	113	2	2	8	14	24	41	99+
35-49	218	14.5	216	2	2	10	18	30	49	84
50-64	347	15.0	187	2	3	11	20	31	43	68
65+	351	18.4	266	3	3	14	24	37	54	85
TOT. SINGLE DX	481	10.2	107	2	2	7	13	23	31	51
" MULTIPLE DX	1074	15.5	213	2	3	11	20	33	46	83
TOTAL 0-19 YRS	27	12.1	103	1	2	10	15	30	34	39
20-34	231	9.7	95	2	2	6	13	22	30	66
35-49	360	12.5	180	2	2	9	15	27	42	70
50-64	462	13.9	173	2	2	10	19	30	40	65
65+	475	16.9	235	2	3	12	22	35	47	83
GRAND TOTAL	**1555**	**13.9**	**186**	**2**	**3**	**10**	**18**	**30**	**42**	**75**

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	376	3.8	7	1	1	3	5	7	8	13
20-34	1274	4.8	14	1	2	4	6	8	11	19
35-49	1367	4.7	13	1	2	4	6	9	11	18
50-64	1483	4.9	17	1	1	4	6	9	12	18
65+	1557	6.0	31	1	2	4	8	12	17	27
2. MULTIPLE DX										
0-19 YRS	377	5.6	37	1	2	4	7	9	13	29
20-34	1896	5.8	25	2	2	4	7	10	13	26
35-49	3291	6.3	32	2	2	5	8	11	15	27
50-64	5517	7.0	36	2	2	5	8	13	17	30
65+	9847	8.7	55	2	3	7	11	17	22	39
TOT. SINGLE DX	6057	5.1	19	1	2	4	6	10	13	22
" MULTIPLE DX	20928	7.6	45	2	2	6	9	14	19	35
TOTAL 0-19 YRS	753	4.7	23	1	2	4	6	8	11	22
20-34	3170	5.4	21	1	2	4	7	10	12	23
35-49	4658	5.8	28	2	2	5	7	11	14	24
50-64	7000	6.5	33	2	2	5	8	12	17	29
65+	11404	8.4	53	2	2	7	10	16	22	38
GRAND TOTAL	**26985**	**7.0**	**40**	**2**	**2**	**5**	**9**	**13**	**18**	**33**

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2636	2.2	1	<1	1	2	3	4	4	6
20-34	2769	3.6	2	2	2	3	4	5	6	8
35-49	2705	3.9	3	2	2	4	5	6	7	10
50-64	3621	4.3	3	2	3	4	5	6	8	11
65+	2917	5.0	6	2	3	4	6	8	9	13
2. MULTIPLE DX										
0-19 YRS	1342	2.7	7	1	1	2	3	5	6	11
20-34	796	4.5	7	2	2	4	5	7	9	15
35-49	1216	5.2	12	2	3	4	6	8	11	21
50-64	2304	5.8	14	2	3	5	7	10	12	21
65+	3055	7.7	35	3	3	6	9	14	18	33
TOT. SINGLE DX	14648	3.9	4	1	2	4	5	6	7	11
" MULTIPLE DX	8713	5.8	23	2	2	5	7	10	14	24
TOTAL 0-19 YRS	3978	2.4	4	1	1	2	3	4	5	8
20-34	3565	3.8	4	2	2	3	4	6	7	10
35-49	3921	4.3	6	2	2	4	5	7	8	14
50-64	5925	4.9	8	2	3	4	6	8	10	16
65+	5972	6.4	23	2	3	5	7	11	14	25
GRAND TOTAL	**23361**	**4.6**	**12**	**1**	**2**	**4**	**5**	**8**	**10**	**18**

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	492	1.9	1	<1	1	2	2	3	4	6
20-34	245	4.2	2	2	3	4	5	6	6	8
35-49	378	4.6	2	2	3	4	5	7	8	11
50-64	556	5.0	4	3	3	5	6	7	9	12
65+	373	5.5	5	3	3	5	7	9	10	13
2. MULTIPLE DX										
0-19 YRS	347	4.2	110	1	1	2	2	5	17	75
20-34	83	5.0	8	2	3	4	6	8	10	19
35-49	201	5.7	8	3	3	5	7	9	11	18
50-64	444	6.3	11	3	3	5	8	10	12	21
65+	445	8.3	33	3	4	7	10	15	18	27
TOT. SINGLE DX	2044	4.2	5	1	1	4	5	7	8	11
" MULTIPLE DX	1520	6.3	42	1	2	5	8	11	15	34
TOTAL 0-19 YRS	839	2.8	48	<1	1	2	2	4	5	43
20-34	328	4.4	4	2	3	4	5	6	7	11
35-49	579	5.0	5	3	3	4	6	7	9	13
50-64	1000	5.6	8	3	3	5	7	9	10	17
65+	818	7.1	23	3	3	6	8	12	15	24
GRAND TOTAL	**3564**	**5.1**	**22**	**1**	**2**	**4**	**6**	**9**	**11**	**21**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13	3.6	13	1	1	2	4	7	13	15
20-34	66	4.2	3	2	2	4	5	7	8	11
35-49	95	4.2	4	2	2	4	5	7	9	12
50-64	118	5.2	8	2	3	5	6	8	12	16
65+	184	6.2	12	2	3	5	8	10	12	22
2. MULTIPLE DX										
0-19 YRS	6	4.3	19	1	1	3	4	12	13	13
20-34	24	4.9	5	2	3	5	6	7	9	12
35-49	49	5.9	32	2	2	4	6	10	14	36
50-64	71	7.5	34	3	3	6	9	12	18	35
65+	207	11.3	98	3	3	9	14	21	28	59
TOT. SINGLE DX	476	5.2	9	2	2	4	6	8	10	16
" MULTIPLE DX	357	9.2	75	2	3	6	11	18	25	39
TOTAL 0-19 YRS	19	3.8	14	1	1	2	4	10	14	15
20-34	90	4.4	4	2	2	4	5	7	8	12
35-49	144	4.8	14	2	2	4	5	7	10	24
50-64	189	6.1	19	2	3	5	7	10	13	26
65+	391	8.9	64	3	3	7	10	17	22	38
GRAND TOTAL	**833**	**6.9**	**41**	**2**	**3**	**5**	**8**	**13**	**18**	**32**

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	799	2.2	1	<1	1	2	3	4	4	6
20-34	283	3.5	3	1	2	3	4	5	7	10
35-49	314	3.9	8	2	2	3	5	7	8	12
50-64	236	4.6	7	2	2	4	6	8	9	16
65+	115	5.5	8	2	2	5	7	9	11	18
2. MULTIPLE DX										
0-19 YRS	184	3.2	6	<1	1	2	4	6	8	14
20-34	143	5.4	15	2	2	5	6	9	12	18
35-49	251	5.9	16	2	2	5	7	12	15	18
50-64	255	7.7	40	2	3	6	9	13	18	39
65+	183	9.6	46	3	4	7	11	18	23	36
TOT. SINGLE DX	1747	3.3	5	1	1	3	4	6	7	11
" MULTIPLE DX	1016	6.5	30	2	2	5	8	12	16	33
TOTAL 0-19 YRS	983	2.4	2	<1	1	2	3	4	5	9
20-34	426	4.1	8	2	2	3	5	7	9	14
35-49	565	4.8	13	2	2	4	6	9	12	17
50-64	491	6.2	27	2	2	5	7	11	14	34
65+	298	8.0	36	2	3	6	10	15	20	34
GRAND TOTAL	**2763**	**4.4**	**17**	**1**	**2**	**3**	**5**	**8**	**11**	**21**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	114	2.4	1	1	1	2	3	4	5	7
20-34	374	4.3	5	2	2	4	5	7	8	12
35-49	571	5.8	10	2	3	5	7	9	12	18
50-64	809	6.7	13	2	3	6	8	10	13	20
65+	523	7.2	12	3	3	7	9	11	13	20
2. MULTIPLE DX										
0-19 YRS	38	3.9	15	1	1	2	4	12	13	16
20-34	234	6.2	21	2	3	5	7	10	14	26
35-49	526	8.0	26	3	3	7	9	13	17	30
50-64	771	9.6	38	3	4	8	12	17	21	35
65+	763	11.3	65	3	5	9	14	19	24	39
TOT. SINGLE DX	2391	6.0	12	2	2	5	8	10	12	19
" MULTIPLE DX	2332	9.4	46	3	3	8	11	16	21	35
TOTAL 0-19 YRS	152	2.7	5	1	1	2	3	5	6	14
20-34	608	5.0	12	2	2	4	6	8	10	19
35-49	1097	6.8	19	2	3	6	8	12	14	26
50-64	1580	8.1	28	3	3	7	10	14	18	29
65+	1286	9.6	48	3	4	8	11	16	21	35
GRAND TOTAL	**4723**	**7.7**	**32**	**2**	**3**	**6**	**9**	**14**	**17**	**29**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	23	3.1	5	1	1	2	3	7	9	10
20-34	36	6.8	9	3	3	6	9	11	12	15
35-49	64	8.0	9	3	4	8	10	11	13	18
50-64	71	7.9	17	3	3	8	10	13	15	24
65+	55	12.0	70	4	5	10	14	21	25	56
2. MULTIPLE DX										
0-19 YRS	31	6.9	87	1	1	3	7	18	28	44
20-34	77	10.9	52	4	5	9	12	21	26	42
35-49	193	11.4	35	5	6	10	14	18	22	39
50-64	236	12.2	46	5	7	10	14	22	25	38
65+	213	15.4	129	6	6	12	18	28	35	68
TOT. SINGLE DX	249	8.2	31	2	3	8	10	14	16	26
" MULTIPLE DX	750	12.6	74	5	6	10	15	22	28	44
TOTAL 0-19 YRS	54	5.3	55	1	1	3	6	10	21	43
20-34	113	9.6	43	3	4	8	11	14	24	40
35-49	257	10.6	32	4	6	9	13	17	21	37
50-64	307	11.2	43	4	5	9	13	19	23	35
65+	268	14.7	119	5	6	12	17	27	33	67
GRAND TOTAL	**999**	**11.5**	**66**	**3**	**5**	**9**	**14**	**20**	**26**	**43**

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	205	3.8	14	1	1	3	4	7	9	18
20-34	293	5.8	35	1	2	4	7	11	17	26
35-49	248	6.5	37	1	2	5	8	12	19	33
50-64	280	8.3	41	2	2	6	11	17	21	30
65+	258	11.3	117	2	2	9	15	23	29	54
2. MULTIPLE DX										
0-19 YRS	129	5.7	31	1	2	4	7	11	15	34
20-34	356	8.0	65	1	2	6	10	16	22	42
35-49	460	10.7	93	2	3	8	13	23	30	52
50-64	797	13.3	126	2	3	11	17	27	33	64
65+	935	15.5	147	2	4	12	21	31	41	61
TOT. SINGLE DX	1284	7.2	56	1	2	5	9	16	21	35
" MULTIPLE DX	2677	12.6	124	2	3	9	16	26	35	59
TOTAL 0-19 YRS	334	4.5	22	1	1	3	5	9	12	28
20-34	649	7.0	53	1	2	5	8	14	20	38
35-49	708	9.2	78	2	2	7	11	20	28	41
50-64	1077	12.0	109	2	3	9	16	24	32	59
65+	1193	14.6	144	2	3	12	19	30	40	61
GRAND TOTAL	**3961**	**10.8**	**108**	**2**	**2**	**8**	**14**	**23**	**31**	**54**

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	245	6.1	18	2	3	5	7	10	13	25
20-34	642	6.7	21	2	3	6	8	12	15	24
35-49	299	9.5	42	3	4	8	11	18	24	34
50-64	219	12.6	74	5	6	11	15	20	24	48
65+	225	14.6	62	4	7	13	18	25	30	45
2. MULTIPLE DX										
0-19 YRS	304	9.1	75	3	4	7	10	16	24	54
20-34	1154	8.4	58	2	4	6	9	14	21	47
35-49	730	12.8	104	4	5	9	15	26	36	65
50-64	563	16.9	131	6	7	13	21	30	42	73
65+	792	20.5	184	7	9	17	25	37	48	91
TOT. SINGLE DX	1630	9.0	47	3	3	7	11	17	23	36
" MULTIPLE DX	3543	13.4	132	4	4	10	17	27	37	71
TOTAL 0-19 YRS	549	7.7	52	3	3	6	9	13	19	38
20-34	1796	7.8	46	2	3	6	9	13	19	40
35-49	1029	11.8	89	4	5	9	14	24	31	60
50-64	782	15.7	119	5	7	12	19	28	38	63
65+	1017	19.2	163	7	8	16	23	34	43	88
GRAND TOTAL	**5173**	**12.0**	**109**	**3**	**4**	**9**	**15**	**24**	**32**	**61**

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	410	3.4	8	<1	1	2	4	6	9	13
20-34	1922	2.8	9	<1	<1	2	3	6	7	11
35-49	294	2.8	7	<1	<1	2	3	5	7	12
50-64	50	4.4	11	1	1	4	6	9	11	18
65+	32	8.5	90	1	2	4	11	21	34	41
2. MULTIPLE DX										
0-19 YRS	339	4.3	36	<1	1	3	5	8	11	19
20-34	2162	3.5	10	<1	1	2	4	7	9	16
35-49	406	4.8	28	<1	1	3	6	11	14	26
50-64	88	8.4	56	2	2	6	11	18	23	38
65+	65	12.7	114	2	2	11	18	24	32	53
TOT. SINGLE DX	2708	3.0	10	<1	1	2	4	6	8	13
" MULTIPLE DX	3060	4.1	22	<1	1	2	5	8	12	23
TOTAL 0-19 YRS	749	3.8	21	<1	1	3	5	7	9	17
20-34	4084	3.1	10	<1	<1	2	4	7	8	14
35-49	700	3.9	21	<1	1	2	5	8	12	21
50-64	138	6.9	44	2	2	5	9	16	21	28
65+	97	11.3	109	2	2	9	16	23	34	49
GRAND TOTAL	**5768**	**3.5**	**17**	**<1**	**1**	**2**	**4**	**7**	**10**	**19**

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	87	7.3	29	2	2	6	9	13	17	32
20-34	444	6.8	20	1	2	6	8	12	15	24
35-49	339	9.4	40	2	3	8	11	17	21	34
50-64	260	10.5	39	3	4	9	13	18	22	29
65+	246	13.2	53	4	6	12	16	23	28	39
2. MULTIPLE DX										
0-19 YRS	141	10.7	178	1	3	7	11	20	47	86
20-34	1030	7.4	40	2	2	6	8	14	18	36
35-49	673	11.4	79	2	4	9	14	21	30	49
50-64	620	16.4	181	4	6	12	19	34	47	82
65+	760	18.6	163	5	7	15	23	35	46	82
TOT. SINGLE DX	1376	9.3	40	2	3	8	12	17	21	34
" MULTIPLE DX	3224	12.8	131	2	3	9	16	26	37	64
TOTAL 0-19 YRS	228	9.4	124	1	3	7	10	16	31	71
20-34	1474	7.2	35	1	2	6	8	13	17	34
35-49	1012	10.7	67	2	4	8	13	20	26	45
50-64	880	14.6	146	4	5	11	17	28	40	64
65+	1006	17.3	142	5	7	14	21	33	42	75
GRAND TOTAL	4600	11.7	106	2	3	9	14	23	33	57

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	23	8.1	9	4	5	8	8	13	15	16
20-34	43	10.0	12	6	7	9	11	15	18	20
35-49	72	11.1	14	6	7	10	14	16	18	23
50-64	126	12.2	18	8	8	11	15	18	22	25
65+	144	14.3	52	8	8	12	16	22	27	53
2. MULTIPLE DX										
0-19 YRS	67	12.2	176	4	5	8	12	19	31	82
20-34	123	13.4	74	6	7	10	15	23	32	50
35-49	156	15.2	105	6	7	12	19	27	38	80
50-64	297	15.0	65	7	8	13	17	23	30	48
65+	441	19.5	128	8	9	17	23	34	45	63
TOT. SINGLE DX	408	12.3	32	7	7	11	15	18	22	31
" MULTIPLE DX	1084	16.5	111	7	8	14	19	29	38	61
TOTAL 0-19 YRS	90	11.2	136	4	5	8	12	18	28	80
20-34	166	12.5	61	6	7	10	15	20	26	47
35-49	228	13.9	80	6	7	11	16	24	32	57
50-64	423	14.2	53	8	8	13	17	22	26	46
65+	585	18.2	114	8	9	15	22	31	40	61
GRAND TOTAL	1492	15.4	93	7	8	13	18	25	33	56

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	155	8.1	37	2	3	7	10	15	19	36
20-34	356	8.6	25	2	3	8	10	14	17	32
35-49	406	9.1	22	3	5	8	10	13	17	30
50-64	431	9.4	19	3	5	9	11	14	18	27
65+	203	10.7	35	2	4	10	12	17	21	33
2. MULTIPLE DX										
0-19 YRS	130	10.7	92	2	2	8	13	23	28	49
20-34	352	12.6	161	2	3	9	15	22	37	82
35-49	404	13.5	128	3	5	10	16	25	36	73
50-64	540	12.6	87	3	4	10	15	23	31	50
65+	483	14.7	116	3	5	12	18	28	32	68
TOT. SINGLE DX	1551	9.2	26	2	4	8	11	14	18	30
" MULTIPLE DX	1909	13.2	118	3	4	10	16	24	32	69
TOTAL 0-19 YRS	285	9.3	64	2	2	8	12	18	25	45
20-34	708	10.6	97	2	3	8	12	18	25	64
35-49	810	11.3	80	3	5	9	12	19	26	55
50-64	971	11.2	60	3	5	9	13	19	25	43
65+	686	13.5	96	3	5	11	16	25	30	61
GRAND TOTAL	3460	11.4	81	2	4	9	13	20	27	50

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	36	8.5	18	2	4	9	10	12	13	26
20-34	415	8.1	11	4	5	8	9	12	14	21
35-49	630	8.5	14	3	4	8	10	13	15	21
50-64	491	9.1	21	4	5	9	11	13	15	22
65+	206	9.2	14	3	5	9	11	14	16	20
2. MULTIPLE DX										
0-19 YRS	16	8.3	37	2	2	9	11	17	21	22
20-34	208	9.9	22	4	5	9	12	16	19	26
35-49	307	10.0	23	4	5	9	12	16	18	28
50-64	410	11.1	31	5	6	10	13	17	20	31
65+	312	14.2	93	5	6	12	17	24	29	51
TOT. SINGLE DX	1778	8.6	16	3	5	8	10	13	15	21
" MULTIPLE DX	1253	11.4	46	5	5	10	13	18	22	38
TOTAL 0-19 YRS	52	8.4	24	2	2	9	11	12	18	26
20-34	623	8.7	16	4	5	8	10	13	17	22
35-49	937	9.0	18	3	5	8	11	14	16	24
50-64	901	10.0	27	4	5	9	12	15	18	27
65+	518	12.2	68	4	6	10	15	20	25	48
GRAND TOTAL	3031	9.8	30	4	5	9	11	15	19	28

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	112	9.0	8	6	6	8	10	12	14	20
20-34	26	10.8	19	4	8	9	12	19	20	22
35-49	20	12.9	37	4	7	11	15	22	25	28
50-64	13	13.8	40	8	8	11	18	25	27	27
65+	20	17.1	29	10	11	16	21	24	28	31
2. MULTIPLE DX										
0-19 YRS	93	11.2	44	6	7	9	12	16	22	43
20-34	42	16.0	93	7	8	15	19	34	44	99+
35-49	31	16.2	106	5	7	13	22	35	47	99+
50-64	36	18.7	139	8	9	17	21	25	35	77
65+	50	22.0	196	8	9	18	29	37	53	73
TOT. SINGLE DX	191	10.8	24	6	7	9	12	18	22	28
" MULTIPLE DX	252	15.8	119	7	8	12	19	30	39	77
TOTAL 0-19 YRS	205	10.0	25	6	7	9	11	14	17	39
20-34	68	14.0	71	7	8	11	17	23	36	91
35-49	51	14.9	81	5	7	12	17	29	42	99
50-64	49	17.4	116	8	9	16	21	25	28	77
65+	70	20.6	153	9	10	17	25	36	47	70
GRAND TOTAL	443	13.7	84	6	7	11	16	24	34	58

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	99	4.3	10	1	2	4	5	8	9	21
20-34	701	4.1	4	2	2	4	5	7	8	11
35-49	882	4.4	7	2	2	4	6	7	9	13
50-64	558	4.7	9	2	2	4	6	8	11	17
65+	190	5.1	9	2	2	4	6	9	11	17
2. MULTIPLE DX										
0-19 YRS	58	5.9	18	1	2	5	9	12	14	20
20-34	220	5.6	19	2	2	4	6	10	13	23
35-49	326	6.5	31	2	2	5	8	11	14	34
50-64	373	7.0	26	2	2	6	9	13	17	25
65+	277	9.7	71	2	3	8	12	18	24	44
TOT. SINGLE DX	2430	4.4	7	2	2	4	6	8	9	15
" MULTIPLE DX	1254	7.2	38	2	2	5	9	14	18	34
TOTAL 0-19 YRS	157	4.9	14	1	2	4	6	10	12	20
20-34	921	4.5	8	2	2	4	6	7	9	17
35-49	1208	4.9	15	2	2	4	6	8	11	22
50-64	931	5.6	18	2	2	4	7	11	14	21
65+	467	7.8	52	2	2	6	10	15	19	37
GRAND TOTAL	3684	5.4	20	2	2	4	6	10	13	23

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1431	2.4	5	1	1	2	3	5	6	11
20-34	1774	3.8	10	1	1	3	5	8	10	15
35-49	1887	4.1	13	1	1	3	5	8	11	17
50-64	1949	4.0	13	1	1	3	5	8	11	19
65+	2236	4.9	23	1	1	3	7	10	13	21
2. MULTIPLE DX										
0-19 YRS	1591	3.2	16	1	1	2	4	7	9	17
20-34	2418	5.7	33	1	1	4	7	11	15	28
35-49	2987	6.1	35	1	2	5	8	12	16	29
50-64	4692	7.1	53	1	2	5	9	14	20	38
65+	8001	9.5	83	1	2	7	12	19	26	48
TOT. SINGLE DX	9277	4.0	15	1	1	3	5	8	11	18
" MULTIPLE DX	19689	7.4	61	1	2	5	9	15	21	40
TOTAL 0-19 YRS	3022	2.8	11	1	1	2	3	6	8	14
20-34	4192	4.9	25	1	1	3	6	9	13	24
35-49	4874	5.3	28	1	1	4	7	11	14	25
50-64	6641	6.2	43	1	1	4	8	13	17	33
65+	10237	8.5	74	1	2	6	11	17	24	45
GRAND TOTAL	28966	6.3	49	1	1	4	8	13	18	36

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	3.4	4	<1	1	3	5	7	7	7
20-34	98	3.4	8	1	2	3	4	6	8	18
35-49	219	3.7	5	1	1	3	5	7	8	11
50-64	658	4.2	10	1	2	3	5	7	9	18
65+	1349	5.1	16	2	2	4	6	9	12	20
2. MULTIPLE DX										
0-19 YRS	17	5.5	30	1	2	3	5	14	19	22
20-34	139	5.5	33	1	2	3	7	12	17	27
35-49	288	5.5	29	2	2	4	6	11	15	36
50-64	764	6.1	35	2	2	4	7	12	16	29
65+	2080	8.5	74	2	2	6	10	17	23	47
TOT. SINGLE DX	2340	4.6	14	1	2	4	6	8	11	19
" MULTIPLE DX	3288	7.5	61	2	2	5	9	15	21	43
TOTAL 0-19 YRS	33	4.5	18	1	1	3	5	8	14	22
20-34	237	4.6	24	1	2	3	5	9	15	23
35-49	507	4.7	20	1	2	4	6	9	11	23
50-64	1422	5.2	25	1	2	4	6	10	13	27
65+	3429	7.2	55	2	2	5	8	14	20	42
GRAND TOTAL	**5628**	**6.3**	**44**	**2**	**2**	**4**	**7**	**12**	**17**	**37**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	54	6.6	23	1	2	6	9	12	17	24
20-34	115	5.7	22	1	2	4	8	12	13	23
35-49	160	7.7	31	2	2	7	11	13	14	26
50-64	263	7.2	44	2	2	4	10	15	21	33
65+	396	8.2	61	1	2	5	12	18	24	34
2. MULTIPLE DX										
0-19 YRS	110	8.3	51	2	2	6	11	15	22	37
20-34	167	9.8	128	2	2	7	12	22	39	99+
35-49	243	11.3	124	2	2	8	15	23	36	78
50-64	467	10.5	96	2	2	8	14	24	31	48
65+	1104	11.9	116	2	2	9	16	24	33	56
TOT. SINGLE DX	988	7.5	46	2	2	5	10	16	20	33
" MULTIPLE DX	2091	11.1	111	2	2	8	15	24	32	59
TOTAL 0-19 YRS	164	7.8	43	1	2	6	10	14	20	31
20-34	282	8.1	89	1	2	6	10	16	27	96
35-49	403	9.9	91	2	2	8	12	20	27	62
50-64	730	9.3	80	2	2	7	12	20	27	45
65+	1500	10.9	105	2	2	8	15	23	31	53
GRAND TOTAL	**3079**	**10.0**	**93**	**2**	**2**	**7**	**13**	**21**	**29**	**53**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	245	1.7	1	<1	<1	1	2	2	3	8
20-34	24	2.1	2	<1	<1	2	2	3	5	8
35-49	21	2.2	1	<1	<1	2	3	4	5	6
50-64	16	2.8	3	<1	<1	2	3	6	7	8
65+	4	5.0	8	2	2	4	7	9	9	9
2. MULTIPLE DX										
0-19 YRS	222	2.1	2	1	1	2	2	4	5	10
20-34	64	3.6	6	1	1	3	5	7	11	12
35-49	44	3.5	6	1	2	3	4	6	8	16
50-64	47	5.5	15	1	2	4	8	12	13	16
65+	48	7.3	42	2	2	5	9	16	22	34
TOT. SINGLE DX	310	1.8	2	<1	<1	2	2	3	4	8
" MULTIPLE DX	425	3.4	13	1	1	2	4	7	11	19
TOTAL 0-19 YRS	467	1.9	2	<1	<1	1	2	3	5	8
20-34	88	3.2	6	<1	1	2	4	6	8	12
35-49	65	3.0	5	<1	1	2	3	6	7	15
50-64	63	4.8	14	<1	1	3	7	11	13	16
65+	52	7.2	40	2	2	5	9	14	22	34
GRAND TOTAL	**735**	**2.8**	**9**	**<1**	**1**	**2**	**3**	**6**	**8**	**14**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	291	6.3	14	2	2	6	8	12	13	18
20-34	169	4.2	9	1	1	3	5	8	10	15
35-49	110	5.5	13	1	2	5	7	10	12	20
50-64	133	5.1	12	1	1	4	7	9	12	19
65+	137	5.5	19	1	2	4	7	12	16	19
2. MULTIPLE DX										
0-19 YRS	148	5.4	12	1	2	5	8	10	12	15
20-34	128	5.9	66	1	2	4	7	11	17	50
35-49	149	6.6	27	1	2	5	8	13	17	24
50-64	195	7.7	65	2	2	5	9	15	23	43
65+	237	8.3	61	2	2	6	11	17	22	48
TOT. SINGLE DX	840	5.5	15	1	2	4	8	11	13	18
" MULTIPLE DX	857	7.0	50	2	2	5	9	14	19	40
TOTAL 0-19 YRS	439	6.0	14	1	2	5	8	11	13	18
20-34	297	5.0	34	1	1	4	6	9	12	33
35-49	259	6.1	22	1	2	5	8	12	15	24
50-64	328	6.6	46	1	2	4	8	13	18	39
65+	374	7.3	48	2	2	5	9	15	19	44
GRAND TOTAL	**1697**	**6.2**	**33**	**1**	**2**	**5**	**8**	**12**	**16**	**30**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	356	1.8	2	<1	1	1	2	3	5	9
20-34	268	3.2	6	1	1	2	4	6	8	15
35-49	218	3.8	15	1	1	2	4	8	10	23
50-64	212	4.0	18	1	1	3	4	8	13	24
65+	179	4.7	13	1	1	3	6	9	12	19
2. MULTIPLE DX										
0-19 YRS	547	2.5	9	1	1	2	3	5	7	11
20-34	704	5.3	33	1	1	4	7	10	16	28
35-49	668	6.3	50	1	2	4	8	13	16	33
50-64	792	6.9	46	1	2	5	9	14	18	38
65+	1342	9.6	74	2	2	7	12	20	26	41
TOT. SINGLE DX	1233	3.3	11	1	1	2	4	7	9	17
" MULTIPLE DX	4053	6.8	55	1	1	5	9	15	20	38
TOTAL 0-19 YRS	903	2.2	7	<1	1	2	2	5	6	11
20-34	972	4.8	27	1	1	3	6	9	14	25
35-49	886	5.7	43	1	2	4	7	11	15	32
50-64	1004	6.3	42	1	2	4	8	13	17	36
65+	1521	9.0	70	2	2	7	12	19	25	40
GRAND TOTAL	**5286**	**6.0**	**47**	**1**	**1**	**4**	**8**	**13**	**18**	**34**

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	60	8.1	7	5	5	8	9	10	12	21
35-49	242	8.1	6	5	6	8	9	11	13	18
50-64	235	8.8	9	5	6	8	10	13	14	19
65+	129	9.9	11	5	6	9	12	14	16	25
2. MULTIPLE DX										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	64	9.6	69	4	5	8	10	13	17	63
35-49	327	10.1	23	5	6	9	11	16	18	33
50-64	339	10.3	18	6	7	9	11	15	18	26
65+	202	12.7	45	6	7	11	15	21	25	33
TOT. SINGLE DX	666	8.7	9	5	6	8	10	12	15	19
" MULTIPLE DX	933	10.7	31	6	6	9	12	16	21	31
TOTAL 0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	124	8.9	40	5	5	8	10	12	15	35
35-49	569	9.2	17	5	6	8	10	14	17	26
50-64	574	9.7	15	5	6	9	11	14	17	26
65+	331	11.6	34	6	7	10	13	18	23	30
GRAND TOTAL	**1599**	**9.9**	**23**	**5**	**6**	**9**	**11**	**15**	**18**	**27**

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	178	2.5	4	<1	<1	2	3	5	7	10
20-34	179	4.4	10	1	1	3	6	10	11	13
35-49	190	4.5	8	1	2	4	6	9	11	14
50-64	158	4.8	14	2	2	4	6	9	13	19
65+	166	4.9	13	1	2	4	6	9	12	16
2. MULTIPLE DX										
0-19 YRS	171	2.8	4	1	1	2	3	5	7	13
20-34	278	4.3	25	1	2	3	5	8	11	27
35-49	249	5.2	27	2	2	3	6	11	13	27
50-64	275	5.7	19	2	2	4	8	11	15	23
65+	419	8.2	82	2	2	6	10	16	20	46
TOT. SINGLE DX	871	4.2	11	1	1	3	5	9	11	15
" MULTIPLE DX	1392	5.7	42	1	2	4	7	12	15	32
TOTAL 0-19 YRS	349	2.6	4	<1	1	2	3	5	7	10
20-34	457	4.4	20	1	2	3	5	9	11	19
35-49	439	4.9	19	2	2	3	6	9	13	22
50-64	433	5.4	18	2	2	4	7	10	14	23
65+	585	7.3	65	2	2	5	9	14	18	38
GRAND TOTAL	**2263**	**5.1**	**31**	**1**	**2**	**3**	**6**	**10**	**14**	**27**

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	17	7.6	9	4	5	7	8	11	15	17
35-49	79	8.4	10	4	5	8	9	13	14	23
50-64	78	9.0	8	5	6	9	10	12	15	20
65+	48	8.9	16	3	4	9	10	14	17	21
2. MULTIPLE DX										
0-19 YRS	2	7.5	25	4	4	7	11	11	11	11
20-34	20	10.4	34	2	4	9	13	20	23	24
35-49	76	8.7	10	4	5	8	10	12	16	20
50-64	96	10.7	69	5	6	9	12	18	22	57
65+	68	12.1	69	4	6	10	13	19	23	59
TOT. SINGLE DX	222	8.7	11	4	5	8	10	13	15	21
" MULTIPLE DX	262	10.5	50	4	5	9	11	17	21	35
TOTAL 0-19 YRS	2	7.5	25	4	4	7	11	11	11	11
20-34	37	9.1	24	4	4	8	10	16	21	24
35-49	155	8.6	10	4	5	8	10	13	14	20
50-64	174	10.0	43	5	6	9	10	15	19	33
65+	116	10.8	50	4	5	10	12	17	21	45
GRAND TOTAL	**484**	**9.6**	**33**	**4**	**5**	**9**	**10**	**14**	**18**	**25**

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	2.4	2	1	1	2	3	5	5	5
20-34	19	6.5	16	1	2	6	8	12	15	17
35-49	15	4.9	9	<1	1	5	6	11	12	12
50-64	9	7.4	82	1	1	5	7	22	31	31
65+	7	5.6	15	2	2	4	9	11	11	11
2. MULTIPLE DX										
0-19 YRS	9	3.2	2	1	1	3	4	5	6	6
20-34	33	6.8	38	1	1	6	8	14	21	30
35-49	30	6.8	16	2	2	6	8	13	16	17
50-64	39	9.1	78	1	2	6	13	20	26	43
65+	43	11.3	112	2	2	7	14	23	39	50
TOT. SINGLE DX	55	5.7	24	1	1	5	7	11	12	30
" MULTIPLE DX	154	8.4	67	1	2	6	10	17	23	43
TOTAL 0-19 YRS	14	2.9	2	1	1	3	4	5	6	6
20-34	52	6.7	30	1	1	6	8	13	17	30
35-49	45	6.2	14	1	2	5	8	11	14	17
50-64	48	8.8	78	1	2	5	11	20	29	43
65+	50	10.5	102	2	2	7	14	20	39	50
GRAND TOTAL	**209**	**7.7**	**57**	**1**	**2**	**6**	**9**	**16**	**22**	**41**

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	5.5	41	<1	<1	5	10	10	10	10
20-34	9	7.2	12	2	2	7	9	12	14	14
35-49	12	8.6	31	2	2	8	11	17	20	21
50-64	12	8.5	15	2	4	8	11	15	16	16
65+	7	7.7	5	4	4	8	10	10	10	10
2. MULTIPLE DX										
0-19 YRS										
20-34	19	8.6	14	3	4	8	12	14	16	16
35-49	11	12.1	61	5	5	10	16	23	31	32
50-64	25	12.7	69	2	3	10	20	27	45	99+
65+	26	14.2	182	3	3	9	20	25	39	69
TOT. SINGLE DX	42	8.0	17	2	2	8	10	14	15	21
" MULTIPLE DX	81	12.1	93	2	4	10	16	24	31	90
TOTAL 0-19 YRS	2	5.5	41	<1	<1	5	10	10	10	10
20-34	28	8.2	14	2	3	8	10	14	15	16
35-49	23	10.3	47	2	3	9	13	18	25	32
50-64	37	11.4	55	2	3	10	16	25	29	99+
65+	33	12.8	151	3	4	9	16	23	31	69
GRAND TOTAL	**123**	**10.7**	**71**	**2**	**3**	**9**	**13**	**20**	**26**	**77**

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	6.7	7	5	5	6	6	11	12	12
20-34	14	6.2	9	2	2	6	9	10	11	11
35-49	76	5.6	12	2	3	5	6	8	9	26
50-64	1554	6.5	7	4	4	6	7	9	11	16
65+	3784	7.5	14	4	4	7	9	11	14	21
2. MULTIPLE DX										
0-19 YRS	11	9.5	36	3	4	8	13	19	23	23
20-34	13	7.8	15	3	4	8	9	13	17	18
35-49	144	9.7	90	3	4	7	11	16	30	47
50-64	2396	9.1	37	4	4	8	10	15	20	36
65+	8356	11.0	60	4	5	9	13	19	25	44
TOT. SINGLE DX	5434	7.2	13	4	4	6	8	11	13	20
" MULTIPLE DX	10920	10.6	56	4	5	8	12	19	24	43
TOTAL 0-19 YRS	17	8.5	27	3	4	6	11	16	21	23
20-34	27	7.0	13	2	3	7	9	11	13	18
35-49	220	8.3	67	3	4	6	9	13	20	44
50-64	3950	8.1	27	4	4	7	9	13	16	31
65+	12140	9.9	48	4	5	8	11	17	22	39
GRAND TOTAL	**16354**	**9.4**	**44**	**4**	**5**	**8**	**11**	**16**	**21**	**38**

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34										
35-49	4	11.3	47	2	2	13	16	17	17	17
50-64	171	11.8	30	6	6	11	14	18	21	32
65+	352	12.0	26	6	7	11	14	18	22	31
2. MULTIPLE DX										
0-19 YRS	3	11.0	175	1	1	6	21	26	26	26
20-34										
35-49	5	5.6	26	2	2	3	9	14	14	14
50-64	223	12.5	34	5	6	12	16	19	23	31
65+	773	14.5	63	6	7	13	17	23	29	50
TOT. SINGLE DX	529	11.9	28	6	7	11	14	18	22	31
" MULTIPLE DX	1004	14.0	58	6	7	12	17	22	27	46
TOTAL 0-19 YRS	5	7.2	115	1	1	2	11	26	26	26
20-34										
35-49	9	8.1	40	2	2	7	14	17	17	17
50-64	394	12.2	33	5	6	11	15	19	22	31
65+	1125	13.7	53	6	7	12	16	22	26	44
GRAND TOTAL	**1533**	**13.3**	**49**	**6**	**7**	**12**	**16**	**21**	**26**	**38**

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	11	4.2	14	1	1	2	6	11	13	13
35-49	85	2.7	3	1	1	2	3	5	7	10
50-64	487	3.1	7	1	2	2	3	5	7	14
65+	704	4.0	14	1	2	3	4	8	11	20
2. MULTIPLE DX										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	13	4.8	6	1	2	5	7	8	8	8
35-49	63	5.4	53	1	2	3	6	8	14	48
50-64	466	6.2	48	2	2	4	7	13	17	35
65+	1070	7.7	52	2	2	5	10	15	19	35
TOT. SINGLE DX	1288	3.6	11	1	2	3	4	7	9	17
" MULTIPLE DX	1614	7.1	51	2	2	5	9	15	19	35
TOTAL 0-19 YRS	3	3.3	5	2	2	2	5	6	6	6
20-34	24	4.5	10	1	2	3	7	8	10	13
35-49	148	3.8	26	1	1	3	4	7	8	30
50-64	953	4.6	30	1	2	3	5	9	13	29
65+	1774	6.2	40	2	2	4	8	13	17	31
GRAND TOTAL	**2902**	**5.6**	**37**	**1**	**2**	**3**	**7**	**12**	**16**	**30**

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	117	2.9	8	1	1	2	3	5	6	19
20-34	128	3.5	6	1	1	3	4	7	9	13
35-49	86	3.8	5	1	2	3	5	7	8	12
50-64	80	4.5	17	1	2	3	5	9	12	25
65+	51	5.0	8	2	2	4	6	9	12	14
2. MULTIPLE DX										
0-19 YRS	76	3.1	9	1	1	2	3	5	9	19
20-34	83	5.5	19	2	2	4	6	11	15	24
35-49	55	6.7	33	2	2	4	8	13	19	30
50-64	82	8.9	92	2	3	6	10	19	26	57
65+	105	11.7	125	3	3	8	16	24	35	58
TOT. SINGLE DX	462	3.7	9	1	1	3	4	7	9	16
" MULTIPLE DX	401	7.5	71	2	2	5	9	16	23	44
TOTAL 0-19 YRS	193	3.0	9	1	1	2	3	5	7	20
20-34	211	4.3	12	1	2	3	5	8	12	18
35-49	141	4.9	18	2	2	3	6	9	12	26
50-64	162	6.7	60	2	2	4	8	14	20	52
65+	156	9.5	97	2	3	6	11	22	30	46
GRAND TOTAL	**863**	**5.5**	**42**	**1**	**2**	**3**	**6**	**11**	**17**	**31**

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	166	3.2	2	1	2	3	4	5	6	10
20-34	198	4.8	9	2	2	4	6	9	12	16
35-49	85	4.4	5	2	2	4	5	8	9	12
50-64	107	5.8	16	2	2	4	7	13	15	18
65+	273	6.5	31	2	2	5	8	12	17	29
2. MULTIPLE DX										
0-19 YRS	142	3.5	5	1	2	3	4	6	8	14
20-34	112	5.2	11	2	2	4	6	10	12	18
35-49	70	7.1	42	2	2	5	8	14	17	42
50-64	147	7.8	56	2	2	5	10	16	23	36
65+	523	10.4	69	2	3	8	14	21	27	47
TOT. SINGLE DX	829	5.1	17	2	2	4	6	10	13	20
" MULTIPLE DX	994	8.2	57	2	2	5	11	17	23	42
TOTAL 0-19 YRS	308	3.3	4	1	2	3	4	6	7	11
20-34	310	4.9	10	2	2	4	6	9	12	16
35-49	155	5.6	24	2	2	4	7	10	14	19
50-64	254	7.0	40	2	2	5	9	13	19	31
65+	796	9.0	60	2	3	7	12	19	24	43
GRAND TOTAL	**1823**	**6.8**	**41**	**2**	**2**	**4**	**9**	**14**	**19**	**33**

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	687	2.7	2	1	1	2	3	4	5	8
20-34	88	2.5	2	1	1	2	3	5	5	8
35-49	9	2.3		1	1	2	3	4	4	4
50-64	1	2.0		2	2	2	2	2	2	2
65+	3	4.3	10	2	2	3	7	8	8	8
2. MULTIPLE DX										
0-19 YRS	373	3.2	3	1	1	3	4	6	7	10
20-34	33	4.4	5	2	2	4	5	8	10	12
35-49	4	3.5	3	2	2	3	5	6	6	6
50-64	3	5.7		5	5	6	6	6	6	6
65+	2	3.0		3	3	3	3	3	3	3
TOT. SINGLE DX	788	2.7	2	1	1	2	3	4	5	8
" MULTIPLE DX	415	3.3	4	1	1	3	4	6	7	10
TOTAL 0-19 YRS	1060	2.9	3	1	1	3	4	5	6	9
20-34	121	3.0	4	1	1	2	4	5	7	11
35-49	13	2.7	2	1	1	2	3	4	6	6
50-64	4	4.8	4	2	2	5	6	6	6	6
65+	5	3.8	6	2	2	3	4	8	8	8
GRAND TOTAL	**1203**	**2.9**	**3**	**1**	**1**	**3**	**4**	**5**	**6**	**9**

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	138	2.3	1	1	1	2	3	4	5	6
20-34	136	2.5	2	<1	1	2	3	4	5	9
35-49	59	3.5	7	<1	2	3	4	5	9	16
50-64	17	3.8	4	1	2	3	4	7	8	9
65+	5	3.6	4	1	1	3	5	6	6	6
2. MULTIPLE DX										
0-19 YRS	63	3.0	2	1	1	3	4	5	7	11
20-34	56	4.0	20	1	1	3	4	8	12	29
35-49	21	4.6	17	1	1	3	5	12	15	16
50-64	26	6.8	37	2	2	5	8	13	19	31
65+	9	17.1	733	2	3	7	15	59	88	88
TOT. SINGLE DX	355	2.7	3	<1	1	2	3	4	6	10
" MULTIPLE DX	175	4.8	58	1	1	3	5	9	14	31
TOTAL 0-19 YRS	201	2.6	2	1	1	2	3	4	5	7
20-34	192	2.9	8	<1	1	2	3	5	7	15
35-49	80	3.8	10	<1	2	3	4	6	12	16
50-64	43	5.6	26	1	2	4	6	11	14	31
65+	14	12.3	498	1	2	5	14	23	74	88
GRAND TOTAL	**530**	**3.4**	**22**	**1**	**1**	**3**	**4**	**5**	**8**	**16**

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	3.3	5	2	2	2	5	6	6	6
20-34	187	1.4		<1	<1	1	2	2	3	5
35-49	99	1.3		<1	<1	1	1	2	2	5
50-64	9	3.6	16	<1	<1	1	5	11	13	13
65+	3	6.7	9	4	4	6	9	10	10	10
2. MULTIPLE DX										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	55	2.9	7	<1	<1	2	3	5	11	13
35-49	57	4.0	14	<1	1	2	5	10	13	19
50-64	18	7.2	15	2	2	6	9	13	15	16
65+	14	19.3	496	4	5	12	21	40	79	90
TOT. SINGLE DX	301	1.5	2	<1	<1	1	2	2	4	7
" MULTIPLE DX	145	5.5	78	<1	1	3	6	12	15	37
TOTAL 0-19 YRS	4	4.5	9	2	2	4	7	8	8	8
20-34	242	1.7	3	<1	<1	1	2	3	4	12
35-49	156	2.3	7	<1	<1	1	2	5	9	14
50-64	27	6.0	19	<1	<1	6	7	13	14	16
65+	17	17.1	429	4	4	10	17	33	70	90
GRAND TOTAL	**446**	**2.8**	**30**	**<1**	**<1**	**1**	**2**	**6**	**10**	**19**

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	495	2.5	1	1	1	2	3	4	5	7
20-34	517	2.9	5	1	1	2	3	5	6	10
35-49	424	3.0	4	1	1	3	3	4	6	10
50-64	322	3.4	3	1	2	3	4	5	6	10
65+	193	3.7	4	2	2	3	4	6	7	14
2. MULTIPLE DX										
0-19 YRS	269	2.6	2	1	1	2	3	4	5	8
20-34	301	3.3	4	1	2	3	4	5	7	13
35-49	250	3.6	4	1	2	3	4	6	8	11
50-64	308	5.1	14	2	2	4	6	10	12	19
65+	232	6.5	24	2	3	5	8	13	18	28
TOT. SINGLE DX	1951	3.0	4	1	1	3	3	5	6	10
" MULTIPLE DX	1360	4.2	12	1	2	3	5	8	11	18
TOTAL 0-19 YRS	764	2.5	2	1	1	2	3	4	5	7
20-34	818	3.1	5	1	1	3	4	5	6	11
35-49	674	3.2	4	1	1	3	4	5	6	11
50-64	630	4.3	10	2	2	3	5	8	10	17
65+	425	5.2	17	2	2	4	6	9	14	23
GRAND TOTAL	**3311**	**3.5**	**7**	**1**	**1**	**3**	**4**	**6**	**8**	**15**

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1040	1.9	2	<1	<1	2	2	2	3	7
20-34	572	1.9		<1	1	2	2	3	3	4
35-49	307	2.2	3	<1	1	2	2	3	4	9
50-64	128	2.4	5	<1	1	2	2	3	5	16
65+	80	2.5	2	1	1	2	3	4	6	10
2. MULTIPLE DX										
0-19 YRS	393	2.7	13	<1	1	2	2	4	6	18
20-34	383	3.1	9	1	1	2	3	6	8	15
35-49	338	3.5	10	1	1	2	4	7	9	20
50-64	256	4.5	17	2	2	3	6	10	12	22
65+	236	6.2	50	1	2	3	8	15	20	39
TOT. SINGLE DX	2363	2.0	3	<1	<1	2	2	3	3	8
" MULTIPLE DX	1745	3.8	22	1	1	2	4	8	11	26
TOTAL 0-19 YRS	1587	2.1	7	<1	<1	2	2	3	4	16
20-34	1044	2.4	4	1	1	2	2	3	5	11
35-49	703	2.9	9	<1	1	2	3	5	8	19
50-64	431	3.8	17	1	2	2	4	9	11	21
65+	343	5.3	48	1	1	3	6	12	18	39
GRAND TOTAL	**4108**	**2.8**	**12**	**<1**	**1**	**2**	**2**	**5**	**8**	**18**

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	67	3.3	5	1	1	2	5	6	8	11
20-34	97	3.5	32	<1	1	2	4	7	9	34
35-49	95	4.3	5	1	2	4	5	7	9	12
50-64	164	5.0	10	1	2	4	6	9	11	19
65+	87	5.6	11	2	2	5	7	10	11	18
2. MULTIPLE DX										
0-19 YRS	66	4.5	13	1	2	4	6	8	11	23
20-34	89	6.8	50	1	2	4	9	14	16	45
35-49	120	7.3	40	2	2	6	8	14	17	39
50-64	257	6.5	30	2	3	5	7	11	18	33
65+	138	7.7	37	2	3	6	9	14	22	47
TOT. SINGLE DX	510	4.5	14	1	1	4	6	8	10	17
" MULTIPLE DX	670	6.7	35	2	2	5	8	12	17	36
TOTAL 0-19 YRS	133	3.9	10	1	1	3	5	7	10	15
20-34	186	5.1	44	<1	1	3	7	11	14	46
35-49	215	6.0	27	2	2	5	7	11	14	37
50-64	421	5.9	23	2	2	5	7	10	14	28
65+	225	6.9	28	2	2	5	9	12	18	34
GRAND TOTAL	**1180**	**5.8**	**27**	**1**	**2**	**5**	**7**	**11**	**14**	**32**

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	231	5.0	3	2	3	5	6	7	8	10
20-34	808	5.6	4	3	4	5	6	8	9	13
35-49	123	6.8	10	3	4	6	8	10	13	19
50-64	20	8.1	13	3	4	7	10	13	15	17
65+	20	13.5	103	4	4	9	18	29	38	40
2. MULTIPLE DX										
0-19 YRS	215	6.1	6	3	4	6	7	9	12	15
20-34	1247	6.3	7	3	4	6	7	9	11	16
35-49	215	8.1	25	3	4	7	9	14	17	31
50-64	59	10.4	38	3	5	9	11	18	25	36
65+	52	15.0	37	7	9	13	17	24	30	32
TOT. SINGLE DX	1202	5.8	7	3	3	5	7	8	10	17
" MULTIPLE DX	1788	6.9	14	3	4	6	8	11	14	23
TOTAL 0-19 YRS	446	5.6	5	3	3	5	6	8	10	14
20-34	2055	6.0	6	3	4	6	7	8	10	15
35-49	338	7.6	20	3	4	7	8	13	16	27
50-64	79	9.8	33	3	4	9	11	16	23	34
65+	72	14.6	55	5	7	13	17	24	30	39
GRAND TOTAL	**2990**	**6.4**	**12**	**3**	**4**	**6**	**7**	**9**	**12**	**20**

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	155	5.8	4	3	4	5	7	8	9	12
20-34	937	6.0	4	4	4	6	7	8	10	14
35-49	301	6.6	7	4	4	6	7	9	11	18
50-64	40	7.9	10	3	4	7	9	11	14	20
65+	27	11.7	38	4	5	9	18	22	22	22
2. MULTIPLE DX										
0-19 YRS	146	6.5	5	4	4	6	7	10	12	14
20-34	1681	7.0	11	4	4	6	8	10	12	18
35-49	700	8.0	19	4	5	7	9	12	16	25
50-64	108	10.5	19	6	6	9	13	17	18	26
65+	83	17.2	148	7	8	14	20	28	43	71
TOT. SINGLE DX	1460	6.3	6	4	4	6	7	9	11	18
" MULTIPLE DX	2718	7.7	21	4	5	7	8	12	15	24
TOTAL 0-19 YRS	301	6.1	5	4	4	6	7	9	11	14
20-34	2618	6.7	9	4	4	6	7	10	11	17
35-49	1001	7.6	16	4	5	7	8	11	15	23
50-64	148	9.8	18	5	6	9	12	16	18	24
65+	110	15.9	127	6	7	13	19	25	32	70
GRAND TOTAL	**4178**	**7.2**	**16**	**4**	**4**	**6**	**8**	**11**	**14**	**21**

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	9.4	63	3	3	7	12	23	23	23
20-34	144	6.6	4	4	5	6	7	9	11	14
35-49	201	7.4	6	5	5	7	8	11	13	16
50-64	77	9.3	18	5	6	8	10	14	16	31
65+	54	10.7	22	6	6	10	13	17	22	23
2. MULTIPLE DX										
0-19 YRS	8	7.5	10	3	4	7	9	13	14	14
20-34	477	7.7	14	5	5	7	9	12	14	22
35-49	759	8.6	19	5	5	7	9	13	17	29
50-64	227	11.3	64	6	6	9	13	17	21	49
65+	105	13.8	61	6	7	12	16	21	28	48
TOT. SINGLE DX	481	7.9	12	5	5	7	9	12	14	21
" MULTIPLE DX	1576	9.0	30	5	5	8	10	14	18	30
TOTAL 0-19 YRS	13	8.2	28	3	3	7	9	16	22	23
20-34	621	7.5	12	4	5	7	8	11	14	21
35-49	960	8.3	17	5	5	7	9	13	15	25
50-64	304	10.8	54	5	6	9	13	16	20	42
65+	159	12.7	50	6	7	11	15	21	23	47
GRAND TOTAL	**2057**	**8.8**	**26**	**5**	**5**	**7**	**10**	**14**	**17**	**30**

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	47	4.3	16	1	2	4	5	6	7	29
20-34	170	3.8	5	1	1	4	5	6	8	12
35-49	29	5.2	11	1	2	5	7	9	11	17
50-64	3	7.3	16	3	3	8	10	11	11	11
65+										
2. MULTIPLE DX										
0-19 YRS	43	4.7	8	1	1	4	6	9	11	14
20-34	348	5.3	27	1	2	5	6	8	10	15
35-49	70	5.1	8	1	2	5	6	9	12	14
50-64	5	8.4	5	5	5	9	10	11	11	11
65+	5	20.4	341	8	8	14	25	53	53	53
TOT. SINGLE DX	249	4.1	9	1	1	4	5	7	9	14
" MULTIPLE DX	471	5.4	28	1	2	5	6	9	11	16
TOTAL 0-19 YRS	90	4.5	13	1	1	4	5	7	9	23
20-34	518	4.8	21	1	2	5	6	8	9	14
35-49	99	5.1	9	1	2	5	6	9	11	16
50-64	8	8.0	8	3	4	8	10	11	11	11
65+	5	20.4	341	8	8	14	25	53	53	53
GRAND TOTAL	**720**	**5.0**	**21**	**1**	**2**	**5**	**6**	**8**	**10**	**15**

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	32	1.6		<1	<1	2	2	2	2	2
20-34	3816	1.5		<1	<1	1	2	2	2	4
35-49	1261	1.5		<1	<1	1	2	2	2	4
50-64	7	1.4		<1	<1	1	2	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	23	2.3	2	<1	<1	2	3	5	6	6
20-34	2014	1.9	4	<1	<1	2	2	3	4	7
35-49	867	1.9	2	<1	<1	2	2	3	4	9
50-64	5	1.4		<1	<1	1	2	2	2	2
65+										
TOT. SINGLE DX	5116	1.5	1	<1	<1	1	2	2	2	4
" MULTIPLE DX	2909	1.9	3	<1	<1	2	2	3	4	8
TOTAL 0-19 YRS	55	1.9	1	<1	<1	2	2	3	4	6
20-34	5830	1.6	2	<1	<1	1	2	2	3	6
35-49	2128	1.7	1	<1	<1	1	2	2	3	7
50-64	12	1.4		<1	<1	1	2	2	2	2
65+										
GRAND TOTAL	**8025**	**1.6**	**2**	**<1**	**<1**	**1**	**2**	**2**	**3**	**6**

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	39	2.7	3	<1	<1	2	3	5	6	9
20-34	2453	2.5	2	<1	<1	2	3	4	5	7
35-49	706	2.3	2	<1	<1	2	3	4	5	8
50-64	5	3.4	5	1	1	3	5	7	7	7
65+										
2. MULTIPLE DX										
0-19 YRS	67	3.7	6	1	2	3	4	6	9	15
20-34	3394	3.3	7	1	1	3	4	5	6	10
35-49	761	3.4	8	1	1	3	4	6	8	19
50-64	4	8.8	43	<1	<1	8	13	17	17	17
65+										
TOT. SINGLE DX	3203	2.5	3	<1	<1	2	3	4	5	7
" MULTIPLE DX	4226	3.4	8	1	1	3	4	5	7	11
TOTAL 0-19 YRS	106	3.3	5	1	1	3	4	5	8	14
20-34	5847	3.0	6	<1	1	3	4	5	6	9
35-49	1467	2.9	6	<1	1	2	4	5	7	11
50-64	9	5.8	27	<1	<1	4	8	14	17	17
65+										
GRAND TOTAL	**7429**	**3.0**	**6**	**<1**	**1**	**3**	**4**	**5**	**6**	**10**

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	96	5.0	3	2	3	5	6	7	8	13
20-34	1493	4.8	3	1	2	5	6	7	7	10
35-49	212	4.7	4	<1	1	5	6	7	8	11
50-64	6	7.0	12	4	4	6	9	13	13	13
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
0-19 YRS	92	5.6	8	2	3	5	7	8	9	19
20-34	1438	5.2	5	2	2	5	6	7	9	13
35-49	234	5.5	8	1	2	5	7	9	10	17
50-64	5	7.8	16	2	2	9	10	13	13	13
65+	5	18.6	251	5	5	14	28	44	44	44
TOT. SINGLE DX	1808	4.8	3	1	2	5	6	7	7	10
" MULTIPLE DX	1774	5.3	7	2	2	5	6	8	9	14
TOTAL 0-19 YRS	188	5.3	6	2	3	5	6	8	8	17
20-34	2931	5.0	4	1	2	5	6	7	8	11
35-49	446	5.1	7	<1	2	5	6	8	9	14
50-64	11	7.4	13	2	3	6	9	13	13	13
65+	6	16.8	220	5	5	11	23	42	44	44
GRAND TOTAL	**3582**	**5.1**	**5**	**1**	**2**	**5**	**6**	**7**	**8**	**12**

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	53	2.2		<1	1	2	3	3	4	4
20-34	918	2.5	1	1	1	2	3	4	5	8
35-49	225	2.6	2	<1	1	2	3	4	6	8
50-64	102	2.7	4	1	1	2	3	4	5	15
65+	51	3.3	3	1	2	3	4	6	7	9
2. MULTIPLE DX										
0-19 YRS	31	2.3	1	<1	1	2	3	4	4	6
20-34	527	2.8	3	1	1	2	3	5	7	10
35-49	247	3.8	9	1	1	3	5	7	9	20
50-64	106	3.6	14	1	1	2	3	7	11	21
65+	68	5.2	17	2	2	4	7	10	12	24
TOT. SINGLE DX	1349	2.5	2	1	1	2	3	4	5	8
" MULTIPLE DX	979	3.3	8	1	1	3	4	6	8	14
TOTAL 0-19 YRS	84	2.2	1	<1	1	2	3	3	4	5
20-34	1445	2.6	2	1	1	2	3	4	6	9
35-49	472	3.2	7	1	1	2	4	6	8	11
50-64	208	3.2	9	1	1	2	3	5	8	19
65+	119	4.4	12	2	2	3	5	9	10	21
GRAND TOTAL	**2328**	**2.9**	**5**	**1**	**1**	**2**	**3**	**5**	**7**	**11**

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25	2.2	1	<1	1	2	3	3	5	5
20-34	250	2.4	4	<1	1	2	3	4	5	13
35-49	209	2.7	21	<1	<1	2	2	4	6	19
50-64	143	3.1	14	<1	1	2	3	5	9	21
65+	95	5.1	19	1	2	4	7	9	10	26
2. MULTIPLE DX										
0-19 YRS	27	3.7	12	1	1	2	4	8	10	18
20-34	412	3.0	6	<1	1	2	3	5	8	14
35-49	446	3.6	24	1	1	2	3	7	10	20
50-64	326	4.4	15	1	1	3	6	10	13	19
65+	291	8.3	70	2	2	6	10	16	25	43
TOT. SINGLE DX	722	3.0	14	<1	1	2	3	6	8	15
" MULTIPLE DX	1502	4.5	30	1	1	3	5	10	13	27
TOTAL 0-19 YRS	52	3.0	8	1	1	2	3	5	8	18
20-34	662	2.8	6	<1	1	2	3	5	7	13
35-49	655	3.3	24	<1	1	2	3	6	9	20
50-64	469	4.0	16	1	1	2	5	9	13	19
65+	386	7.5	60	2	2	6	9	15	22	42
GRAND TOTAL	**2224**	**4.0**	**25**	**1**	**1**	**2**	**4**	**9**	**12**	**25**

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	39	4.3	10	2	2	3	4	9	12	15
20-34	612	3.1	2	1	2	3	4	5	6	10
35-49	44	3.1	3	1	2	3	3	5	7	11
50-64										
65+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
0-19 YRS	17	4.6	5	2	2	4	6	9	9	9
20-34	158	4.2	9	1	1	3	5	8	11	18
35-49	19	5.2	23	1	1	4	6	12	17	21
50-64	1	1.0		1	1	1	1	1	1	1
65+	4	7.0	18	1	1	8	10	11	11	11
TOT. SINGLE DX	696	3.2	4	1	2	3	4	5	7	11
" MULTIPLE DX	199	4.4	10	1	1	3	5	9	11	20
TOTAL 0-19 YRS	56	4.4	8	2	2	3	5	9	10	15
20-34	770	3.3	4	1	2	3	4	5	7	13
35-49	63	3.8	10	1	2	3	4	6	11	20
50-64	1	1.0		1	1	1	1	1	1	1
65+	5	7.6	15	1	1	8	10	11	11	11
GRAND TOTAL	895	3.5	5	1	2	3	4	6	8	14

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	4.9	9	2	2	4	8	9	9	9
20-34	276	5.7	7	1	2	6	7	8	9	11
35-49	52	4.9	5	1	2	5	7	8	8	11
50-64	16	4.9	20	2	2	3	8	10	16	18
65+	10	5.7	16	1	1	5	8	12	14	14
2. MULTIPLE DX										
0-19 YRS	16	3.8	4	<1	1	4	6	7	7	7
20-34	398	5.8	10	1	2	6	7	9	10	20
35-49	157	6.6	24	1	2	6	8	11	13	31
50-64	59	5.6	46	1	1	3	7	12	13	46
65+	48	11.6	167	2	2	8	17	25	37	99+
TOT. SINGLE DX	362	5.5	8	1	2	6	7	8	9	13
" MULTIPLE DX	678	6.3	30	1	2	6	7	10	13	30
TOTAL 0-19 YRS	24	4.2	6	<1	1	4	6	8	8	9
20-34	674	5.7	9	1	2	6	7	9	10	16
35-49	209	6.2	20	1	2	6	7	10	12	27
50-64	75	5.4	41	1	2	3	8	11	13	41
65+	58	10.6	146	2	2	7	15	23	35	98
GRAND TOTAL	1040	6.0	22	1	2	6	7	9	12	25

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	20	6.7	13	3	4	6	7	11	16	19
20-34	1800	6.8	4	5	5	6	7	9	10	13
35-49	2265	7.1	5	5	5	7	8	9	10	14
50-64	631	8.1	9	5	6	7	9	11	13	19
65+	274	9.8	15	6	6	9	11	14	18	27
2. MULTIPLE DX										
0-19 YRS	87	8.1	9	5	5	7	9	14	15	17
20-34	8321	7.4	7	5	5	7	8	10	12	18
35-49	13698	7.7	8	5	6	7	8	10	12	19
50-64	3048	8.9	15	6	6	8	10	13	16	24
65+	1070	11.8	46	6	7	10	14	19	24	38
TOT. SINGLE DX	4990	7.2	7	5	5	7	8	9	11	16
" MULTIPLE DX	26224	7.9	12	5	6	7	8	11	14	21
TOTAL 0-19 YRS	107	7.8	10	4	5	7	9	14	15	18
20-34	10121	7.3	7	5	5	7	8	10	12	17
35-49	15963	7.6	8	5	6	7	8	10	12	19
50-64	3679	8.8	15	6	6	8	9	13	16	24
65+	1344	11.4	40	6	7	9	13	18	22	36
GRAND TOTAL	31214	7.8	11	5	5	7	8	11	13	21

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	5.5		5	5	5	6	6	6	6
20-34	1210	5.8	2	4	4	6	6	7	8	12
35-49	1013	6.1	2	4	4	6	7	8	9	12
50-64	325	7.8	6	5	5	7	8	11	13	17
65+	252	8.7	7	5	6	8	10	12	15	17
2. MULTIPLE DX										
0-19 YRS	18	6.7	2	4	5	6	8	9	10	10
20-34	3788	6.3	6	4	4	6	7	8	10	14
35-49	4774	6.7	5	4	5	6	7	9	11	15
50-64	1268	8.3	14	5	5	8	9	12	14	21
65+	863	9.7	19	6	6	9	11	14	17	24
TOT. SINGLE DX	2804	6.4	5	4	4	6	7	9	10	15
" MULTIPLE DX	10711	7.0	9	4	5	6	8	10	12	17
TOTAL 0-19 YRS	22	6.5	2	4	5	6	7	9	10	10
20-34	4998	6.1	6	4	4	6	7	8	9	14
35-49	5787	6.6	5	4	5	6	7	9	10	14
50-64	1593	8.2	13	5	5	7	9	11	14	20
65+	1115	9.4	17	5	6	8	11	14	17	23
GRAND TOTAL	13515	6.8	8	4	5	6	8	10	11	17

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	19	10.4	9	6	7	10	12	15	17	17
35-49	17	12.6	23	6	7	12	16	20	22	23
50-64	14	15.1	36	8	9	15	17	20	29	32
65+	9	14.6	32	10	10	13	16	25	27	27
2. MULTIPLE DX										
0-19 YRS	2	10.5	5	9	9	10	12	12	12	12
20-34	20	11.7	28	4	6	12	15	19	22	24
35-49	32	14.6	61	7	8	12	17	27	32	34
50-64	30	17.2	242	5	7	13	19	31	35	88
65+	20	20.3	139	7	8	18	27	32	44	55
TOT. SINGLE DX	59	12.8	26	6	7	12	16	19	22	32
" MULTIPLE DX	104	15.8	126	6	7	12	19	28	33	70
TOTAL 0-19 YRS	2	10.5	5	9	9	10	12	12	12	12
20-34	39	11.1	19	6	6	11	13	17	19	24
35-49	49	13.9	49	6	8	12	16	25	30	34
50-64	44	16.5	175	6	8	14	18	27	35	88
65+	29	18.5	111	8	9	14	26	30	34	55
GRAND TOTAL	**163**	**14.7**	**92**	**6**	**7**	**12**	**17**	**26**	**31**	**52**

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	105	1.8	3	<1	<1	1	2	3	4	12
20-34	384	1.7	4	<1	<1	1	2	3	4	7
35-49	43	1.7	1	<1	<1	1	2	3	5	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	52	4.5	16	<1	1	3	6	11	15	16
20-34	298	3.1	12	<1	<1	2	3	7	9	18
35-49	92	2.4	5	<1	<1	2	3	4	6	15
50-64										
65+										
TOT. SINGLE DX	532	1.7	4	<1	<1	1	2	3	4	7
" MULTIPLE DX	442	3.1	12	<1	<1	2	3	7	10	16
TOTAL 0-19 YRS	157	2.7	10	<1	<1	2	3	6	10	16
20-34	682	2.3	8	<1	<1	1	2	4	7	15
35-49	135	2.2	4	<1	<1	2	2	4	5	14
50-64										
65+										
GRAND TOTAL	**974**	**2.4**	**8**	**<1**	**<1**	**2**	**2**	**4**	**7**	**16**

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2268	1.8	1	<1	1	1	2	3	4	8
20-34	14059	1.8	2	<1	<1	1	2	3	4	7
35-49	4839	1.8	2	<1	<1	2	2	3	4	8
50-64	1860	2.0	2	<1	<1	2	2	3	4	9
65+	639	3.2	10	1	1	2	3	6	10	16
2. MULTIPLE DX										
0-19 YRS	904	3.2	14	1	1	2	4	6	8	12
20-34	8272	2.9	9	<1	1	2	3	6	8	13
35-49	5717	3.0	10	<1	1	2	3	6	9	15
50-64	2605	3.6	19	<1	1	2	3	8	11	23
65+	1146	5.0	29	1	2	3	6	11	16	29
TOT. SINGLE DX	23665	1.9	2	<1	<1	2	2	3	4	8
" MULTIPLE DX	18644	3.2	13	<1	1	2	3	7	9	17
TOTAL 0-19 YRS	3172	2.2	6	<1	1	2	2	4	6	9
20-34	22331	2.2	5	<1	1	2	2	4	6	10
35-49	10556	2.5	7	<1	<1	2	2	5	7	12
50-64	4465	2.9	13	<1	1	2	3	6	9	19
65+	1785	4.4	24	1	2	3	4	10	14	26
GRAND TOTAL	**42309**	**2.5**	**8**	**<1**	**1**	**2**	**3**	**5**	**7**	**12**

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	111	1.6	1	<1	<1	1	2	3	4	7
20-34	348	1.4		<1	<1	1	2	2	3	5
35-49	46	1.4		<1	<1	<1	1	2	3	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	107	3.2	47	<1	<1	<1	3	7	11	46
20-34	569	2.2	6	<1	<1	1	2	4	7	14
35-49	135	2.1	2	<1	<1	2	2	4	5	9
50-64										
65+										
TOT. SINGLE DX	505	1.4	1	<1	<1	1	2	2	3	6
" MULTIPLE DX	811	2.3	11	<1	<1	1	2	4	7	14
TOTAL 0-19 YRS	218	2.3	25	<1	<1	1	2	4	7	20
20-34	917	1.9	5	<1	<1	1	2	3	5	12
35-49	181	1.9	2	<1	<1	2	2	4	5	9
50-64										
65+										
GRAND TOTAL	**1316**	**2.0**	**8**	**<1**	**<1**	**1**	**2**	**3**	**6**	**12**

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	314	1.6	1	<1	<1	1	2	3	4	6
20-34	1372	1.5	1	<1	<1	1	2	3	3	6
35-49	137	1.5		<1	<1	1	2	2	3	6
50-64	2	3.0	2	2	2	3	4	4	4	4
65+										
2. MULTIPLE DX										
0-19 YRS	50	2.3	4	<1	<1	2	3	5	6	11
20-34	312	2.6	7	<1	<1	2	3	5	7	17
35-49	48	3.5	70	<1	<1	2	3	5	8	59
50-64	9	4.8	9	2	2	4	7	10	10	10
65+	3	9.7	114	3	3	4	17	22	22	22
TOT. SINGLE DX	1825	1.5	1	<1	<1	1	2	3	3	6
" MULTIPLE DX	422	2.8	15	<1	<1	2	3	5	8	18
TOTAL 0-19 YRS	364	1.7	2	<1	<1	1	2	3	4	7
20-34	1684	1.7	3	<1	<1	1	2	3	4	8
35-49	185	2.0	20	<1	<1	1	2	3	4	10
50-64	11	4.5	8	2	2	4	6	9	10	10
65+	3	9.7	114	3	3	4	17	22	22	22
GRAND TOTAL	**2247**	**1.8**	**4**	**<1**	**<1**	**1**	**2**	**3**	**4**	**8**

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	33	5.7	5	<1	1	6	7	8	10	10
35-49	6	7.0	30	1	1	6	10	15	16	16
50-64										
65+	2	6.5	13	4	4	6	9	9	9	9
2. MULTIPLE DX										
0-19 YRS	12	5.3	2	3	3	5	6	7	9	9
20-34	123	5.9	6	2	3	6	7	8	10	15
35-49	10	7.5	13	4	4	7	9	13	16	16
50-64	5	12.4	57	7	7	8	17	25	25	25
65+	4	17.3	154	6	6	14	26	34	34	34
TOT. SINGLE DX	42	5.9	8	<1	1	6	7	9	10	16
" MULTIPLE DX	154	6.5	15	2	3	6	7	9	12	25
TOTAL 0-19 YRS	13	5.3	2	3	4	5	6	7	9	9
20-34	156	5.9	6	2	3	6	7	8	10	13
35-49	16	7.3	18	1	2	7	9	15	16	16
50-64	5	12.4	57	7	7	8	17	25	25	25
65+	6	13.7	126	4	4	9	19	32	34	34
GRAND TOTAL	**196**	**6.3**	**14**	**2**	**3**	**6**	**7**	**9**	**11**	**24**

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	3.2	4	<1	<1	3	5	6	7	8
20-34	105	3.4	5	<1	1	3	5	7	8	10
35-49	27	3.9	9	1	1	3	4	7	12	14
50-64	26	3.7	3	1	2	3	4	5	8	10
65+	18	3.7	4	2	2	3	4	5	9	11
2. MULTIPLE DX										
0-19 YRS	20	5.1	13	<1	<1	5	7	9	12	16
20-34	171	4.2	18	<1	1	3	6	8	9	20
35-49	28	3.9	6	<1	<1	3	5	8	10	10
50-64	28	5.9	58	2	2	4	7	9	13	43
65+	33	5.5	19	2	2	4	6	12	14	22
TOT. SINGLE DX	198	3.5	5	<1	1	3	5	7	8	12
" MULTIPLE DX	280	4.6	21	<1	1	4	6	8	10	22
TOTAL 0-19 YRS	42	4.1	10	<1	<1	3	6	8	9	16
20-34	276	3.9	13	<1	1	3	5	7	9	14
35-49	55	3.9	8	<1	1	3	4	7	10	14
50-64	54	4.9	33	2	2	4	5	8	10	42
65+	51	4.8	14	2	2	4	5	10	14	22
GRAND TOTAL	**478**	**4.1**	**15**	**<1**	**1**	**3**	**5**	**7**	**9**	**16**

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	100	6.0	7	2	3	6	7	9	10	16
35-49	317	6.7	6	3	4	6	8	9	11	15
50-64	439	7.1	8	4	4	7	8	10	12	17
65+	288	7.9	9	4	5	7	9	12	13	21
2. MULTIPLE DX										
0-19 YRS	3	7.3	32	1	1	9	11	12	12	12
20-34	152	7.1	15	2	3	6	9	12	14	23
35-49	536	8.4	15	4	5	8	10	13	15	21
50-64	677	8.8	22	4	5	8	10	13	16	25
65+	527	9.8	22	5	6	9	11	15	19	26
TOT. SINGLE DX	1144	7.1	8	3	4	7	8	10	12	17
" MULTIPLE DX	1895	8.8	20	4	5	8	10	13	16	25
TOTAL 0-19 YRS	3	7.3	32	1	1	9	11	12	12	12
20-34	252	6.7	13	2	3	6	8	10	13	19
35-49	853	7.7	13	4	4	7	9	12	14	20
50-64	1116	8.1	17	4	5	7	9	12	15	23
65+	815	9.1	19	5	5	8	11	14	17	25
GRAND TOTAL	**3039**	**8.2**	**17**	**4**	**5**	**7**	**9**	**12**	**15**	**23**

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	34	3.1	6	<1	1	3	4	7	7	12
20-34	154	3.9	8	1	1	3	5	7	9	17
35-49	71	4.0	8	1	1	4	5	8	10	16
50-64	46	6.3	8	1	2	7	8	10	10	15
65+	18	6.9	16	<1	1	7	9	13	14	14
2. MULTIPLE DX										
0-19 YRS	43	3.3	13	<1	<1	2	4	7	13	16
20-34	94	7.3	173	1	1	4	7	11	23	89
35-49	71	5.5	14	1	2	4	8	10	14	19
50-64	65	9.5	53	2	2	8	11	16	31	35
65+	56	9.7	77	2	3	8	10	16	24	59
TOT. SINGLE DX	323	4.3	10	1	1	4	6	8	10	15
" MULTIPLE DX	329	7.2	82	1	1	5	9	14	19	41
TOTAL 0-19 YRS	77	3.2	10	<1	<1	2	4	7	10	16
20-34	248	5.2	73	1	1	4	5	9	11	32
35-49	142	4.7	12	1	1	4	6	9	11	17
50-64	111	8.2	37	2	2	7	9	14	18	35
65+	74	9.0	63	1	2	8	10	15	21	53
GRAND TOTAL	652	5.8	48	1	1	4	7	10	14	31

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	135	2.9	8	<1	<1	2	3	6	9	15
20-34	334	3.6	12	<1	1	2	4	7	10	19
35-49	171	3.7	8	<1	1	3	6	8	9	13
50-64	114	5.4	47	1	1	3	6	10	16	47
65+	109	6.2	30	1	2	5	7	11	15	37
2. MULTIPLE DX										
0-19 YRS	98	4.6	20	1	1	3	6	11	15	23
20-34	324	4.6	13	1	1	3	6	9	12	18
35-49	176	7.2	72	1	1	5	9	15	22	41
50-64	187	8.0	98	1	2	5	9	17	27	56
65+	226	9.2	81	2	2	7	11	17	24	46
TOT. SINGLE DX	863	4.1	19	<1	1	3	6	8	11	19
" MULTIPLE DX	1011	6.7	59	1	2	5	8	14	18	38
TOTAL 0-19 YRS	233	3.6	14	<1	1	2	4	7	12	20
20-34	658	4.1	13	<1	1	3	6	9	11	19
35-49	347	5.5	44	1	1	4	7	11	15	29
50-64	301	7.0	81	1	2	5	8	13	22	53
65+	335	8.2	67	2	2	6	10	16	21	39
GRAND TOTAL	1874	5.5	42	1	1	4	7	11	16	33

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	222	2.4	2	<1	1	2	3	4	5	8
20-34	846	2.3	1	<1	1	2	3	4	5	7
35-49	379	2.6	4	<1	1	2	3	4	5	9
50-64	172	2.9	4	1	1	2	3	5	7	13
65+	107	4.0	13	1	1	3	4	8	11	20
2. MULTIPLE DX										
0-19 YRS	76	5.1	70	1	1	3	5	9	14	55
20-34	312	3.5	19	<1	1	3	4	6	8	20
35-49	203	5.0	29	1	1	4	6	10	13	25
50-64	146	6.5	53	1	2	4	7	14	19	44
65+	156	7.6	70	1	2	5	9	15	20	50
TOT. SINGLE DX	1726	2.6	4	<1	1	2	3	4	5	9
" MULTIPLE DX	893	5.2	43	1	1	3	6	10	14	38
TOTAL 0-19 YRS	298	3.1	21	<1	1	2	3	5	7	14
20-34	1158	2.7	7	<1	1	2	3	4	6	9
35-49	582	3.4	15	<1	1	2	4	6	9	15
50-64	318	4.5	30	1	1	3	5	9	14	28
65+	263	6.1	50	1	2	4	8	12	17	38
GRAND TOTAL	2619	3.5	19	<1	1	2	4	6	9	19

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	21	3.2	6	<1	1	2	4	8	9	9
35-49	22	8.5	115	2	2	5	12	17	32	51
50-64	18	5.6	10	2	2	5	7	11	13	13
65+	35	8.3	37	2	3	7	12	15	21	28
2. MULTIPLE DX										
0-19 YRS	2	11.0	18	8	8	11	14	14	14	14
20-34	4	4.8	7	1	1	5	6	7	7	7
35-49	18	8.7	91	1	2	5	9	21	33	40
50-64	12	10.0	47	4	4	8	12	21	26	27
65+	38	13.2	87	3	4	11	17	24	34	44
TOT. SINGLE DX	97	6.7	47	1	2	4	9	13	17	40
" MULTIPLE DX	74	11.0	79	2	3	8	15	23	32	43
TOTAL 0-19 YRS	3	7.7	42	1	1	8	12	14	14	14
20-34	25	3.5	7	<1	1	3	5	7	9	9
35-49	40	8.6	102	2	2	5	10	18	31	51
50-64	30	7.4	29	2	2	6	9	13	19	27
65+	73	10.8	69	2	3	9	15	22	27	42
GRAND TOTAL	171	8.6	65	2	2	6	11	18	23	43

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	29	2.0	2	<1	<1	1	3	5	6	6
20-34	52	2.7	2	1	1	3	4	5	6	7
35-49	23	4.7	23	<1	1	3	5	11	17	20
50-64	19	4.8	14	1	1	3	6	12	15	15
65+	4	7.0	8	3	3	8	9	9	9	9
2. MULTIPLE DX										
0-19 YRS	25	2.0	5	<1	<1	1	2	4	7	11
20-34	36	3.8	4	1	2	3	5	7	8	9
35-49	18	6.6	115	1	2	5	5	7	32	49
50-64	19	5.4	9	1	2	5	8	9	11	12
65+	11	10.3	23	5	5	9	12	19	20	20
TOT. SINGLE DX	127	3.4	10	<1	1	3	4	7	9	16
" MULTIPLE DX	109	4.8	30	1	1	3	6	9	11	32
TOTAL 0-19 YRS	54	2.0	4	<1	<1	1	3	4	6	11
20-34	88	3.2	4	1	1	3	4	6	7	9
35-49	41	5.5	63	<1	1	3	5	10	17	49
50-64	38	5.1	12	1	2	4	7	9	13	15
65+	15	9.4	20	3	5	9	10	18	19	20
GRAND TOTAL	236	4.0	20	<1	1	3	5	8	10	20

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15	1.9	1	<1	<1	1	2	5	5	5
20-34	14	4.5	53	<1	1	2	4	10	25	29
35-49	5	3.0		2	2	3	3	4	4	4
50-64	2	1.5	1	<1	<1	1	2	2	2	2
65+	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	9	1.4		<1	<1	1	2	3	3	3
20-34	27	6.5	95	1	2	4	6	13	29	49
35-49	8	2.0		1	1	2	2	4	4	4
50-64	8	10.1	115	1	1	7	11	28	35	35
65+	4	11.5	125	4	4	7	18	28	28	28
TOT. SINGLE DX	38	2.9	21	<1	<1	2	3	5	7	29
" MULTIPLE DX	56	5.9	77	1	1	3	6	13	27	48
TOTAL 0-19 YRS	24	1.8	1	<1	<1	1	2	3	5	5
20-34	41	5.8	80	1	1	3	6	10	27	49
35-49	13	2.4	1	1	1	2	3	4	4	4
50-64	10	8.4	103	<1	<1	6	9	24	35	35
65+	6	8.0	105	1	1	4	9	26	28	28
GRAND TOTAL	94	4.7	56	<1	1	2	5	8	23	43

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2710	3.0	1	2	2	3	3	4	4	6
20-34	10810	3.2	1	2	2	3	4	4	5	7
35-49	414	3.3	1	2	2	3	4	5	6	8
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	2818	3.3	3	2	2	3	4	5	6	10
20-34	13256	3.6	4	2	2	3	4	5	6	9
35-49	765	3.8	7	2	2	3	4	5	6	10
50-64										
65+										
TOT. SINGLE DX	13934	3.1	1	2	2	3	4	4	5	7
" MULTIPLE DX	16839	3.5	4	2	2	3	4	5	6	9
TOTAL 0-19 YRS	5528	3.2	2	2	2	3	4	4	5	8
20-34	24066	3.4	3	2	2	3	4	5	5	8
35-49	1179	3.7	5	2	2	3	4	5	6	9
50-64										
65+										
GRAND TOTAL	30773	3.4	3	2	2	3	4	5	5	8

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	26	2.7		1	2	3	3	4	4	4
20-34	274	3.0	3	1	2	3	3	4	5	7
35-49	16	3.1		2	2	3	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	96	2.8	1	1	1	3	3	4	6	7
20-34	556	3.3	5	1	2	3	4	5	6	12
35-49	55	3.6	4	1	2	3	4	6	8	12
50-64										
65+										
TOT. SINGLE DX	316	3.0	3	2	2	3	3	4	4	7
" MULTIPLE DX	707	3.3	5	1	2	3	4	5	6	11
TOTAL 0-19 YRS	122	2.8	1	1	1	3	3	4	5	7
20-34	830	3.2	5	1	2	3	4	4	5	11
35-49	71	3.5	4	1	2	3	4	6	8	12
50-64										
65+										
GRAND TOTAL	1023	3.2	5	1	2	3	4	4	5	10

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	372	3.0	1	2	2	3	3	4	5	7
20-34	1982	3.1	1	2	2	3	4	4	5	7
35-49	69	3.2	1	2	2	3	4	5	6	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	565	3.3	1	2	2	3	4	5	6	8
20-34	3115	3.5	2	2	2	3	4	5	6	9
35-49	165	3.7	5	2	2	3	4	5	6	9
50-64										
65+										
TOT. SINGLE DX	2423	3.1	1	2	2	3	4	4	5	7
" MULTIPLE DX	3845	3.5	3	2	2	3	4	5	6	9
TOTAL 0-19 YRS	937	3.2	2	2	2	3	4	5	5	8
20-34	5097	3.4	2	2	2	3	4	5	6	8
35-49	234	3.5	4	2	2	3	4	5	6	9
50-64										
65+										
GRAND TOTAL	**6268**	**3.3**	**2**	**2**	**2**	**3**	**4**	**5**	**6**	**8**

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11980	2.7	1	1	2	3	3	4	4	6
20-34	45466	2.8	1	1	2	3	3	4	4	6
35-49	1918	2.9	2	1	2	3	3	4	5	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	6831	3.1	4	1	2	3	3	4	5	10
20-34	35296	3.2	3	1	2	3	4	4	5	9
35-49	2401	3.5	4	2	2	3	4	5	6	11
50-64										
65+										
TOT. SINGLE DX	59364	2.8	1	1	2	3	3	4	4	6
" MULTIPLE DX	44528	3.2	4	1	2	3	4	4	5	9
TOTAL 0-19 YRS	18811	2.9	3	1	2	3	3	4	5	8
20-34	80762	3.0	3	1	2	3	3	4	5	7
35-49	4319	3.2	4	1	2	3	4	5	5	9
50-64										
65+										
GRAND TOTAL	**103892**	**3.0**	**3**	**1**	**2**	**3**	**3**	**4**	**5**	**7**

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1423	5.3	2	3	4	5	6	7	8	10
20-34	8439	5.4	2	4	4	5	6	7	7	10
35-49	372	5.9	12	4	4	6	6	7	8	16
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	3365	6.2	9	4	4	6	7	9	11	19
20-34	21419	6.0	9	4	4	5	6	8	9	18
35-49	1644	6.4	10	4	4	6	7	9	11	23
50-64										
65+										
TOT. SINGLE DX	10234	5.4	3	4	4	5	6	7	7	10
" MULTIPLE DX	26428	6.0	10	4	4	5	6	8	10	18
TOTAL 0-19 YRS	4788	5.9	8	4	4	5	6	8	10	17
20-34	29858	5.8	8	4	4	5	6	7	9	16
35-49	2016	6.3	11	4	4	6	7	8	10	22
50-64										
65+										
GRAND TOTAL	**36662**	**5.9**	**8**	**4**	**4**	**5**	**6**	**8**	**9**	**17**

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	104	5.2	1	3	4	5	6	7	7	9
20-34	376	5.5	4	4	4	5	6	7	8	12
35-49	19	6.1	5	3	4	6	7	8	11	14
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	228	6.2	6	4	4	6	7	9	12	19
20-34	1055	6.2	19	4	4	6	7	8	10	20
35-49	102	7.4	24	4	4	6	8	11	16	32
50-64										
65+										
TOT. SINGLE DX	499	5.4	4	4	4	5	6	7	8	12
" MULTIPLE DX	1385	6.3	18	4	4	6	7	8	11	21
TOTAL 0-19 YRS	332	5.9	5	4	4	5	6	8	10	17
20-34	1431	6.0	16	4	4	5	6	8	9	19
35-49	121	7.2	22	4	4	6	8	10	15	31
50-64										
65+										
GRAND TOTAL	**1884**	**6.1**	**14**	**4**	**4**	**5**	**7**	**8**	**10**	**20**

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	5.2	2	3	3	6	6	7	7	7
20-34	19	5.3	6	2	3	5	6	7	11	14
35-49	2	5.0		5	5	5	5	5	5	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	6	4.3		3	3	4	5	5	5	5
20-34	44	6.5	10	3	4	6	7	10	11	22
35-49	4	5.0	2	4	4	5	6	7	7	7
50-64										
65+										
TOT. SINGLE DX	26	5.3	5	3	3	5	6	7	9	14
" MULTIPLE DX	54	6.2	9	3	4	5	7	10	11	22
TOTAL 0-19 YRS	11	4.7	2	3	3	5	6	7	7	7
20-34	63	6.2	9	3	4	6	7	10	12	21
35-49	6	5.0	1	4	4	5	5	7	7	7
50-64										
65+										
GRAND TOTAL	**80**	**5.9**	**8**	**3**	**4**	**5**	**7**	**8**	**11**	**20**

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	288	2.1	1	1	1	2	2	3	3	7
20-34	253	2.3	3	1	1	2	3	3	3	5
35-49	22	2.0		1	1	2	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	188	2.4	1	1	2	2	3	3	4	8
20-34	243	2.6	2	1	1	2	3	4	5	8
35-49	21	2.7	5	1	1	2	3	4	8	12
50-64										
65+										
TOT. SINGLE DX	563	2.2	2	1	1	2	2	3	3	5
" MULTIPLE DX	452	2.5	2	1	2	2	3	4	4	8
TOTAL 0-19 YRS	476	2.2	1	1	1	2	2	3	4	8
20-34	496	2.4	3	1	1	2	3	3	4	7
35-49	43	2.3	3	1	1	2	3	3	4	12
50-64										
65+										
GRAND TOTAL	**1015**	**2.3**	**2**	**1**	**1**	**2**	**3**	**3**	**4**	**8**

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	31	4.3	11	1	1	4	6	7	9	18
20-34	109	5.6	53	1	1	3	6	11	24	37
35-49	13	4.3	19	<1	<1	2	6	11	14	15
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	23	5.4	45	<1	1	3	7	9	18	34
20-34	106	7.7	59	1	1	5	11	19	22	37
35-49	17	8.2	40	1	2	7	10	15	23	28
50-64										
65+										
TOT. SINGLE DX	153	5.2	42	1	1	3	6	10	19	35
" MULTIPLE DX	146	7.4	55	1	1	5	9	19	22	35
TOTAL 0-19 YRS	54	4.8	26	1	1	4	6	8	10	33
20-34	215	6.7	57	1	1	4	7	18	23	37
35-49	30	6.5	34	1	1	6	8	14	15	28
50-64										
65+										
GRAND TOTAL	**299**	**6.3**	**50**	**1**	**1**	**4**	**7**	**15**	**22**	**35**

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	263	2.6	4	<1	<1	2	3	4	6	12
20-34	1061	2.6	3	<1	<1	2	3	4	5	9
35-49	58	2.5	2	<1	<1	2	3	5	6	9
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	172	3.0	3	1	1	3	3	5	6	12
20-34	1070	3.1	8	1	1	3	3	4	6	11
35-49	73	3.4	4	1	2	3	4	5	7	13
50-64										
65+										
TOT. SINGLE DX	1382	2.6	4	<1	<1	2	3	4	5	9
" MULTIPLE DX	1315	3.1	8	1	1	3	3	5	6	12
TOTAL 0-19 YRS	435	2.8	4	<1	1	2	3	5	6	12
20-34	2131	2.8	6	<1	1	3	3	4	5	10
35-49	131	3.0	4	<1	1	3	4	5	7	11
50-64										
65+										
GRAND TOTAL	**2697**	**2.8**	**6**	**<1**	**1**	**3**	**3**	**4**	**6**	**10**

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1403	2.7		1	2	3	3	4	4	5
20-34	4682	2.7		1	2	3	3	4	4	6
35-49	231	2.8	1	1	1	3	3	4	5	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1540	3.1	4	2	2	3	3	4	5	12
20-34	6297	3.0	2	1	2	3	3	4	5	9
35-49	418	3.3	4	1	2	3	4	5	6	12
50-64										
65+										
TOT. SINGLE DX	6316	2.7	1	1	2	3	3	4	4	6
" MULTIPLE DX	8255	3.0	3	1	2	3	3	4	5	9
TOTAL 0-19 YRS	2943	2.9	3	1	2	3	3	4	5	9
20-34	10979	2.9	2	1	2	3	3	4	5	8
35-49	649	3.1	3	1	2	3	4	5	5	10
50-64										
65+										
GRAND TOTAL	14571	2.9	2	1	2	3	3	4	5	8

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	40	2.8	8	<1	<1	2	3	5	7	19
20-34	50	4.6	25	1	2	3	5	8	18	29
35-49	44	5.0	34	1	2	3	5	12	17	31
50-64	55	4.8	19	1	2	3	6	11	12	25
65+	36	6.0	47	2	2	4	6	11	24	34
2. MULTIPLE DX										
0-19 YRS	15	2.3	1	1	1	2	3	4	4	4
20-34	53	3.7	9	2	2	2	4	6	9	20
35-49	53	4.2	12	2	2	3	5	9	10	23
50-64	94	7.2	117	2	2	4	8	17	23	97
65+	63	10.5	179	2	2	5	13	26	39	68
TOT. SINGLE DX	225	4.6	27	1	2	3	5	9	15	29
" MULTIPLE DX	278	6.4	91	2	2	3	7	15	22	67
TOTAL 0-19 YRS	55	2.6	7	<1	1	2	3	4	5	18
20-34	103	4.1	17	1	2	3	5	7	11	24
35-49	97	4.6	22	1	2	3	5	9	13	27
50-64	149	6.3	82	2	2	4	7	14	19	94
65+	99	8.8	135	2	2	4	9	22	32	66
GRAND TOTAL	503	5.6	63	1	2	3	6	12	19	39

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	242	3.9	1	3	3	4	4	5	6	7
20-34	529	4.0	2	2	3	4	4	5	6	9
35-49	219	4.1	4	2	2	4	5	6	8	11
50-64	72	4.5	13	2	2	4	5	7	8	27
65+	16	4.6	11	<1	1	4	6	9	12	14
2. MULTIPLE DX										
0-19 YRS	225	4.2	2	3	3	4	5	6	7	9
20-34	314	4.6	7	3	3	4	5	7	8	11
35-49	150	5.1	43	2	3	4	5	7	10	22
50-64	39	5.6	11	2	2	5	7	10	10	19
65+	15	7.3	53	3	3	5	7	12	27	32
TOT. SINGLE DX	1078	4.0	3	2	3	4	5	6	7	11
" MULTIPLE DX	743	4.7	14	2	3	4	5	7	8	14
TOTAL 0-19 YRS	467	4.1	2	3	3	4	5	6	6	9
20-34	843	4.2	4	2	3	4	5	6	7	10
35-49	369	4.5	20	2	2	4	5	6	9	17
50-64	111	4.9	13	2	2	4	6	8	10	24
65+	31	5.9	33	1	2	5	6	11	14	32
GRAND TOTAL	1821	4.3	8	2	3	4	5	6	7	11

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	87	2.6	2	1	1	2	3	5	6	10
20-34	165	2.9	3	1	1	2	3	5	6	11
35-49	46	3.8	8	1	1	2	5	9	9	13
50-64	13	4.2	9	1	1	3	6	8	11	12
65+	9	8.6	67	3	3	7	9	22	29	29
2. MULTIPLE DX										
0-19 YRS	235	3.9	14	1	1	3	5	7	9	19
20-34	363	5.4	57	1	2	4	6	10	14	55
35-49	133	5.6	49	1	2	4	6	10	13	54
50-64	45	9.5	128	1	2	6	12	23	27	67
65+	29	10.7	74	2	2	9	13	21	23	44
TOT. SINGLE DX	320	3.1	7	1	1	2	3	6	8	12
" MULTIPLE DX	805	5.4	51	1	2	3	6	10	14	45
TOTAL 0-19 YRS	322	3.6	12	1	1	3	4	6	8	18
20-34	528	4.6	42	1	1	3	5	8	11	45
35-49	179	5.1	39	1	2	4	6	9	11	46
50-64	58	8.3	106	1	2	5	9	18	26	64
65+	38	10.2	72	2	3	8	12	22	26	44
GRAND TOTAL	1125	4.8	39	1	1	3	5	9	12	35

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	80	3.7	10	1	2	3	4	6	7	23
20-34	226	3.5	4	1	1	3	4	6	8	12
35-49	81	3.9	5	1	1	3	5	7	9	12
50-64	31	4.5	14	1	1	3	6	8	13	19
65+	15	6.6	33	1	2	5	9	15	19	20
2. MULTIPLE DX										
0-19 YRS	260	6.2	49	2	2	5	7	12	18	28
20-34	662	6.6	76	1	2	4	7	12	19	48
35-49	303	7.0	79	2	2	5	8	11	18	53
50-64	117	8.5	120	2	2	6	9	14	28	83
65+	60	10.5	72	2	3	9	14	19	25	47
TOT. SINGLE DX	433	3.8	8	1	2	3	4	7	9	15
" MULTIPLE DX	1402	6.9	76	2	2	5	8	13	19	51
TOTAL 0-19 YRS	340	5.6	41	2	2	4	6	10	15	27
20-34	888	5.8	60	1	2	4	6	11	17	45
35-49	384	6.3	65	1	2	4	7	10	15	52
50-64	148	7.6	101	2	2	5	9	13	21	75
65+	75	9.7	67	2	2	8	13	19	23	46
GRAND TOTAL	1835	6.2	62	1	2	4	7	11	18	48

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	2.9	1	2	2	3	3	5	5	5
20-34	21	4.4	9	1	1	3	6	8	11	14
35-49	24	4.6	9	1	2	4	5	9	12	14
50-64	20	3.2	2	1	2	3	4	6	6	7
65+	4	4.5	3	2	2	5	6	6	6	6
2. MULTIPLE DX										
0-19 YRS	16	5.1	20	2	3	3	5	15	17	17
20-34	30	10.0	220	2	2	5	9	18	56	68
35-49	13	12.5	170	2	3	7	16	34	44	46
50-64	14	6.9	41	2	3	4	7	13	24	27
65+	11	10.5	123	2	2	7	14	29	37	38
TOT. SINGLE DX	78	4.0	7	1	2	3	5	7	9	14
" MULTIPLE DX	84	9.0	133	2	3	5	9	20	33	64
TOTAL 0-19 YRS	25	4.3	14	2	2	3	4	5	16	17
20-34	51	7.7	140	2	2	5	7	13	20	68
35-49	37	7.4	77	2	2	5	7	14	28	46
50-64	34	4.7	21	2	2	4	5	8	12	27
65+	15	8.9	97	2	2	5	9	23	34	38
GRAND TOTAL	162	6.6	78	2	2	4	6	13	21	55

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	280	5.3	20	1	2	4	6	10	14	24
20-34	250	4.9	36	1	2	4	5	9	13	23
35-49	200	5.5	31	2	2	4	6	10	15	30
50-64	276	7.0	73	2	2	6	8	11	14	45
65+	141	9.5	42	3	4	8	11	17	21	42
2. MULTIPLE DX										
0-19 YRS	159	7.8	114	2	2	5	7	17	28	51
20-34	222	6.2	36	2	2	4	7	14	20	31
35-49	198	7.7	115	2	2	4	8	16	27	80
50-64	242	9.4	106	2	3	6	11	19	29	49
65+	167	13.1	154	3	3	8	17	31	43	94
TOT. SINGLE DX	1147	6.2	43	2	2	5	7	11	15	28
" MULTIPLE DX	988	8.7	107	2	2	5	10	19	29	66
TOTAL 0-19 YRS	439	6.2	56	1	2	4	7	12	19	32
20-34	472	5.5	37	2	2	4	6	11	16	28
35-49	398	6.6	74	2	2	4	7	13	21	59
50-64	518	8.1	90	2	3	6	9	14	24	48
65+	308	11.4	106	3	4	8	14	24	34	71
GRAND TOTAL	2135	7.3	74	2	2	5	8	15	22	48

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	123	3.7	2	2	2	3	4	6	7	9
20-34	300	3.9	3	2	2	4	4	6	7	11
35-49	379	4.3	3	2	2	4	5	7	8	10
50-64	447	4.6	4	2	3	4	5	7	9	12
65+	226	5.2	11	2	3	4	6	8	10	17
2. MULTIPLE DX										
0-19 YRS	107	4.3	4	2	3	4	5	6	8	13
20-34	312	4.8	10	2	2	4	6	8	9	16
35-49	568	5.0	10	2	2	4	6	8	10	17
50-64	1021	5.4	11	2	3	5	6	9	10	19
65+	722	6.5	24	2	3	5	7	11	15	29
TOT. SINGLE DX	1475	4.4	5	2	2	4	5	7	8	12
" MULTIPLE DX	2730	5.5	15	2	3	5	6	9	11	22
TOTAL 0-19 YRS	230	4.0	4	2	2	4	5	6	7	11
20-34	612	4.3	7	2	2	4	5	7	8	13
35-49	947	4.7	8	2	2	4	6	7	9	13
50-64	1468	5.2	10	2	3	4	6	8	10	17
65+	948	6.2	21	2	3	5	7	10	14	27
GRAND TOTAL	4205	5.1	12	2	3	4	6	8	10	19

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	956	3.9	24	1	1	3	4	6	9	29
20-34	1309	4.0	17	1	2	3	5	7	10	20
35-49	1063	5.0	34	1	2	3	6	9	13	32
50-64	849	5.5	36	1	2	4	6	11	16	33
65+	427	8.1	76	2	2	5	11	17	23	47
2. MULTIPLE DX										
0-19 YRS	441	7.5	119	1	2	4	7	17	34	52
20-34	1120	8.3	138	1	2	4	8	20	35	70
35-49	988	8.2	127	2	2	4	8	18	31	61
50-64	1082	9.3	137	2	2	5	11	21	33	67
65+	789	14.2	198	2	3	10	18	32	46	84
TOT. SINGLE DX	4604	4.9	33	1	2	3	5	9	14	32
" MULTIPLE DX	4420	9.5	149	2	2	5	11	23	35	69
TOTAL 0-19 YRS	1397	5.1	57	1	2	3	5	9	16	45
20-34	2429	6.0	78	1	2	3	6	11	21	55
35-49	2051	6.5	82	1	2	4	7	13	21	51
50-64	1931	7.6	96	2	2	4	8	16	25	53
65+	1216	12.1	164	2	2	8	16	27	40	74
GRAND TOTAL	**9024**	**7.1**	**96**	**1**	**2**	**4**	**7**	**16**	**26**	**56**

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	291	6.2	49	2	2	4	7	11	23	37
20-34	273	5.2	27	1	2	4	6	9	14	26
35-49	132	6.5	33	1	2	5	8	13	17	33
50-64	110	8.4	71	2	2	6	10	16	23	50
65+	160	14.7	77	3	4	14	18	23	28	55
2. MULTIPLE DX										
0-19 YRS	143	8.6	103	2	2	5	10	19	30	52
20-34	190	10.9	146	2	2	6	12	30	45	84
35-49	101	10.8	201	1	2	7	11	25	37	77
50-64	144	14.1	171	2	3	11	18	26	39	95
65+	424	17.7	124	6	8	15	20	30	40	60
TOT. SINGLE DX	966	7.6	59	2	2	5	9	17	22	43
" MULTIPLE DX	1002	13.9	152	2	3	11	18	28	39	72
TOTAL 0-19 YRS	434	7.0	69	2	2	4	7	14	25	40
20-34	463	7.6	84	2	2	5	8	16	26	58
35-49	233	8.4	111	1	2	5	9	17	27	69
50-64	254	11.6	135	2	2	8	15	24	35	69
65+	584	16.9	113	5	7	15	20	28	39	58
GRAND TOTAL	**1968**	**10.8**	**116**	**2**	**2**	**7**	**14**	**23**	**31**	**58**

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	623	2.7	7	<1	1	2	3	4	5	16
20-34	926	3.2	13	1	1	2	3	6	7	18
35-49	499	3.2	8	1	1	2	4	5	8	17
50-64	440	4.4	43	1	1	3	4	7	13	33
65+	415	6.9	66	1	2	4	8	15	21	37
2. MULTIPLE DX										
0-19 YRS	180	5.2	48	1	1	3	5	10	19	40
20-34	335	5.9	62	1	2	3	6	13	22	48
35-49	195	8.3	106	2	2	4	10	17	34	60
50-64	255	8.5	106	1	2	5	10	18	29	56
65+	384	15.6	249	2	3	10	20	36	50	87
TOT. SINGLE DX	2903	3.8	25	1	1	2	4	7	11	26
" MULTIPLE DX	1349	9.4	145	1	2	5	11	24	36	68
TOTAL 0-19 YRS	803	3.2	18	<1	1	2	3	5	7	27
20-34	1261	3.9	28	1	1	2	4	7	11	32
35-49	694	4.6	41	1	1	3	4	10	15	38
50-64	695	5.9	70	1	1	3	6	12	20	48
65+	799	11.1	174	2	2	6	14	26	37	74
GRAND TOTAL	**4252**	**5.6**	**70**	**1**	**1**	**3**	**5**	**12**	**20**	**43**

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	56	16.6	180	2	2	13	27	39	42	43
20-34	31	15.5	181	5	6	12	16	29	42	74
35-49	17	10.6	25	5	5	9	14	19	21	21
50-64	42	13.2	48	6	7	11	16	22	30	38
65+	197	16.9	86	8	9	15	19	25	32	50
2. MULTIPLE DX										
0-19 YRS	89	21.8	365	2	4	16	27	48	67	91
20-34	71	22.7	394	5	7	16	27	53	66	90
35-49	40	21.8	237	6	7	14	33	47	52	56
50-64	96	19.6	221	6	7	15	23	41	61	99+
65+	533	19.8	139	8	9	17	24	35	44	96
TOT. SINGLE DX	343	16.0	104	5	6	14	19	28	35	45
" MULTIPLE DX	829	20.4	200	6	8	16	25	39	53	96
TOTAL 0-19 YRS	145	19.8	299	2	3	16	27	40	55	79
20-34	102	20.5	338	5	7	14	25	44	64	89
35-49	57	18.5	199	6	5	12	25	43	50	56
50-64	138	17.6	177	6	7	14	22	36	48	99+
65+	730	19.0	127	8	9	16	22	33	41	91
GRAND TOTAL	**1172**	**19.1**	**176**	**6**	**7**	**16**	**23**	**36**	**45**	**91**

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	100	11.4	103	3	4	9	14	20	23	62
20-34	90	11.1	38	3	5	9	14	19	21	36
35-49	80	11.3	32	4	5	10	14	18	24	27
50-64	212	13.6	64	5	6	12	16	21	25	50
65+	1250	17.2	65	8	10	15	20	26	32	49
2. MULTIPLE DX										
0-19 YRS	211	16.4	124	5	6	13	21	32	39	56
20-34	345	19.3	205	6	7	15	23	38	52	77
35-49	248	18.2	172	6	7	14	22	34	46	77
50-64	647	18.4	135	7	8	15	23	33	46	95
65+	3970	20.7	134	9	11	18	24	34	44	73
TOT. SINGLE DX	1732	15.8	70	6	8	15	19	25	30	48
" MULTIPLE DX	5421	20.0	142	8	9	17	24	34	44	75
TOTAL 0-19 YRS	311	14.8	123	4	5	12	19	29	35	56
20-34	435	17.6	182	5	7	13	21	33	49	75
35-49	328	16.6	147	6	7	13	20	29	43	72
50-64	859	17.2	122	6	8	14	20	30	42	80
65+	5220	19.8	121	9	10	17	23	32	41	69
GRAND TOTAL	**7153**	**19.0**	**128**	**7**	**9**	**16**	**22**	**32**	**42**	**70**

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	138	10.4	106	1	2	6	15	25	33	43
20-34	18	13.9	189	3	3	9	16	29	49	60
35-49	5	6.6	57	2	2	4	8	20	20	20
50-64	14	17.0	200	2	3	13	18	45	46	46
65+	46	20.7	316	5	6	15	22	45	66	78
2. MULTIPLE DX										
0-19 YRS	198	14.0	194	2	2	8	23	33	38	58
20-34	68	23.2	386	4	5	16	38	55	97	99+
35-49	32	18.8	283	2	4	12	26	47	53	62
50-64	47	23.7	300	5	5	19	36	48	61	65
65+	143	22.3	339	4	6	16	28	48	65	98
TOT. SINGLE DX	221	13.2	177	1	2	9	18	29	40	66
" MULTIPLE DX	488	18.9	295	2	3	14	27	43	55	98
TOTAL 0-19 YRS	336	12.5	161	1	2	7	20	31	36	53
20-34	86	21.2	357	3	5	15	32	55	88	99+
35-49	37	17.1	268	2	3	10	22	46	52	62
50-64	61	22.1	282	4	5	17	33	46	54	65
65+	189	21.9	333	4	6	16	27	47	65	96
GRAND TOTAL	**709**	**17.1**	**265**	**2**	**3**	**12**	**24**	**41**	**52**	**94**

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	207	5.1	43	1	1	2	5	16	18	28
20-34	175	4.7	39	1	1	3	5	9	12	43
35-49	110	4.3	10	1	2	3	5	9	11	18
50-64	135	5.0	32	1	2	3	6	9	13	21
65+	131	8.2	94	2	2	5	10	17	21	59
2. MULTIPLE DX										
0-19 YRS	233	6.7	93	1	1	3	7	21	26	52
20-34	244	8.0	115	1	1	5	9	18	30	62
35-49	205	7.7	83	1	1	4	9	19	26	50
50-64	193	8.8	127	1	2	5	10	20	27	69
65+	198	11.1	178	1	2	6	14	24	46	68
TOT. SINGLE DX	758	5.4	46	1	1	3	6	12	17	36
" MULTIPLE DX	1073	8.4	120	1	1	4	10	20	28	59
TOTAL 0-19 YRS	440	5.9	70	1	1	3	6	17	23	44
20-34	419	6.6	86	1	1	4	7	14	24	54
35-49	315	6.5	60	1	1	4	7	13	23	45
50-64	328	7.2	92	1	2	4	8	14	24	58
65+	329	10.0	147	2	2	6	13	20	37	66
GRAND TOTAL	**1831**	**7.1**	**92**	**1**	**1**	**4**	**8**	**16**	**24**	**54**

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	749	3.5	6	1	1	3	4	6	8	13
20-34	1048	4.5	11	1	2	4	6	8	10	19
35-49	624	5.3	23	1	2	4	6	9	12	20
50-64	579	6.2	29	2	3	5	7	10	14	29
65+	384	8.7	33	2	3	7	11	16	21	29
2. MULTIPLE DX										
0-19 YRS	946	5.9	65	1	1	4	6	11	18	51
20-34	1762	7.9	109	1	2	5	8	15	28	61
35-49	1153	8.3	87	2	2	6	9	16	24	55
50-64	1060	9.7	118	2	3	7	11	18	28	68
65+	939	12.4	119	2	3	9	15	26	35	59
TOT. SINGLE DX	3384	5.2	20	1	2	4	6	10	13	22
" MULTIPLE DX	5860	8.7	105	1	2	6	10	18	28	58
TOTAL 0-19 YRS	1695	4.8	41	1	1	3	5	9	13	34
20-34	2810	6.6	76	1	2	4	7	12	19	51
35-49	1777	7.2	67	1	2	5	8	13	19	47
50-64	1639	8.4	90	2	3	6	9	15	22	61
65+	1323	11.3	97	2	3	8	14	23	31	52
GRAND TOTAL	**9244**	**7.4**	**77**	**1**	**2**	**5**	**8**	**15**	**22**	**51**

713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1306	2.6	11	1	1	2	3	5	7	16
20-34	417	4.0	14	1	1	3	5	8	11	19
35-49	273	4.8	27	1	1	3	6	10	14	23
50-64	298	5.0	33	1	1	3	6	10	12	37
65+	381	5.8	32	1	1	4	7	12	16	25
2. MULTIPLE DX										
0-19 YRS	1716	3.7	36	1	1	2	4	7	12	33
20-34	856	6.3	68	1	1	4	7	13	20	43
35-49	584	6.6	59	1	1	4	7	14	22	44
50-64	713	7.6	105	1	1	5	8	16	23	67
65+	1013	9.9	117	1	2	7	13	20	28	60
TOT. SINGLE DX	2675	3.8	21	1	1	2	5	8	11	21
" MULTIPLE DX	4882	6.4	77	1	1	4	7	15	21	48
TOTAL 0-19 YRS	3022	3.2	26	1	1	2	3	6	10	26
20-34	1273	5.5	52	1	1	4	6	11	17	38
35-49	857	6.1	50	1	1	4	7	13	18	41
50-64	1011	6.9	86	1	1	4	8	14	21	51
65+	1394	8.8	98	1	2	6	11	19	25	54
GRAND TOTAL	**7557**	**5.4**	**59**	**1**	**1**	**3**	**6**	**12**	**18**	**42**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	126	4.1	26	1	1	2	5	11	14	25
20-34	120	3.2	16	<1	<1	2	4	7	8	24
35-49	72	5.1	34	<1	1	3	6	12	17	30
50-64	65	4.4	18	<1	1	3	5	12	14	20
65+	118	6.6	77	<1	1	3	8	14	25	53
2. MULTIPLE DX										
0-19 YRS	170	6.0	96	1	1	2	6	14	23	54
20-34	226	6.4	68	1	1	4	7	15	23	47
35-49	138	7.9	123	1	1	4	9	26	32	70
50-64	137	6.9	72	1	1	4	9	14	25	41
65+	228	11.6	186	1	1	7	14	28	39	70
TOT. SINGLE DX	501	4.6	37	<1	1	2	5	11	15	33
" MULTIPLE DX	899	8.0	117	1	1	4	9	21	29	57
TOTAL 0-19 YRS	296	5.2	68	1	1	2	5	13	20	46
20-34	346	5.3	53	<1	1	3	6	11	20	40
35-49	210	7.0	94	1	1	3	8	18	30	61
50-64	202	6.1	56	1	1	4	7	13	20	35
65+	346	9.9	155	1	1	6	12	24	35	66
GRAND TOTAL	**1400**	**6.8**	**91**	**1**	**1**	**3**	**8**	**16**	**25**	**49**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	99	3.4	6	1	1	3	4	6	8	15
20-34	169	3.9	3	1	2	3	5	6	8	11
35-49	70	3.6	2	2	2	3	4	5	7	10
50-64	62	6.1	10	2	3	5	7	11	13	15
65+	58	11.1	70	2	3	9	15	20	27	47
2. MULTIPLE DX										
0-19 YRS	99	5.3	43	1	1	3	5	12	17	42
20-34	197	6.2	60	2	2	4	6	11	21	44
35-49	102	6.5	50	1	2	5	8	12	15	43
50-64	94	9.3	85	3	3	7	11	19	28	55
65+	107	15.4	125	4	5	13	19	31	38	60
TOT. SINGLE DX	458	4.9	19	1	2	4	6	9	13	25
" MULTIPLE DX	599	8.3	84	1	2	5	10	18	26	46
TOTAL 0-19 YRS	198	4.4	26	1	1	3	4	8	14	31
20-34	366	5.1	36	1	2	4	5	9	12	32
35-49	172	5.3	33	1	2	4	6	10	13	21
50-64	156	8.1	58	3	3	6	10	13	20	47
65+	165	13.9	110	3	4	12	17	27	35	50
GRAND TOTAL	**1057**	**6.8**	**59**	**1**	**2**	**4**	**8**	**14**	**20**	**42**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	460	4.0	15	1	1	3	4	7	10	21
20-34	586	4.1	15	1	2	3	5	7	12	22
35-49	310	4.4	13	1	2	3	5	9	12	20
50-64	219	6.5	57	1	2	4	8	14	19	37
65+	145	12.9	158	2	2	8	17	34	45	61
2. MULTIPLE DX										
0-19 YRS	321	6.1	52	1	2	4	6	13	20	32
20-34	466	5.7	44	1	2	4	6	10	16	40
35-49	294	7.4	83	2	2	4	8	16	23	47
50-64	227	11.8	137	2	2	8	15	31	39	71
65+	287	21.3	317	4	5	16	30	51	66	99+
TOT. SINGLE DX	1720	5.2	39	1	2	3	5	11	16	35
" MULTIPLE DX	1595	9.8	148	2	2	5	11	24	37	70
TOTAL 0-19 YRS	781	4.8	32	1	2	3	5	9	15	29
20-34	1052	4.8	29	1	2	3	5	9	14	30
35-49	604	5.9	50	2	2	4	6	12	18	38
50-64	446	9.2	105	2	2	5	11	22	34	59
65+	432	18.5	279	2	4	14	26	46	59	99+
GRAND TOTAL	**3315**	**7.4**	**97**	**1**	**2**	**4**	**8**	**17**	**28**	**58**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	85	9.1	21	4	4	8	11	15	17	28
20-34	2226	9.8	24	4	5	9	12	16	19	27
35-49	3942	10.5	27	4	5	9	13	17	20	29
50-64	2061	11.2	31	5	6	10	13	18	22	30
65+	473	13.5	38	6	7	12	16	21	26	33
2. MULTIPLE DX										
0-19 YRS	26	15.4	241	4	5	11	19	67	99+	99+
20-34	616	13.3	69	5	6	11	16	22	29	47
35-49	1391	12.8	60	5	6	11	16	22	26	42
50-64	1300	14.6	89	5	7	12	18	24	31	51
65+	556	18.8	121	7	8	16	23	33	41	72
TOT. SINGLE DX	8787	10.6	29	4	5	9	13	17	21	30
" MULTIPLE DX	3889	14.4	85	5	6	12	17	24	31	53
TOTAL 0-19 YRS	111	10.6	78	4	5	9	12	17	31	99+
20-34	2842	10.6	37	4	5	9	13	17	21	33
35-49	5333	11.1	37	5	5	10	13	18	22	32
50-64	3361	12.5	56	5	6	11	15	21	25	40
65+	1029	16.3	90	6	8	14	20	28	34	54
GRAND TOTAL	12676	11.8	49	5	6	10	14	20	24	37

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	572	3.2	3	1	2	3	4	5	6	8
20-34	1586	3.3	3	1	2	3	4	6	6	9
35-49	920	3.6	10	1	1	3	4	6	8	15
50-64	512	3.9	7	1	2	3	5	7	8	15
65+	169	5.1	15	2	2	4	6	10	15	19
2. MULTIPLE DX										
0-19 YRS	506	3.4	3	1	2	3	4	6	7	10
20-34	1386	3.7	6	1	2	3	5	6	8	13
35-49	918	4.1	10	1	2	3	5	7	10	18
50-64	856	4.3	14	1	2	3	5	8	11	19
65+	343	5.6	22	2	2	4	7	10	14	25
TOT. SINGLE DX	3759	3.5	6	1	1	3	4	6	7	13
" MULTIPLE DX	4009	4.0	10	1	2	3	5	7	9	18
TOTAL 0-19 YRS	1078	3.3	3	1	2	3	4	5	6	9
20-34	2972	3.5	5	1	1	3	4	6	7	10
35-49	1838	3.9	10	1	2	3	5	7	9	17
50-64	1368	4.2	12	1	2	3	5	7	9	18
65+	512	5.4	20	2	2	4	7	10	15	23
GRAND TOTAL	7768	3.8	8	1	2	3	5	6	8	16

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1080	2.7	4	1	1	2	3	5	6	10
20-34	1895	2.8	5	1	1	2	3	5	6	13
35-49	1050	3.2	9	1	1	3	3	5	7	14
50-64	699	4.0	18	1	2	3	4	7	10	18
65+	324	5.8	42	2	2	4	6	12	18	38
2. MULTIPLE DX										
0-19 YRS	505	3.1	10	1	1	2	3	5	7	16
20-34	1217	3.6	12	1	1	3	4	6	9	21
35-49	832	4.4	23	1	2	3	5	9	14	25
50-64	697	6.0	54	2	2	4	6	12	17	39
65+	413	9.1	116	2	2	5	11	20	29	61
TOT. SINGLE DX	5048	3.2	11	1	1	2	4	5	8	17
" MULTIPLE DX	3664	4.8	37	1	2	3	5	10	15	33
TOTAL 0-19 YRS	1585	2.8	6	1	1	2	3	5	6	14
20-34	3112	3.1	8	1	1	2	3	5	7	17
35-49	1882	3.8	16	1	1	3	4	6	10	22
50-64	1396	5.0	37	1	2	3	5	10	15	36
65+	737	7.6	86	2	2	4	9	17	25	47
GRAND TOTAL	8712	3.9	23	1	1	3	4	7	11	24

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	116	13.9	22	7	8	14	17	18	23	27
20-34	175	10.9	22	5	6	10	13	17	20	28
35-49	269	10.6	26	4	5	10	12	17	21	30
50-64	146	10.6	30	4	5	9	13	18	19	29
65+	20	12.5	18	6	7	12	15	19	20	21
2. MULTIPLE DX										
0-19 YRS	72	18.9	176	7	8	16	24	37	64	99+
20-34	173	18.5	212	5	7	14	25	37	43	99+
35-49	225	14.9	121	6	7	11	17	26	33	68
50-64	148	15.6	158	5	6	13	18	26	36	83
65+	44	21.0	206	7	8	19	26	43	65	99+
TOT. SINGLE DX	726	11.2	27	5	5	10	14	17	20	28
" MULTIPLE DX	662	16.9	168	6	7	13	20	31	42	94
TOTAL 0-19 YRS	188	15.8	87	7	8	14	17	26	34	89
20-34	348	14.7	131	5	6	11	17	28	37	94
35-49	494	12.5	74	5	6	10	14	21	28	56
50-64	294	13.1	101	4	5	11	16	21	28	66
65+	64	18.3	162	7	7	15	21	33	50	97
GRAND TOTAL	1388	13.9	102	5	6	11	16	24	31	69

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	95	4.0	5	1	2	4	5	7	8	11
20-34	215	5.0	11	1	2	4	6	9	11	17
35-49	187	5.4	13	2	2	5	7	9	13	22
50-64	246	4.9	12	1	2	4	6	9	11	22
65+	133	8.0	78	2	2	5	10	19	24	49
2. MULTIPLE DX										
0-19 YRS	71	5.4	17	2	2	4	7	10	11	24
20-34	180	5.9	40	2	2	4	7	10	13	44
35-49	147	8.4	134	2	2	6	8	16	28	66
50-64	206	7.2	49	2	2	5	9	14	17	35
65+	165	10.6	107	2	2	7	14	21	31	59
TOT. SINGLE DX	876	5.4	23	2	2	4	7	9	14	24
" MULTIPLE DX	769	7.7	76	2	2	5	9	15	21	48
TOTAL 0-19 YRS	166	4.6	11	1	2	4	6	8	10	20
20-34	395	5.4	25	2	2	4	7	9	12	24
35-49	334	6.7	69	2	2	5	7	11	17	45
50-64	452	5.9	31	2	2	4	7	11	15	25
65+	298	9.5	96	2	2	6	12	20	28	50
GRAND TOTAL	**1645**	**6.5**	**49**	**2**	**2**	**5**	**7**	**12**	**17**	**39**

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	12.7	65	4	4	14	18	20	20	20
20-34	50	13.7	72	6	7	12	15	25	26	59
35-49	122	14.4	47	8	9	13	16	21	28	47
50-64	522	14.3	30	8	9	13	16	20	23	37
65+	1047	16.6	40	9	10	15	19	24	28	40
2. MULTIPLE DX										
0-19 YRS	7	15.6	179	2	3	14	16	38	44	44
20-34	57	17.7	163	6	7	14	19	36	45	71
35-49	134	18.5	136	8	9	15	21	32	47	93
50-64	446	18.4	111	9	10	15	20	31	39	66
65+	1173	20.2	106	10	12	17	23	32	41	66
TOT. SINGLE DX	1744	15.7	40	9	10	15	18	23	27	40
" MULTIPLE DX	1817	19.5	112	10	11	17	22	32	41	67
TOTAL 0-19 YRS	10	14.7	136	2	3	14	16	32	44	44
20-34	107	15.8	124	6	7	12	18	26	39	65
35-49	256	16.5	98	8	9	14	18	28	36	57
50-64	968	16.2	72	9	9	14	18	25	32	54
65+	2220	18.5	78	10	11	16	21	28	36	52
GRAND TOTAL	**3561**	**17.6**	**81**	**9**	**10**	**16**	**20**	**28**	**35**	**54**

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	12.0	165	3	3	9	12	32	46	46
20-34	24	14.1	97	4	6	11	16	30	37	45
35-49	30	13.8	59	7	8	12	15	26	31	38
50-64	126	14.8	45	6	8	14	17	21	26	45
65+	820	17.3	59	9	10	16	20	25	31	50
2. MULTIPLE DX										
0-19 YRS	10	16.0	60	7	7	17	21	26	31	31
20-34	22	16.9	150	3	4	13	21	40	43	46
35-49	48	17.6	133	7	7	14	22	32	43	60
50-64	317	18.7	139	8	10	16	21	34	43	82
65+	2563	20.3	115	9	11	17	24	34	43	69
TOT. SINGLE DX	1010	16.8	61	8	10	15	19	25	30	48
" MULTIPLE DX	2960	20.1	119	9	10	17	24	34	43	70
TOTAL 0-19 YRS	20	14.0	111	3	4	10	19	26	38	46
20-34	46	15.4	122	4	4	12	18	33	42	46
35-49	78	16.1	108	7	7	13	19	30	41	56
50-64	443	17.6	115	8	9	15	19	29	39	72
65+	3383	19.6	104	9	11	17	23	32	40	66
GRAND TOTAL	**3970**	**19.2**	**106**	**9**	**10**	**17**	**22**	**32**	**40**	**66**

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	344	4.3	8	1	2	4	5	7	8	11
20-34	555	4.9	14	1	2	4	6	8	10	17
35-49	238	6.4	34	1	2	4	8	14	18	27
50-64	489	13.5	69	[illegible]	3	14	18	22	26	42
65+	915	17.2	54	8	10	16	21	26	31	40
2. MULTIPLE DX										
0-19 YRS	325	5.0	7	2	2	5	6	8	10	17
20-34	570	5.7	15	2	2	5	7	9	12	21
35-49	246	7.6	57	2	2	6	9	16	19	40
50-64	391	16.3	197	2	2	13	21	33	42	95
65+	869	19.8	126	6	9	17	23	33	42	73
TOT. SINGLE DX	2541	11.0	72	2	2	9	16	22	26	35
" MULTIPLE DX	2401	12.6	131	2	3	9	17	26	35	59
TOTAL 0-19 YRS	669	4.6	8	1	2	4	6	7	9	14
20-34	1125	5.3	15	1	2	5	7	9	11	20
35-49	484	7.0	46	2	2	5	9	15	19	39
50-64	880	14.7	128	2	3	14	19	26	33	56
65+	1784	18.5	91	7	10	17	22	30	36	56
GRAND TOTAL	**4942**	**11.8**	**101**	**2**	**2**	**9**	**17**	**23**	**30**	**48**

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	410	3.5	2	2	2	3	4	5	6	9
20-34	778	3.8	4	2	2	3	4	6	7	12
35-49	329	4.1	5	2	2	3	5	7	9	13
50-64	355	5.5	27	2	2	4	6	10	13	22
65+	179	6.8	29	2	2	5	9	13	17	30
2. MULTIPLE DX										
0-19 YRS	162	3.7	4	1	2	3	4	6	8	12
20-34	385	4.2	11	1	2	3	5	7	10	18
35-49	285	5.1	29	2	2	4	6	9	12	22
50-64	354	6.5	28	2	2	5	8	12	15	30
65+	268	10.3	115	2	3	7	12	21	30	67
TOT. SINGLE DX	2051	4.3	11	2	2	4	5	7	10	17
" MULTIPLE DX	1454	6.0	42	2	2	4	7	11	17	32
TOTAL 0-19 YRS	572	3.5	3	1	2	3	4	5	7	10
20-34	1163	3.9	7	2	2	3	4	6	8	14
35-49	614	4.6	17	2	2	4	5	8	10	19
50-64	709	6.0	28	2	2	5	7	11	14	28
65+	447	8.9	84	2	3	6	11	18	24	52
GRAND TOTAL	**3505**	**5.0**	**25**	**2**	**2**	**4**	**5**	**9**	**13**	**25**

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	233	3.4	16	<1	1	2	4	6	8	24
20-34	322	3.9	11	<1	1	3	5	8	11	15
35-49	348	3.4	7	<1	1	2	4	7	9	13
50-64	306	2.9	10	<1	<1	2	3	5	8	16
65+	136	4.0	24	<1	<1	2	4	8	15	24
2. MULTIPLE DX										
0-19 YRS	175	5.7	55	1	1	4	6	12	17	31
20-34	259	7.4	92	1	1	4	8	16	29	51
35-49	224	6.2	51	1	2	4	7	13	22	36
50-64	225	6.9	82	1	1	3	8	15	22	54
65+	145	10.2	111	1	2	6	13	24	31	52
TOT. SINGLE DX	1345	3.5	12	<1	1	2	4	7	9	17
" MULTIPLE DX	1028	7.1	79	1	1	4	8	17	24	48
TOTAL 0-19 YRS	408	4.4	34	1	1	3	5	8	15	27
20-34	581	5.4	50	1	1	3	6	12	16	40
35-49	572	4.5	26	<1	1	3	5	9	13	30
50-64	531	4.6	45	<1	1	2	4	9	15	38
65+	281	7.2	79	<1	1	4	9	18	25	46
GRAND TOTAL	**2373**	**5.0**	**45**	**<1**	**1**	**3**	**5**	**11**	**16**	**35**

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	709	2.0	2	<1	<1	2	2	3	4	8
20-34	1239	2.2	4	<1	<1	2	2	3	4	11
35-49	780	2.5	4	<1	1	2	3	4	6	13
50-64	541	3.2	8	<1	1	2	3	6	8	16
65+	221	4.7	52	1	1	3	5	9	14	22
2. MULTIPLE DX										
0-19 YRS	94	3.6	28	<1	<1	2	3	7	10	35
20-34	319	4.3	34	1	1	3	4	9	13	36
35-49	350	5.6	32	1	2	3	7	13	18	31
50-64	377	7.1	70	1	2	4	9	16	22	51
65+	306	10.1	95	2	2	7	13	22	29	48
TOT. SINGLE DX	3490	2.6	8	<1	1	2	3	4	6	14
" MULTIPLE DX	1446	6.5	60	1	2	4	8	15	21	43
TOTAL 0-19 YRS	803	2.2	6	<1	<1	2	2	3	4	11
20-34	1558	2.7	12	<1	<1	2	3	4	6	15
35-49	1130	3.5	15	<1	1	2	3	7	11	21
50-64	918	4.8	37	1	1	3	5	10	15	32
65+	527	7.8	84	1	2	5	10	18	25	44
GRAND TOTAL	**4936**	**3.7**	**27**	**<1**	**1**	**2**	**3**	**8**	**12**	**26**

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	21	2.0		<1	<1	2	2	3	4	4
20-34	44	2.6	2	<1	1	2	3	5	6	7
35-49	77	3.1	16	1	2	2	3	5	6	28
50-64	261	2.5	2	1	1	2	3	4	4	8
65+	170	2.6	1	1	1	2	3	4	5	8
2. MULTIPLE DX										
0-19 YRS	15	6.3	36	1	1	3	13	16	16	16
20-34	41	4.9	27	1	1	3	6	10	17	27
35-49	52	4.4	13	1	2	3	5	9	11	22
50-64	120	4.0	25	1	1	3	4	7	10	32
65+	90	4.7	21	1	2	3	5	12	17	20
TOT. SINGLE DX	573	2.6	4	1	1	2	3	4	5	8
" MULTIPLE DX	318	4.5	23	1	2	3	5	10	15	23
TOTAL 0-19 YRS	36	3.8	20	<1	1	2	3	14	16	16
20-34	85	3.7	16	1	1	2	4	7	10	24
35-49	129	3.6	15	1	2	3	4	6	9	25
50-64	381	2.9	10	1	1	2	3	4	6	15
65+	260	3.3	9	1	2	2	3	5	10	18
GRAND TOTAL	**891**	**3.3**	**12**	**1**	**1**	**2**	**3**	**5**	**9**	**18**

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	189	2.1	1	1	1	2	2	4	5	6
20-34	367	2.2	2	<1	1	2	3	4	4	7
35-49	162	2.6	2	1	1	2	3	4	5	10
50-64	90	2.5	2	1	1	2	3	5	5	10
65+	27	2.9	4	<1	1	2	4	5	8	8
2. MULTIPLE DX										
0-19 YRS	290	2.4	3	1	1	2	3	4	6	12
20-34	539	2.8	6	1	1	2	3	5	7	13
35-49	233	2.9	8	1	1	2	3	5	7	17
50-64	129	2.8	5	1	1	2	3	5	6	12
65+	46	3.7	26	1	1	2	4	7	10	34
TOT. SINGLE DX	835	2.3	2	1	1	2	3	4	5	8
" MULTIPLE DX	1237	2.8	7	1	1	2	3	5	7	13
TOTAL 0-19 YRS	479	2.3	3	1	1	2	3	4	5	10
20-34	906	2.6	5	1	1	2	3	5	6	11
35-49	395	2.8	6	1	1	2	3	5	7	14
50-64	219	2.7	5	1	1	2	3	5	6	10
65+	73	3.4	18	1	1	2	4	7	9	29
GRAND TOTAL	**2072**	**2.6**	**5**	**1**	**1**	**2**	**3**	**4**	**6**	**11**

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	124	2.7	3	<1	1	2	3	4	6	9
20-34	241	3.4	13	1	1	3	4	6	7	20
35-49	322	3.3	5	1	1	3	4	5	7	14
50-64	320	4.3	11	1	2	3	5	8	11	18
65+	128	5.2	15	1	2	4	7	10	14	20
2. MULTIPLE DX										
0-19 YRS	163	3.4	10	1	1	2	4	7	11	17
20-34	262	3.6	8	1	1	3	5	7	9	14
35-49	245	5.0	32	1	2	4	5	10	13	36
50-64	268	6.0	35	1	2	4	7	13	17	32
65+	164	9.9	145	2	2	6	11	22	31	89
TOT. SINGLE DX	1135	3.7	10	1	1	3	4	7	9	18
" MULTIPLE DX	1102	5.4	45	1	1	4	6	11	16	37
TOTAL 0-19 YRS	287	3.1	7	1	1	2	4	6	8	14
20-34	503	3.5	11	1	1	3	4	6	8	18
35-49	567	4.0	18	1	1	3	4	7	10	18
50-64	588	5.1	23	1	2	4	6	10	15	23
65+	292	7.8	94	2	2	5	9	16	25	64
GRAND TOTAL	**2237**	**4.6**	**28**	**1**	**1**	**3**	**5**	**9**	**13**	**26**

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	394	3.3	3	1	2	3	4	6	6	11
20-34	306	3.8	9	1	1	3	4	7	7	22
35-49	185	3.8	12	1	1	3	5	6	8	22
50-64	110	5.1	39	1	2	4	5	8	14	40
65+	42	7.1	145	2	2	4	7	12	15	80
2. MULTIPLE DX										
0-19 YRS	314	3.6	12	1	1	3	4	6	8	18
20-34	245	5.1	50	1	1	3	5	9	15	47
35-49	163	5.4	52	1	2	4	6	10	18	97
50-64	110	7.3	56	1	2	5	9	16	18	41
65+	70	8.9	56	2	3	6	12	21	23	87
TOT. SINGLE DX	1037	3.9	17	1	2	3	4	6	8	20
" MULTIPLE DX	902	5.2	41	1	1	3	6	10	17	41
TOTAL 0-19 YRS	708	3.5	8	1	1	3	4	6	8	14
20-34	551	4.4	28	1	1	3	5	7	10	26
35-49	348	4.6	31	1	1	3	5	8	13	34
50-64	220	6.2	49	1	2	4	7	13	18	39
65+	112	8.2	90	2	2	5	9	18	23	87
GRAND TOTAL	**1939**	**4.5**	**29**	**1**	**2**	**3**	**5**	**8**	**12**	**26**

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	39	1.7	1	<1	<1	1	2	3	4	6
20-34	103	3.7	32	<1	1	2	3	7	13	33
35-49	67	3.4	19	1	1	2	3	7	11	27
50-64	75	3.6	14	<1	1	3	4	8	12	21
65+	33	4.1	20	1	1	2	4	10	13	22
2. MULTIPLE DX										
0-19 YRS	56	3.7	16	1	1	2	4	10	12	20
20-34	132	4.3	67	1	1	2	4	9	13	37
35-49	116	5.5	43	1	1	3	6	14	19	62
50-64	122	7.3	141	1	1	3	7	16	27	76
65+	68	8.0	95	1	1	4	9	22	29	48
TOT. SINGLE DX	317	3.4	21	<1	1	2	3	7	11	23
" MULTIPLE DX	494	5.8	80	1	1	3	6	13	21	50
TOTAL 0-19 YRS	95	2.9	11	<1	1	2	3	7	10	17
20-34	235	4.0	52	<1	1	2	4	9	13	30
35-49	183	4.7	36	1	1	3	5	11	18	39
50-64	197	5.9	96	1	1	3	6	13	22	61
65+	101	6.7	74	1	1	3	7	19	26	44
GRAND TOTAL	**811**	**4.8**	**58**	**1**	**1**	**2**	**5**	**11**	**18**	**39**

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	9	8.2	46	1	2	6	12	19	23	23
35-49	2	7.0	72	1	1	7	13	13	13	13
50-64	6	8.0	25	2	2	9	12	14	14	14
65+	6	12.0	66	6	6	9	13	26	28	28
2. MULTIPLE DX										
0-19 YRS	3	4.7	40	1	1	1	9	12	12	12
20-34	15	24.1	603	2	2	16	45	55	74	81
35-49	5	40.2	1401	3	3	38	75	83	83	83
50-64	16	13.6	112	2	5	9	19	32	34	35
65+	24	25.5	440	2	5	20	36	58	69	70
TOT. SINGLE DX	23	9.0	45	1	2	8	13	16	25	28
" MULTIPLE DX	63	22.3	484	1	2	14	34	55	71	83
TOTAL 0-19 YRS	3	4.7	40	1	1	1	9	12	12	12
20-34	24	18.2	445	1	2	9	25	50	63	81
35-49	7	30.7	1209	1	1	13	64	81	83	83
50-64	22	12.0	93	1	2	9	14	31	33	35
65+	30	22.8	391	2	5	14	30	55	69	70
GRAND TOTAL	**86**	**18.8**	**399**	**1**	**2**	**11**	**27**	**50**	**69**	**82**

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	35	3.0	3	1	2	2	3	6	6	11
20-34	39	6.3	57	1	1	4	6	19	26	33
35-49	37	7.7	116	1	2	5	7	17	29	60
50-64	73	11.0	139	2	3	7	14	24	40	55
65+	104	11.0	112	2	3	8	14	22	36	48
2. MULTIPLE DX										
0-19 YRS	49	5.6	24	1	1	3	7	14	20	99+
20-34	68	10.1	87	2	2	7	14	25	27	44
35-49	145	16.1	232	3	3	11	19	40	58	70
50-64	314	19.3	233	3	5	15	27	42	56	99+
65+	627	20.0	232	3	5	16	26	41	56	96
TOT. SINGLE DX	288	9.0	106	2	2	5	11	21	33	53
" MULTIPLE DX	1203	18.2	228	3	4	14	25	40	55	97
TOTAL 0-19 YRS	84	4.5	17	1	1	3	6	11	15	73
20-34	107	8.7	79	1	2	5	12	24	27	42
35-49	182	14.4	220	2	3	9	18	35	56	69
50-64	387	17.7	226	3	3	14	26	40	55	91
65+	731	18.7	226	3	4	15	25	40	53	88
GRAND TOTAL	**1491**	**16.4**	**218**	**2**	**3**	**12**	**22**	**37**	**52**	**84**

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	15.5	221	5	5	15	26	26	26	26
20-34	8	16.0	124	6	6	12	22	34	37	37
35-49	9	12.1	63	4	4	10	19	24	25	25
50-64	39	18.2	138	7	8	15	22	33	37	65
65+	101	19.6	209	6	7	15	25	37	50	79
2. MULTIPLE DX										
0-19 YRS	11	15.5	65	9	9	11	20	29	33	33
20-34	42	25.6	323	6	8	23	34	76	99+	99+
35-49	80	25.9	396	5	9	19	35	62	85	99+
50-64	323	25.0	252	8	9	21	31	47	61	95
65+	932	25.9	277	8	10	21	34	51	61	88
TOT. SINGLE DX	159	18.6	179	6	7	15	23	34	44	65
" MULTIPLE DX	1388	25.6	278	8	9	21	34	50	64	99+
TOTAL 0-19 YRS	13	15.5	73	6	8	11	22	28	32	33
20-34	50	24.1	301	6	7	21	33	74	99+	99+
35-49	89	24.5	379	5	7	19	28	56	81	99+
50-64	362	24.3	244	8	9	20	31	46	59	93
65+	1033	25.3	274	8	9	20	33	50	60	88
GRAND TOTAL	**1547**	**24.9**	**272**	**8**	**9**	**20**	**33**	**50**	**62**	**99**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	12.3	47	3	4	14	17	21	22	22
20-34	2	11.5	41	7	7	11	16	16	16	16
35-49	10	9.9	7	7	7	9	11	14	15	15
50-64	24	20.2	287	7	7	14	26	44	57	79
65+	98	17.6	164	4	6	14	24	33	37	71
2. MULTIPLE DX										
0-19 YRS	8	12.1	28	5	5	12	15	19	21	21
20-34	12	17.1	275	5	7	13	17	34	63	68
35-49	30	22.4	370	5	6	15	26	56	61	75
50-64	168	23.0	292	6	7	18	30	50	64	99+
65+	1016	22.5	259	7	8	18	29	45	58	89
TOT. SINGLE DX	141	17.1	172	4	7	14	21	32	39	80
" MULTIPLE DX	1234	22.4	265	6	8	17	29	45	60	90
TOTAL 0-19 YRS	15	12.2	34	3	5	13	16	21	22	22
20-34	14	16.3	240	5	7	13	16	25	58	68
35-49	40	19.3	307	6	7	12	20	52	59	75
50-64	192	22.6	291	6	7	18	30	48	64	99+
65+	1114	22.1	253	6	8	17	28	43	57	89
GRAND TOTAL	**1375**	**21.9**	**258**	**6**	**8**	**17**	**28**	**44**	**58**	**89**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	5	13.4	80	3	3	11	21	25	25	25
35-49	5	19.6	380	4	4	10	32	51	51	51
50-64	17	24.9	348	4	5	21	39	42	65	77
65+	17	17.6	113	5	7	14	22	29	42	48
2. MULTIPLE DX										
0-19 YRS	4	34.5	581	6	6	33	49	65	65	65
20-34	13	26.2	535	5	7	17	31	71	73	74
35-49	28	31.5	556	4	5	27	49	68	76	80
50-64	86	28.7	325	7	10	24	39	52	69	85
65+	138	28.6	312	7	10	24	37	58	63	91
TOT. SINGLE DX	46	19.5	233	4	5	15	26	41	49	77
" MULTIPLE DX	269	28.9	351	6	9	24	38	59	70	86
TOTAL 0-19 YRS	6	24.2	606	2	2	19	34	62	65	65
20-34	18	22.6	432	3	5	16	25	64	72	74
35-49	33	29.7	535	4	5	26	46	64	75	80
50-64	103	28.1	328	6	8	24	39	51	69	85
65+	155	27.3	302	6	10	23	36	57	63	90
GRAND TOTAL	**315**	**27.5**	**344**	**5**	**8**	**22**	**37**	**58**	**67**	**85**

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	7.5	16	2	2	8	10	11	11	11
20-34	10	4.9	16	1	1	4	7	11	13	13
35-49	1	1.0		1	1	1	1	1	1	1
50-64	5	3.6	6	2	2	3	4	8	8	8
65+										
2. MULTIPLE DX										
0-19 YRS	16	5.9	19	1	1	5	9	12	15	16
20-34	17	7.0	11	3	4	7	9	10	14	16
35-49	6	3.5	4	1	1	3	5	7	7	7
50-64	11	6.7	6	3	4	6	9	10	11	11
65+										
TOT. SINGLE DX	20	4.9	14	1	1	3	8	10	12	13
" MULTIPLE DX	50	6.2	13	1	2	6	9	10	12	16
TOTAL 0-19 YRS	20	6.2	18	1	1	5	10	12	14	16
20-34	27	6.2	13	1	1	6	9	10	13	16
35-49	7	3.1	5	1	1	3	5	7	7	7
50-64	16	5.8	8	2	2	5	8	9	10	11
65+										
GRAND TOTAL	**70**	**5.8**	**13**	**1**	**1**	**5**	**8**	**10**	**12**	**16**

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	28	3.2	21	<1	<1	2	3	5	13	24
20-34	49	2.8	8	<1	1	2	3	5	8	16
35-49	35	5.5	44	<1	<1	3	6	16	18	33
50-64	32	6.7	49	1	1	4	9	13	21	36
65+	29	9.7	78	<1	1	7	14	22	28	37
2. MULTIPLE DX										
0-19 YRS	24	3.4	20	<1	1	2	3	8	13	22
20-34	70	6.8	84	1	1	4	6	19	28	46
35-49	52	10.3	114	1	2	6	17	29	37	98
50-64	91	13.8	255	2	2	8	18	30	50	83
65+	107	16.0	227	3	4	11	25	41	57	99+
TOT. SINGLE DX	173	5.3	42	<1	1	3	6	13	17	35
" MULTIPLE DX	344	11.8	189	1	2	7	16	30	43	99+
TOTAL 0-19 YRS	52	3.3	20	<1	1	2	3	7	12	24
20-34	119	5.2	57	1	1	3	5	12	23	39
35-49	87	8.4	91	<1	1	4	12	26	32	78
50-64	123	12.0	211	1	2	7	16	26	46	82
65+	136	14.6	201	2	3	10	19	37	48	99+
GRAND TOTAL	**517**	**9.6**	**149**	**1**	**1**	**5**	**13**	**26**	**37**	**87**

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	30.5	1301	5	5	30	56	56	56	56
20-34	6	5.0	26	<1	<1	3	5	14	15	15
35-49	1	5.0		5	5	5	5	5	5	5
50-64	6	4.5	8	2	2	3	7	9	9	9
65+	9	12.8	32	5	5	14	17	20	21	21
2. MULTIPLE DX										
0-19 YRS	2	20.0	242	9	9	20	31	31	31	31
20-34	5	9.6	127	2	2	3	17	28	28	28
35-49	6	8.2	56	2	2	6	12	20	21	21
50-64	14	8.5	28	2	3	9	12	14	19	20
65+	12	17.8	173	6	7	15	18	37	52	54
TOT. SINGLE DX	24	9.9	130	1	2	5	14	19	31	56
" MULTIPLE DX	39	12.0	109	2	2	11	15	25	31	54
TOTAL 0-19 YRS	4	25.3	551	5	5	20	43	56	56	56
20-34	11	7.1	70	<1	1	3	11	20	27	28
35-49	7	7.7	49	2	2	5	11	19	21	21
50-64	20	7.3	25	2	2	6	11	13	17	20
65+	21	15.6	115	5	6	14	17	25	41	54
GRAND TOTAL	**63**	**11.2**	**116**	**2**	**2**	**9**	**15**	**21**	**30**	**56**

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	623	2.0		<1	1	2	2	3	3	5
20-34	2166	2.2	2	<1	1	2	2	3	4	8
35-49	3525	2.4	2	<1	1	2	3	3	4	9
50-64	1936	2.9	5	1	1	2	3	5	8	12
65+	1073	3.9	11	1	2	3	4	9	11	16
2. MULTIPLE DX										
0-19 YRS	126	2.7	7	<1	1	2	3	5	7	15
20-34	852	3.5	21	1	1	2	4	6	9	17
35-49	1992	3.9	14	1	2	3	4	8	11	19
50-64	1432	5.5	32	2	2	3	7	12	16	27
65+	1185	7.8	68	2	2	5	10	17	24	40
TOT. SINGLE DX	9323	2.6	4	<1	1	2	3	4	6	12
" MULTIPLE DX	5587	5.1	34	1	2	3	6	11	15	30
TOTAL 0-19 YRS	749	2.1	2	<1	1	2	2	3	3	7
20-34	3018	2.6	8	<1	1	2	3	4	6	12
35-49	5517	2.9	8	1	1	2	3	5	8	14
50-64	3368	4.0	18	1	2	2	4	9	12	22
65+	2258	6.0	45	2	2	3	7	13	17	35
GRAND TOTAL	14910	3.5	17	1	1	2	3	7	10	20

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	89	2.2		<1	1	2	3	4	4	5
20-34	78	3.4	4	1	2	3	4	6	8	11
35-49	110	4.6	6	2	2	4	6	8	10	14
50-64	119	6.5	16	2	2	6	9	11	15	21
65+	175	6.5	20	2	2	6	9	11	14	22
2. MULTIPLE DX										
0-19 YRS	9	3.2	7	1	1	2	5	8	8	8
20-34	27	4.9	11	1	1	4	7	11	11	12
35-49	98	7.0	48	2	3	5	8	11	16	44
50-64	119	7.5	22	2	3	7	9	13	16	29
65+	246	11.1	85	3	3	9	14	20	27	70
TOT. SINGLE DX	571	5.0	14	1	2	4	7	10	11	19
" MULTIPLE DX	499	9.0	63	2	3	7	11	16	22	46
TOTAL 0-19 YRS	98	2.3	2	<1	1	2	3	4	4	8
20-34	105	3.8	7	1	2	3	5	8	10	12
35-49	208	5.7	28	2	2	5	7	10	12	23
50-64	238	7.0	20	2	2	7	9	12	15	24
65+	421	9.2	64	2	3	7	11	17	23	45
GRAND TOTAL	1070	6.9	41	2	2	5	9	13	17	33

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	106	7.4	6	4	5	7	8	11	12	16
35-49	540	7.5	8	4	5	7	9	11	12	17
50-64	861	8.0	11	4	5	8	9	12	13	18
65+	845	8.9	13	5	5	8	10	13	16	22
2. MULTIPLE DX										
0-19 YRS	3	9.3	9	6	6	10	11	12	12	12
20-34	79	8.8	7	5	5	8	11	12	13	14
35-49	445	8.8	16	4	5	8	10	13	16	25
50-64	814	10.0	29	5	6	9	11	15	19	30
65+	1049	11.4	45	5	6	10	13	18	24	42
TOT. SINGLE DX	2353	8.2	11	4	5	8	9	12	14	20
" MULTIPLE DX	2390	10.3	35	5	6	9	12	16	20	34
TOTAL 0-19 YRS	4	9.3	6	6	6	9	11	12	12	12
20-34	185	8.0	7	4	5	8	10	12	13	15
35-49	985	8.1	12	4	5	8	9	12	14	22
50-64	1675	8.9	21	5	5	8	10	13	16	27
65+	1894	10.3	33	5	6	9	12	16	20	34
GRAND TOTAL	4743	9.3	24	4	5	8	11	14	17	28

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	281	3.2	2	1	2	3	4	5	6	9
20-34	724	3.6	3	<1	1	3	5	6	7	10
35-49	709	4.0	5	1	1	4	5	7	8	11
50-64	261	3.9	3	1	2	4	5	6	7	8
65+	69	4.0	6	2	2	4	4	6	8	17
2. MULTIPLE DX										
0-19 YRS	74	4.1	8	1	2	3	4	7	10	17
20-34	436	4.6	18	1	2	4	5	7	9	22
35-49	771	5.0	13	1	2	4	6	9	11	18
50-64	414	5.6	35	2	2	4	6	9	13	29
65+	97	6.4	28	2	2	5	8	13	17	31
TOT. SINGLE DX	2044	3.7	4	1	1	4	5	6	7	10
" MULTIPLE DX	1792	5.1	21	1	2	4	6	9	11	21
TOTAL 0-19 YRS	355	3.4	4	1	2	3	4	5	6	11
20-34	1160	3.9	10	<1	1	4	5	6	8	12
35-49	1480	4.5	10	1	2	4	6	8	9	16
50-64	675	4.9	24	2	2	4	6	8	10	23
65+	166	5.4	21	2	2	4	7	9	14	23
GRAND TOTAL	**3836**	**4.4**	**12**	**1**	**2**	**4**	**5**	**7**	**9**	**17**

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	742	3.5	3	1	2	3	4	5	7	11
20-34	1322	3.7	3	2	2	3	4	6	7	10
35-49	196	4.0	4	1	2	4	5	6	8	12
50-64	57	4.3	6	2	2	4	5	8	10	13
65+	14	4.6	11	2	2	4	4	9	14	15
2. MULTIPLE DX										
0-19 YRS	100	4.5	6	2	2	4	6	8	10	13
20-34	222	4.9	13	2	2	4	6	9	12	23
35-49	80	6.2	30	2	2	5	7	10	17	34
50-64	39	7.4	42	2	2	5	10	16	24	28
65+	14	10.9	282	3	3	5	11	18	57	68
TOT. SINGLE DX	2331	3.7	4	1	2	3	4	6	7	11
" MULTIPLE DX	455	5.4	26	2	2	4	6	10	14	28
TOTAL 0-19 YRS	842	3.7	4	1	2	3	4	6	7	11
20-34	1544	3.8	5	2	2	3	4	6	7	13
35-49	276	4.6	13	2	2	4	5	8	10	20
50-64	96	5.5	23	2	2	4	6	12	15	26
65+	28	7.7	152	2	3	4	8	12	20	68
GRAND TOTAL	**2786**	**4.0**	**8**	**2**	**2**	**3**	**5**	**6**	**8**	**14**

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1017	2.3	4	<1	<1	2	2	4	6	12
20-34	1336	3.4	19	<1	1	2	4	6	9	20
35-49	1184	3.4	16	<1	1	2	4	6	9	18
50-64	1079	3.7	18	<1	1	2	4	7	11	23
65+	877	5.1	41	<1	1	3	5	11	18	35
2. MULTIPLE DX										
0-19 YRS	428	4.1	26	1	1	3	5	8	11	23
20-34	1036	6.7	63	[illegible]	2	4	8	14	22	44
35-49	1442	7.3	72	1	2	5	8	15	23	49
50-64	1939	8.2	68	1	2	6	10	17	23	42
65+	2430	10.2	107	2	2	7	13	22	29	58
TOT. SINGLE DX	5493	3.5	20	<1	1	2	4	7	10	22
" MULTIPLE DX	7275	8.2	82	1	2	5	10	18	25	50
TOTAL 0-19 YRS	1445	2.8	11	<1	1	2	3	5	8	16
20-34	2372	4.8	41	<1	1	3	5	10	15	37
35-49	2626	5.5	51	1	1	3	6	11	16	40
50-64	3018	6.6	55	1	2	4	8	14	20	38
65+	3307	8.8	95	1	2	6	11	19	27	54
GRAND TOTAL	**12768**	**6.2**	**61**	**1**	**1**	**3**	**7**	**14**	**20**	**41**

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1024	4.2	20	1	1	3	5	9	12	24
20-34	1283	5.3	33	1	1	4	6	11	16	30
35-49	833	6.4	45	1	1	4	8	14	19	32
50-64	701	8.1	86	1	2	5	10	17	25	55
65+	735	9.8	104	1	2	6	13	24	31	53
2. MULTIPLE DX										
0-19 YRS	2194	5.5	59	1	1	3	6	12	19	43
20-34	3188	6.9	94	1	1	4	8	15	25	59
35-49	1986	9.8	144	1	1	5	12	24	37	69
50-64	2071	12.1	182	1	2	8	16	28	41	81
65+	2713	16.5	280	2	2	11	22	40	55	91
TOT. SINGLE DX	4576	6.4	56	1	1	4	8	14	21	36
" MULTIPLE DX	12152	10.1	169	1	1	5	12	25	39	73
TOTAL 0-19 YRS	3218	5.1	47	1	1	3	6	11	17	36
20-34	4471	6.5	77	1	1	4	7	14	22	51
35-49	2819	8.8	118	1	1	5	10	21	32	61
50-64	2772	11.1	161	1	2	7	14	26	38	72
65+	3448	15.1	251	1	2	10	19	36	50	86
GRAND TOTAL	**16728**	**9.1**	**141**	**1**	**1**	**5**	**11**	**22**	**34**	**67**

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	163	6.7	69	1	1	4	9	16	20	44
20-34	204	7.4	91	1	2	4	9	15	25	55
35-49	158	8.7	49	1	2	7	13	18	22	31
50-64	153	14.5	210	1	2	9	19	40	49	58
65+	213	16.2	156	2	3	13	24	35	42	53
2. MULTIPLE DX										
0-19 YRS	215	12.2	183	1	1	8	16	27	42	72
20-34	355	16.5	291	1	2	11	23	38	47	94
35-49	256	17.4	222	2	3	13	25	36	49	69
50-64	318	19.1	273	2	3	15	28	41	54	99+
65+	467	25.2	372	3	6	21	34	55	71	99+
TOT. SINGLE DX	891	10.8	131	1	2	7	14	26	35	54
" MULTIPLE DX	1611	19.1	304	2	2	14	27	42	58	95
TOTAL 0-19 YRS	378	9.8	141	1	1	5	14	24	34	67
20-34	559	13.2	237	1	2	8	18	32	44	87
35-49	414	14.1	174	1	2	10	20	32	40	65
50-64	471	17.6	258	2	2	13	25	41	50	96
65+	680	22.3	322	2	4	18	30	46	62	95
GRAND TOTAL	**2502**	**16.2**	**258**	**1**	**2**	**11**	**23**	**37**	**49**	**88**

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	51	6.1	72	<1	1	3	5	21	29	34
20-34	85	4.0	25	<1	<1	2	4	8	15	27
35-49	64	8.9	152	1	1	4	10	23	39	64
50-64	42	8.3	129	1	1	3	10	21	37	50
65+	20	8.0	80	1	1	4	11	25	27	28
2. MULTIPLE DX										
0-19 YRS	57	10.6	215	1	1	4	13	29	47	69
20-34	98	14.1	271	1	2	8	24	40	59	99+
35-49	57	11.5	194	1	1	6	21	31	62	99+
50-64	72	14.4	301	1	2	7	18	35	62	96
65+	77	17.3	365	2	2	12	23	40	60	90
TOT. SINGLE DX	262	6.6	89	<1	1	3	6	20	26	48
" MULTIPLE DX	361	13.9	279	1	2	7	22	37	52	99+
TOTAL 0-19 YRS	108	8.5	151	1	1	3	10	23	35	58
20-34	183	9.4	182	<1	1	4	12	29	43	99+
35-49	121	10.1	173	1	1	4	13	29	41	99+
50-64	114	12.2	246	1	2	5	16	34	49	88
65+	97	15.4	320	1	2	9	22	35	48	89
GRAND TOTAL	**623**	**10.8**	**212**	**1**	**1**	**4**	**15**	**31**	**46**	**95**

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	486	2.2	2	<1	<1	2	2	4	5	9
20-34	324	3.4	14	<1	1	2	4	7	9	24
35-49	233	3.4	8	<1	1	3	4	6	10	17
50-64	282	3.2	12	1	1	2	3	5	8	20
65+	147	3.7	16	1	1	3	4	7	8	16
2. MULTIPLE DX										
0-19 YRS	204	3.1	10	1	1	2	3	6	9	13
20-34	242	5.5	29	1	1	4	7	13	17	27
35-49	313	6.4	75	1	2	4	7	13	22	53
50-64	495	5.4	29	1	2	3	7	12	15	25
65+	439	8.5	81	1	2	5	11	20	26	43
TOT. SINGLE DX	1472	3.0	10	<1	1	2	3	5	8	17
" MULTIPLE DX	1693	6.1	52	1	2	4	7	14	20	37
TOTAL 0-19 YRS	690	2.5	5	<1	1	2	3	4	6	11
20-34	566	4.3	22	1	1	3	5	9	13	26
35-49	546	5.1	49	1	1	3	5	10	15	37
50-64	777	4.6	24	1	1	3	5	10	14	24
65+	586	7.3	69	1	2	4	9	17	23	42
GRAND TOTAL	**3165**	**4.7**	**35**	**1**	**1**	**3**	**5**	**10**	**15**	**31**

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	3.5	4	1	1	3	5	6	7	7
20-34	25	4.0	9	1	1	3	5	9	11	14
35-49	23	4.4	14	1	1	3	5	9	15	16
50-64	30	4.7	19	1	1	3	5	10	17	19
65+	19	6.4	22	2	2	4	7	14	18	20
2. MULTIPLE DX										
0-19 YRS	23	4.2	17	1	1	3	6	9	13	18
20-34	43	5.0	14	1	2	4	7	10	11	22
35-49	60	6.3	20	2	2	5	8	12	14	25
50-64	61	9.4	36	2	3	8	12	18	21	29
65+	124	11.1	67	3	4	9	14	24	28	37
TOT. SINGLE DX	107	4.6	16	1	1	4	5	10	15	19
" MULTIPLE DX	311	8.5	48	2	2	7	11	18	24	31
TOTAL 0-19 YRS	33	4.0	13	1	1	3	5	8	11	18
20-34	68	4.6	13	1	1	4	6	10	10	21
35-49	83	5.8	20	1	2	4	7	12	15	23
50-64	91	7.8	35	2	2	6	11	17	19	28
65+	143	10.4	64	2	3	8	14	23	27	35
GRAND TOTAL	418	7.5	42	1	2	5	10	17	22	30

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	197	4.6	15	1	2	3	5	10	12	21
20-34	2811	5.7	18	2	2	4	8	12	15	20
35-49	3745	6.1	22	2	2	4	8	12	15	23
50-64	1823	6.3	25	2	2	5	8	13	16	25
65+	449	7.3	30	2	2	6	10	15	18	26
2. MULTIPLE DX										
0-19 YRS	114	5.7	24	2	2	4	7	12	19	23
20-34	1676	7.4	32	2	2	6	10	15	18	27
35-49	2424	8.1	47	2	2	6	11	16	20	34
50-64	1941	8.7	54	2	2	7	11	17	22	42
65+	896	11.3	96	2	3	9	15	22	28	55
TOT. SINGLE DX	9025	6.0	22	2	2	4	8	12	15	23
" MULTIPLE DX	7051	8.5	53	2	2	6	11	17	21	36
TOTAL 0-19 YRS	311	5.0	19	2	2	3	6	10	14	22
20-34	4487	6.3	24	2	2	5	9	13	16	23
35-49	6169	6.9	33	2	2	5	9	14	17	27
50-64	3764	7.6	42	2	2	6	10	15	20	32
65+	1345	10.0	78	2	3	8	13	19	25	46
GRAND TOTAL	16076	7.1	37	2	2	5	9	14	18	29

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	68	5.7	23	2	2	4	8	14	16	21
20-34	211	5.7	58	2	2	4	6	10	16	27
35-49	343	5.3	22	2	2	4	6	10	13	26
50-64	618	5.1	29	2	2	4	6	9	13	22
65+	659	5.7	54	2	2	4	7	11	16	35
2. MULTIPLE DX										
0-19 YRS	50	7.5	49	2	2	6	9	14	20	42
20-34	206	7.9	50	2	2	6	9	16	21	42
35-49	435	8.0	67	2	2	5	9	15	25	39
50-64	1299	8.2	61	2	2	6	10	16	22	41
65+	1845	8.6	64	2	2	6	11	17	23	41
TOT. SINGLE DX	1899	5.4	40	2	2	4	6	10	15	27
" MULTIPLE DX	3835	8.3	63	2	2	6	10	17	23	41
TOTAL 0-19 YRS	118	6.5	35	2	2	5	8	14	17	30
20-34	417	6.8	56	2	2	5	8	14	19	37
35-49	778	6.8	49	2	2	5	8	13	21	37
50-64	1917	7.2	53	2	2	5	9	15	20	37
65+	2504	7.8	64	2	2	6	10	16	21	40
GRAND TOTAL	5734	7.4	57	2	2	5	9	15	20	37

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	5	6.2	10	2	2	7	8	10	10	10
35-49	54	4.9	39	2	2	2	6	10	14	38
50-64	82	3.8	12	2	2	2	4	8	12	20
65+	25	4.4	7	1	2	3	6	8	10	11
2. MULTIPLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	5	5.0	9	3	3	3	7	10	10	10
35-49	97	5.4	18	2	2	4	8	12	15	18
50-64	210	5.3	21	2	2	3	7	11	15	22
65+	63	6.8	75	2	2	3	8	14	22	54
TOT. SINGLE DX	166	4.3	21	2	2	2	5	9	11	25
" MULTIPLE DX	376	5.5	29	2	2	3	7	12	16	24
TOTAL 0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	10	5.6	9	2	2	5	8	10	10	10
35-49	151	5.2	26	2	2	3	7	11	15	25
50-64	292	4.8	19	2	2	3	6	11	14	22
65+	88	6.1	57	2	2	3	8	11	20	46
GRAND TOTAL	542	5.1	27	2	2	3	7	11	15	25

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	95	5.2	22	1	2	3	7	11	15	24
20-34	474	6.0	27	1	2	4	8	12	16	25
35-49	649	5.8	22	1	2	4	8	12	14	20
50-64	875	5.6	23	2	2	4	8	12	14	21
65+	874	6.3	37	2	2	4	9	13	16	27
2. MULTIPLE DX										
0-19 YRS	111	7.1	67	1	2	5	9	15	18	48
20-34	588	7.6	66	1	2	5	10	15	21	42
35-49	1088	7.4	45	2	2	6	10	14	19	32
50-64	2496	7.6	53	2	2	5	10	15	20	35
65+	3284	9.3	64	2	2	7	12	19	24	41
TOT. SINGLE DX	2967	5.9	28	1	2	4	8	12	15	24
" MULTIPLE DX	7567	8.3	59	2	2	6	11	17	22	39
TOTAL 0-19 YRS	206	6.2	47	1	2	4	8	13	16	35
20-34	1062	6.9	50	1	2	5	9	14	18	37
35-49	1737	6.8	37	2	2	5	9	13	17	28
50-64	3371	7.0	47	2	2	5	9	14	18	32
65+	4158	8.7	60	2	2	6	12	18	23	40
GRAND TOTAL	**10534**	**7.6**	**52**	**2**	**2**	**6**	**10**	**16**	**20**	**36**

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11437	3.7	13	1	1	3	4	7	9	19
20-34	17843	4.3	17	1	1	3	5	8	11	21
35-49	14253	5.0	22	1	1	4	6	9	13	24
50-64	12372	5.8	26	1	2	4	7	11	14	26
65+	11861	7.2	37	2	2	5	9	14	18	32
2. MULTIPLE DX										
0-19 YRS	13561	4.9	36	1	1	3	6	9	13	34
20-34	23477	5.6	33	1	2	4	7	10	14	30
35-49	29521	6.6	34	2	2	5	8	12	17	30
50-64	45547	7.7	43	2	2	6	9	14	19	34
65+	82628	9.5	64	2	3	7	12	18	24	42
TOT. SINGLE DX	67766	5.1	24	1	1	4	6	10	14	26
" MULTIPLE DX	194734	7.8	52	2	2	6	10	15	21	37
TOTAL 0-19 YRS	24998	4.3	26	1	1	3	5	8	11	27
20-34	41320	5.1	27	1	1	4	6	9	13	28
35-49	43774	6.1	31	1	2	5	7	12	15	29
50-64	57919	7.3	41	2	2	6	9	14	18	32
65+	94489	9.2	61	2	3	7	11	18	23	41
GRAND TOTAL	**262500**	**7.1**	**46**	**1**	**2**	**5**	**9**	**14**	**19**	**35**

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2986	5.4	39	1	2	4	6	9	16	36
20-34	2465	7.6	60	2	2	6	9	14	20	43
35-49	2755	7.5	41	2	2	6	9	14	18	35
50-64	2316	7.9	41	2	3	6	10	14	19	34
65+	2038	9.5	61	2	3	8	12	17	23	46
2. MULTIPLE DX										
0-19 YRS	3761	7.5	92	1	2	4	7	17	28	50
20-34	3462	7.9	69	2	2	6	9	15	22	45
35-49	4692	8.4	55	2	3	7	10	15	21	42
50-64	8079	9.3	59	2	3	7	11	17	23	42
65+	15800	11.6	90	3	4	9	14	22	29	52
TOT. SINGLE DX	12560	7.4	50	2	2	6	9	14	19	38
" MULTIPLE DX	35794	9.9	79	2	3	7	12	19	26	48
TOTAL 0-19 YRS	6747	6.6	70	1	2	4	7	13	24	45
20-34	5927	7.7	65	2	2	6	9	14	21	44
35-49	7447	8.1	51	2	3	6	10	15	20	39
50-64	10395	9.0	56	2	3	7	11	17	22	40
65+	17838	11.4	87	3	4	9	14	21	29	52
GRAND TOTAL	**48354**	**9.2**	**73**	**2**	**3**	**7**	**11**	**18**	**25**	**46**

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9501	3.9	10	1	2	3	5	7	8	14
20-34	5409	4.7	21	1	1	4	6	8	11	26
35-49	4083	5.6	21	1	2	4	7	11	14	25
50-64	4227	6.6	31	1	2	5	8	13	16	28
65+	4752	7.8	42	2	2	6	10	15	20	35
2. MULTIPLE DX										
0-19 YRS	12009	4.9	25	1	2	4	6	8	12	27
20-34	7679	5.5	27	1	2	4	7	10	14	28
35-49	9737	6.7	34	2	2	5	8	12	16	30
50-64	18965	8.1	44	2	3	6	10	15	20	35
65+	38276	9.8	66	2	3	8	12	18	25	44
TOT. SINGLE DX	27972	5.4	25	1	2	4	6	10	14	26
" MULTIPLE DX	86666	8.0	53	2	2	6	10	15	21	38
TOTAL 0-19 YRS	21510	4.4	19	1	2	3	5	8	10	23
20-34	13088	5.2	25	1	2	4	6	9	13	27
35-49	13820	6.4	31	2	2	5	8	12	16	29
50-64	23192	7.8	43	2	2	6	10	15	19	34
65+	43028	9.6	65	2	3	7	12	18	24	43
GRAND TOTAL	**114638**	**7.4**	**47**	**2**	**2**	**5**	**9**	**14**	**19**	**36**

Appendix

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713, and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index to the Length of Stay Tables

If an operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 3, Procedures: Tabular List and Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* operation group to which each operation belongs.

Group Number	Title
555	Adenoidectomy, except with tonsillectomy
554	With tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	For termination of pregnancy
	Amputation
668	Cervix
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
739	Revision (any site)
732	Thumb
734	Toe
733	Upper arm
	Anastomosis
617	Bile duct
581	Blood vessel
617	Gallbladder
601	Intestine
609	Rectum
757	Angiocardiography, except coronary vessels
756	Coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	Cardiac vessels
755	Cerebral vessels
546	Antrotomy, except radical maxillary
545	Radical maxillary
572	Aortocoronary bypass
757	Aortography

OPERATION INDEX (continued)

Group Number	Title
603	Appendectomy, except incidental
604	Incidental
	Arteriography
757	Aorta
755	Cerebral
756	Coronary
757	Femoral
755	Head
756	Heart
757	Renal
741	Arthrocentesis
721	Arthrodesis, except spinal
720	Spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	Hip, except total replacement
722	Total replacement
724	Knee
699	Temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artificial
686	Insemination
690	Rupture of membranes for delivery
	Aspiration
752	Breast, except for biopsy
742	Biopsy
741	Bursa
682	Cul-de-sac
677	Curettage, uterus, except for termination of pregnancy
674	Termination of pregnancy
651	Hydrocele, except of spermatic cord
656	Spermatic cord
632	Kidney
614	Liver, percutaneous, except for biopsy
615	Biopsy
537	Middle ear
546	Nasal sinus
663	Ovary
752	Skin
656	Spermatocele
529	Vitreous

OPERATION INDEX (continued)

Group Number	Title
	Augmentation
745	Breast
699	Chin
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix
597	Colon
597	Duodenum
668	Endocervical
588	Esophagus
532	Eyeball
517	Eyelid
666	Fallopian tubes
597	Intestine (large) (small)
719	Joint structure
632	Kidney
597	Large intestine
558	Larynx
552	Lip
615	Liver
565	Lung
582	Lymph nodes
570	Mediastinum
	Meninges
501	Cerebral
507	Spinal
727	Muscle
543	Nose
532	Orbit
660	Ovary, except by aspiration
663	Aspiration

OPERATION INDEX (continued)

Group Number	Title
	Biopsy (continued)
618	Pancreas
658	Penis
508	Peripheral nerve
626	Peritoneum
556	Pharynx
570	Pleura
650	Prostate
606	Rectum
651	Scrotum
747	Skin
597	Small intestine
507	Spinal meninges
654	Testes
514	Thyroid
552	Tongue
559	Trachea
670	Uterus
682	Vagina
558	Vocal cord
683	Vulva
518	Blepharorrhaphy
763	Blood transfusion, except intrauterine exchange
696	Intrauterine exchange
585	Bone marrow transplant
745	Breast augmentation
688	Breech extraction for delivery
567	Bronchoscopy
704	Bunionectomy
730	Bursectomy, except of hand
728	Hand
726	Bursotomy
	Bypass, graft or shunt
572	Aortocoronary
578	Blood vessels (systemic)
572	Coronary
596	Gastric
572	Heart
579	Heart-lung
601	Intestine
596	Stomach
634	Urinary

OPERATION INDEX (continued)

Group Number	Title
763	Cancer chemotherapy
	Cardiac
573	Catheterization
764	Function tests
	Massage
763	Closed
575	Open
574	Pacemaker insertion or replacement
575	Revascularization, except coronary bypass
572	Coronary bypass
764	Stress tests
509	Carpal tunnel decompression or release
760	Cast application
758	C.A.T. scan
526	Cataract extraction, except intracapsular
525	Intracapsular
	Catheterization
647	Bladder, except suprapubic approach
638	Suprapubic approach
581	Blood vessel
573	Cardiac
645	Ureteral
647	Urethral, indwelling
587	Vein, except umbilical
581	Umbilical
669	Cerclage, cervix
692	Cesarean section, except low cervical
691	Low cervical
763	Chemotherapy
758	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
758	Cholecystogram
617	Cholecystotomy
764	Circulatory monitoring
657	Circumcision, except newborn
	Closure
617	Cholecystostomy
601	Colostomy
	Fistula – *see Fistulectomy*
596	Gastric anastomosis
601	Sigmoidostomy
570	Thoracostomy

OPERATION INDEX (continued)

Group Number	Title
	Closure (continued)
635	Ureterostomy
640	Urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
650	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cystostomy
638	Cystotomy

OPERATION INDEX (continued)

Group Number **Title**

- 675 D and C (uterus), except for termination of pregnancy
  - 674 Termination of pregnancy
- 519 Dacryocystorhinostomy
- Debridement
  - 748 Burn (skin)
  - 705 Fracture, except of skull
    - 503 Skull
  - 748 Skin (infection) (wound)
- Decompression
  - 509 Carpal tunnel
  - 502 Cranial
  - 506 Laminectomy
  - 506 Spinal
- Delivery
  - 690 Artificial rupture of membranes
  - 688 Breech extraction
  - 692 Cesarean section, except low cervical
    - 691 Low cervical
  - 689 Forceps, except low forceps
    - 687 Low forceps
  - 689 Internal and combined version
- 751 Dermabrasion
- 601 Derotation, intestine
- 580 Dialysis, except peritoneal
  - 629 Peritoneal
- Dilation
  - 638 Bladder (neck)
  - 635 Ureteral meatus
  - 645 Ureterovesical orifice
  - 641 Urethra, urethrovesical junction
- 675 Dilation and curettage (D and C), uterus, except for termination of pregnancy
  - 674 Termination of pregnancy
- Dislocation-reduction, except temporomandibular
  - 714 Closed
  - 715 Open
  - 702 Temporomandibular (joint)
- Division
  - Adhesions – *see Lysis, adhesions*
  - 613 Anal sphincter
  - 726 Fascia, exept of hand
    - 728 Hand

OPERATION INDEX (continued)

Group Number	Title
	Division (continued)
508	Peripheral nerve
511	Sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage – *see also Incision (and drainage)*
647	Bladder, except surgical approach
638	Surgical approach (suprapubic)
569	Chest
537	Middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
758	Echoencephalography
764	EEG (electroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)
764	Electroencephalogram (EEG)
752	Electrolysis, skin
753	Encephalography
	Endoscopy
636	Bladder
567	Bronchus
619	Colon, except surgical approach
609	Surgical approach (transabdominal)
682	Cul-de-sac, except for tubal ligation
664	Tubal ligation
589	Esophagus
589	Gastric, except surgical approach
596	Surgical approach (transabdominal)
576	Larynx
628	Peritoneum
557	Pharynx
609	Small intestine
589	Stomach, except surgical approach
596	Surgical approach (transabdominal)
570	Thorax, transpleural
636	Urethra
679	Uterus
686	Vagina
602	Enterostomy
532	Enucleation, eyeball

OPERATION INDEX (continued)

Group Number	Title
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	With low forceps delivery
689	With other forceps delivery
544	Epistaxis control, except by anterior packing
557	Anterior packing
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	Surgical approach
588	Esophagotomy
613	Evacuation, hemorrhoids
	Evisceration
532	Eyeball
673	Pelvic
	Examination
764	Eye
764	General physical
764	Gynecologic
764	Pelvic
761	Psychiatric
763	Exchange transfusion, except intrauterine
696	Intrauterine
	Excision – *see also Excision of lesion (and destruction of tissue)*
610	Anal fistula
727	Baker's cyst
705	Bone, except facial
699	Facial, except partial
698	Partial
556	Branchial cleft cyst
704	Bunion
517	Chalazion, eyelid
599	Colon
665	Fallopian tubes, bilateral, except endoscopic approach
664	Endoscopic approach
670	Fibroid, uterine
616	Gallbladder
508	Ganglion, except of tendon
727	Tendon (of hand)
612	Hemorrhoids

Group Number	Title
	Excision (continued)
	Hydrocele
679	Round ligament
656	Spermatic cord
651	Tunica vaginalis
717	Intervertebral disc or cartilage
719	Joint, except intervertebral disc and cartilage of knee
717	Intervertebral disc
718	Knee cartilage
631	Kidney, except partial
632	Partial
718	Knee cartilage (semilunar)
582	Lymph nodes, except radical
583	Radical
508	Neuroma, peripheral nerve
	Ovary
662	Bilateral
661	Unilateral
550	Parotid gland
746	Pilonidal cyst or sinus
515	Pituitary gland
649	Prostate, except transurethral approach
648	Transurethral approach
522	Pterygium
747	Sebaceous cyst, except of eyelid
517	Eyelid, eyebrow
718	Semilunar cartilage, knee
586	Spleen
514	Thyroglossal duct or tract
513	Thyroid
751	Toenail
552	Tongue
553	Tonsil, except with adenoids
554	With adenoids
556	Tonsil tag
	Tubes and ovaries
662	Bilateral
661	Unilateral
670	Uterine fibroid
577	Varicocele, except of spermatic cord
656	Spermatic cord

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (continued)
660	Ovary
550	Parotid gland
658	Penis
	Perineum
683	Female
747	Male
508	Peripheral nerve
607	Perirectal tissue
626	Peritoneum
606	Rectum
550	Salivary gland
524	Sclera
651	Scrotum
747	Skin, except radical and of pilonidal cyst or sinus
746	Pilonidal cyst or sinus
748	Radical
501	Skull
597	Small intestine
507	Spinal meninges
592	Stomach
727	Tendon
654	Testis
552	Tongue
559	Trachea
635	Ureter
640	Urethra
679	Uterine ligament
670	Uterus
682	Vagina
559	Vocal cord
683	Vulva
	Exenteration
532	Eyeball, orbit
673	Pelvic
	Exploration
627	Abdominal cavity
617	Bile duct
632	Kidney
627	Exploratory laparotomy
600	Exteriorization, intestine
579	Extracorporeal circulation

OPERATION INDEX (continued)

Group Number	Title
	Extraction
688	Breech, for delivery
547	Dental
686	Menstrual
547	Teeth
689	Vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	Hand
726	Fasciotomy, except of hand
728	Hand
	Fistulectomy
610	Anal
638	Bladder
556	Branchial cleft
564	Bronchus
601	Intestine
542	Nasal
542	Nasolabial
546	Oroantral
609	Perirectal
556	Pharynx
640	Rectourethral
679	Rectouterine
681	Rectovaginal
638	Rectovesical
609	Rectum
562	Tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction
	With fracture-reduction — *see Fracture-reduction*
689	Forceps delivery, except low forceps
687	Low forceps
	Formation
581	Arteriovenous shunt for dialysis
634	Ileal conduit or bladder
	Fracture-reduction, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation

OPERATION INDEX (continued)

Group Number	Title
	Fracture-reduction, except facial bone, femur, and nose (continued)
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	Spinal
508	Ganglionectomy, except of tendon
727	Tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	Total
589	Gastroscopy, except surgical approach
596	Surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	Bone, except facial and skull
702	Facial
503	Skull
749	Free, of skin
552	Lip
731	Muscle, except of hand
729	Hand
750	Pedicle, of skin

7

OPERATION INDEX (continued)

Group Number — Title

- Graft (continued)
  - Skin
    - 749 Free
    - 750 Pedicle
  - 731 Tendon, except of hand
    - 729 Hand

- 573 Heart catheterization
- 579 Heart-lung bypass
- 599 Hemicolectomy
- 580 Hemodialysis
- 612 Hemorrhoidectomy
- 615 Hepatectomy
- Herniorrhaphy
  - 625 Diaphragmatic
  - 624 Epigastric
  - 622 Femoral
  - 624 Incisional
  - Inguinal
    - 621 Bilateral
    - 620 Unilateral
  - 623 Umbilical
  - 624 Ventral
- 723 Hip replacement, except total
  - 722 Total
- 576 His bundle study
- 515 Hypophysectomy
- 671 Hysterectomy, except radical and vaginal
  - 673 Radical
  - 672 Vaginal
- 678 Hysteropexy
- 679 Hysteroscopy
- 670 Hysterotomy, except for termination of pregnancy
  - 693 Termination of pregnancy

- 602 Ileostomy, except loop
  - 600 Loop
- 634 Ileoureterostomy
- Implant, implantation
  - 745 Breast
  - 740 Limb prosthesis

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus — *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage) (continued)
626	Retroperitoneal abscess
651	Scrotum
	Sinus (nasal) — *see Sinusotomy*
748	Skin, except pilonidal cyst or sinus
746	Pilonidal cyst or sinus
506	Spinal meninges
726	Tendon
569	Thorax
633	Ureter
682	Vagina
683	Vulva
690	Induction of labor (medical or surgical) for delivery
	Injection
694	Intra-amniotic, for termination of pregnancy
763	Therapeutic agent (drugs)
745	Breast
741	Bursa
741	Joint
741	Tendon
686	Insemination, artificial
	Insertion
574	Cardiac pacemaker
686	Intrauterine contraceptive device
679	Laminaria, uterus
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture) — *see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	Excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	Tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	Partial
576	Laryngoscopy

OPERATION INDEX (continued)

Group Number	Title
562	Laryngotomy, except permanent
561	Permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular
525	Intracapsular
	Ligation
665	Fallopian tubes (bilateral), except endoscopic approach
664	Endoscopic approach
612	Hemorrhoids
577	Varicose veins
655	Vas deferens
577	Ligation and stripping, varicose veins
	Lobectomy
501	Brain
615	Liver
566	Lung, except partial
565	Partial
687	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
630	Abdominal
741	Hand
524	Iris
716	Joint
731	Muscle, except of hand
741	Hand
630	Pelvis
630	Peritoneum
731	Tendon, except of hand
741	Hand
745	Mammary augmentation
745	Mammectomy
758	Mammography
745	Mammoplasty, reduction
699	Mandibulectomy, except partial
698	Partial
699	Mandibulotomy
	Mastectomy
743	Complete
743	Simple, except extended
744	Extended

OPERATION INDEX (continued)

Group Number	Title
	Mastectomy (continued)
742	Subtotal
744	Radical
743	Partial
538	Mastoidectomy, except revision
539	Revision
745	Mastotomy
	Meatotomy
635	Ureteral
639	Urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
682	Obliteration, vagina or vaginal vault
751	Onychectomy
751	Onychoplasty
	Oophorectomy
662	Bilateral
661	Unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	Suspension
705	Ostectomy, except facial bone
699	Facial bone, except partial
698	Partial
706	Osteoplasty, except facial bone
699	Facial bone
703	Osteotomy, except facial bone
699	Facial bone
540	Otoscopy

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

OPERATION INDEX (continued)

Group Number	Title
759	Radiation therapy
	Radiography
757	Arteries, except cerebral and coronary
755	Cerebral
756	Coronary
758	Breast
755	Cerebral
755	Arteries
753	Ventricles
758	Chest
758	Gallbladder
758	Kidney
758	Skeletal
758	Spine, except myelogram
754	Myelogram
757	Veins
	Reattachment
738	Extremity
528	Retina
731	Tendon, except of hand
729	Hand
530	Recession, ocular muscle
	Reconstruction
535	Ear ossicles
699	Mandible
729	Thumb
680	Rectocele repair
	Reduction
	Dislocation, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Fracture, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation
701	Facial bone, except closed reduction
700	Closed reduction

OPERATION INDEX (continued)

Group Number **Title**

- Reduction (continued)
    - Femur
      - 710 Closed, except with internal fixation
        - 708 With internal fixation
      - 710 Open, except with internal fixation
        - 709 With internal fixation
    - 701 Mandible, except closed reduction
      - 700 Closed reduction
    - 701 Maxillofacial, except closed reduction
      - 700 Closed reduction
    - 544 Nose
  - 619 Hemorrhoids
  - Hernia – *see also Herniorrhaphy*
    - 764 Manual
  - 601 Intestinal torsion
  - 601 Intussusception, intestine
  - 745 Mammoplasty
  - 601 Volvulus, intestine
- Release
  - Adhesions – *see Lysis, adhesions*
  - 728 Dupuytren's contracture
  - 749 Scar contracture, skin
  - 642 Urethral stricture
- Removal
  - Calculus
    - 617 Biliary tract
    - 638 Bladder
    - 632 Kidney, except transurethral approach
      - 635 Transurethral approach
    - 519 Lacrimal tract (by incision)
      - 533 Without incision
    - 633 Ureter, except transurethral approach
      - 635 Transurethral approach
  - 764 Catheter, nonoperatively
  - 764 Cholecystotomy tube
  - 693 Ectopic fetus
  - 707 Fixation device, internal
  - Foreign body
    - 762 Bronchus, except with incision
      - 563 With incision
    - 532 Eye, except as below
      - 524 Anterior chamber
      - 520 Conjunctiva

OPERATION INDEX (continued)

Group Number	Title
	Removal (continued)
524	Iris
527	Lens
	Prosthesis
745	Breast
716	Joint
697	Retained placenta, manually
764	Sutures
764	T-tube, gallbladder
764	Therapeutic device, nonoperatively
529	Vitreous
580	Renal dialysis
	Repair
630	Abdominal wall
613	Anal fistula, except by excision
610	Excision
581	Aneurysm (arteriovenous)
638	Bladder, except obstetric laceration
697	Obstetric laceration
518	Blepharoptosis
581	Blood vessel
706	Bone, except facial
699	Facial
745	Breast
564	Bronchial fistula
704	Bunion
571	Cardiac septal defect
669	Cervix, except obstetric laceration
697	Obstetric laceration
570	Chest wall
551	Cleft palate
520	Conjunctiva
522	Cornea, except transplant
521	Transplant
680	Cystocele, vagina
730	Diastasis recti
534	Ear, external
518	Ectropion or entropion, eyelid
697	Episiotomy
518	Eyelid
	Fistula – *see Fistulectomy*
704	Hallux valgus
729	Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
	Hernia – *see Herniorrhaphy*
723	Hip, except total replacement
722	Total replacement
	Hydrocephalus, by ventricular shunt
504	Extracranial
505	Intracranial (ventriculostomy)
601	Intestine
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
724	Knee (joint)
	Laceration – *see also Repair, by site*
697	Obstetric
562	Larynx
552	Lip
615	Liver
568	Lung
731	Muscle, except extraocular and of hand
531	Extraocular
729	Hand
556	Nasopharyngeal atresia
542	Nose
663	Ovary
551	Palate
658	Penis
685	Perineum, female, except obstetric laceration
697	Obstetric laceration
509	Peripheral nerve
596	Pylorus, stomach
680	Rectocele, vagina
609	Rectum
528	Retinal detachment or tear
730	Rotator-cuff (shoulder)
503	Skull
507	Spina bifida
507	Spinal meningocele
596	Stomach
644	Stress incontinence, except urethral suspension
643	Urethral suspension
731	Tendon, except of hand
729	Hand

Group Number **Title**

Repair (continued)
654   Testis
562   Trachea
635   Ureter
640   Urethra
679   Uterus, except obstetric laceration and supporting structures
697   Obstetric laceration
678   Supporting structures
681   Vagina, except for cystocele and rectocele, and obstetric laceration
680   Cystocele and rectocele
697   Obstetric laceration
552   Vestibular arch (mouth)
685   Vulva, except obstetric laceration
697   Obstetric laceration
Replacement
574   Cardiac pacemaker
571   Heart valve
725   Joint, except hip and knee
723   Hip, except total replacement
722   Total replacement
724   Knee
647   Urinary catheter
Resection
638   Bladder
581   Blood vessel
564   Bronchus
599   Large intestine
730   Muscle, except of hand
728   Hand
541   Nasal septum, submucous
530   Ocular muscle
660   Ovary
608   Rectum (abdominoperineal) (pull-through)
549   Root of tooth
598   Small intestine
730   Tendon, except of hand
728   Hand
548 Restoration, tooth
758 Retrograde pyelogram
Revision
739   Amputation stump
581   Arteriovenous shunt for dialysis
596   Gastric anastomosis

OPERATION INDEX (continued)

Group Number	Title
	Revision (continued)
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Scleral buckling, for retinal detachment
706	Shortening, bone
	Shunt — *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus

OPERATION INDEX (continued)

Group Number	Title
	Sphincterotomy (continued)
638	Bladder neck
	Spinal
720	Fusion
512	Tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	Foot
724	Knee
535	Stapedectomy
535	Stapes mobilization
644	Stress incontinence repair, except by urethral suspension
643	Urethral suspension
	Stress test
764	Cardiac
764	Fetal
764	Uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	Urethra, except with bladder neck
644	With bladder neck
644	Urethrovesical
	Suture – *see also Repair, by site*
730	Muscle, except of hand
729	Hand
748	Skin
730	Tendon, except of hand
729	Hand
510	Sympathectomy
719	Synovectomy
554	T and A
	Takedown – *see Closure*
730	Tenosynovectomy, except of hand
728	Hand
726	Tenotomy, except of hand
728	Hand
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage

OPERATION INDEX (continued)

Group Number	Title
	Termination of pregnancy (continued)
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation
760	Rehabilitation
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction — *see Reduction, fracture*
	Transfer — *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney

OPERATION INDEX (continued)

Group Number	Title
	Transplant, transplantation (continued)
731	Muscle, except of hand
729	Hand
731	Tendon, except of hand
729	Hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	Revision
537	Tympanotomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	Revision
753	Ventriculography
684	Vulvectomy
	X-ray — *see Radiography*
751	Z-plasty, skin

Length of Stay by Diagnosis, Western Region, 1982

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1983

LENGTH OF STAY

Copyright 1983 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1982
. . . by Diagnosis, United States, North Central Region, 1982
. . . by Diagnosis, United States, Northeastern Region, 1982
. . . by Diagnosis, United States, Southern Region, 1982
. . . by Diagnosis, United States, Western Region, 1982
. . . by Diagnosis, Canada, 1982

. . . by Operation, United States, 1982
. . . by Operation, United States, North Central Region, 1982
. . . by Operation, United States, Northeastern Region, 1982
. . . by Operation, United States, Southern Region, 1982
. . . by Operation, United States, Western Region, 1982
. . . by Operation, Canada, 1982

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1982
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1982

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1982 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1982 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1982 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Carol A. Prevost, Research Assistant

CONTENTS

Preface iii
Discussion of the Data 1
  Source of the Data. 1
  Data Quality. 2
  Coverage 3
  Organization of Length of Stay Tables. 5
    Definition of Multiple Diagnosis Patients 5
    Definition of Operated Patients 5
  Explanation of Statistics. 6
  Defining the Extended Stay Case 7
Length of Stay Tables 17
  Summary of All Patients. 18
  Summary of All Patients Except Newborn 19
  Diagnosis Groups 1-398 20
Appendix: *ICD-9-CM* Codes for Selected Diagnosis Groups 219
Index to Length of Stay Tables 223

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Colorado Hospital Association, Kansas Hospital Association, Kaiser Foundation Hospitals, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.



** Includes Alaska and Hawaii

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S.

January-December 1982

	Short-Term Nonfederal Hospitals			Beds		
Hospital Class (1)	U.S. Total[2] (2)	Number in Books (3)	Percent in Books (4)	U.S. Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
6-24 beds	254	35	13.8	4,814	696	14.5
25-49	971	180	18.5	35,155	6,841	19.5
50-99	1,432	318	22.2	103,270	23,365	22.6
100-199	1,374	357	26.0	193,551	50,983	26.3
200-299	712	227	31.9	172,913	55,670	32.2
300-399	423	136	32.2	144,133	46,500	32.3
400-499	267	94	35.2	117,869	41,567	35.3
500 or more	328	84	25.6	226,214	55,946	24.7
Total	5,761	1,431	24.8	997,919	281,568	28.2
Region and Census Division						
Northeast	828	283	34.2	213,258	67,701	31.7
New England	244	61	25.0	49,916	13,631	27.3
Middle Atlantic	584	222	38.0	163,342	54,070	33.1
North Central	1,694	571	33.7	295,316	110,053	37.3
East North Central	897	350	39.0	195,881	77,902	39.8
West North Central	797	221	27.7	99,435	32,151	32.3
South	2,162	306	14.2	340,530	61,715	18.1
South Atlantic	815	211	25.9	160,263	42,298	26.4
East South Central	500	30	6.0	73,359	7,375	10.1
West South Central	847	65	7.7	106,908	12,042	11.3
West	1,077	271	25.2	148,815	42,099	28.3
Mountain	369	92	24.9	41,978	14,587	34.7
Pacific	708	179	25.3	106,837	27,512	25.8
Total	5,761	1,431	24.8	997,919	281,568	28.2

The Pediatric book was compiled from the data of 1,428 hospitals. The Geriatric book was compiled from the data of 1,427 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1981 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each diagnosis group, patients are further stratified by single or multiple diagnoses, operation status, and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Diagnosis information for all patient data included in this book was coded using *ICD-9-CM.*

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[2])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

Definition of Operated Patients

Operated patients are patients who had at least one UHDDS[3] Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated.

---

[1] ***ICD-9-CM List A: Hospital Diagnosis Groups*** is based on the ***International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),*** Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] ***International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,*** Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] Additional information regarding classes of procedures can be obtained in ***UHDDS Classes of Procedures, ICD-9-CM,*** Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Explanation of Statistics

The *List A* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in that *List A* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups*[1]) that contains the admission diagnosis in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.

b. Diagnoses can also be found in the Alphabetic Index at the back of the length of stay books.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[1] That code can then be located in *List A* or in the heading of the length of stay table.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 47-year-old patient is admitted to a hospital for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening.* The length of stay table is number 215.

1 **ADMITTING DIAGNOSIS**	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Cervix, cervical			
chronic erosion and ulceration	2		252
stricture of os	2		252
Chest pain	3		335
Criteria for admission			
1. Suspicion of life threatening disease, e.g.			
a. acute myocardial infarction			
b. dissecting aortic aneurysm			
c. acute pericarditis			
2. Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)			
3.			
4.			
Choking sensation	4		340
Cholangitis, acute			
with calculus	1		217
without mention of calculus	1		218
Cholecystitis			
acute			
with calculus	1		215
without mention of calculus	1		216
chronic or unspecified			
with calculus	2		215
without mention of calculus	2		216
Choledocholithiasis	2		217
Cholelithiasis	2		215
Cholesteatoma, ear	2		134

b. The Alphabetic Index at the back of the length of stay book sho that cholelithiasis is included in diagnosis group 215.

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	**Cholelithiasis**
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.



Cholangitis **INDEX TO DISEASES**

- **Cholangitis** (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
  - chronic nonsuppurative destructive 571.6
  - nonsuppurative destructive (chronic) 571.6
- **Cholecystdocholithiasis** — *see* Choledocholithiasis
- **Cholecystitis** (chronic) 575.1

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with
    - calculus, stones in
      - bile duct (common) (hepatic) 574.4
      - gallbladder 574.1
    - choledocholithiasis 574.4
    - cholelithiasis 574.1
  - acute 575.0
    - with
      - calculus, stones in
        - bile duct (common) (hepatic) 574.3
        - gallbladder 574.0
      - choledocholithiasis 574.3
      - cholelithiasis 574.0
  - emphysematous (acute) *(see also* Cholecystitis, acute) 575.0
  - gangrenous *(see also* Cholecystitis, acute) 575.0
  - paratyphoidal, current *(see also* Fever, paratyphoid) 002.9
  - suppurative *(see also* cholecystitis, acute) 575.0
  - typhoidal 002.0
- **Choledochitis** (suppurative) 576.1
- **Choledocholith** — *see* Choledocholithiasis
- **Choledocholithiasis** 574.5

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.4
    - acute 574.3
- **Cholelithiasis** (impacted) (multiple) 574.2

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.1
    - acute 574.0
- **Cholemia** *(see also* Jaundice) 782.4
  - familial 277.4
  - Gilbert's (familial nonhemolytic) 277.4
- **Cholemic gallstone** — *see* Cholelithiasis
- **Choleperitoneum, choleperitonitis** *(see also* Disease, gallbladder) 567.8
- **Cholera** (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
  - antimonial 985.4
  - carrier (suspected) of V02.0
  - classical 001.0
  - contact V01.0
  - due to
    - Vibrio
      - cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
        - El Tor 001.1
  - El Tor 001.1
  - exposure to V01.0
  - vaccination, prophylactic (against) V03.0
- **Cholerine** *(see also* Cholera) 001.9
- **Cholestasis** *(see also* Disease, gallbladder) 575.8
- **Cholesteatoma** (ear) 385.30
  - attic (primary) 385.31
  - diffuse 385.35
  - external ear (canal) 380.21
  - marginal (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
    - secondary (with middle ear involvement) 385.33
  - mastoid cavity 385.30
  - middle ear 385.30
    - secondary 385.32
      - with involvement of mastoid cavity 385.33
  - postmastoidectomy cavity (recurrent) 383.32
  - primary 385.31
  - recurrent, postmastoidectomy cavity 383.32
  - secondary (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
- **Cholesteatosis** (middle ear) *(see also* Cholesteatoma) 385.30
  - diffuse 385.35

Step 2. Find the table for group 215 in the length of stay book.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156	4.7	10	1	2	4	6	9	11	15
20-34	1472	4.4	10	1	1	4	6	8	10	16
35-49	1964	5.2	14	1	2	4	7	9	12	17
50-64	3826	5.8	15	2	2	5	7	10	13	19
65+	7503	7.6	32	2	3	6	10	14	17	28
B. *Operated*										
0-19 YRS	671	9.6	30	5	5	8	11	15	17	32
20-34	9073	9.2	24	5	5	8	11	14	17	27
35-49	11544	9.9	27	5	6	8	12	16	19	30
50-64	17699	11.4	41	5	6	10	13	18	23	35
65+	18538	15.1	82	6	7	13	18	25	32	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6693	4.1	9	1	1	3	5	8	9	14
B. *Operated*	50291	8.3	14	5	5	7	9	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	14921	6.5	24	2	2	5	8	12	15	25
B. *Operated*	57525	11.9	54	5	6	10	14	20	25	41
1. SINGLE DX	56984	7.8	15	3	4	7	9	12	14	21
2. MULTIPLE DX	72446	10.8	53	3	5	9	13	19	24	39
A. NOT OPERATED	21614	5.7	21	1	2	5	7	11	14	22
B. OPERATED	107816	10.2	38	5	6	8	12	17	21	34
TOTAL 0-19 YRS	2325	7.5	19	2	3	7	9	12	14	22
20-34	27293	7.6	16	3	4	7	9	12	14	21
35-49	28151	8.3	21	3	4	7	10	13	16	24
50-64	36761	9.4	31	3	5	8	11	16	19	30
65+	34900	12.1	68	3	5	10	15	21	27	44
GRAND TOTAL	**129430**	**9.5**	**38**	**3**	**4**	**8**	**11**	**16**	**20**	**33**

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top ten lines of the table (1. Single Dx).



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. Operated										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 4. Since surgery is scheduled, use the second five lines of the table (Section 1.B.).



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	.625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. Operated										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 5. The patient is 47-years-old and therefore falls in the age group 35-49.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 6. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the seventh day after admission to be the day that this patient comes up for extended stay review.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

The patient was admitted on 3 November; therefore, the seventh day will fall on 10 November. Prior to or on 10 November, the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay
Tables

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	175237	2.5	5	1	1	2	3	4	5	9
20-34	79433	3.1	16	<1	1	2	3	6	9	21
35-49	28234	4.6	27	1	1	3	5	9	14	27
50-64	23604	5.0	26	1	1	3	6	10	14	26
65+	25551	5.6	32	1	1	4	7	11	15	28
B. *Operated*										
0-19 YRS	55979	2.5	8	<1	<1	2	3	5	7	13
20-34	104346	3.1	8	<1	1	2	4	6	7	13
35-49	51465	3.9	15	<1	1	3	5	8	11	18
50-64	48270	4.5	19	<1	1	3	6	10	12	20
65+	49306	5.1	28	1	1	3	7	12	15	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	117122	3.8	22	1	1	3	4	6	9	24
20-34	86920	4.2	30	1	1	3	4	8	13	29
35-49	55567	5.8	40	1	1	4	7	12	18	31
50-64	90507	6.4	42	1	1	5	8	13	18	32
65+	187634	7.7	51	1	2	6	10	15	21	37
B. *Operated*										
0-19 YRS	48346	4.9	68	<1	1	2	5	10	17	49
20-34	142293	4.5	30	1	1	3	5	8	11	28
35-49	76086	6.4	51	1	1	5	7	12	17	39
50-64	88360	8.0	78	1	2	6	10	17	23	48
65+	124077	10.6	117	1	2	8	14	23	31	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	332059	3.2	14	1	1	2	4	6	9	20
B. *Operated*	309366	3.7	15	<1	1	2	4	8	11	18
2. MULTIPLE DX										
A. *Not Operated*	537750	5.9	41	1	1	4	7	12	17	32
B. *Operated*	479162	7.1	74	1	1	4	8	15	22	47
1. SINGLE DX	641425	3.4	15	<1	1	2	4	7	10	19
2. MULTIPLE DX	1016912	6.4	57	1	1	4	8	14	20	40
A. NOT OPERATED	869809	4.9	33	1	1	3	6	10	15	29
B. OPERATED	788528	5.7	54	<1	1	3	7	12	18	39
TOTAL 0-19 YRS	396684	3.2	19	<1	1	2	3	5	8	21
20-34	412992	3.8	22	<1	1	3	4	7	10	24
35-49	211352	5.4	37	1	1	4	6	11	15	30
50-64	250741	6.5	50	1	1	4	8	13	19	37
65+	386568	8.2	72	1	2	6	10	17	23	45
GRAND TOTAL	**1658337**	**5.3**	**43**	**1**	**1**	**3**	**6**	**11**	**16**	**33**

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	45692	3.0	15	<1	1	2	3	5	8	18
20-34	79433	3.1	16	<1	1	2	3	6	9	21
35-49	28234	4.6	27	1	1	3	5	9	14	27
50-64	23604	5.0	26	1	1	3	6	10	14	26
65+	25551	5.6	32	1	1	4	7	11	15	28
B. *Operated*										
0-19 YRS	55922	2.5	8	<1	<1	2	3	5	7	13
20-34	104346	3.1	8	<1	1	2	4	6	7	13
35-49	51465	3.9	15	<1	1	3	5	8	11	18
50-64	48270	4.5	19	<1	1	3	6	10	12	20
65+	49306	5.1	28	1	1	3	7	12	15	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	53177	3.8	29	1	1	2	4	7	11	29
20-34	86920	4.2	30	1	1	3	4	8	13	29
35-49	55567	5.8	40	1	1	4	7	12	18	31
50-64	90507	6.4	42	1	1	5	8	13	18	32
65+	187634	7.7	51	1	2	6	10	15	21	37
B. *Operated*										
0-19 YRS	45334	4.1	40	<1	1	2	4	8	13	35
20-34	142293	4.5	30	1	1	3	5	8	11	28
35-49	76086	6.4	51	1	1	5	7	12	17	39
50-64	88360	8.0	78	1	2	6	10	17	23	48
65+	124077	10.6	117	1	2	8	14	23	31	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	202514	3.8	22	<1	1	2	4	8	11	24
B. *Operated*	309309	3.7	15	<1	1	2	4	8	11	18
2. MULTIPLE DX										
A. *Not Operated*	473805	6.1	44	1	1	4	8	13	18	33
B. *Operated*	476150	7.0	72	1	1	4	8	15	22	46
1. SINGLE DX	511823	3.7	18	<1	1	2	4	8	11	21
2. MULTIPLE DX	949955	6.6	58	1	1	4	8	14	20	40
A. NOT OPERATED	676319	5.4	38	1	1	3	7	12	16	31
B. OPERATED	785459	5.7	52	<1	1	3	7	12	18	38
TOTAL 0-19 YRS	200125	3.3	23	<1	1	2	4	6	9	24
20-34	412992	3.8	22	<1	1	3	4	7	10	24
35-49	211352	5.4	37	1	1	4	6	11	15	30
50-64	250741	6.5	50	1	1	4	8	13	19	37
65+	386568	8.2	72	1	2	6	10	17	23	45
GRAND TOTAL	**1461778**	**5.6**	**46**	**1**	**1**	**3**	**7**	**12**	**17**	**34**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1133	2.8	5	1	1	2	3	5	7	11
20-34	692	2.8	4	1	1	2	3	5	6	10
35-49	270	3.0	5	1	1	2	4	5	7	11
50-64	178	3.4	6	1	1	3	5	6	9	11
65+	171	3.4	7	1	1	3	4	6	8	13
B. *Operated*										
0-19 YRS	20	5.2	32	1	2	4	5	8	18	28
20-34	40	5.7	24	2	2	5	7	9	11	32
35-49	13	7.8	36	2	3	5	11	18	21	22
50-64	5	4.8	5	2	2	4	7	7	7	7
65+	2	6.0	2	5	5	6	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1406	3.3	8	1	1	3	4	6	7	14
20-34	662	3.3	6	1	1	3	4	6	7	13
35-49	370	4.0	12	1	1	3	5	7	9	17
50-64	467	4.2	8	1	2	4	5	8	9	16
65+	804	5.3	29	1	2	4	6	10	12	23
B. *Operated*										
0-19 YRS	37	8.2	86	2	2	4	11	19	34	39
20-34	52	6.0	16	2	3	5	8	10	14	21
35-49	32	10.2	107	2	3	6	13	20	32	52
50-64	38	10.8	134	2	2	8	12	30	51	99+
65+	51	10.7	54	1	4	9	13	18	24	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2444	2.9	5	1	1	2	4	5	7	11
B. *Operated*	80	5.8	26	2	2	4	7	10	14	31
2. MULTIPLE DX										
A. *Not Operated*	3709	3.9	13	1	1	3	5	7	9	16
B. *Operated*	210	9.1	75	2	3	6	11	18	26	53
1. SINGLE DX	2524	3.0	6	1	1	2	4	6	7	11
2. MULTIPLE DX	3919	4.2	18	1	1	3	5	8	11	20
A. NOT OPERATED	6153	3.5	10	1	1	3	4	6	8	15
B. OPERATED	290	8.2	64	2	2	5	10	17	23	50
TOTAL 0-19 YRS	2596	3.2	8	1	1	3	4	5	7	14
20-34	1446	3.2	6	1	1	3	4	6	8	12
35-49	685	3.9	16	1	1	3	5	7	10	21
50-64	688	4.4	17	1	1	3	5	8	10	20
65+	1028	5.2	29	1	1	4	6	10	13	23
GRAND TOTAL	**6443**	**3.7**	**13**	**1**	**1**	**3**	**4**	**7**	**9**	**17**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	8.0	32	3	3	6	13	15	15	15
20-34	25	10.3	55	2	3	8	15	17	22	36
35-49	11	6.2	28	1	2	3	9	14	19	19
50-64	13	11.1	205	1	1	7	11	38	46	48
65+	15	13.3	55	2	4	15	18	20	28	30
B. *Operated*										
0-19 YRS	3	10.0	133	1	1	6	19	23	23	23
20-34	8	8.3	55	2	2	5	14	19	21	21
35-49	9	13.6	230	1	3	8	14	37	52	52
50-64	9	5.4	11	1	1	5	9	10	10	10
65+	21	12.2	45	4	5	10	14	23	26	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	6.0	39	2	2	3	8	17	17	17
20-34	21	15.5	192	3	5	11	19	31	48	64
35-49	33	14.2	113	3	5	11	19	29	42	45
50-64	34	11.9	119	2	2	8	18	29	36	44
65+	59	13.8	116	3	4	10	17	27	42	49
B. *Operated*										
0-19 YRS	3	20.3	52	12	12	24	25	25	25	25
20-34	9	21.4	404	10	10	13	20	55	73	73
35-49	19	16.4	270	1	3	9	19	40	55	66
50-64	37	15.0	131	2	3	13	21	34	40	50
65+	58	22.8	334	5	6	18	26	51	61	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	69	10.3	78	1	2	8	15	19	30	46
B. *Operated*	50	10.5	80	1	2	9	13	22	24	52
2. MULTIPLE DX										
A. *Not Operated*	152	13.4	124	2	3	10	17	28	39	49
B. *Operated*	126	19.4	268	3	5	15	24	41	54	79
1. SINGLE DX	119	10.4	78	1	2	8	15	20	26	49
2. MULTIPLE DX	278	16.1	198	2	4	12	21	34	45	71
A. NOT OPERATED	221	12.5	111	2	3	9	17	26	36	48
B. OPERATED	176	16.9	230	2	4	13	21	35	51	74
TOTAL 0-19 YRS	16	10.1	72	1	2	6	16	24	25	25
20-34	63	13.4	160	2	3	10	17	24	35	72
35-49	72	13.5	160	1	3	9	17	29	44	63
50-64	93	12.4	129	1	2	9	17	29	38	49
65+	153	16.9	202	4	5	13	21	30	47	74
GRAND TOTAL	**397**	**14.4**	**168**	**2**	**3**	**10**	**18**	**28**	**43**	**66**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	4.8	4	2	2	5	6	6	6	6
20-34	3	23.7	186	8	8	30	32	33	33	33
35-49	1	10.0		10	10	10	10	10	10	10
50-64	3	3.3	6	<1	<1	3	5	6	6	6
65+	1	15.0		15	15	15	15	15	15	15
B. *Operated*										
0-19 YRS	11	4.9	79	<1	<1	2	4	17	30	31
20-34	12	5.0	25	<1	<1	3	6	13	17	18
35-49	4	10.3	71	2	2	8	15	22	22	22
50-64	5	4.0	17	<1	<1	1	8	9	9	9
65+	7	8.3	28	2	2	10	12	15	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	22.5	265	11	11	22	34	34	34	34
20-34	4	19.5	118	4	4	23	27	28	28	28
35-49	3	23.3	132	12	12	23	32	35	35	35
50-64	10	8.4	91	1	1	3	16	24	27	27
65+	9	19.7	285	6	6	12	37	45	47	47
B. *Operated*										
0-19 YRS	7	26.3	639	3	3	15	41	67	73	73
20-34	12	14.5	750	2	2	5	14	44	91	99
35-49	7	11.1	27	5	5	12	16	18	18	18
50-64	20	16.7	183	<1	1	12	26	33	43	52
65+	16	23.4	186	6	7	19	36	42	44	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	10.4	111	<1	1	6	12	31	33	33
B. *Operated*	39	6.0	44	<1	<1	3	9	14	20	31
2. MULTIPLE DX										
A. *Not Operated*	28	16.2	184	2	2	12	26	36	42	47
B. *Operated*	62	18.5	327	2	2	12	26	39	48	96
1. SINGLE DX	51	7.0	62	<1	<1	4	9	17	30	33
2. MULTIPLE DX	90	17.8	281	2	2	12	26	37	45	89
A. NOT OPERATED	40	14.5	166	1	2	9	24	34	39	47
B. OPERATED	101	13.6	254	<1	1	9	18	33	44	86
TOTAL 0-19 YRS	24	12.6	318	<1	<1	5	15	35	53	73
20-34	31	12.4	352	<1	1	6	18	29	33	99
35-49	15	13.3	73	3	5	12	18	23	32	35
50-64	38	11.8	148	<1	<1	8	16	30	34	52
65+	33	18.9	199	3	5	12	33	42	45	47
GRAND TOTAL	**141**	**13.9**	**228**	**<1**	**1**	**9**	**19**	**34**	**42**	**75**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	110	2.3	2	1	1	2	3	4	6	7
20-34	61	2.8	2	1	1	3	3	5	6	6
35-49	19	3.7	6	2	2	3	4	8	10	11
50-64	10	3.0	1	2	2	3	4	5	5	5
65+	4	2.3	1	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	19	1.3		<1	<1	1	2	2	3	3
20-34	8	1.9	1	1	1	2	3	3	3	3
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	179	2.6	4	1	1	2	3	4	6	10
20-34	85	3.0	4	1	1	2	4	5	7	10
35-49	36	3.9	7	1	1	3	6	8	8	13
50-64	27	3.7	2	1	2	4	5	6	6	7
65+	15	7.5	39	2	2	5	9	20	22	23
B. *Operated*										
0-19 YRS	16	2.2	7	1	1	1	2	4	9	11
20-34	2	8.5	13	6	6	8	11	11	11	11
35-49	2	1.0		1	1	1	1	1	1	1
50-64	1	4.0		4	4	4	4	4	4	4
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	204	2.6	2	1	1	2	3	4	6	8
B. *Operated*	27	1.5		<1	<1	1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	342	3.2	7	1	1	2	4	6	8	13
B. *Operated*	21	2.8	10	1	1	1	4	8	11	11
1. SINGLE DX	231	2.5	2	1	1	2	3	4	6	7
2. MULTIPLE DX	363	3.1	7	1	1	2	4	6	8	13
A. NOT OPERATED	546	3.0	5	1	1	2	3	5	7	11
B. OPERATED	48	2.0	5	<1	1	1	2	4	6	11
TOTAL 0-19 YRS	324	2.4	3	1	1	2	3	4	6	9
20-34	156	3.0	3	1	1	3	4	5	6	10
35-49	57	3.7	7	1	1	3	5	8	8	13
50-64	38	3.6	2	2	2	3	5	5	6	7
65+	19	6.4	36	1	2	4	8	16	22	23
GRAND TOTAL	**594**	**2.9**	**5**	**1**	**1**	**2**	**3**	**5**	**7**	**11**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	159	4.7	10	1	2	4	6	9	11	16
20-34	24	5.8	28	2	2	5	7	9	16	28
35-49	12	6.5	68	1	1	3	7	19	28	30
50-64	13	6.4	13	3	3	6	8	10	15	16
65+	33	8.9	29	3	4	8	11	14	16	31
B. *Operated*										
0-19 YRS	8	4.4	5	1	1	4	6	8	8	8
20-34	2	12.5	25	9	9	12	16	16	16	16
35-49										
50-64	1	27.0		27	27	27	27	27	27	27
65+	2	12.5	1	12	12	12	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	220	7.0	39	2	2	5	10	14	20	26
20-34	76	9.1	105	2	2	7	11	17	19	65
35-49	78	9.6	38	3	4	8	13	15	19	36
50-64	222	10.7	58	3	4	9	12	18	26	43
65+	747	12.5	83	4	5	10	15	23	29	49
B. *Operated*										
0-19 YRS	30	16.4	293	2	5	12	16	44	85	99+
20-34	37	17.4	203	3	3	14	30	43	49	99+
35-49	32	12.8	114	3	4	11	16	29	50	99+
50-64	73	19.4	200	5	6	15	28	46	67	99+
65+	196	21.2	247	5	7	18	26	40	56	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	241	5.5	19	1	2	4	7	11	14	28
B. *Operated*	13	8.6	50	1	2	7	12	18	25	27
2. MULTIPLE DX										
A. *Not Operated*	1343	10.9	74	3	3	9	13	20	27	42
B. *Operated*	368	19.4	230	4	5	15	26	43	55	99+
1. SINGLE DX	254	5.7	21	1	2	4	7	11	14	28
2. MULTIPLE DX	1711	12.8	120	3	4	10	15	26	35	64
A. NOT OPERATED	1584	10.1	70	2	3	8	12	19	26	41
B. OPERATED	381	19.0	228	4	5	15	26	41	55	99+
TOTAL 0-19 YRS	417	6.7	54	2	2	4	8	14	18	44
20-34	139	10.8	133	2	2	7	14	27	37	71
35-49	122	10.1	63	2	3	8	13	18	28	65
50-64	309	12.6	105	3	4	10	15	27	38	82
65+	978	14.1	126	4	5	11	17	27	35	62
GRAND TOTAL	**1965**	**11.8**	**112**	**2**	**3**	**9**	**14**	**24**	**33**	**62**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	144	6.3	25	1	2	5	9	12	13	25
20-34	41	5.3	13	1	1	4	7	10	12	14
35-49	25	4.4	9	1	2	4	5	8	10	15
50-64	18	8.6	44	3	3	5	12	19	22	24
65+	18	6.7	14	2	2	6	9	13	14	14
B. *Operated*										
0-19 YRS	8	11.4	126	<1	2	9	11	30	38	38
20-34	5	12.6	38	5	5	11	16	22	22	22
35-49	8	11.0	37	4	5	9	14	21	23	23
50-64	5	21.8	135	9	9	23	32	35	35	35
65+	2	30.0	1152	6	6	30	54	54	54	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	128	7.4	23	2	2	7	11	13	17	21
20-34	65	6.4	23	1	2	5	8	14	15	22
35-49	43	7.6	34	3	3	5	10	16	21	24
50-64	51	10.4	117	1	2	7	13	23	40	52
65+	91	11.3	75	3	4	9	14	22	28	48
B. *Operated*										
0-19 YRS	28	13.6	285	3	4	11	15	18	27	96
20-34	19	10.0	40	2	3	10	12	19	23	25
35-49	15	22.5	346	2	7	14	39	45	60	65
50-64	24	19.0	294	3	6	14	23	38	58	78
65+	34	23.3	424	4	6	15	32	46	73	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	246	6.2	23	1	2	5	8	12	14	24
B. *Operated*	28	14.7	145	4	5	10	19	34	40	54
2. MULTIPLE DX										
A. *Not Operated*	378	8.6	52	2	2	7	11	16	21	41
B. *Operated*	120	18.0	312	3	4	12	21	42	49	91
1. SINGLE DX	274	7.0	41	1	2	5	9	13	18	35
2. MULTIPLE DX	498	10.9	131	2	3	8	13	21	33	59
A. NOT OPERATED	624	7.6	42	2	2	6	10	15	20	36
B. OPERATED	148	17.4	281	3	5	11	21	39	49	89
TOTAL 0-19 YRS	308	7.6	54	1	2	6	10	13	17	28
20-34	130	6.8	26	1	2	6	10	14	17	23
35-49	91	9.5	112	2	2	6	11	20	37	57
50-64	98	12.8	163	2	3	8	16	30	39	65
65+	145	13.8	189	3	4	9	15	28	45	79
GRAND TOTAL	**772**	**9.5**	**102**	**2**	**2**	**7**	**11**	**18**	**25**	**51**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	674	2.9	2	1	1	3	4	5	5	8
20-34	464	3.5	5	1	1	3	4	6	8	11
35-49	82	4.3	6	1	2	4	5	7	9	13
50-64	19	5.1	9	1	2	4	7	10	12	12
65+	7	4.3	3	2	2	4	6	7	7	7
B. *Operated*										
0-19 YRS	13	4.9	16	1	2	3	5	11	15	16
20-34	5	4.2	7	2	2	3	7	7	7	7
35-49	2	8.5	13	6	6	8	11	11	11	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	270	3.9	6	1	2	3	4	7	10	14
20-34	200	4.2	11	1	2	3	5	8	11	19
35-49	46	5.9	25	2	2	5	7	11	17	28
50-64	21	5.1	7	2	2	6	7	9	10	12
65+	15	7.7	27	2	2	7	11	17	18	18
B. *Operated*										
0-19 YRS	14	6.2	28	2	3	4	6	13	20	22
20-34	10	10.0	47	3	3	7	16	20	22	22
35-49	4	11.3	6	8	8	11	13	14	14	14
50-64	2	21.5	113	14	14	21	29	29	29	29
65+	1	17.0		17	17	17	17	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1246	3.3	4	1	1	3	4	5	7	10
B. *Operated*	20	5.1	14	1	2	4	6	10	13	16
2. MULTIPLE DX										
A. *Not Operated*	552	4.3	11	1	2	3	5	8	11	17
B. *Operated*	31	9.4	48	3	3	7	13	20	22	29
1. SINGLE DX	1266	3.3	4	1	1	3	4	6	7	11
2. MULTIPLE DX	583	4.6	14	1	2	3	5	9	12	21
A. NOT OPERATED	1798	3.6	6	1	1	3	4	6	8	13
B. OPERATED	51	7.7	38	2	2	6	11	17	22	29
TOTAL 0-19 YRS	971	3.3	4	1	1	3	4	5	7	11
20-34	679	3.8	8	1	2	3	5	7	9	15
35-49	134	5.1	14	2	2	4	6	9	12	20
50-64	42	5.9	23	2	2	5	7	11	13	29
65+	23	7.1	25	2	2	6	10	17	18	18
GRAND TOTAL	**1849**	**3.7**	**7**	**1**	**1**	**3**	**4**	**7**	**9**	**14**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	141	4.0	63	1	1	3	4	6	8	38
20-34	44	4.0	6	1	1	3	5	7	8	14
35-49	33	4.1	12	<1	1	3	5	9	14	15
50-64	46	5.5	11	2	2	4	9	10	11	14
65+	90	6.0	16	1	2	5	7	12	14	20
B. *Operated*										
0-19 YRS	2	8.0	50	3	3	8	13	13	13	13
20-34	5	4.8	34	<1	<1	3	7	15	15	15
35-49	2	8.5	61	3	3	8	14	14	14	14
50-64	6	3.7	6	1	1	3	6	7	7	7
65+	15	6.7	25	<1	<1	5	10	14	17	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	232	3.7	6	1	1	3	5	7	9	12
20-34	78	4.6	7	2	2	4	5	9	10	14
35-49	39	6.7	26	1	3	6	8	10	20	25
50-64	101	6.7	37	1	2	5	7	14	18	36
65+	477	9.0	64	2	3	7	10	18	26	41
B. *Operated*										
0-19 YRS	13	5.2	13	<1	1	4	7	11	13	13
20-34	9	17.3	761	2	2	6	25	94	99+	99+
35-49	7	14.9	285	2	2	8	28	42	44	44
50-64	16	17.4	252	2	4	14	22	29	56	68
65+	42	19.2	297	2	3	15	25	47	67	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	354	4.7	33	1	1	3	6	9	12	18
B. *Operated*	30	6.0	24	<1	1	4	8	14	15	18
2. MULTIPLE DX										
A. *Not Operated*	927	7.0	45	1	2	5	8	14	19	34
B. *Operated*	87	16.2	302	2	2	11	21	43	69	99+
1. SINGLE DX	384	4.8	33	1	1	3	6	9	13	18
2. MULTIPLE DX	1014	7.8	74	1	2	5	9	16	24	46
A. NOT OPERATED	1281	6.3	43	1	2	4	7	12	18	33
B. OPERATED	117	13.6	250	1	2	8	18	35	55	99+
TOTAL 0-19 YRS	388	3.9	27	1	1	3	4	7	9	14
20-34	136	5.3	63	1	2	4	5	9	13	90
35-49	81	6.4	48	1	2	4	8	12	19	41
50-64	169	7.3	59	1	2	5	9	14	20	40
65+	624	9.2	80	2	3	7	11	19	27	48
GRAND TOTAL	**1398**	**6.9**	**64**	**1**	**2**	**5**	**8**	**14**	**20**	**42**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	84	4.1	5	1	2	4	5	7	8	12
20-34	222	5.2	10	1	2	4	7	9	11	14
35-49	60	6.0	25	2	2	5	7	11	16	29
50-64	45	4.7	10	1	1	4	7	8	11	16
65+	18	6.4	16	1	2	6	7	14	16	16
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	19	4.8	48	1	1	1	7	12	21	29
35-49	11	5.5	13	1	1	6	9	10	11	11
50-64	6	1.7	1	1	1	1	2	4	4	4
65+	1	15.0		15	15	15	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	5.6	15	2	2	5	6	10	11	22
20-34	124	6.4	26	1	2	5	8	11	16	28
35-49	70	6.6	17	1	2	6	8	12	14	20
50-64	63	8.5	47	1	2	7	10	16	20	40
65+	52	8.9	31	3	3	7	11	19	27	99+
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	14	14.4	229	3	3	11	19	26	54	62
35-49	14	9.6	42	1	3	8	14	17	24	26
50-64	14	8.4	42	1	2	7	13	18	20	20
65+	17	11.8	35	1	3	12	16	20	21	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	429	5.1	12	1	2	4	6	9	11	17
B. *Operated*	38	4.8	32	1	1	2	7	11	14	29
2. MULTIPLE DX										
A. *Not Operated*	343	7.1	29	2	2	6	9	13	19	31
B. *Operated*	60	10.9	85	1	2	9	15	20	22	58
1. SINGLE DX	467	5.0	13	1	2	4	6	9	11	19
2. MULTIPLE DX	403	7.7	39	2	2	6	10	15	20	35
A. NOT OPERATED	772	6.0	20	1	2	5	7	11	14	27
B. OPERATED	98	8.5	73	1	1	7	12	18	21	46
TOTAL 0-19 YRS	120	4.5	8	1	2	4	6	8	10	16
20-34	379	5.9	28	1	2	5	7	10	14	27
35-49	155	6.5	23	1	2	6	8	12	16	26
50-64	128	6.8	36	1	1	6	8	14	18	33
65+	88	9.0	31	2	3	7	12	18	22	99+
GRAND TOTAL	**870**	**6.3**	**27**	**1**	**2**	**5**	**8**	**12**	**16**	**28**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	148	3.2	4	1	1	3	4	6	7	11
20-34	63	3.6	4	1	1	3	5	6	8	10
35-49	10	4.0	3	1	1	4	5	6	7	7
50-64	5	4.4	7	2	2	4	5	9	9	9
65+										
B. *Operated*										
0-19 YRS										
20-34	2	6.5	1	6	6	6	7	7	7	7
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	244	3.7	5	1	2	3	5	6	8	12
20-34	73	4.2	9	1	2	4	5	7	10	15
35-49	20	5.2	18	1	2	4	6	8	15	21
50-64	5	6.2	6	3	3	6	8	9	9	9
65+	3	8.7	12	5	5	9	11	12	12	12
B. *Operated*										
0-19 YRS	11	7.3	20	1	2	7	10	14	16	16
20-34	7	8.4	14	4	4	9	11	13	14	14
35-49										
50-64	4	4.5	27	1	1	3	8	12	12	12
65+	1	5.0		5	5	5	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	226	3.4	4	1	1	3	4	6	7	10
B. *Operated*	3	5.3	4	3	3	6	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	345	3.9	7	1	2	3	5	7	8	15
B. *Operated*	23	7.0	18	1	1	7	11	13	15	16
1. SINGLE DX	229	3.4	4	1	1	3	4	6	7	10
2. MULTIPLE DX	368	4.1	8	1	2	3	5	7	10	16
A. NOT OPERATED	571	3.7	6	1	1	3	5	6	8	14
B. OPERATED	26	6.8	17	1	1	6	10	12	14	16
TOTAL 0-19 YRS	403	3.6	5	1	1	3	5	6	8	12
20-34	145	4.1	8	1	2	4	5	8	10	15
35-49	30	4.8	13	1	2	4	5	8	9	21
50-64	15	4.9	11	1	1	4	7	9	11	12
65+	4	7.8	12	5	5	7	10	12	12	12
GRAND TOTAL	**597**	**3.9**	**7**	**1**	**1**	**3**	**5**	**7**	**9**	**15**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	75	1.3	1	<1	<1	1	1	2	3	4
20-34	254	1.7	1	<1	<1	1	2	3	4	6
35-49	76	1.9	2	<1	<1	1	2	4	6	8
50-64	18	1.6	1	<1	<1	1	2	3	3	3
65+	7	2.6	4	<1	<1	2	4	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	8.3	161	<1	<1	<1	17	23	23	23
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	18	3.8	66	<1	1	2	2	4	23	36
20-34	77	2.6	7	<1	<1	2	3	6	9	76
35-49	39	3.7	16	<1	<1	3	4	9	12	22
50-64	18	3.6	28	<1	1	2	4	5	16	24
65+	11	3.3	8	<1	<1	2	5	8	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.3		<1	<1	1	2	2	2	2
B. *Operated*	430	1.7	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	7	4.7	67	<1	<1	1	4	19	23	23
B. *Operated*	163	3.2	18	<1	<1	2	4	6	10	34
1. SINGLE DX	434	1.7	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX	170	3.2	19	<1	<1	2	4	6	11	33
A. NOT OPERATED	11	3.5	43	<1	<1	1	2	12	22	23
B. OPERATED	593	2.1	6	<1	<1	1	2	4	5	12
TOTAL 0-19 YRS	97	2.0	18	<1	<1	1	2	3	4	30
20-34	335	1.9	3	<1	<1	1	2	4	5	10
35-49	117	2.5	8	<1	<1	2	3	5	7	15
50-64	36	2.6	15	<1	<1	2	3	4	5	24
65+	19	3.1	6	<1	<1	2	5	7	8	9
GRAND TOTAL	**604**	**2.1**	**7**	**<1**	**<1**	**1**	**2**	**4**	**5**	**13**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	813	2.6	3	1	1	2	3	4	5	9
20-34	277	2.8	2	1	1	2	4	5	6	8
35-49	122	3.4	9	1	1	3	4	6	9	15
50-64	72	3.3	8	1	1	3	4	6	8	19
65+	70	3.4	5	1	1	3	4	6	8	11
B. *Operated*										
0-19 YRS	19	2.9	4	<1	<1	3	4	6	7	8
20-34	18	2.8	2	1	1	3	4	5	6	6
35-49	4	4.5	4	3	3	4	6	7	7	7
50-64	4	13.5	140	1	1	12	22	29	29	29
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	765	2.9	4	1	1	2	4	5	7	10
20-34	415	3.7	8	1	1	3	5	7	8	14
35-49	239	4.1	20	1	1	3	5	7	10	17
50-64	295	4.7	11	1	2	4	6	9	13	17
65+	466	5.2	15	2	2	4	6	10	12	21
B. *Operated*										
0-19 YRS	33	5.3	44	<1	1	3	5	10	18	36
20-34	25	11.1	165	2	3	7	10	28	46	52
35-49	10	10.4	180	1	1	7	11	29	47	47
50-64	28	12.9	147	2	3	8	15	35	41	43
65+	29	12.3	140	3	4	8	15	24	32	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1354	2.8	4	1	1	2	3	5	6	10
B. *Operated*	46	4.0	21	<1	1	3	4	7	10	29
2. MULTIPLE DX										
A. *Not Operated*	2180	3.9	11	1	1	3	5	7	9	16
B. *Operated*	125	10.2	129	1	2	6	11	26	38	54
1. SINGLE DX	1400	2.8	4	1	1	2	4	5	6	10
2. MULTIPLE DX	2305	4.2	19	1	1	3	5	8	11	23
A. NOT OPERATED	3534	3.5	8	1	1	3	4	6	8	14
B. OPERATED	171	8.5	108	1	1	5	9	24	31	51
TOTAL 0-19 YRS	1630	2.8	4	1	1	2	3	5	6	10
20-34	735	3.6	13	1	1	3	4	6	8	15
35-49	375	4.1	21	1	1	3	5	7	10	21
50-64	399	5.1	27	1	2	4	6	10	14	29
65+	566	5.3	23	1	2	4	6	10	13	24
GRAND TOTAL	**3705**	**3.7**	**14**	**1**	**1**	**3**	**4**	**7**	**9**	**17**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	2.4	1	1	1	3	3	4	4	4
20-34	15	4.0	5	2	2	3	4	8	8	8
35-49	7	2.9	2	1	1	2	4	5	5	5
50-64	3	3.7	2	2	2	4	5	5	5	5
65+	2	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34										
35-49	1	9.0		9	9	9	9	9	9	9
50-64	2	16.0	18	13	13	16	19	19	19	19
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	2.9	3	1	1	3	4	6	7	7
20-34	15	5.1	9	1	2	5	7	10	11	11
35-49	4	2.3	2	1	1	2	3	4	4	4
50-64	7	5.0	9	1	1	5	7	9	9	9
65+	4	11.8	145	1	1	8	19	29	29	29
B. *Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	2	8.5	25	5	5	8	12	12	12	12
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	3.3	3	1	2	3	4	5	8	8
B. *Operated*	4	12.3	25	8	8	11	16	19	19	19
2. MULTIPLE DX										
A. *Not Operated*	40	4.9	23	1	1	4	7	9	10	29
B. *Operated*	4	5.8	19	2	2	4	8	12	12	12
1. SINGLE DX	40	4.2	12	1	2	3	4	8	11	19
2. MULTIPLE DX	44	5.0	22	1	1	4	7	9	11	29
A. NOT OPERATED	76	4.1	14	1	1	3	5	8	9	24
B. OPERATED	8	9.0	31	2	3	8	12	17	19	19
TOTAL 0-19 YRS	22	3.0	3	1	1	3	4	5	7	8
20-34	32	4.8	8	2	2	4	7	9	11	12
35-49	12	3.2	5	1	1	2	4	6	9	9
50-64	12	6.5	27	1	1	5	8	15	18	19
65+	6	8.8	107	1	1	6	9	27	29	29
GRAND TOTAL	**84**	**4.6**	**17**	**1**	**1**	**3**	**6**	**9**	**11**	**26**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	4.3	6	1	2	4	5	8	10	12
20-34	99	4.0	5	2	2	4	5	6	7	15
35-49	16	4.6	13	1	1	3	8	10	11	12
50-64	7	6.4	36	1	1	4	9	16	18	18
65+	4	2.3	2	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	9	5.4	13	1	2	4	7	12	12	12
20-34	42	2.8	8	<1	<1	2	3	6	10	14
35-49	7	1.9	2	<1	<1	1	3	4	4	4
50-64	3	4.7	30	1	1	2	9	11	11	11
65+	3	2.7	2	1	1	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	4.1	5	1	2	4	5	7	8	11
20-34	83	5.4	8	2	2	5	7	10	11	15
35-49	20	5.5	16	1	1	5	7	10	14	17
50-64	9	13.7	54	4	5	12	17	25	28	28
65+	17	8.2	55	1	2	6	11	22	25	25
B. *Operated*										
0-19 YRS	14	5.9	8	1	1	6	7	10	11	11
20-34	29	4.8	26	<1	1	3	6	9	21	21
35-49	12	6.4	66	<1	<1	3	8	19	27	28
50-64	5	10.4	94	<1	<1	12	16	24	24	24
65+	6	7.3	63	<1	<1	5	9	21	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	173	4.2	7	1	2	4	5	7	10	16
B. *Operated*	64	3.1	9	<1	<1	2	4	8	11	14
2. MULTIPLE DX										
A. *Not Operated*	166	5.9	19	1	2	5	7	11	14	25
B. *Operated*	66	6.0	37	<1	1	4	8	14	21	27
1. SINGLE DX	237	3.9	8	1	1	3	5	7	10	14
2. MULTIPLE DX	232	5.9	24	1	1	5	7	11	15	26
A. NOT OPERATED	339	5.0	14	1	2	4	6	10	12	21
B. OPERATED	130	4.[illegible]	25	<1	<1	3	6	11	14	25
TOTAL 0-19 YRS	107	4.5	7	1	2	4	6	8	10	12
20-34	253	4.4	9	1	1	4	5	8	10	17
35-49	55	5.0	24	<1	1	4	7	10	14	27
50-64	24	9.8	60	<1	1	10	14	21	25	28
65+	30	6.7	47	1	1	4	9	17	25	25
GRAND TOTAL	**469**	**4.9**	**17**	**1**	**1**	**4**	**6**	**10**	**12**	**24**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	2.3	2	<1	1	2	3	4	5	5
20-34	19	5.2	12	2	2	4	6	10	13	15
35-49	9	5.0	10	<1	1	4	7	10	10	10
50-64	12	4.8	10	1	1	4	7	9	10	10
65+	27	4.7	18	1	2	3	5	8	16	20
B. *Operated*										
0-19 YRS	6	3.2	3	1	1	3	5	5	5	5
20-34	12	6.5	28	<1	1	5	9	15	18	18
35-49	35	6.0	10	2	2	6	8	10	12	13
50-64	36	6.5	21	1	1	6	9	13	13	21
65+	25	9.2	37	1	1	9	14	16	18	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	7.8	209	1	1	3	7	17	50	66
20-34	34	9.0	79	1	3	6	9	18	29	43
35-49	26	6.5	31	1	2	4	8	15	18	26
50-64	34	9.2	106	1	2	6	11	19	24	57
65+	58	10.2	150	2	2	8	12	20	27	82
B. *Operated*										
0-19 YRS	8	15.9	42	5	7	16	22	70	99+	99+
20-34	20	14.7	149	2	4	11	20	38	77	99+
35-49	33	13.3	183	2	2	9	19	56	89	99+
50-64	57	11.2	112	2	2	8	13	22	34	62
65+	53	13.1	192	2	3	9	17	32	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	85	4.3	12	1	1	3	6	9	10	18
B. *Operated*	114	6.8	22	1	2	6	9	13	16	22
2. MULTIPLE DX										
A. *Not Operated*	183	8.8	121	1	2	6	10	17	25	63
B. *Operated*	171	12.8	150	2	3	9	16	30	61	99+
1. SINGLE DX	199	5.7	19	1	2	4	8	12	15	21
2. MULTIPLE DX	354	10.8	139	1	2	8	14	23	40	99+
A. NOT OPERATED	268	7.4	90	1	2	4	8	15	21	56
B. OPERATED	285	10.4	108	1	2	8	13	22	38	99+
TOTAL 0-19 YRS	63	6.8	125	1	1	3	7	21	33	95
20-34	85	9.1	83	1	2	6	11	19	26	85
35-49	103	8.4	81	2	2	6	10	19	28	99+
50-64	139	9.0	82	1	2	7	11	16	23	58
65+	163	10.1	130	1	2	8	13	21	30	98
GRAND TOTAL	**553**	**9.0**	**101**	**1**	**2**	**6**	**11**	**19**	**26**	**98**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.0	1	2	2	3	4	4	4	4
20-34	6	3.7	5	1	1	3	5	7	7	7
35-49	3	4.0	9	1	1	4	6	7	7	7
50-64	3	2.3	5	1	1	1	4	5	5	5
65+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-19 YRS	9	6.0	57	<1	<1	3	7	19	25	25
20-34	6	4.3	19	<1	<1	3	6	11	12	12
35-49	4	6.5	4	4	4	6	8	9	9	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.2	3	1	1	4	4	5	5	5
20-34	6	3.0		2	2	3	3	4	4	4
35-49	10	6.8	26	2	2	5	9	14	19	19
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	5	6.6	5	4	4	7	8	10	10	10
B. *Operated*										
0-19 YRS	4	4.3	7	2	2	3	6	8	8	8
20-34	16	9.4	34	3	3	8	15	21	73	99+
35-49	9	6.6	62	<1	<1	2	9	19	25	25
50-64	2	9.0	32	5	5	9	13	13	13	13
65+	4	27.0	457	11	11	19	41	58	58	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	3.6	5	1	1	3	5	7	8	8
B. *Operated*	19	5.6	32	<1	<1	4	7	11	19	25
2. MULTIPLE DX										
A. *Not Operated*	28	4.9	14	1	2	4	6	10	11	19
B. *Operated*	35	10.1	112	1	2	8	15	24	48	99+
1. SINGLE DX	37	4.6	19	<1	<1	4	6	9	11	25
2. MULTIPLE DX	63	7.8	75	1	2	5	10	17	24	94
A. NOT OPERATED	46	4.4	11	1	1	4	5	8	10	19
B. OPERATED	54	8.5	88	<1	1	6	11	22	25	98
TOTAL 0-19 YRS	23	4.4	24	<1	1	3	4	8	15	25
20-34	34	6.4	28	<1	1	5	9	15	21	99+
35-49	26	6.3	31	1	1	5	9	10	20	25
50-64	7	4.0	19	1	1	2	5	11	13	13
65+	10	14.9	263	4	4	9	15	41	58	58
GRAND TOTAL	**100**	**6.6**	**56**	**<1**	**1**	**4**	**8**	**15**	**23**	**79**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	4.6	7	1	1	5	7	8	9	9
20-34	15	4.4	4	2	2	4	5	7	8	8
35-49	13	4.0	5	1	1	4	5	7	8	8
50-64	2	2.5	5	1	1	2	4	4	4	4
65+	3	4.0	3	3	3	3	5	6	6	6
B. *Operated*										
0-19 YRS	5	7.2	41	2	2	3	13	16	16	16
20-34	20	3.1	6	<1	<1	2	4	6	8	10
35-49	22	3.0	4	<1	<1	2	5	6	7	8
50-64	9	4.7	39	<1	<1	2	6	15	20	20
65+	3	5.7	30	2	2	3	10	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	4.4	9	1	2	4	5	8	12	13
20-34	50	9.1	187	2	2	5	8	18	28	70
35-49	33	6.2	56	1	2	4	6	13	18	42
50-64	21	8.0	20	2	3	7	11	14	17	19
65+	40	8.3	24	3	4	7	11	16	17	21
B. *Operated*										
0-19 YRS	7	7.6	42	<1	<1	7	12	17	18	18
20-34	46	8.8	155	1	2	5	11	14	24	77
35-49	44	8.7	123	1	1	5	9	19	39	53
50-64	34	8.9	76	1	2	7	11	17	23	46
65+	23	9.3	52	2	3	6	18	20	45	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	4.2	5	1	2	4	5	7	8	9
B. *Operated*	59	3.8	14	<1	<1	2	5	8	12	20
2. MULTIPLE DX										
A. *Not Operated*	169	7.5	77	2	2	5	8	15	18	64
B. *Operated*	154	8.8	106	1	2	5	11	18	23	76
1. SINGLE DX	102	4.0	10	<1	1	3	5	7	9	18
2. MULTIPLE DX	323	8.1	91	1	2	5	10	17	21	69
A. NOT OPERATED	212	6.8	64	1	2	5	7	13	17	52
B. OPERATED	213	7.4	86	1	1	5	9	17	21	62
TOTAL 0-19 YRS	47	5.2	17	1	1	4	7	12	14	18
20-34	131	7.5	131	1	2	4	8	14	20	71
35-49	112	6.3	70	1	1	4	6	13	18	47
50-64	66	7.8	52	1	1	7	11	16	20	42
65+	69	8.3	33	2	3	6	13	18	20	84
GRAND TOTAL	**425**	**7.1**	**75**	**1**	**2**	**5**	**8**	**15**	**19**	**57**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	3	3.7	9	1	1	3	6	7	7	7
20-34	1	43.0		43	43	43	43	43	43	43
35-49	2	6.5	13	4	4	6	9	9	9	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	10.0	72	4	4	10	16	16	16	16
20-34	2	5.0	2	4	4	5	6	6	6	6
35-49	5	8.4	69	3	3	5	11	23	23	23
50-64	7	5.6	12	1	1	5	9	10	10	10
65+	7	17.1	1095	2	2	4	8	75	92	92
B. *Operated*										
0-19 YRS	4	5.3	24	1	1	5	9	10	10	10
20-34	5	12.8	166	4	4	7	18	35	35	35
35-49	4	6.5	26	3	3	4	9	14	14	14
50-64	4	8.5	24	2	2	9	35	99+	99+	99+
65+	1	8.0		8	8	8	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*	6	11.2	251	1	1	5	9	40	43	43
2. MULTIPLE DX										
A. *Not Operated*	23	10.0	343	1	2	5	8	17	47	92
B. *Operated*	18	8.5	61	1	2	8	12	27	71	99+
1. SINGLE DX	8	9.1	194	1	1	4	8	33	43	43
2. MULTIPLE DX	41	9.4	215	1	2	6	9	18	58	99+
A. NOT OPERATED	25	9.5	319	1	2	4	8	16	40	92
B. OPERATED	24	9.2	101	1	1	7	11	35	57	99+
TOTAL 0-19 YRS	9	5.8	27	1	1	4	9	14	16	16
20-34	9	13.2	227	2	3	6	18	40	43	43
35-49	12	7.1	35	3	3	5	8	17	22	23
50-64	11	6.6	17	1	2	8	10	40	91	99+
65+	8	16.0	949	2	2	6	8	67	92	92
GRAND TOTAL	**49**	**9.3**	**208**	**1**	**2**	**5**	**9**	**19**	**43**	**99+**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	10	3.5	5	<1	<1	3	6	6	6	6
50-64	30	4.6	10	<1	1	4	6	8	10	15
65+	30	6.5	51	1	1	5	9	12	22	35
B. *Operated*										
0-19 YRS	4	3.3	3	1	1	3	4	5	5	5
20-34	16	3.0	6	1	1	2	4	7	8	9
35-49	73	4.8	24	<1	1	3	6	9	14	30
50-64	192	5.4	47	1	1	3	6	13	18	39
65+	183	4.4	21	<1	1	3	5	10	13	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	3	15.3	170	3	3	14	25	29	29	29
35-49	25	5.7	30	<1	1	5	7	8	17	28
50-64	124	8.1	92	1	2	6	9	14	26	56
65+	140	8.8	90	1	1	6	11	20	28	49
B. *Operated*										
0-19 YRS										
20-34	17	9.4	107	1	1	6	11	27	34	37
35-49	72	11.3	129	1	2	7	17	28	37	48
50-64	277	10.8	159	1	1	6	15	27	40	79
65+	378	11.7	192	1	2	7	15	29	37	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	73	5.1	27	<1	1	4	6	10	13	32
B. *Operated*	468	4.8	32	<1	1	3	6	11	15	27
2. MULTIPLE DX										
A. *Not Operated*	294	8.2	86	1	2	6	10	17	28	49
B. *Operated*	744	11.3	171	1	2	7	15	28	38	77
1. SINGLE DX	541	4.9	31	<1	1	3	6	10	15	27
2. MULTIPLE DX	1038	10.4	149	1	2	6	13	25	35	71
A. NOT OPERATED	367	7.6	76	1	1	5	9	15	27	48
B. OPERATED	1212	8.8	127	1	1	5	11	21	31	65
TOTAL 0-19 YRS	7	3.0	3	1	1	3	5	5	5	5
20-34	38	6.7	75	1	1	3	8	18	29	37
35-49	180	7.5	75	<1	1	4	9	18	28	42
50-64	623	8.3	110	1	1	5	10	20	28	57
65+	731	9.1	133	1	1	5	11	21	31	69
GRAND TOTAL	**1579**	**8.5**	**115**	**1**	**1**	**5**	**10**	**20**	**30**	**59**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	10	6.4	20	2	3	5	6	13	18	18
65+	19	5.5	24	1	1	4	7	11	17	21
B. *Operated*										
0-19 YRS										
20-34										
35-49	3	17.3	12	14	14	17	20	21	21	21
50-64	30	8.7	73	<1	<1	5	14	16	23	39
65+	37	9.8	141	1	2	5	13	23	34	60
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	5	9.2	19	4	4	8	11	16	16	16
50-64	32	7.1	40	1	1	5	10	14	25	26
65+	72	7.3	38	1	2	6	9	14	24	29
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34										
35-49	17	26.5	382	3	5	20	34	59	69	72
50-64	93	15.7	221	2	3	12	18	39	47	74
65+	151	17.4	249	2	3	13	23	35	50	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	5.8	22	1	2	5	7	11	18	21
B. *Operated*	70	9.7	108	<1	1	5	14	20	25	56
2. MULTIPLE DX										
A. *Not Operated*	109	7.3	37	1	2	6	9	14	25	28
B. *Operated*	262	17.3	251	2	3	13	21	40	51	76
1. SINGLE DX	99	8.5	85	1	1	5	12	19	24	50
2. MULTIPLE DX	371	14.4	209	2	3	10	18	30	44	72
A. NOT OPERATED	138	7.0	34	1	2	5	9	14	20	28
B. OPERATED	332	15.7	230	2	2	12	20	34	48	73
TOTAL 0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34										
35-49	25	22.0	310	4	4	17	29	45	65	72
50-64	165	12.2	162	1	2	9	15	25	40	69
65+	279	13.0	188	2	2	9	17	28	42	70
GRAND TOTAL	**470**	**13.2**	**188**	**1**	**2**	**9**	**17**	**28**	**42**	**71**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	3.5	13	1	1	3	6	6	6	6
50-64	10	3.7	7	1	1	4	5	7	9	9
65+	29	4.6	12	<1	<1	4	6	11	12	13
B. *Operated*										
0-19 YRS										
20-34	4	11.0	5	9	9	10	12	14	14	14
35-49	12	13.5	46	7	7	11	18	24	27	27
50-64	39	10.5	59	1	2	9	14	20	30	31
65+	67	11.4	52	1	2	11	16	18	23	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	5.2	5	2	2	5	6	9	9	9
35-49	25	6.2	17	1	1	6	9	13	14	16
50-64	73	6.8	66	1	1	5	7	14	23	49
65+	174	7.7	49	2	2	5	9	17	20	35
B. *Operated*										
0-19 YRS										
20-34	9	10.0	58	1	1	7	13	22	25	25
35-49	50	15.7	111	3	5	13	17	31	40	55
50-64	222	17.0	198	3	6	13	20	33	45	78
65+	429	18.4	150	4	7	15	23	33	41	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	4.3	11	<1	1	4	5	9	12	13
B. *Operated*	122	11.3	52	1	2	10	15	20	25	36
2. MULTIPLE DX										
A. *Not Operated*	278	7.3	49	1	2	5	9	16	20	35
B. *Operated*	710	17.7	162	4	6	14	22	33	42	71
1. SINGLE DX	163	9.6	51	1	1	9	13	17	23	34
2. MULTIPLE DX	988	14.8	152	2	3	12	19	29	38	64
A. NOT OPERATED	319	6.9	45	1	1	5	8	14	20	33
B. OPERATED	832	16.7	151	3	5	14	21	31	40	66
TOTAL 0-19 YRS										
20-34	19	8.7	34	1	2	7	11	16	22	25
35-49	89	12.5	91	2	3	10	15	23	34	49
50-64	344	13.7	169	1	3	11	17	28	38	69
65+	699	14.5	135	2	3	12	19	29	36	59
GRAND TOTAL	**1151**	**14.0**	**141**	**2**	**3**	**11**	**18**	**28**	**36**	**60**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	1	10.0		10	10	10	10	10	10	10
35-49	4	9.8	21	4	4	10	13	15	15	15
50-64	4	11.8	8	9	9	11	14	15	15	15
65+	3	13.0	21	9	9	12	16	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	5	4.8	14	1	1	4	6	11	11	11
65+	6	12.7	377	2	2	6	8	48	52	52
B. *Operated*										
0-19 YRS										
20-34	1	23.0		23	23	23	23	23	23	23
35-49	8	14.8	231	2	4	10	14	41	51	51
50-64	31	16.2	120	8	8	12	17	34	43	48
65+	58	20.9	269	5	7	17	25	41	55	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	13	11.4	13	5	8	11	14	16	18	18
2. MULTIPLE DX										
A. *Not Operated*	11	9.1	211	1	1	5	8	27	50	52
B. *Operated*	98	18.9	218	6	8	15	21	37	50	83
1. SINGLE DX	14	10.6	19	2	4	11	13	16	17	18
2. MULTIPLE DX	109	17.9	225	4	5	13	21	37	51	80
A. NOT OPERATED	12	8.4	198	1	1	4	7	23	48	52
B. OPERATED	111	18.1	200	6	8	13	20	35	48	80
TOTAL 0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	2	16.5	85	10	10	16	23	23	23	23
35-49	12	13.1	159	2	3	10	13	27	48	51
50-64	41	14.0	111	2	5	10	15	32	39	48
65+	67	19.8	270	5	6	17	23	41	55	90
GRAND TOTAL	**123**	**17.1**	**206**	**3**	**5**	**12**	**20**	**34**	**49**	**77**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	6.0	50	1	1	6	11	11	11	11
50-64	11	2.5	3	<1	<1	2	4	5	5	5
65+	27	7.4	50	2	2	5	9	17	24	33
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	5	11.0	14	8	8	10	13	17	17	17
35-49	36	9.4	18	2	3	9	11	14	16	23
50-64	204	10.2	20	6	7	10	12	15	16	20
65+	371	11.9	44	5	7	11	13	17	23	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	12.0	9	9	9	12	14	15	15	15
35-49	18	9.1	42	1	2	8	13	18	21	23
50-64	129	7.4	49	1	1	5	8	19	22	31
65+	352	8.5	62	1	2	6	10	18	24	40
B. *Operated*										
0-19 YRS	2	13.0	98	6	6	13	20	20	20	20
20-34	22	12.3	75	3	4	10	15	24	35	35
35-49	146	13.1	79	6	7	11	14	22	25	54
50-64	658	13.5	72	4	7	11	16	22	29	50
65+	1897	16.2	101	7	8	13	19	27	35	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	6.0	40	<1	1	4	7	12	20	33
B. *Operated*	617	11.2	35	5	7	10	13	17	20	35
2. MULTIPLE DX										
A. *Not Operated*	503	8.2	57	1	2	6	10	18	23	38
B. *Operated*	2725	15.3	94	6	8	13	18	26	33	53
1. SINGLE DX	657	10.9	37	3	6	10	12	17	20	35
2. MULTIPLE DX	3228	14.2	95	3	5	12	17	25	32	52
A. NOT OPERATED	543	8.1	56	1	2	6	10	18	23	36
B. OPERATED	3342	14.6	86	6	8	12	17	24	31	53
TOTAL 0-19 YRS	3	9.3	89	2	2	6	16	20	20	20
20-34	31	12.0	55	4	5	10	15	18	34	35
35-49	202	12.0	67	3	5	10	13	19	24	49
50-64	1002	11.9	63	2	4	10	14	20	25	47
65+	2647	14.4	96	4	6	12	17	25	32	56
GRAND TOTAL	**3885**	**13.7**	**87**	**3**	**5**	**11**	**16**	**24**	**30**	**51**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	7	6.7	47	<1	<1	4	8	19	21	21
50-64	25	5.9	23	1	2	4	7	13	18	20
65+	42	5.2	16	1	2	4	6	11	15	19
B. *Operated*										
0-19 YRS										
20-34	12	8.1	24	1	2	8	12	15	16	16
35-49	55	9.9	39	2	2	10	13	14	16	39
50-64	190	10.3	40	2	2	10	13	18	21	32
65+	313	11.5	53	2	3	11	14	19	22	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	5	3.0	6	<1	<1	2	4	7	7	7
35-49	13	6.8	22	<1	1	7	8	15	16	16
50-64	100	8.2	38	1	2	7	11	18	21	28
65+	208	8.6	81	1	1	6	11	21	26	49
B. *Operated*										
0-19 YRS										
20-34	18	17.1	139	4	7	13	20	38	43	46
35-49	80	14.5	105	3	6	12	16	27	33	54
50-64	421	14.6	93	3	6	12	17	24	31	51
65+	906	16.3	123	3	4	14	21	31	37	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	75	5.5	21	<1	2	4	7	12	17	21
B. *Operated*	570	10.9	47	2	3	11	14	18	21	35
2. MULTIPLE DX										
A. *Not Operated*	328	8.3	65	1	2	6	11	19	25	46
B. *Operated*	1425	15.7	114	3	5	13	20	28	35	55
1. SINGLE DX	645	10.3	47	2	2	10	14	18	21	34
2. MULTIPLE DX	1753	14.3	113	2	3	12	18	26	34	54
A. NOT OPERATED	403	7.8	58	1	2	5	10	18	23	40
B. OPERATED	1995	14.3	99	2	4	12	18	25	33	53
TOTAL 0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	36	11.7	108	1	2	10	15	20	38	46
35-49	155	11.9	79	2	3	11	14	20	28	54
50-64	736	12.3	77	2	3	11	16	21	26	44
65+	1469	13.9	110	2	3	12	18	26	34	52
GRAND TOTAL	**2398**	**13.2**	**98**	**2**	**3**	**11**	**17**	**24**	**32**	**51**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	2	8.0	18	5	5	8	11	11	11	11
35-49	11	1.7	6	<1	<1	1	1	4	9	9
50-64	8	9.0	76	1	1	7	11	23	28	28
65+	23	6.0	13	1	2	6	8	11	13	14
B. *Operated*										
0-19 YRS	6	7.7	21	3	3	7	10	14	15	15
20-34	5	6.2	7	3	3	7	8	9	9	9
35-49	17	7.1	33	1	1	8	10	14	19	22
50-64	32	10.3	54	2	3	9	12	21	29	30
65+	44	13.7	72	2	3	12	19	24	31	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.2	1	2	2	3	4	4	4	4
20-34	8	9.8	71	2	3	6	12	24	28	28
35-49	24	5.5	15	1	1	5	7	11	13	17
50-64	71	7.3	44	1	1	5	10	17	21	33
65+	108	9.3	94	1	2	6	13	20	29	53
B. *Operated*										
0-19 YRS	3	9.7	65	1	1	11	15	17	17	17
20-34	9	10.1	63	5	5	7	10	24	30	30
35-49	23	14.0	133	1	3	10	17	33	37	43
50-64	140	15.9	120	4	6	13	20	30	40	51
65+	259	18.1	170	3	5	15	24	34	42	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	5.6	27	<1	<1	5	9	11	13	28
B. *Operated*	104	10.9	60	2	2	9	14	23	29	33
2. MULTIPLE DX										
A. *Not Operated*	217	8.1	67	1	2	5	10	18	23	41
B. *Operated*	434	16.9	151	3	5	14	22	32	41	63
1. SINGLE DX	149	9.3	56	1	1	8	12	20	26	32
2. MULTIPLE DX	651	14.0	140	2	3	11	18	29	37	57
A. NOT OPERATED	262	7.7	61	1	1	5	9	17	22	37
B. OPERATED	538	15.7	139	2	4	13	21	30	38	58
TOTAL 0-19 YRS	16	6.4	23	1	2	4	10	15	16	17
20-34	24	9.0	48	3	4	7	9	17	29	30
35-49	75	7.9	71	<1	1	6	10	17	30	41
50-64	251	12.5	103	1	3	10	17	25	34	49
65+	434	14.8	150	2	3	12	20	30	37	62
GRAND TOTAL	**800**	**13.1**	**128**	**1**	**2**	**10**	**18**	**28**	**35**	**56**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	5.0	2	4	4	5	6	6	6	6
50-64	19	6.5	18	<1	1	6	9	14	15	16
65+	33	4.9	22	<1	1	4	6	9	13	25
B. *Operated*										
0-19 YRS										
20-34	2	7.0	32	3	3	7	11	11	11	11
35-49	9	15.6	117	2	4	13	21	33	33	33
50-64	29	11.4	53	1	2	12	15	22	25	26
65+	48	14.4	95	1	4	13	18	29	33	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	25	8.3	158	1	1	4	7	21	45	51
50-64	101	7.3	27	1	2	6	9	14	18	25
65+	221	8.6	63	1	2	6	10	19	24	38
B. *Operated*										
0-19 YRS	1	27.0		27	27	27	27	27	27	27
20-34	8	14.5	52	1	4	14	19	24	24	24
35-49	28	17.4	240	1	5	12	20	35	55	70
50-64	190	17.3	243	3	5	12	19	36	55	83
65+	388	18.4	146	4	7	16	22	32	43	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	5.5	20	<1	1	4	7	10	14	25
B. *Operated*	88	13.4	82	1	2	12	17	26	33	41
2. MULTIPLE DX										
A. *Not Operated*	350	8.2	58	1	2	6	10	18	23	43
B. *Operated*	615	18.0	179	4	6	15	22	33	44	70
1. SINGLE DX	142	10.4	73	1	2	9	14	23	29	35
2. MULTIPLE DX	965	14.4	157	2	3	11	19	28	39	65
A. NOT OPERATED	404	7.8	54	1	2	6	9	17	23	39
B. OPERATED	703	17.4	169	3	6	15	21	32	43	69
TOTAL 0-19 YRS	2	15.5	265	4	4	15	27	27	27	27
20-34	12	11.4	58	1	2	12	15	23	24	24
35-49	64	13.2	198	1	2	9	17	33	45	68
50-64	339	13.2	172	2	3	10	16	26	40	69
65+	690	14.4	134	2	3	12	19	28	35	58
GRAND TOTAL	**1107**	**13.9**	**148**	**2**	**3**	**11**	**18**	**28**	**36**	**62**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	6.8	21	2	2	6	10	12	12	12
35-49	18	7.8	140	<1	1	5	8	36	79	99+
50-64	121	5.9	63	<1	1	3	7	12	16	46
65+	185	5.4	28	<1	1	3	7	13	16	25
B. *Operated*										
0-19 YRS										
20-34	9	10.2	41	2	4	8	13	21	23	23
35-49	71	7.3	35	1	1	7	9	14	18	33
50-64	411	7.9	36	1	1	7	11	16	19	29
65+	477	7.8	47	<1	1	7	11	15	19	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.3	12	1	1	4	7	8	8	8
20-34	7	9.6	118	2	2	5	13	29	32	32
35-49	188	8.3	89	1	1	6	11	17	26	52
50-64	959	7.2	53	1	1	5	9	16	21	36
65+	1396	8.3	64	1	2	6	11	17	24	39
B. *Operated*										
0-19 YRS	2	11.5	25	8	8	11	15	15	15	15
20-34	23	13.2	113	3	4	10	15	29	41	45
35-49	259	10.5	66	2	3	9	14	20	24	44
50-64	1415	11.5	83	2	3	9	15	23	29	45
65+	1940	12.5	106	2	3	10	17	25	31	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	328	5.7	47	<1	1	4	7	12	16	44
B. *Operated*	968	7.8	41	1	1	7	11	16	19	31
2. MULTIPLE DX										
A. *Not Operated*	2553	7.9	62	1	2	6	10	17	23	38
B. *Operated*	3639	12.0	95	2	3	10	16	23	31	48
1. SINGLE DX	1296	7.3	43	1	1	6	10	15	19	32
2. MULTIPLE DX	6192	10.3	85	1	2	8	14	22	28	44
A. NOT OPERATED	2881	7.7	61	1	1	5	10	16	22	39
B. OPERATED	4607	11.1	86	1	2	9	15	22	29	45
TOTAL 0-19 YRS	5	7.2	28	1	1	8	10	15	15	15
20-34	43	11.4	90	2	3	8	14	24	34	45
35-49	536	9.2	74	1	2	7	12	18	24	47
50-64	2906	9.3	70	1	2	7	12	19	25	41
65+	3998	10.2	86	1	2	8	13	21	28	42
GRAND TOTAL	**7488**	**9.8**	**79**	**1**	**2**	**8**	**13**	**21**	**26**	**43**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	3	4.3	5	3	3	3	6	7	7	7
35-49	3	6.7	80	1	1	2	13	17	17	17
50-64	17	2.8	3	1	1	3	4	6	6	6
65+	11	5.4	24	1	1	2	8	13	15	15
B. *Operated*										
0-19 YRS	4	10.8	50	2	2	12	16	17	17	17
20-34	12	4.7	16	<1	<1	4	7	10	13	13
35-49	27	5.8	50	<1	<1	2	8	16	22	28
50-64	154	4.8	31	<1	<1	2	8	14	16	24
65+	170	4.8	45	<1	1	2	6	12	14	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	4	1	1	3	4	5	5	5
20-34	4	6.8	21	1	1	7	10	12	12	12
35-49	13	8.1	83	<1	1	4	15	21	28	30
50-64	42	7.5	63	1	2	5	10	17	25	37
65+	51	5.6	18	1	1	5	9	12	14	15
B. *Operated*										
0-19 YRS	8	10.5	23	5	5	9	14	17	18	18
20-34	13	11.1	112	3	3	9	13	22	39	43
35-49	42	9.8	66	1	2	8	15	20	23	38
50-64	170	12.1	116	1	1	10	16	26	36	59
65+	200	11.0	122	1	1	8	16	25	39	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	4.1	15	1	1	3	6	9	14	17
B. *Operated*	367	4.9	39	<1	<1	2	7	13	16	25
2. MULTIPLE DX										
A. *Not Operated*	113	6.6	42	1	1	5	9	14	18	35
B. *Operated*	433	11.3	112	1	1	9	16	25	35	54
1. SINGLE DX	402	4.9	37	<1	<1	2	7	13	16	24
2. MULTIPLE DX	546	10.3	101	1	1	8	15	22	33	49
A. NOT OPERATED	148	6.0	37	1	1	4	7	14	17	34
B. OPERATED	800	8.4	88	<1	1	5	12	20	26	49
TOTAL 0-19 YRS	16	8.8	31	1	2	7	14	17	18	18
20-34	32	7.5	61	1	1	6	9	14	17	43
35-49	85	8.2	65	<1	1	5	14	19	23	35
50-64	383	8.3	83	<1	1	5	12	20	26	45
65+	432	7.8	86	1	1	4	11	19	25	50
GRAND TOTAL	**948**	**8.0**	**81**	**<1**	**1**	**5**	**12**	**19**	**25**	**47**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	3.1	4	1	1	2	4	5	7	9
20-34	7	3.0	3	1	1	3	4	6	6	6
35-49	3	2.3	1	1	1	3	3	3	3	3
50-64	11	5.4	45	<1	1	4	5	14	24	25
65+	7	6.1	31	1	1	3	12	14	14	14
B. *Operated*										
0-19 YRS	46	6.5	60	1	1	4	7	18	22	39
20-34	50	6.9	57	1	1	4	9	18	19	36
35-49	50	5.8	24	1	1	4	8	12	17	23
50-64	62	6.3	29	1	1	5	8	13	16	28
65+	73	6.4	27	1	1	4	9	14	18	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	3.3	8	1	1	2	5	5	9	14
20-34	21	6.7	37	1	1	6	8	14	20	26
35-49	15	2.7	10	1	1	1	3	5	11	13
50-64	30	6.7	95	<1	1	4	8	13	22	52
65+	41	6.8	31	1	1	4	10	16	18	19
B. *Operated*										
0-19 YRS	21	9.8	118	1	1	6	12	25	36	44
20-34	39	11.6	130	2	3	7	18	26	32	57
35-49	28	11.5	166	1	1	8	12	26	44	58
50-64	62	13.5	182	1	2	9	18	37	40	64
65+	112	13.8	133	2	3	11	20	29	42	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	4.0	17	1	1	3	4	6	14	25
B. *Operated*	281	6.4	37	1	1	4	8	15	19	30
2. MULTIPLE DX										
A. *Not Operated*	142	5.5	39	1	1	4	7	13	16	28
B. *Operated*	262	12.9	146	2	3	10	18	29	40	95
1. SINGLE DX	331	6.0	35	1	1	4	8	14	18	29
2. MULTIPLE DX	404	10.3	121	1	1	7	13	23	35	66
A. NOT OPERATED	192	5.1	34	1	1	3	6	13	15	26
B. OPERATED	543	9.5	100	1	2	6	12	22	29	65
TOTAL 0-19 YRS	124	5.5	50	1	1	3	5	13	20	40
20-34	117	8.2	80	1	1	5	9	20	27	43
35-49	96	6.9	71	1	1	4	9	13	22	51
50-64	165	9.0	110	1	1	6	11	22	30	57
65+	233	10.0	91	1	2	8	14	22	29	99+
GRAND TOTAL	**735**	**8.3**	**86**	**1**	**1**	**5**	**11**	**20**	**26**	**58**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	9	2.6	3	<1	<1	3	3	5	6	6
50-64	10	4.1	14	1	1	2	6	10	13	13
65+	8	3.6	14	1	1	2	5	10	12	12
B. *Operated*										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	77	3.5	8	<1	<1	3	5	8	9	12
35-49	74	3.9	8	1	1	3	6	8	10	14
50-64	96	4.3	11	<1	1	3	6	10	11	14
65+	88	4.8	17	<1	1	3	7	11	13	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	12	3.4	6	1	1	3	4	8	9	9
35-49	20	8.0	131	<1	<1	4	7	26	39	41
50-64	30	5.7	36	1	1	4	8	11	16	30
65+	23	10.2	114	<1	1	7	13	23	33	47
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	34	5.6	12	<1	1	5	7	11	12	13
35-49	51	7.1	30	1	2	5	10	15	18	25
50-64	79	8.0	48	1	2	7	10	18	22	37
65+	83	8.7	71	1	2	6	11	21	27	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	3.4	10	<1	1	2	5	7	12	13
B. *Operated*	338	4.2	11	<1	1	3	6	9	11	14
2. MULTIPLE DX										
A. *Not Operated*	86	7.0	77	1	1	4	8	16	26	45
B. *Operated*	248	7.7	48	1	2	6	10	16	22	35
1. SINGLE DX	365	4.1	11	<1	1	3	6	9	11	14
2. MULTIPLE DX	334	7.5	55	1	1	5	9	16	22	41
A. NOT OPERATED	113	6.2	63	1	1	3	7	13	22	43
B. OPERATED	586	5.7	30	1	1	4	8	12	15	25
TOTAL 0-19 YRS	5	3.0	12	1	1	1	4	9	9	9
20-34	123	4.1	10	<1	1	3	6	9	11	13
35-49	154	5.4	33	1	1	4	7	12	15	37
50-64	215	5.8	31	1	1	4	8	12	16	26
65+	202	7.0	54	1	1	4	8	15	22	39
GRAND TOTAL	**699**	**5.7**	**35**	**1**	**1**	**4**	**8**	**12**	**16**	**32**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	9	2.7	2	<1	<1	3	4	4	4	4
B. *Operated*										
0-19 YRS	5	2.0	3	<1	<1	1	3	5	5	5
20-34	34	2.5	5	<1	<1	2	3	7	8	9
35-49	89	2.4	8	<1	<1	1	2	5	9	16
50-64	201	2.2	5	<1	<1	2	2	4	6	11
65+	411	2.9	11	<1	<1	2	3	6	9	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	9.8	39	3	3	9	14	18	18	18
35-49	2	4.0	8	2	2	4	6	6	6	6
50-64	7	4.0	35	1	1	1	4	15	17	17
65+	37	6.9	57	<1	1	5	8	14	26	35
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	16	5.6	34	<1	1	3	9	13	19	21
35-49	44	3.9	36	<1	<1	2	3	10	15	33
50-64	144	4.5	79	<1	1	2	4	9	15	37
65+	382	5.6	67	<1	1	2	7	14	18	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	2.2	2	<1	<1	2	4	4	4	4
B. *Operated*	740	2.6	9	<1	<1	2	3	5	8	16
2. MULTIPLE DX										
A. *Not Operated*	50	6.6	51	1	1	5	8	15	18	35
B. *Operated*	587	5.2	67	<1	1	2	6	12	18	42
1. SINGLE DX	754	2.6	8	<1	<1	2	3	5	8	16
2. MULTIPLE DX	637	5.3	66	<1	1	2	6	12	18	41
A. NOT OPERATED	64	5.7	44	<1	1	4	7	12	18	34
B. OPERATED	1327	3.8	36	<1	<1	2	4	9	13	25
TOTAL 0-19 YRS	7	1.9	2	<1	<1	1	2	4	5	5
20-34	55	3.9	19	<1	<1	2	5	10	12	21
35-49	137	2.9	17	<1	<1	2	3	6	10	24
50-64	353	3.2	37	<1	<1	2	3	6	10	20
65+	839	4.3	40	<1	<1	2	4	10	15	30
GRAND TOTAL	**1391**	**3.8**	**36**	**<1**	**<1**	**2**	**4**	**9**	**14**	**29**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	4.3	29	1	1	2	4	14	15	15
35-49	19	4.3	13	1	1	3	6	8	13	16
50-64	31	5.0	19	1	1	4	6	12	16	17
65+	23	6.7	43	1	2	6	8	12	25	28
B. *Operated*										
0-19 YRS	3	4.0	19	1	1	2	7	9	9	9
20-34	104	4.4	7	<1	1	4	6	7	9	12
35-49	567	4.9	7	<1	1	5	6	8	9	13
50-64	873	5.3	9	<1	1	5	7	9	10	14
65+	902	6.1	16	1	2	6	8	10	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	7.5	41	3	3	7	12	12	12	12
20-34	19	7.4	55	<1	1	5	11	17	24	29
35-49	120	6.8	36	1	1	5	10	15	18	29
50-64	241	7.5	76	1	1	5	9	16	21	46
65+	276	9.0	80	1	2	6	11	18	28	48
B. *Operated*										
0-19 YRS										
20-34	90	6.2	21	1	2	6	7	11	13	29
35-49	629	6.9	37	1	2	6	8	11	16	29
50-64	1088	7.2	36	2	3	6	8	11	14	38
65+	1457	8.7	50	2	4	7	10	14	20	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	79	5.3	25	1	1	4	7	10	16	27
B. *Operated*	2449	5.5	11	<1	1	5	7	9	10	16
2. MULTIPLE DX										
A. *Not Operated*	658	8.0	70	1	2	6	10	16	23	45
B. *Operated*	3264	7.8	43	2	3	6	9	13	17	41
1. SINGLE DX	2528	5.5	12	<1	1	5	7	9	10	16
2. MULTIPLE DX	3922	7.8	48	2	2	6	9	13	18	42
A. NOT OPERATED	737	7.7	66	1	1	5	9	16	22	45
B. OPERATED	5713	6.8	31	1	2	6	8	11	14	30
TOTAL 0-19 YRS	5	5.4	23	1	1	3	10	12	12	12
20-34	219	5.4	18	<1	1	5	7	10	13	21
35-49	1335	6.0	25	1	2	5	7	10	13	26
50-64	2233	6.5	30	1	2	6	8	10	14	28
65+	2658	7.8	43	2	3	7	9	13	18	42
GRAND TOTAL	**6450**	**6.9**	**35**	**1**	**2**	**6**	**8**	**11**	**15**	**33**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	11	3.2	2	1	1	4	4	5	5	5
35-49	30	3.6	4	1	1	3	4	6	9	11
50-64	32	3.1	1	2	2	3	4	4	4	5
65+	27	4.6	16	1	1	3	5	12	14	17
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	74	4.2	11	<1	<1	4	6	9	11	14
35-49	91	5.2	19	<1	1	4	8	10	12	25
50-64	64	4.0	12	<1	1	3	6	8	11	16
65+	35	4.3	15	1	1	3	5	9	11	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	5.1	11	1	2	4	6	10	12	12
35-49	35	7.5	82	<1	1	3	8	19	24	43
50-64	46	5.5	21	1	2	4	7	13	16	22
65+	51	8.6	156	1	2	4	8	23	34	63
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	62	9.2	71	1	1	7	12	18	20	50
35-49	126	8.9	97	1	2	6	9	17	27	57
50-64	108	11.2	130	1	2	8	14	27	38	53
65+	97	11.6	232	1	2	6	13	28	48	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	100	3.7	6	1	2	3	4	5	10	15
B. *Operated*	265	4.5	15	<1	1	4	6	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	140	7.1	86	1	1	4	7	17	24	55
B. *Operated*	394	10.2	135	1	2	6	12	22	36	60
1. SINGLE DX	365	4.3	12	<1	1	3	5	9	11	16
2. MULTIPLE DX	534	9.4	124	1	2	6	11	21	31	58
A. NOT OPERATED	240	5.7	55	1	2	4	5	12	18	44
B. OPERATED	659	7.9	95	<1	1	5	9	16	25	52
TOTAL 0-19 YRS	2	6.0	2	5	5	6	7	7	7	7
20-34	155	6.2	40	<1	1	5	8	12	17	36
35-49	282	7.0	64	<1	1	5	8	13	22	47
50-64	250	7.3	75	1	1	4	9	16	25	46
65+	210	8.7	158	1	2	4	10	19	34	62
GRAND TOTAL	**899**	**7.3**	**85**	**1**	**1**	**4**	**8**	**15**	**23**	**52**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49	4	4.0	5	2	2	3	5	7	7	7
50-64	26	4.1	13	1	2	3	4	8	11	19
65+	31	2.9	12	1	1	3	3	4	4	21
B. *Operated*										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	9	4.8	8	<1	<1	5	7	8	9	9
35-49	38	5.4	17	<1	1	6	7	9	10	24
50-64	240	5.3	8	<1	1	6	7	8	9	13
65+	282	5.4	12	<1	1	6	7	10	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	5	3.0	2	<1	<1	4	4	4	4	4
35-49	6	4.8	71	1	1	2	2	20	22	22
50-64	53	5.2	33	1	1	3	6	13	17	27
65+	111	7.2	109	1	1	3	7	17	28	56
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	29	6.9	14	<1	1	7	9	13	16	99+
35-49	103	7.2	33	1	1	6	8	14	21	30
50-64	503	6.9	18	1	2	6	8	10	14	25
65+	607	8.1	51	1	2	7	9	14	19	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	62	3.5	12	1	1	3	4	5	8	21
B. *Operated*	571	5.3	10	<1	1	6	7	9	10	15
2. MULTIPLE DX										
A. *Not Operated*	176	6.4	82	1	1	3	7	16	23	45
B. *Operated*	1243	7.5	35	1	2	7	9	12	17	34
1. SINGLE DX	633	5.2	11	<1	1	5	7	9	10	15
2. MULTIPLE DX	1419	7.4	41	1	2	6	8	13	17	41
A. NOT OPERATED	238	5.6	65	1	1	3	5	14	21	42
B. OPERATED	1814	6.8	28	1	1	6	8	11	15	27
TOTAL 0-19 YRS	5	3.6	8	1	1	2	6	8	8	8
20-34	43	6.0	13	<1	<1	6	8	11	15	99+
35-49	151	6.6	30	<1	1	6	7	12	20	30
50-64	822	6.2	17	<1	1	6	8	10	13	23
65+	1031	7.1	47	1	1	6	8	12	16	42
GRAND TOTAL	**2052**	**6.7**	**33**	**1**	**1**	**6**	**8**	**11**	**15**	**30**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	7	2.1	2	<1	<1	2	3	5	5	5
35-49	31	1.3	1	<1	<1	1	1	2	4	5
50-64	49	1.7	2	<1	<1	1	2	3	4	8
65+	69	2.2	8	1	1	1	2	4	6	19
B. *Operated*										
0-19 YRS	7	7.4	20	4	4	6	8	15	17	17
20-34	22	6.2	6	3	3	6	7	9	11	13
35-49	30	8.0	22	3	4	7	9	12	19	26
50-64	68	7.9	16	1	2	8	10	14	16	19
65+	30	9.8	20	4	5	9	11	17	17	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	8	4.6	18	<1	<1	3	8	11	11	11
35-49	89	4.2	66	<1	<1	2	4	11	14	53
50-64	197	4.2	28	1	1	2	5	10	15	30
65+	198	5.9	62	1	1	3	7	15	21	42
B. *Operated*										
0-19 YRS	5	7.2	6	5	5	7	9	11	11	11
20-34	32	7.8	26	4	4	6	8	11	16	31
35-49	105	9.5	77	3	5	7	10	15	24	60
50-64	291	12.3	87	4	5	10	14	21	29	56
65+	293	14.3	85	6	7	12	17	24	33	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	158	1.9	4	<1	<1	1	2	4	5	8
B. *Operated*	157	8.0	17	2	4	7	10	14	17	23
2. MULTIPLE DX										
A. *Not Operated*	494	4.9	48	<1	1	2	6	12	17	38
B. *Operated*	726	12.5	85	5	5	10	14	22	29	54
1. SINGLE DX	315	4.9	20	<1	1	4	8	10	14	20
2. MULTIPLE DX	1220	9.4	84	1	1	7	12	19	26	46
A. NOT OPERATED	652	4.2	39	<1	1	2	4	10	15	37
B. OPERATED	883	11.7	76	4	5	9	14	21	27	49
TOTAL 0-19 YRS	16	6.4	14	1	2	6	8	11	15	17
20-34	69	6.3	19	1	2	6	8	10	12	28
35-49	255	6.5	66	<1	<1	5	8	13	17	55
50-64	605	8.3	69	1	1	7	11	17	22	46
65+	590	9.8	86	1	1	8	13	21	26	43
GRAND TOTAL	**1535**	**8.5**	**74**	**1**	**1**	**7**	**11**	**18**	**23**	**44**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	9.5	5	8	8	9	11	11	11	11
65+	4	5.5	51	1	1	3	10	16	16	16
B. *Operated*										
0-19 YRS	3	3.0	12	<1	<1	<1	5	7	7	7
20-34	1	1.0		1	1	1	1	1	1	1
35-49	11	6.3	33	1	1	4	8	17	18	18
50-64	17	5.5	26	<1	1	4	7	11	17	21
65+	29	5.3	18	1	1	4	8	12	14	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	3.0		3	3	3	3	3	3	3
50-64	14	3.7	8	<1	1	3	6	8	9	9
65+	20	8.8	50	1	1	7	13	19	23	26
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	7	8.0	14	3	4	7	11	14	14	14
35-49	10	8.9	49	2	2	6	15	20	21	21
50-64	30	12.2	101	1	3	9	16	29	33	38
65+	84	15.4	217	2	3	12	19	31	39	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	5.9	30	1	1	4	9	14	16	16
B. *Operated*	61	5.4	22	<1	1	4	7	12	16	21
2. MULTIPLE DX										
A. *Not Operated*	36	6.4	37	1	1	4	9	16	19	26
B. *Operated*	132	13.7	170	2	3	11	18	29	37	78
1. SINGLE DX	69	5.4	23	1	1	4	8	12	16	20
2. MULTIPLE DX	168	12.1	150	1	2	9	16	27	33	69
A. NOT OPERATED	44	6.3	35	1	1	4	9	16	19	26
B. OPERATED	193	11.1	138	1	2	8	14	23	31	62
TOTAL 0-19 YRS	4	3.0	8	<1	<1	2	5	7	7	7
20-34	10	6.4	17	1	1	6	8	13	14	14
35-49	23	7.0	39	1	1	5	9	18	20	21
50-64	63	8.4	70	1	1	6	11	21	29	37
65+	137	12.0	163	1	2	9	16	26	34	77
GRAND TOTAL	**237**	**10.2**	**122**	**1**	**1**	**7**	**14**	**21**	**30**	**48**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	10	3.1	9	<1	<1	2	4	8	10	10
65+	65	4.9	15	1	1	4	6	10	14	17
B. *Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34										
35-49	9	8.7	83	1	1	5	12	23	29	29
50-64	309	5.6	23	1	1	4	7	11	14	22
65+	1023	5.3	14	1	2	5	7	10	13	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	118	7.1	45	1	2	5	10	15	20	38
65+	656	8.3	62	1	2	6	10	19	24	42
B. *Operated*										
0-19 YRS	2	11.5	1	11	11	11	12	12	12	12
20-34										
35-49	13	7.3	18	3	4	6	9	12	18	19
50-64	519	7.7	49	2	2	6	9	14	21	38
65+	2658	8.6	50	2	3	6	11	17	22	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	75	4.7	14	1	1	4	6	10	14	17
B. *Operated*	1343	5.4	17	1	1	5	7	11	13	19
2. MULTIPLE DX										
A. *Not Operated*	777	8.1	60	1	2	6	10	18	23	39
B. *Operated*	3192	8.4	50	2	2	6	10	16	22	37
1. SINGLE DX	1418	5.3	16	1	1	5	7	10	13	19
2. MULTIPLE DX	3969	8.4	52	2	2	6	10	17	22	37
A. NOT OPERATED	852	7.8	56	1	2	6	10	17	23	37
B. OPERATED	4535	7.5	42	1	2	6	9	15	20	33
TOTAL 0-19 YRS	6	6.2	18	2	2	4	11	12	12	12
20-34	1	1.0		1	1	1	1	1	1	1
35-49	22	7.9	43	1	2	6	10	15	23	29
50-64	956	6.9	41	1	2	5	8	13	19	37
65+	4402	7.7	45	1	2	6	9	15	21	34
GRAND TOTAL	**5387**	**7.6**	**44**	**1**	**2**	**6**	**9**	**15**	**20**	**35**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	12	4.5	19	1	1	3	6	11	15	16
35-49	2	1.5	1	<1	<1	1	2	2	2	2
50-64	5	1.4		1	1	1	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	9	3.7	5	1	1	3	5	7	8	8
20-34	137	3,9	11	1	1	3	5	9	11	15
35-49	48	3.1	6	1	1	2	4	7	9	11
50-64	13	7.4	35	<1	2	7	9	16	21	22
65+	15	5.5	17	1	1	4	8	11	15	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.6	6	1	1	5	5	6	6	6
20-34	32	4.3	4	1	2	5	6	7	8	9
35-49	4	3.3	7	1	1	3	5	6	6	6
50-64	4	1.3		1	1	1	2	2	2	2
65+	6	10.0	128	2	2	5	12	30	32	32
B. *Operated*										
0-19 YRS	6	7.8	6	4	4	8	9	11	11	11
20-34	78	7.9	50	2	2	7	9	14	26	39
35-49	28	9.0	109	1	1	4	11	23	34	43
50-64	16	7.5	75	2	2	4	8	17	31	36
65+	20	8.3	23	2	2	7	11	15	17	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	3.3	13	<1	1	2	4	7	12	16
B. *Operated*	222	4.1	12	1	1	3	5	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	51	4.6	21	1	1	4	6	7	9	32
B. *Operated*	148	8.1	57	2	2	6	10	16	25	41
1. SINGLE DX	243	4.0	12	1	1	3	5	9	11	16
2. MULTIPLE DX	199	7.2	50	1	2	5	9	14	23	39
A. NOT OPERATED	72	4.2	19	1	1	3	6	7	9	28
B. OPERATED	370	5.7	34	1	1	4	8	11	16	33
TOTAL 0-19 YRS	22	4.7	8	1	1	4	7	9	10	11
20-34	259	5.2	25	1	1	4	7	10	13	28
35-49	82	5.1	48	1	1	3	6	10	20	40
50-64	38	6.0	49	1	1	3	8	14	20	36
65+	41	7.5	36	1	2	6	10	15	17	32
GRAND TOTAL	**442**	**5.4**	**32**	**1**	**1**	**4**	**7**	**10**	**15**	**33**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34										
35-49	4	2.3	2	<1	<1	2	3	4	4	4
50-64	13	3.8	25	1	1	2	4	11	17	18
65+	28	4.5	21	1	1	3	6	11	17	18
B. *Operated*										
0-19 YRS	5	5.8	25	<1	<1	3	10	13	13	13
20-34	22	4.8	27	<1	1	3	5	13	17	21
35-49	88	2.8	5	1	1	2	3	5	6	14
50-64	461	3.8	12	1	1	3	4	8	11	19
65+	1027	4.2	14	1	1	3	5	9	12	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	1	5.0		5	5	5	5	5	5	5
35-49	8	3.8	8	1	1	3	4	8	10	10
50-64	53	8.2	193	1	1	4	7	19	26	90
65+	160	6.9	51	1	1	5	9	14	21	38
B. *Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	10	6.7	34	1	1	4	9	16	20	20
35-49	74	6.1	38	1	2	4	9	14	22	30
50-64	439	6.4	47	1	1	4	7	15	19	34
65+	1533	8.1	79	1	2	5	10	18	25	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	4.0	20	<1	1	2	5	10	17	18
B. *Operated*	1603	4.0	14	1	1	3	4	8	12	19
2. MULTIPLE DX										
A. *Not Operated*	225	7.0	82	1	1	4	8	14	23	42
B. *Operated*	2058	7.7	71	1	2	5	9	17	24	46
1. SINGLE DX	1650	4.0	14	1	1	3	4	8	12	19
2. MULTIPLE DX	2283	7.6	72	1	2	5	9	17	24	46
A. NOT OPERATED	272	6.5	73	1	1	4	8	14	20	39
B. OPERATED	3661	6.1	49	1	1	4	7	14	19	36
TOTAL 0-19 YRS	12	3.6	14	<1	<1	2	4	10	13	13
20-34	33	5.4	28	1	1	4	6	13	19	21
35-49	174	4.2	22	1	1	2	5	9	14	24
50-64	966	5.2	40	1	1	3	6	12	16	28
65+	2748	6.5	56	1	2	4	8	15	20	42
GRAND TOTAL	**3933**	**6.1**	**51**	**1**	**1**	**4**	**7**	**14**	**19**	**36**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	5	5.8	18	1	1	6	8	12	12	12
65+	16	6.1	22	1	2	5	8	12	16	18
B. *Operated*										
0-19 YRS	10	8.4	15	5	5	7	9	15	17	17
20-34	2	7.0	8	5	5	7	9	9	9	9
35-49	33	7.5	23	1	1	8	10	13	16	21
50-64	106	8.1	17	1	2	8	10	13	15	20
65+	121	9.2	34	1	2	9	12	17	20	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	2.4	3	1	1	2	3	5	6	6
20-34	5	4.4	6	<1	<1	5	6	7	7	7
35-49	20	7.8	47	1	2	6	12	18	22	24
50-64	80	7.5	94	1	1	5	9	17	22	61
65+	108	9.6	63	2	2	8	12	19	25	40
B. *Operated*										
0-19 YRS	15	10.9	17	7	7	9	13	17	20	21
20-34	11	9.2	13	3	4	9	11	14	16	16
35-49	56	12.2	62	4	5	10	15	24	29	39
50-64	202	13.0	100	2	5	10	16	22	31	60
65+	310	14.7	102	2	4	13	19	25	32	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	5.2	19	<1	1	4	7	12	13	18
B. *Operated*	272	8.5	25	1	2	8	11	15	18	24
2. MULTIPLE DX										
A. *Not Operated*	220	8.3	72	1	1	6	11	18	23	39
B. *Operated*	594	13.7	95	2	4	12	17	24	32	51
1. SINGLE DX	298	8.2	26	1	2	8	11	15	18	24
2. MULTIPLE DX	814	12.2	94	2	3	10	16	23	30	47
A. NOT OPERATED	246	8.0	67	1	1	6	10	17	22	38
B. OPERATED	866	12.1	79	2	3	10	15	21	28	44
TOTAL 0-19 YRS	34	8.0	24	1	1	7	10	15	17	21
20-34	19	7.3	16	<1	2	7	10	12	14	16
35-49	111	9.8	52	1	2	9	13	19	24	38
50-64	393	10.5	82	1	2	9	13	19	24	54
65+	555	12.3	85	2	3	10	16	23	29	44
GRAND TOTAL	**1112**	**11.2**	**79**	**1**	**2**	**9**	**14**	**21**	**25**	**43**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34										
35-49										
50-64	1	5.0		5	5	5	5	5	5	5
65+	1	14.0		14	14	14	14	14	14	14
B. *Operated*										
0-19 YRS	11	4.9	19	<1	<1	4	7	12	14	14
20-34	5	3.8	1	3	3	4	4	5	5	5
35-49	11	3.1	1	2	2	3	3	5	5	5
50-64	17	2.9	4	<1	1	3	3	5	8	9
65+	18	3.9	4	2	2	4	4	6	9	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	7.7	126	<1	<1	1	14	27	28	28
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	3	6.7	26	1	1	8	10	11	11	11
B. *Operated*										
0-19 YRS	9	4.7	25	<1	<1	2	7	13	14	14
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64	15	4.1	5	2	2	3	5	7	9	10
65+	13	4.8	16	1	2	4	5	10	15	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	5.3	38	<1	<1	3	9	14	14	14
B. *Operated*	62	3.7	6	1	1	3	4	6	9	14
2. MULTIPLE DX										
A. *Not Operated*	12	5.9	69	<1	<1	1	9	18	27	28
B. *Operated*	40	4.4	12	1	1	4	5	9	13	16
1. SINGLE DX	66	3.8	7	<1	1	3	4	7	10	14
2. MULTIPLE DX	52	4.8	25	1	1	3	5	11	14	28
A. NOT OPERATED	16	5.8	58	<1	<1	1	9	14	24	28
B. OPERATED	102	4.0	8	1	1	3	4	7	11	15
TOTAL 0-19 YRS	28	5.1	40	<1	<1	2	6	14	16	28
20-34	6	3.8	1	3	3	4	4	5	5	5
35-49	14	3.0	2	1	2	3	3	5	5	5
50-64	35	3.4	4	1	1	3	4	6	8	10
65+	35	4.8	12	1	2	4	5	10	13	16
GRAND TOTAL	**118**	**4.2**	**15**	**<1**	**1**	**3**	**5**	**9**	**13**	**20**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	8.3	24	5	5	6	12	14	14	14
20-34	16	3.7	4	1	1	3	5	6	7	7
35-49	26	7.0	30	2	2	5	10	12	15	27
50-64	22	10.1	70	1	2	8	18	26	56	99+
65+	28	12.6	168	<1	2	8	15	29	39	58
B. *Operated*										
0-19 YRS	37	11.4	59	2	4	10	15	18	20	47
20-34	58	9.3	22	3	4	9	11	16	19	24
35-49	62	10.5	65	1	2	8	14	24	29	36
50-64	84	12.3	65	4	5	11	15	20	34	81
65+	62	13.1	64	3	5	11	18	22	30	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	6.3	32	2	2	3	8	16	19	23
20-34	26	5.5	33	1	1	3	7	13	20	22
35-49	43	8.6	57	1	2	7	12	21	25	32
50-64	70	10.3	147	1	2	7	13	22	34	68
65+	89	10.6	108	2	2	8	12	24	32	52
B. *Operated*										
0-19 YRS	44	18.7	291	1	1	15	29	62	99+	99+
20-34	37	12.3	60	2	5	11	17	24	32	99+
35-49	60	20.4	438	3	6	12	22	53	72	94
50-64	73	22.4	348	4	6	16	30	52	65	97
65+	95	24.8	353	6	8	19	29	55	67	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	95	8.8	83	1	2	6	12	20	29	81
B. *Operated*	303	11.4	57	2	4	10	15	20	28	43
2. MULTIPLE DX										
A. *Not Operated*	260	9.1	96	1	2	7	12	20	28	51
B. *Operated*	309	21.0	336	3	6	15	27	52	71	99+
1. SINGLE DX	398	10.8	64	2	3	9	14	20	28	47
2. MULTIPLE DX	569	15.6	261	1	2	10	20	36	55	94
A. NOT OPERATED	355	9.1	92	1	2	6	12	20	28	52
B. OPERATED	612	16.3	221	2	5	12	19	36	54	97
TOTAL 0-19 YRS	116	12.6	163	1	2	10	16	31	52	99+
20-34	137	8.7	40	1	2	8	12	18	23	40
35-49	191	12.7	202	1	2	9	14	27	36	78
50-64	249	14.5	197	2	3	11	17	36	50	99
65+	274	16.3	227	2	3	12	20	32	51	79
GRAND TOTAL	**967**	**13.6**	**185**	**2**	**2**	**10**	**16**	**29**	**47**	**86**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	3	3.3	4	1	1	4	5	5	5	5
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	3	6.0	25	1	1	6	10	11	11	11
20-34	3	7.7	2	6	6	8	9	9	9	9
35-49	3	10.3	30	4	4	13	14	14	14	14
50-64	5	11.2	14	7	7	12	14	16	16	16
65+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	6.5	25	3	3	6	10	10	10	10
35-49	1	42.0		42	42	42	42	42	42	42
50-64	2	2.5	1	2	2	2	3	3	3	3
65+	8	11.5	130	2	2	8	16	31	35	35
B. *Operated*										
0-19 YRS	4	7.5	36	1	1	7	12	15	15	15
20-34	7	19.1	173	10	10	12	24	42	46	46
35-49	9	20.7	566	1	3	13	20	60	81	81
50-64	10	22.7	212	5	9	21	35	72	98	99+
65+	11	29.5	317	3	7	30	41	53	66	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	3.0	4	1	1	4	4	5	5	5
B. *Operated*	15	9.2	17	2	4	9	13	14	15	16
2. MULTIPLE DX										
A. *Not Operated*	14	11.0	166	2	2	6	10	36	41	42
B. *Operated*	41	22.0	308	2	5	16	30	48	73	99+
1. SINGLE DX	20	7.7	21	1	1	7	11	14	15	16
2. MULTIPLE DX	55	19.2	291	2	3	13	29	43	63	99
A. NOT OPERATED	19	8.9	134	1	1	4	9	30	39	42
B. OPERATED	56	18.6	261	2	5	13	27	43	62	99
TOTAL 0-19 YRS	9	6.0	23	1	1	5	9	13	15	15
20-34	15	12.0	127	1	3	10	12	26	41	46
35-49	13	19.9	447	1	3	13	20	50	75	81
50-64	18	16.1	184	1	2	13	25	47	79	99+
65+	20	21.4	301	2	3	18	32	43	55	67
GRAND TOTAL	**75**	**16.1**	**244**	**1**	**2**	**12**	**22**	**41**	**52**	**95**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	3.2	31	<1	1	1	3	4	18	23
20-34	22	2.3	1	1	1	2	3	3	3	3
35-49	14	2.6	10	1	1	2	2	5	11	13
50-64	12	3.6	7	1	1	3	5	8	10	10
65+	5	7.2	52	3	3	4	9	20	20	20
B. *Operated*										
0-19 YRS	13	7.2	35	2	2	4	9	18	20	21
20-34	90	4.2	6	2	2	4	5	7	8	16
35-49	75	4.3	6	2	2	4	5	7	9	17
50-64	56	5.4	17	2	3	4	6	11	14	23
65+	30	5.4	9	2	3	5	6	8	11	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	5.0	36	1	1	2	5	17	18	18
20-34	13	2.8	4	1	1	3	3	5	8	9
35-49	15	3.1	12	1	1	2	3	6	12	14
50-64	23	6.0	37	1	1	3	7	19	20	20
65+	24	10.2	139	1	1	6	14	23	33	53
B. *Operated*										
0-19 YRS	23	6.5	20	2	3	5	8	11	18	21
20-34	81	6.1	118	2	3	4	6	9	9	74
35-49	60	6.2	31	2	3	5	7	10	13	39
50-64	64	7.5	146	2	3	5	7	12	17	86
65+	79	10.5	114	3	3	7	11	22	33	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	66	3.1	15	1	1	2	3	5	10	22
B. *Operated*	264	4.8	10	2	2	4	5	8	10	20
2. MULTIPLE DX										
A. *Not Operated*	87	6.0	62	1	1	3	7	17	20	43
B. *Operated*	307	7.6	101	2	3	5	8	13	19	57
1. SINGLE DX	332	4.4	12	1	2	4	5	8	10	20
2. MULTIPLE DX	394	7.2	92	1	2	5	8	14	20	53
A. NOT OPERATED	155	4.8	43	1	1	3	4	13	19	25
B. OPERATED	571	6.3	61	2	3	4	6	11	17	35
TOTAL 0-19 YRS	63	5.6	30	1	1	4	7	16	19	23
20-34	206	4.7	51	1	2	4	5	7	9	19
35-49	164	4.7	17	1	2	4	5	8	11	19
50-64	155	6.2	73	1	2	4	6	12	17	27
65+	138	9.2	96	2	3	6	11	20	27	54
GRAND TOTAL	**726**	**5.9**	**57**	**1**	**2**	**4**	**6**	**11**	**17**	**34**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	4.8	15	<1	<1	4	7	11	12	12
20-34	8	9.4	108	<1	1	5	12	27	33	33
35-49	35	4.0	18	<1	<1	3	5	8	11	23
50-64	62	5.1	24	1	1	4	6	10	15	26
65+	111	6.8	44	1	1	5	9	15	20	34
B. *Operated*										
0-19 YRS	13	7.4	56	<1	1	6	9	17	26	28
20-34	24	5.1	57	<1	1	2	6	10	19	37
35-49	85	6.5	122	<1	1	4	7	11	16	72
50-64	158	6.8	86	<1	1	4	9	15	20	42
65+	201	6.0	32	<1	1	4	9	15	18	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	6.7	30	1	1	6	9	14	19	21
20-34	134	5.3	22	1	1	4	7	11	14	25
35-49	463	6.9	61	1	1	4	9	16	22	40
50-64	1382	7.5	59	1	1	5	10	17	21	38
65+	2233	9.1	89	1	2	6	11	19	26	49
B. *Operated*										
0-19 YRS	34	10.4	51	2	4	8	13	22	25	32
20-34	167	10.3	114	1	2	8	12	23	27	63
35-49	550	10.1	83	1	2	8	13	22	27	47
50-64	1504	11.2	116	1	2	8	14	24	32	50
65+	2056	12.4	131	1	2	9	16	26	35	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	225	5.9	37	1	1	4	7	13	17	31
B. *Operated*	481	6.3	67	<1	1	4	8	14	18	34
2. MULTIPLE DX										
A. *Not Operated*	4254	8.2	75	1	2	5	10	18	24	44
B. *Operated*	4311	11.6	119	1	2	9	15	25	33	54
1. SINGLE DX	706	6.2	57	<1	1	4	8	14	18	32
2. MULTIPLE DX	8565	9.9	100	1	2	7	13	22	29	49
A. NOT OPERATED	4479	8.1	73	1	2	5	10	17	24	42
B. OPERATED	4792	11.1	116	1	2	8	15	24	32	53
TOTAL 0-19 YRS	98	7.9	42	1	1	7	10	17	22	30
20-34	333	7.9	78	1	1	5	10	16	24	58
35-49	1133	8.4	78	1	1	6	11	19	26	44
50-64	3106	9.2	91	1	1	6	12	20	28	46
65+	4601	10.4	108	1	2	7	14	22	31	54
GRAND TOTAL	**9271**	**9.6**	**98**	**1**	**2**	**7**	**12**	**21**	**28**	**49**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	4.0	11	1	1	3	7	8	8	8
20-34	37	2.6	8	1	1	1	3	5	10	12
35-49	7	2.3	1	1	1	2	3	4	4	4
50-64	1	3.0		3	3	3	3	3	3	3
65+	6	3.0	7	1	1	2	3	8	8	8
B. *Operated*										
0-19 YRS	45	5.1	10	1	1	5	7	9	10	17
20-34	142	5.1	14	<1	1	4	7	10	12	16
35-49	51	5.3	15	1	1	5	7	10	14	18
50-64	27	8.1	113	1	1	5	9	16	28	54
65+	20	8.7	37	1	2	8	12	17	22	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	2.9	4	1	1	2	4	6	7	7
20-34	81	2.6	5	1	1	2	3	6	8	10
35-49	23	3.7	8	<1	1	3	6	8	10	10
50-64	28	6.6	48	<1	1	3	11	17	20	25
65+	41	9.9	97	1	1	7	12	26	34	39
B. *Operated*										
0-19 YRS	19	7.3	18	1	2	8	10	13	15	16
20-34	71	8.4	50	1	2	7	10	17	25	36
35-49	37	10.1	79	1	2	9	12	19	30	46
50-64	35	10.3	96	1	2	8	12	21	29	49
65+	35	17.6	204	2	4	13	25	38	47	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	2.8	7	1	1	2	3	7	8	12
B. *Operated*	285	5.7	26	1	1	5	8	11	14	23
2. MULTIPLE DX										
A. *Not Operated*	181	5.0	41	1	1	3	6	12	17	36
B. *Operated*	197	10.6	98	1	2	8	12	23	32	49
1. SINGLE DX	343	5.2	24	1	1	4	7	10	13	22
2. MULTIPLE DX	378	7.9	78	1	1	5	10	18	26	45
A. NOT OPERATED	239	4.5	34	1	1	2	5	11	15	32
B. OPERATED	482	7.7	61	1	1	6	9	15	22	45
TOTAL 0-19 YRS	79	5.3	13	1	1	5	8	10	12	17
20-34	331	4.9	23	1	1	3	7	10	13	25
35-49	118	6.3	40	1	1	5	8	12	16	39
50-64	91	8.5	86	1	1	6	11	19	25	52
65+	102	11.9	134	1	2	8	15	27	38	54
GRAND TOTAL	**721**	**6.6**	**54**	**1**	**1**	**5**	**8**	**14**	**20**	**39**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	3.1	8	<1	<1	2	4	8	10	10
20-34	3	4.0	7	2	2	3	6	7	7	7
35-49	3	5.7	2	4	4	6	7	7	7	7
50-64	5	7.8	130	1	1	3	11	28	28	28
65+	23	3.1	9	<1	<1	1	4	7	10	13
B. *Operated*										
0-19 YRS	50	11.0	264	2	2	5	12	26	29	90
20-34	17	17.3	439	1	2	9	27	31	67	86
35-49	7	10.0	124	1	1	5	16	28	31	31
50-64	16	6.9	70	1	1	3	10	15	28	33
65+	4	5.0	13	2	2	4	7	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	4.7	39	<1	1	3	6	9	12	42
20-34	17	6.9	167	1	2	3	5	11	40	56
35-49	11	5.6	6	3	3	4	8	9	11	11
50-64	46	6.1	23	1	2	5	8	13	15	27
65+	197	6.8	48	1	1	5	9	14	18	42
B. *Operated*										
0-19 YRS	41	16.8	339	3	4	10	20	45	50	95
20-34	13	14.9	104	3	6	15	30	99+	99+	99+
35-49	12	13.4	98	1	4	10	19	30	33	34
50-64	39	10.2	58	1	2	8	14	19	23	38
65+	85	12.0	127	2	3	9	14	21	31	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	3.6	16	<1	<1	2	5	8	10	25
B. *Operated*	94	11.1	246	1	2	5	14	28	31	88
2. MULTIPLE DX										
A. *Not Operated*	329	6.3	48	1	1	5	8	12	17	42
B. *Operated*	190	12.9	158	2	3	9	16	28	39	98
1. SINGLE DX	162	8.0	163	<1	1	4	10	20	29	84
2. MULTIPLE DX	519	8.7	98	1	2	6	11	18	27	59
A. NOT OPERATED	397	5.8	43	<1	1	4	7	11	17	42
B. OPERATED	284	12.3	187	2	2	9	15	28	37	93
TOTAL 0-19 YRS	183	8.8	186	<1	1	4	10	20	32	84
20-34	50	12.3	249	2	2	7	18	34	83	99+
35-49	33	9.4	71	1	2	7	11	22	31	34
50-64	106	7.8	49	1	2	6	10	16	21	35
65+	309	7.9	73	1	1	5	10	16	21	46
GRAND TOTAL	**681**	**8.6**	**113**	**1**	**1**	**5**	**10**	**18**	**28**	**67**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	4.9	22	<1	1	4	5	10	15	23
20-34	12	4.6	32	<1	<1	2	6	12	19	20
35-49	19	4.4	64	1	1	1	5	8	23	36
50-64	36	4.6	36	<1	<1	2	6	8	21	28
65+	61	5.2	58	1	1	2	6	13	27	33
B. *Operated*										
0-19 YRS	21	13.9	176	<1	1	9	21	36	44	45
20-34	18	7.6	137	1	1	2	8	28	39	41
35-49	20	19.3	337	<1	1	15	24	41	64	76
50-64	19	10.7	128	1	1	5	20	31	34	34
65+	30	12.2	116	2	3	7	18	33	34	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	6.1	20	1	1	5	9	12	16	19
20-34	32	6.6	41	1	1	5	8	15	23	28
35-49	42	7.6	93	<1	1	5	9	17	24	54
50-64	76	6.5	72	1	1	4	8	14	21	52
65+	190	6.1	47	1	1	4	7	15	21	33
B. *Operated*										
0-19 YRS	20	17.7	171	2	4	13	27	36	45	50
20-34	43	29.5	559	1	3	28	35	78	86	93
35-49	44	24.9	347	4	6	23	32	57	66	71
50-64	70	24.0	459	2	3	14	41	51	70	88
65+	136	17.1	344	2	3	9	24	44	60	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	165	4.9	43	<1	1	3	6	9	21	33
B. *Operated*	108	12.8	181	1	1	7	21	33	36	63
2. MULTIPLE DX										
A. *Not Operated*	385	6.4	53	1	1	4	8	15	21	33
B. *Operated*	313	21.5	405	2	3	13	32	49	64	87
1. SINGLE DX	273	8.0	112	<1	1	4	8	24	33	45
2. MULTIPLE DX	698	13.1	267	1	1	6	16	36	48	79
A. NOT OPERATED	550	5.9	50	1	1	4	7	14	21	33
B. OPERATED	421	19.2	362	1	2	11	29	44	59	85
TOTAL 0-19 YRS	123	8.9	94	<1	1	5	11	21	31	46
20-34	105	15.9	394	1	1	7	27	37	55	90
35-49	125	15.1	285	1	1	8	23	36	55	72
50-64	201	12.6	275	1	1	6	14	37	48	74
65+	417	10.0	177	1	1	5	10	27	38	64
GRAND TOTAL	**971**	**11.7**	**229**	**1**	**1**	**6**	**14**	**32**	**42**	**76**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	3.8	7	<1	<1	3	5	8	9	9
20-34	34	4.0	13	1	1	3	5	9	12	17
35-49	53	4.0	11	<1	1	3	6	10	10	16
50-64	112	4.8	37	<1	1	2	6	10	16	34
65+	115	5.9	90	<1	1	4	7	11	15	53
B. *Operated*										
0-19 YRS	26	10.0	96	<1	<1	7	11	26	34	36
20-34	33	7.6	56	1	2	5	11	20	23	29
35-49	75	6.2	24	<1	1	5	9	13	17	19
50-64	148	6.0	31	<1	1	4	8	14	19	24
65+	197	8.1	69	1	2	5	11	18	22	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	3.5	9	<1	1	2	6	8	10	11
20-34	33	6.7	28	1	1	6	9	15	19	20
35-49	113	5.1	27	1	1	3	7	10	16	27
50-64	365	7.3	59	1	1	5	9	18	23	37
65+	718	8.7	95	1	1	6	11	20	26	52
B. *Operated*										
0-19 YRS	15	16.4	530	2	2	7	22	38	77	90
20-34	31	12.5	127	2	3	9	16	25	28	59
35-49	93	11.9	146	1	2	8	14	27	41	58
50-64	312	14.6	203	2	3	11	20	31	43	95
65+	602	15.4	213	2	3	11	21	35	46	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	322	4.9	49	<1	1	3	6	10	14	27
B. *Operated*	479	7.3	52	<1	1	5	10	17	21	35
2. MULTIPLE DX										
A. *Not Operated*	1248	7.8	77	1	1	5	10	18	23	45
B. *Operated*	1053	14.8	206	2	3	10	20	32	44	90
1. SINGLE DX	801	6.3	52	<1	1	4	8	14	19	34
2. MULTIPLE DX	2301	11.0	148	1	1	7	14	25	35	59
A. NOT OPERATED	1570	7.2	72	1	1	4	9	16	23	44
B. OPERATED	1532	12.5	170	1	2	8	17	28	40	66
TOTAL 0-19 YRS	68	8.9	174	<1	1	5	9	24	33	81
20-34	131	7.6	63	1	1	5	9	18	23	35
35-49	334	7.1	66	1	1	4	9	16	22	42
50-64	937	9.2	115	1	1	6	12	21	30	50
65+	1632	10.9	147	1	1	7	14	25	35	59
GRAND TOTAL	**3102**	**9.8**	**127**	**1**	**1**	**6**	**12**	**23**	**31**	**57**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
B. *Operated*										
0-19 YRS	31	2.9	6	<1	<1	2	3	6	8	13
20-34	100	2.5	2	<1	<1	2	3	4	5	8
35-49	130	2.6	2	1	1	2	3	4	5	7
50-64	151	2.7	2	1	1	3	3	4	5	8
65+	104	3.0	2	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	7	2.7	2	<1	<1	2	4	5	5	5
20-34	27	2.9	2	1	1	3	4	5	5	6
35-49	44	3.9	12	<1	1	3	4	7	11	20
50-64	69	3.5	4	1	2	3	4	6	7	10
65+	75	4.6	43	1	2	3	5	8	12	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.0	1	<1	<1	2	3	3	3	3
B. *Operated*	516	2.7	2	<1	1	3	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	2	4.5	1	4	4	4	5	5	5	5
B. *Operated*	222	3.9	18	1	2	3	4	6	9	18
1. SINGLE DX	519	2.7	2	<1	1	3	3	4	5	8
2. MULTIPLE DX	224	3.9	18	1	2	3	4	6	9	18
A. NOT OPERATED	5	3.0	3	<1	<1	3	4	5	5	5
B. OPERATED	738	3.0	7	1	1	3	4	5	6	11
TOTAL 0-19 YRS	39	2.8	5	<1	<1	2	3	5	7	13
20-34	128	2.6	2	<1	1	2	3	4	5	7
35-49	175	2.9	4	<1	1	3	4	4	6	11
50-64	221	2.9	3	1	1	3	4	5	5	10
65+	180	3.7	20	1	1	3	4	6	7	16
GRAND TOTAL	**743**	**3.0**	**7**	**<1**	**1**	**3**	**4**	**5**	**6**	**11**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	5	2.0	1	<1	<1	2	2	3	3	3
35-49	10	2.1	1	1	1	2	3	4	4	4
50-64	19	2.6	5	<1	<1	2	3	5	8	10
65+	22	1.9	2	<1	<1	1	2	4	5	6
B. *Operated*										
0-19 YRS	15	5.1	15	<1	1	3	9	10	12	12
20-34	30	6.2	28	<1	1	5	8	14	18	21
35-49	53	3.9	19	<1	<1	2	5	9	11	20
50-64	171	3.1	10	<1	<1	2	4	8	10	14
65+	214	4.8	24	<1	1	3	8	11	13	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	6	5.2	9	2	2	4	9	9	9	9
35-49	12	6.9	137	<1	<1	3	6	20	40	43
50-64	40	3.7	9	<1	<1	2	6	7	10	12
65+	81	4.6	19	1	1	3	6	9	13	26
B. *Operated*										
0-19 YRS	3	3.3	4	1	1	4	5	5	5	5
20-34	29	7.8	38	<1	1	5	11	14	23	26
35-49	73	7.8	83	1	1	7	9	17	26	92
50-64	293	6.8	42	<1	1	5	9	14	19	29
65+	563	6.9	50	1	1	5	9	14	18	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	2.1	3	<1	<1	2	3	4	5	10
B. *Operated*	483	4.2	19	<1	<1	2	6	10	12	19
2. MULTIPLE DX										
A. *Not Operated*	142	4.5	25	<1	1	3	6	9	12	30
B. *Operated*	961	7.0	49	1	1	5	9	14	19	35
1. SINGLE DX	542	3.9	18	<1	<1	2	6	10	11	19
2. MULTIPLE DX	1103	6.7	47	1	1	5	9	14	18	34
A. NOT OPERATED	201	3.8	20	<1	1	2	5	8	10	23
B. OPERATED	1444	6.0	41	<1	1	4	9	13	17	29
TOTAL 0-19 YRS	24	4.0	12	<1	1	3	6	10	11	12
20-34	70	6.4	30	<1	1	5	9	13	18	25
35-49	148	6.0	62	<1	<1	3	8	11	19	66
50-64	523	5.2	31	<1	<1	3	7	12	15	24
65+	880	6.1	41	1	1	4	9	13	17	29
GRAND TOTAL	**1645**	**5.8**	**39**	**<1**	**1**	**4**	**8**	**13**	**17**	**29**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.0	4	<1	<1	1	3	5	5	5
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	80	1.6	3	<1	<1	1	2	2	3	11
20-34	45	2.4	7	<1	<1	1	2	7	8	11
35-49	43	2.6	5	<1	<1	2	3	6	8	8
50-64	58	3.3	7	<1	<1	2	6	7	8	10
65+	39	2.8	5	<1	<1	2	3	7	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	9.0		9	9	9	9	9	9	9
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	2.5	1	2	2	2	3	3	3	3
65+	3	3.7	2	2	2	4	5	5	5	5
B. *Operated*										
0-19 YRS	33	1.9	2	<1	<1	1	2	3	5	8
20-34	17	5.6	45	<1	1	3	8	13	22	27
35-49	20	9.1	68	1	2	7	10	21	28	34
50-64	46	6.1	23	1	1	5	9	13	16	20
65+	39	6.1	24	1	1	5	7	14	17	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.8	3	<1	<1	<1	2	5	5	5
B. *Operated*	265	2.4	5	<1	<1	1	2	6	8	10
2. MULTIPLE DX										
A. *Not Operated*	7	3.7	7	1	1	3	5	8	9	9
B. *Operated*	155	5.5	31	<1	1	3	8	13	16	27
1. SINGLE DX	270	2.4	5	<1	<1	1	2	6	8	10
2. MULTIPLE DX	162	5.5	30	<1	1	3	7	12	16	26
A. NOT OPERATED	12	2.9	6	<1	<1	2	4	6	9	9
B. OPERATED	420	3.6	17	<1	<1	2	5	8	11	20
TOTAL 0-19 YRS	117	1.7	3	<1	<1	1	2	3	5	10
20-34	64	3.3	19	<1	<1	1	4	8	11	25
35-49	64	4.6	33	<1	<1	2	6	9	16	32
50-64	106	4.5	16	<1	<1	3	7	9	12	18
65+	81	4.4	16	<1	1	2	6	10	14	19
GRAND TOTAL	**432**	**3.6**	**17**	**<1**	**<1**	**2**	**5**	**8**	**11**	**20**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	5	1.6		<1	<1	2	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	5	1.6	1	<1	<1	1	2	3	3	3
65+	5	1.4		<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS	416	2.4	3	<1	<1	2	3	4	5	10
20-34	454	2.6	6	<1	<1	2	3	5	6	16
35-49	441	2.2	3	<1	<1	2	2	4	6	8
50-64	415	2.7	13	<1	<1	2	3	5	8	13
65+	182	2.6	8	<1	<1	2	3	5	8	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.0	4	<1	<1	1	3	5	5	5
20-34	3	3.7	4	2	2	3	5	6	6	6
35-49	8	2.0	1	<1	<1	2	3	4	4	4
50-64	8	2.8	9	<1	<1	2	3	8	10	10
65+	12	5.4	17	1	1	5	7	11	15	16
B. *Operated*										
0-19 YRS	61	4.4	120	<1	1	2	4	6	8	79
20-34	143	3.0	6	<1	1	2	4	5	7	14
35-49	157	3.5	9	<1	1	2	4	7	10	17
50-64	241	4.4	21	<1	1	3	5	10	14	23
65+	162	5.3	38	1	1	3	6	11	19	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	1.5		<1	<1	1	2	2	3	3
B. *Operated*	1908	2.5	6	<1	<1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	35	3.5	11	<1	<1	2	5	8	10	16
B. *Operated*	764	4.1	28	<1	1	3	5	9	12	23
1. SINGLE DX	1925	2.4	6	<1	<1	2	3	5	6	11
2. MULTIPLE DX	799	4.1	27	<1	1	3	5	9	12	23
A. NOT OPERATED	52	2.8	8	<1	<1	2	4	6	9	16
B. OPERATED	2672	2.9	13	<1	<1	2	3	5	8	17
TOTAL 0-19 YRS	482	2.6	18	<1	<1	2	3	4	6	11
20-34	605	2.7	6	<1	<1	2	3	5	6	15
35-49	607	2.5	5	<1	<1	2	3	5	7	11
50-64	669	3.3	17	<1	<1	2	3	8	10	21
65+	361	3.9	23	<1	1	2	4	9	12	25
GRAND TOTAL	**2724**	**2.9**	**13**	**<1**	**<1**	**2**	**3**	**5**	**8**	**17**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	2.2	3	<1	<1	1	4	5	5	5
20-34	4	2.3	2	1	1	2	3	4	4	4
35-49	3	1.7	1	1	1	1	3	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65+	6	4.2	26	<1	<1	2	5	13	14	14
B. *Operated*										
0-19 YRS	374	1.8	3	<1	<1	1	2	3	5	9
20-34	162	2.3	6	<1	<1	2	3	4	6	13
35-49	109	3.4	20	<1	<1	2	3	8	15	24
50-64	103	2.3	5	<1	<1	2	3	4	6	12
65+	60	2.7	5	<1	<1	2	3	7	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	1.5	1	<1	<1	1	1	4	4	4
20-34	3	3.7		3	3	4	4	4	4	4
35-49	1	3.0		3	3	3	3	3	3	3
50-64	3	4.0	1	3	3	4	5	5	5	5
65+	11	10.1	59	2	3	7	16	22	25	25
B. *Operated*										
0-19 YRS	79	3.7	16	<1	<1	2	5	9	12	20
20-34	64	3.8	24	<1	<1	2	4	7	13	31
35-49	65	3.8	13	<1	<1	3	4	10	13	17
50-64	83	4.2	30	<1	1	2	5	9	14	32
65+	58	7.4	77	<1	<1	4	8	20	26	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	2.6	8	<1	<1	1	4	5	8	14
B. *Operated*	808	2.3	6	<1	<1	1	2	4	7	14
2. MULTIPLE DX										
A. *Not Operated*	35	4.6	33	<1	<1	3	5	13	19	25
B. *Operated*	349	4.5	32	<1	<1	3	5	10	14	32
1. SINGLE DX	831	2.3	6	<1	<1	1	2	4	7	14
2. MULTIPLE DX	384	4.5	32	<1	<1	3	5	10	15	32
A. NOT OPERATED	58	3.8	24	<1	<1	2	4	9	16	25
B. OPERATED	1157	2.9	15	<1	<1	2	3	6	9	21
TOTAL 0-19 YRS	479	2.1	5	<1	<1	1	2	4	7	13
20-34	233	2.7	11	<1	<1	2	3	5	8	16
35-49	178	3.5	17	<1	<1	2	4	9	13	22
50-64	190	3.2	16	<1	<1	2	3	7	9	24
65+	135	5.4	48	<1	<1	3	7	13	21	34
GRAND TOTAL	**1215**	**3.0**	**15**	**<1**	**<1**	**2**	**3**	**6**	**10**	**21**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	79	1.3		<1	<1	1	2	2	2	4
20-34	219	1.4		<1	<1	1	2	2	2	3
35-49	156	1.7	1	<1	<1	1	2	2	3	7
50-64	87	1.9	2	<1	<1	2	2	3	3	9
65+	50	2.4	2	<1	<1	2	3	4	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49										
50-64	2	2.5	1	2	2	2	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	8	1.3		<1	<1	1	2	2	2	2
20-34	85	2.0	2	<1	<1	2	3	4	5	6
35-49	107	2.3	10	<1	<1	2	2	4	5	20
50-64	86	2.7	5	<1	1	2	3	6	7	11
65+	60	3.9	22	1	1	2	4	8	12	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	591	1.6	1	<1	<1	1	2	2	3	7
2. MULTIPLE DX										
A. *Not Operated*	5	2.4	3	1	1	2	3	5	5	5
B. *Operated*	346	2.6	9	<1	<1	2	3	4	6	14
1. SINGLE DX	591	1.6	1	<1	<1	1	2	2	3	7
2. MULTIPLE DX	351	2.6	9	<1	<1	2	3	4	6	14
A. NOT OPERATED	5	2.4	3	1	1	2	3	5	5	5
B. OPERATED	937	2.0	4	<1	<1	2	2	3	4	10
TOTAL 0-19 YRS	88	1.3		<1	<1	1	2	2	2	4
20-34	306	1.6	1	<1	<1	1	2	2	3	5
35-49	263	1.9	5	<1	<1	2	2	3	4	10
50-64	175	2.3	3	<1	1	2	2	4	6	11
65+	110	3.2	14	<1	1	2	3	6	9	22
GRAND TOTAL	**942**	**2.0**	**4**	**<1**	**<1**	**2**	**2**	**3**	**4**	**10**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	2.9	4	<1	<1	2	4	6	6	6
35-49	10	3.0	5	<1	<1	2	5	6	7	7
50-64	5	3.8	8	<1	<1	3	6	8	8	8
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	2	6.0	2	5	5	6	7	7	7	7
20-34	264	4.9	4	1	1	5	6	7	8	10
35-49	910	5.3	3	1	3	6	6	7	8	10
50-64	164	5.0	5	<1	1	6	7	7	8	10
65+	13	5.2	5	1	2	5	7	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	16	1.7	2	<1	<1	1	2	5	6	6
35-49	63	2.4	3	<1	<1	2	4	5	6	8
50-64	17	2.3	10	<1	<1	1	2	4	10	14
65+	7	4.4	10	<1	1	4	5	10	11	11
B. *Operated*										
0-19 YRS	8	5.9	3	4	4	6	7	8	9	9
20-34	898	5.6	6	1	3	6	7	8	9	14
35-49	4957	6.0	5	2	4	6	7	8	9	14
50-64	1071	6.3	8	2	4	6	7	8	10	17
65+	142	7.7	18	2	4	7	9	12	18	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	3.1	5	<1	<1	3	5	6	7	8
B. *Operated*	1353	5.2	4	1	2	5	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	103	2.4	5	<1	<1	2	3	5	6	12
B. *Operated*	7076	6.0	6	2	4	6	7	8	9	15
1. SINGLE DX	1376	5.1	4	<1	2	5	6	7	8	10
2. MULTIPLE DX	7179	6.0	6	2	4	6	7	8	9	15
A. NOT OPERATED	126	2.6	5	<1	<1	2	4	5	6	12
B. OPERATED	8429	5.9	6	2	4	6	7	8	9	14
TOTAL 0-19 YRS	10	5.9	3	4	4	6	7	8	9	9
20-34	1185	5.4	5	1	2	5	6	8	9	13
35-49	5940	5.8	5	2	4	6	7	8	9	13
50-64	1257	6.1	8	1	3	6	7	8	10	17
65+	163	7.3	18	2	3	7	8	11	17	24
GRAND TOTAL	**8555**	**5.8**	**6**	**1**	**3**	**6**	**7**	**8**	**9**	**14**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	13	2.6	4	<1	<1	1	5	5	6	6
35-49	18	4.4	6	<1	1	5	7	7	8	8
50-64	14	4.2	6	<1	<1	5	6	7	7	7
65+	4	6.8	26	2	2	5	10	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	1.5	1	<1	<1	1	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	38	4.8	6	<1	<1	5	6	8	9	10
35-49	111	5.5	5	1	2	6	7	8	10	11
50-64	36	5.0	6	<1	<1	5	7	7	8	12
65+	5	10.2	79	<1	<1	8	13	25	25	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	50	4.0	8	<1	<1	5	6	7	7	14
2. MULTIPLE DX										
A. *Not Operated*	3	1.3		<1	<1	1	2	2	2	2
B. *Operated*	191	5.4	8	<1	1	6	7	8	9	12
1. SINGLE DX	50	4.0	8	<1	<1	5	6	7	7	14
2. MULTIPLE DX	194	5.3	8	<1	1	6	7	8	9	12
A. NOT OPERATED	3	1.3		<1	<1	1	2	2	2	2
B. OPERATED	241	5.1	8	<1	1	5	7	8	9	12
TOTAL 0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	51	4.3	6	<1	<1	5	6	7	8	10
35-49	131	5.3	6	1	1	6	7	8	9	11
50-64	51	4.7	6	<1	<1	5	6	7	8	12
65+	9	8.7	53	<1	1	8	10	21	25	25
GRAND TOTAL	**244**	**5.1**	**8**	**<1**	**1**	**5**	**7**	**8**	**9**	**12**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	1.7	1	1	1	1	3	3	3	3
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	66	4.8	2	3	3	5	5	6	7	8
20-34	306	4.8	2	3	3	5	5	6	7	9
35-49	109	5.8	11	4	4	5	6	8	9	21
50-64	68	6.1	3	3	4	6	7	8	9	11
65+	30	7.4	5	5	5	7	8	10	12	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	1.0		1	1	1	1	1	1	1
50-64	2	9.0	32	5	5	9	13	13	13	13
65+										
B. *Operated*										
0-19 YRS	58	5.9	4	4	4	5	6	8	11	13
20-34	368	5.3	3	3	4	5	6	7	8	12
35-49	266	6.6	12	4	4	6	7	9	12	28
50-64	188	7.5	11	5	5	7	8	11	13	24
65+	136	9.9	28	5	5	8	12	18	21	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.6	1	1	1	1	2	3	3	3
B. *Operated*	579	5.3	4	3	4	5	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	5	4.2	27	1	1	1	7	13	13	13
B. *Operated*	1016	6.7	12	4	4	6	7	10	13	23
1. SINGLE DX	584	5.2	4	3	3	5	6	7	8	11
2. MULTIPLE DX	1021	6.7	12	4	4	6	7	10	13	23
A. NOT OPERATED	10	2.9	14	1	1	1	3	9	13	13
B. OPERATED	1595	6.2	10	3	4	5	7	9	12	21
TOTAL 0-19 YRS	125	5.2	3	3	4	5	6	7	8	13
20-34	678	5.0	3	3	3	5	6	7	7	10
35-49	377	6.3	11	4	4	6	7	8	10	27
50-64	259	7.1	9	4	5	6	8	10	13	22
65+	166	9.5	25	5	5	8	11	17	21	28
GRAND TOTAL	**1605**	**6.1**	**10**	**3**	**4**	**5**	**7**	**9**	**12**	**21**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	5	3.2	2	1	1	4	4	4	4	4
20-34	9	3.2	6	<1	<1	2	5	7	7	7
35-49	9	3.4	3	1	1	4	5	6	6	6
50-64	4	1.3		<1	<1	1	1	2	2	2
65+	6	2.8	1	1	1	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2	2.5	5	<1	<1	2	4	4	4	4
20-34	9	3.7	4	<1	<1	4	5	6	7	7
35-49	12	6.4	10	1	2	6	8	10	13	13
50-64	12	4.7	6	1	2	5	7	8	8	8
65+	7	4.4	5	1	1	4	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	33	3.0	3	<1	1	3	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	42	4.8	7	<1	1	5	7	8	9	13
1. SINGLE DX	34	2.9	3	<1	1	3	4	5	6	7
2. MULTIPLE DX	42	4.8	7	<1	1	5	7	8	9	13
A. NOT OPERATED	1	1.0		1	1	1	1	1	1	1
B. OPERATED	75	4.0	6	<1	1	4	6	7	8	12
TOTAL 0-19 YRS	7	3.0	2	<1	<1	4	4	4	4	4
20-34	18	3.4	5	<1	<1	3	5	7	7	7
35-49	22	5.0	9	1	1	5	7	8	11	13
50-64	16	3.8	7	<1	<1	3	6	7	8	8
65+	13	3.7	4	1	1	3	5	7	7	7
GRAND TOTAL	**76**	**4.0**	**6**	**<1**	**1**	**4**	**6**	**7**	**8**	**12**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75tn (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	4	2.0	2	<1	<1	1	3	4	4	4
20-34	16	1.3		<1	<1	1	1	2	3	3
35-49	8	1.8	1	<1	<1	1	2	3	4	4
50-64	9	4.4	22	<1	1	2	5	12	16	16
65+	7	3.4	5	1	1	3	4	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	7	3.9	23	<1	<1	2	5	12	14	14
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	7	2.6	1	1	1	2	4	4	4	4
65+	16	5.5	45	1	1	3	5	15	23	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	44	2.4	7	<1	<1	2	3	4	7	16
2. MULTIPLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	34	4.1	27	<1	1	2	4	10	16	26
1. SINGLE DX	44	2.4	7	<1	<1	2	3	4	7	16
2. MULTIPLE DX	35	4.1	26	<1	1	2	4	10	15	26
A. NOT OPERATED	1	3.0		3	3	3	3	3	3	3
B. OPERATED	78	3.2	16	<1	<1	2	4	6	12	23
TOTAL 0-19 YRS	6	1.7	1	<1	<1	1	2	4	4	4
20-34	23	2.0	8	<1	<1	1	2	4	9	14
35-49	10	1.9	1	<1	<1	2	2	3	4	4
50-64	16	3.6	13	<1	1	2	4	6	13	16
65+	24	4.8	32	1	1	3	5	11	19	26
GRAND TOTAL	**79**	**3.2**	**16**	**<1**	**<1**	**2**	**4**	**6**	**12**	**23**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	7	2.1	2	<1	<1	1	3	5	5	5
35-49	10	4.8	23	<1	<1	3	7	12	16	16
50-64	16	3.4	8	<1	1	2	4	9	10	10
65+	45	2.2	2	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64										
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	7	11.0	203	2	2	4	16	36	40	40
35-49	6	6.2	57	1	1	3	7	20	21	21
50-64	14	4.6	14	<1	1	3	9	10	12	12
65+	43	5.7	47	<1	1	3	6	12	23	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	78	2.8	7	<1	1	2	3	6	9	14
2. MULTIPLE DX										
A. *Not Operated*	3	2.7	2	1	1	3	4	4	4	4
B. *Operated*	71	6.1	55	1	1	3	7	13	21	38
1. SINGLE DX	78	2.8	7	<1	1	2	3	6	9	14
2. MULTIPLE DX	74	5.9	53	1	1	3	7	12	21	38
A. NOT OPERATED	3	2.7	2	1	1	3	4	4	4	4
B. OPERATED	149	4.4	32	<1	1	2	4	9	13	32
TOTAL 0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	14	6.6	116	<1	1	3	5	22	36	40
35-49	18	5.0	31	<1	1	3	7	14	19	21
50-64	30	4.0	11	<1	1	3	5	10	10	12
65+	89	3.9	27	<1	1	2	4	9	12	31
GRAND TOTAL	**152**	**4.3**	**32**	**<1**	**1**	**2**	**4**	**9**	**13**	**32**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	10	1.4		<1	<1	1	2	3	3	3
20-34	7	1.7	1	1	1	1	2	4	4	4
35-49	3	2.3	2	1	1	2	3	4	4	4
50-64	3	1.0		<1	<1	<1	1	1	1	1
65+	2	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	5.0		5	5	5	5	5	5	5
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*	25	1.5	1	<1	<1	1	2	3	4	4
2. MULTIPLE DX										
A. *Not Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	2	5.0		5	5	5	5	5	5	5
1. SINGLE DX	27	1.6	1	<1	<1	1	2	3	4	4
2. MULTIPLE DX	3	3.7	5	<1	<1	5	5	5	5	5
A. NOT OPERATED	3	2.0	1	<1	<1	2	3	3	3	3
B. OPERATED	27	1.8	2	<1	<1	1	2	4	5	5
TOTAL 0-19 YRS	12	1.8	1	<1	<1	1	2	4	5	5
20-34	8	2.1	2	1	1	2	3	5	5	5
35-49	3	2.3	2	1	1	2	3	4	4	4
50-64	5	1.4	1	<1	<1	<1	1	3	3	3
65+	2	1.0		<1	<1	<1	1	1	1	1
GRAND TOTAL	**30**	**1.8**	**2**	**<1**	**<1**	**1**	**2**	**4**	**5**	**5**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	1.5		<1	<1	1	2	2	2	2
50-64	6	3.7	4	1	1	4	5	6	6	6
65+	9	6.2	45	<1	<1	3	8	17	22	22
B. *Operated*										
0-19 YRS	12	8.9	27	<1	1	9	11	17	19	19
20-34	41	14.0	287	4	5	9	14	20	53	85
35-49	61	10.0	27	2	3	9	12	18	20	25
50-64	70	10.4	25	2	3	10	13	17	19	28
65+	50	15.0	191	2	3	11	18	30	41	81
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	3	3.0	4	1	1	3	4	5	5	5
35-49	2	10.5	85	4	4	10	17	17	17	17
50-64	12	7.1	35	1	1	6	10	15	20	21
65+	39	10.0	175	2	2	6	11	19	43	65
B. *Operated*										
0-19 YRS	12	11.5	53	5	6	9	11	25	28	29
20-34	42	14.7	149	2	7	12	18	25	61	99+
35-49	83	16.2	180	4	8	11	18	34	55	90
50-64	114	18.2	211	5	7	14	22	36	57	99+
65+	101	20.4	280	3	6	16	25	44	74	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	4.4	25	<1	<1	3	6	9	17	22
B. *Operated*	234	11.8	110	2	3	10	13	19	25	81
2. MULTIPLE DX										
A. *Not Operated*	58	8.8	130	1	2	5	10	18	23	64
B. *Operated*	352	17.7	214	4	7	13	22	37	58	99+
1. SINGLE DX	253	11.3	107	2	2	9	13	19	23	80
2. MULTIPLE DX	410	16.5	212	2	4	12	20	34	57	99+
A. NOT OPERATED	77	7.7	107	1	1	5	9	17	22	63
B. OPERATED	586	15.4	181	3	6	11	18	29	50	97
TOTAL 0-19 YRS	26	9.6	42	1	2	9	10	19	25	29
20-34	86	14.0	212	2	5	10	15	23	60	94
35-49	150	13.2	124	2	4	10	14	26	34	72
50-64	202	14.4	150	2	4	11	17	27	39	93
65+	199	16.4	246	2	3	12	22	36	55	96
GRAND TOTAL	**663**	**14.5**	**178**	**2**	**3**	**11**	**17**	**28**	**46**	**92**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	15	3.2	1	1	2	3	4	4	5	5
20-34	187	3.5	1	2	2	3	4	5	5	6
35-49	190	3.5	2	2	2	3	4	5	5	8
50-64	161	3.6	1	2	2	4	4	5	6	7
65+	56	3.9	2	2	3	4	5	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+	1	21.0		21	21	21	21	21	21	21
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	71	3.5	2	1	2	4	4	5	6	7
35-49	100	3.7	2	2	3	3	4	5	6	10
50-64	84	4.4	4	2	3	4	5	7	9	12
65+	62	5.1	10	2	3	5	6	7	10	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	609	3.5	1	2	2	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	2	11.5	181	2	2	11	21	21	21	21
B. *Operated*	318	4.1	4	2	2	4	5	6	8	12
1. SINGLE DX	610	3.5	1	2	2	3	4	5	5	7
2. MULTIPLE DX	320	4.2	5	2	2	4	5	6	8	14
A. NOT OPERATED	3	8.0	127	<1	<1	2	16	21	21	21
B. OPERATED	927	3.7	2	2	2	4	4	5	6	10
TOTAL 0-19 YRS	16	3.2	1	1	2	3	4	4	5	5
20-34	259	3.5	1	2	2	3	4	5	5	6
35-49	291	3.6	2	2	2	3	4	5	6	9
50-64	245	3.9	2	2	2	4	4	5	7	10
65+	119	4.7	9	2	3	4	5	7	8	20
GRAND TOTAL	**930**	**3.7**	**3**	**2**	**2**	**4**	**4**	**5**	**6**	**10**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	11	3.0	7	1	1	2	4	7	10	10
35-49	6	2.2	1	<1	<1	2	2	4	4	4
50-64	3	3.0	7	1	1	2	5	6	6	6
65+	6	3.3	9	1	1	2	4	8	9	9
B. *Operated*										
0-19 YRS	8	7.5	10	4	4	7	10	12	12	12
20-34	31	7.2	7	3	4	7	9	11	12	14
35-49	50	6.8	9	3	3	6	9	11	12	14
50-64	44	6.3	16	2	3	6	9	9	11	26
65+	17	7.3	16	3	4	6	9	15	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	4.3	7	2	2	3	5	9	10	10
35-49	4	4.0	6	1	1	4	6	7	7	7
50-64	14	7.8	65	1	1	4	9	24	25	25
65+	15	8.2	68	1	1	6	10	14	30	35
B. *Operated*										
0-19 YRS	6	9.0	42	4	4	6	14	19	20	20
20-34	39	8.3	30	3	3	7	10	16	23	24
35-49	47	10.6	118	2	3	8	10	21	45	49
50-64	74	8.0	44	2	3	6	10	14	21	40
65+	64	9.0	56	3	4	6	10	20	27	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	2.9	6	<1	1	2	4	6	9	10
B. *Operated*	150	6.8	12	3	3	6	9	11	12	17
2. MULTIPLE DX										
A. *Not Operated*	41	6.9	50	1	1	5	7	15	24	35
B. *Operated*	230	8.9	60	3	3	6	10	18	24	48
1. SINGLE DX	176	6.3	13	1	2	6	9	11	12	17
2. MULTIPLE DX	271	8.6	59	2	3	6	10	18	24	47
A. NOT OPERATED	67	5.3	36	1	1	4	6	11	17	33
B. OPERATED	380	8.1	42	3	3	6	9	14	21	45
TOTAL 0-19 YRS	14	8.1	22	4	4	6	11	15	19	20
20-34	89	6.9	20	2	2	6	9	12	14	24
35-49	107	8.1	62	2	3	6	10	14	19	48
50-64	135	7.3	37	2	3	6	9	12	21	34
65+	102	8.3	49	2	3	6	9	17	26	71
GRAND TOTAL	**447**	**7.7**	**42**	**2**	**3**	**6**	**9**	**14**	**20**	**44**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	7	1.6	1	<1	<1	1	2	3	3	3
20-34	473	3.1	5	<1	<1	2	5	6	7	9
35-49	212	3.8	6	<1	1	4	6	7	7	10
50-64	48	3.2	6	<1	1	2	5	7	8	9
65+	28	4.0	31	<1	<1	2	6	9	12	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	1.5	2	<1	<1	1	1	4	4	4
35-49	4	2.3	6	<1	<1	1	4	6	6	6
50-64										
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	10	1.3		<1	<1	<1	1	2	3	3
20-34	385	4.4	10	<1	1	5	6	7	8	14
35-49	244	5.2	12	1	1	5	6	8	9	15
50-64	88	5.5	8	1	1	6	7	9	10	14
65+	33	5.8	10	1	1	6	7	10	12	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	768	3.3	6	<1	<1	2	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	11	1.8	3	<1	<1	1	2	5	6	6
B. *Operated*	760	4.8	11	<1	1	5	6	8	9	14
1. SINGLE DX	769	3.3	6	<1	<1	2	5	6	7	10
2. MULTIPLE DX	771	4.8	11	<1	1	5	6	8	9	14
A. NOT OPERATED	12	1.8	3	<1	<1	1	2	5	6	6
B. OPERATED	1528	4.0	9	<1	1	4	6	7	8	13
TOTAL 0-19 YRS	17	1.4	1	<1	<1	1	2	3	3	3
20-34	864	3.6	8	<1	1	3	5	6	7	12
35-49	460	4.5	10	<1	1	5	6	7	8	12
50-64	137	4.7	9	<1	1	5	6	8	10	13
65+	62	5.0	20	<1	1	5	7	9	11	27
GRAND TOTAL	**1540**	**4.0**	**9**	**<1**	**1**	**4**	**6**	**7**	**8**	**13**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	1.3		<1	<1	1	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65+	4	10.8	42	5	5	9	15	20	20	20
B. *Operated*										
0-19 YRS	4	4.8	15	<1	<1	4	8	9	9	9
20-34	28	4.4	9	1	1	4	6	8	10	14
35-49	52	3.1	6	<1	<1	2	5	6	7	12
50-64	87	4.4	14	<1	1	3	6	9	12	17
65+	111	3.8	7	<1	1	3	5	8	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	12	4.0	15	1	1	2	5	9	14	15
65+	4	8.8	63	<1	<1	8	15	17	17	17
B. *Operated*										
0-19 YRS										
20-34	14	4.9	24	<1	1	3	7	12	17	18
35-49	55	6.5	28	<1	2	5	8	10	16	30
50-64	135	6.3	26	<1	1	6	8	12	16	26
65+	163	8.4	50	1	2	7	12	18	22	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	6.1	43	<1	<1	4	9	17	20	20
B. *Operated*	282	3.9	9	<1	1	3	5	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	18	4.9	25	<1	1	3	5	15	16	17
B. *Operated*	367	7.2	38	1	1	6	9	15	20	30
1. SINGLE DX	290	4.0	10	<1	1	3	5	8	10	16
2. MULTIPLE DX	385	7.1	37	1	1	6	9	15	19	30
A. NOT OPERATED	26	5.3	29	<1	1	3	6	15	18	20
B. OPERATED	649	5.8	28	<1	1	4	8	12	16	27
TOTAL 0-19 YRS	5	4.6	11	<1	<1	4	7	9	9	9
20-34	42	4.5	14	1	1	4	6	9	12	18
35-49	111	4.7	20	<1	1	4	6	9	12	27
50-64	235	5.4	21	<1	1	5	8	11	15	26
65+	282	6.6	38	1	1	4	9	14	20	30
GRAND TOTAL	**675**	**5.7**	**28**	**<1**	**1**	**4**	**8**	**12**	**16**	**27**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	2.6	5	<1	<1	2	3	7	8	9
20-34	19	3.2	7	1	1	2	4	6	10	12
35-49	35	3.0	6	<1	<1	2	4	6	9	10
50-64	41	3.5	22	<1	1	2	4	7	11	28
65+	69	4.5	20	<1	1	3	6	12	15	19
B. *Operated*										
0-19 YRS	115	2.9	6	<1	1	2	4	7	8	11
20-34	166	4.1	14	<1	1	3	5	8	12	19
35-49	144	4.0	22	<1	1	3	5	9	10	26
50-64	210	3.9	14	<1	1	2	5	9	11	18
65+	251	4.3	17	<1	1	3	6	10	13	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	2.9	8	<1	<1	2	3	8	10	11
20-34	28	2.9	11	<1	<1	2	4	7	8	16
35-49	44	6.5	122	<1	1	3	7	12	20	70
50-64	98	4.8	24	<1	1	3	6	10	17	23
65+	263	6.4	66	1	1	4	8	14	21	33
B. *Operated*										
0-19 YRS	55	7.9	77	1	1	5	9	18	29	43
20-34	138	7.4	78	1	2	5	8	18	30	65
35-49	139	7.9	128	1	1	5	9	17	24	62
50-64	240	6.8	43	1	1	5	9	14	19	43
65+	440	9.4	116	1	2	6	12	19	30	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	180	3.7	15	<1	1	2	5	8	12	19
B. *Operated*	886	4.0	15	<1	1	3	5	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	451	5.7	57	1	1	3	7	12	19	30
B. *Operated*	1012	8.2	94	1	2	5	10	17	25	58
1. SINGLE DX	1066	3.9	15	<1	1	2	5	8	11	18
2. MULTIPLE DX	1463	7.4	84	1	1	5	9	17	23	57
A. NOT OPERATED	631	5.1	46	<1	1	3	6	11	17	30
B. OPERATED	1898	6.2	62	1	1	4	8	13	19	43
TOTAL 0-19 YRS	204	4.2	30	<1	1	2	5	9	13	32
20-34	351	5.3	42	<1	1	4	6	11	17	37
35-49	362	5.7	77	<1	1	3	6	10	17	44
50-64	589	5.2	30	<1	1	3	7	11	16	28
65+	1023	7.0	77	1	1	4	9	15	21	51
GRAND TOTAL	**2529**	**5.9**	**58**	**1**	**1**	**4**	**7**	**13**	**18**	**42**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	2.3	5	<1	<1	1	4	5	5	5
35-49	3	2.7	4	<1	<1	2	4	5	5	5
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
0-19 YRS	15	2.9	1	1	2	3	3	5	5	5
20-34	142	3.5	1	2	2	3	4	5	5	8
35-49	199	3.3	1	2	2	3	4	5	5	7
50-64	159	3.6	1	2	2	3	4	5	6	7
65+	86	4.1	2	2	3	4	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	1.9	1	<1	<1	1	3	3	3	3
35-49	13	2.9	9	<1	<1	1	4	8	10	10
50-64	15	2.9	8	<1	1	2	3	9	9	9
65+	15	3.5	9	1	1	3	4	6	11	13
B. *Operated*										
0-19 YRS	3	3.0	4	1	1	3	4	5	5	5
20-34	37	3.8	2	2	3	3	4	6	6	8
35-49	77	4.6	6	1	2	4	5	8	9	14
50-64	128	4.5	4	3	3	4	5	7	9	11
65+	66	5.2	11	2	3	4	6	8	12	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	2.4	3	<1	<1	2	4	5	5	5
B. *Operated*	601	3.5	1	2	2	3	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	50	2.9	7	<1	1	2	3	7	9	13
B. *Operated*	311	4.6	5	2	3	4	5	7	9	13
1. SINGLE DX	611	3.5	1	2	2	3	4	5	6	7
2. MULTIPLE DX	361	4.3	6	1	2	4	5	7	9	13
A. NOT OPERATED	60	2.8	7	<1	<1	2	3	6	9	13
B. OPERATED	912	3.9	3	2	2	4	4	6	7	11
TOTAL 0-19 YRS	18	2.9	1	1	1	3	3	5	5	5
20-34	189	3.4	2	1	2	3	4	5	6	8
35-49	292	3.6	3	1	2	3	4	5	7	10
50-64	304	3.9	3	2	2	4	4	5	7	10
65+	169	4.4	6	2	3	4	5	7	8	15
GRAND TOTAL	**972**	**3.8**	**3**	**2**	**2**	**4**	**4**	**6**	**7**	**11**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	2.8	5	<1	<1	2	5	6	7	7
20-34	46	4.0	7	1	1	3	5	7	9	14
35-49	31	3.0	5	1	1	2	3	6	8	11
50-64	23	6.0	29	1	1	5	7	15	19	22
65+	14	8.6	27	1	2	9	12	15	18	19
B. *Operated*										
0-19 YRS	30	3.7	2	1	2	4	4	5	6	7
20-34	136	3.9	1	2	3	4	5	5	6	7
35-49	94	4.0	3	2	2	4	5	6	6	12
50-64	83	4.3	4	2	2	4	5	6	8	13
65+	36	5.0	13	2	3	4	5	7	14	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	2.4	2	<1	<1	2	3	5	6	6
20-34	50	5.3	80	1	1	3	5	8	10	63
35-49	74	5.3	23	1	2	4	7	9	10	32
50-64	115	6.5	81	2	2	5	7	11	15	54
65+	223	9.1	71	2	3	7	12	19	22	36
B. *Operated*										
0-19 YRS	13	6.5	19	2	3	4	8	14	16	16
20-34	62	5.7	15	2	3	4	7	9	15	22
35-49	80	5.6	33	2	2	4	5	8	17	36
50-64	70	6.9	66	2	2	4	7	16	20	50
65+	68	10.9	110	2	3	7	15	24	33	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	126	4.5	16	1	1	3	6	9	13	20
B. *Operated*	379	4.1	4	2	2	4	5	6	6	14
2. MULTIPLE DX										
A. *Not Operated*	474	7.3	68	1	2	5	9	16	19	38
B. *Operated*	293	7.2	58	2	2	4	7	16	22	43
1. SINGLE DX	505	4.2	7	1	2	4	5	6	9	15
2. MULTIPLE DX	767	7.3	64	2	2	5	8	16	20	40
A. NOT OPERATED	600	6.7	58	1	2	5	8	14	19	32
B. OPERATED	672	5.4	30	2	2	4	5	9	16	33
TOTAL 0-19 YRS	67	3.9	7	1	1	4	4	7	8	16
20-34	294	4.5	19	1	2	4	5	7	9	19
35-49	279	4.7	18	1	2	4	5	8	10	25
50-64	291	5.9	52	2	2	4	6	10	16	35
65+	341	9.0	73	2	3	6	12	19	22	46
GRAND TOTAL	**1272**	**6.1**	**44**	**2**	**2**	**4**	**6**	**12**	**17**	**33**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	230	4.8	7	1	2	4	6	8	10	14
20-34	127	4.5	6	1	2	4	6	7	9	12
35-49	111	4.1	3	2	2	4	5	7	8	9
50-64	129	4.5	5	1	2	4	5	8	9	11
65+	113	5.4	10	1	2	5	7	10	12	14
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	7.0	50	2	2	7	12	12	12	12
35-49	3	12.7	25	8	8	12	16	18	18	18
50-64	6	3.8	11	1	1	2	8	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	126	4.2	9	1	1	3	6	7	9	16
20-34	240	5.3	16	1	2	4	7	10	13	20
35-49	308	5.0	11	1	2	4	7	9	11	19
50-64	701	6.0	19	2	2	5	8	10	14	21
65+	1144	8.0	50	2	3	6	9	15	21	39
B. *Operated*										
0-19 YRS	5	6.0	14	3	3	4	10	10	10	10
20-34	26	10.4	132	1	1	7	10	31	38	47
35-49	34	8.6	61	1	1	7	12	19	28	29
50-64	94	9.3	90	1	1	7	12	18	27	55
65+	146	13.2	174	1	2	10	16	28	45	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	710	4.7	6	1	2	4	6	8	10	13
B. *Operated*	12	6.5	30	1	1	5	10	14	17	18
2. MULTIPLE DX										
A. *Not Operated*	2519	6.6	33	2	2	5	8	12	16	29
B. *Operated*	305	11.1	132	1	1	9	14	24	33	69
1. SINGLE DX	722	4.7	7	1	2	4	6	8	10	13
2. MULTIPLE DX	2824	7.1	46	1	2	5	9	13	18	35
A. NOT OPERATED	3229	6.2	28	2	2	5	8	11	15	26
B. OPERATED	317	10.9	129	1	1	8	14	22	32	68
TOTAL 0-19 YRS	362	4.6	8	1	2	4	6	8	10	15
20-34	395	5.3	22	1	2	4	6	10	13	25
35-49	456	5.1	14	1	2	4	7	9	12	23
50-64	930	6.1	25	1	2	5	8	11	14	25
65+	1403	8.4	63	2	3	6	10	15	22	47
GRAND TOTAL	**3546**	**6.6**	**39**	**1**	**2**	**5**	**8**	**12**	**16**	**31**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	458	3.8	6	1	1	3	5	7	9	12
20-34	311	3.7	5	1	2	3	5	7	8	11
35-49	123	4.0	5	1	2	4	5	7	8	12
50-64	90	5.8	15	2	2	5	7	11	14	20
65+	51	5.7	12	1	2	5	7	9	11	19
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	1	21.0		21	21	21	21	21	21	21
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	386	4.5	11	1	2	4	6	8	10	18
20-34	552	4.6	13	1	2	4	6	8	11	22
35-49	293	6.2	33	1	2	5	8	11	14	34
50-64	305	7.6	31	2	3	6	9	14	20	27
65+	414	9.1	46	2	3	7	11	17	22	33
B. *Operated*										
0-19 YRS	16	9.5	63	2	3	8	10	20	30	34
20-34	52	11.6	68	4	4	9	15	23	25	49
35-49	33	12.9	107	2	4	10	16	26	30	54
50-64	44	17.8	150	4	5	16	23	39	42	53
65+	51	19.9	150	6	7	17	28	39	55	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1033	4.1	7	1	2	3	5	7	9	13
B. *Operated*	2	14.0	98	7	7	14	21	21	21	21
2. MULTIPLE DX										
A. *Not Operated*	1950	6.3	29	1	2	5	8	12	16	28
B. *Operated*	196	15.2	126	4	5	11	20	30	41	56
1. SINGLE DX	1035	4.1	7	1	2	3	5	7	9	14
2. MULTIPLE DX	2146	7.1	44	2	2	5	9	14	20	34
A. NOT OPERATED	2983	5.5	22	1	2	4	7	10	14	25
B. OPERATED	198	15.2	126	4	5	11	21	30	41	56
TOTAL 0-19 YRS	861	4.2	10	1	1	3	5	8	9	16
20-34	916	4.7	16	1	2	4	6	9	11	23
35-49	449	6.1	35	1	2	5	7	11	15	33
50-64	439	8.2	50	2	3	6	10	17	23	40
65+	516	9.8	65	2	3	8	12	19	28	47
GRAND TOTAL	**3181**	**6.1**	**34**	**1**	**2**	**4**	**7**	**12**	**17**	**31**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	144	4.8	9	1	2	4	6	8	9	15
20-34	151	3.9	4	1	2	4	5	7	8	11
35-49	141	4.6	7	1	2	4	6	8	9	14
50-64	208	4.9	10	2	2	4	6	8	10	18
65+	197	6.0	21	2	2	5	7	10	13	21
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	10	11.2	83	3	3	9	16	25	33	33
35-49	6	6.5	24	1	1	5	9	14	15	15
50-64	12	4.0	11	1	1	2	6	10	10	10
65+	22	9.9	163	1	1	5	12	25	39	56
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	110	4.5	9	1	1	4	6	8	9	17
20-34	565	5.5	25	1	2	4	7	9	12	25
35-49	742	6.3	31	2	2	5	7	11	14	26
50-64	1466	6.9	35	2	3	5	8	13	15	29
65+	2172	8.0	36	2	3	6	10	14	19	34
B. *Operated*										
0-19 YRS	15	9.3	102	1	2	6	12	21	34	38
20-34	218	9.0	113	2	2	6	10	20	29	58
35-49	383	13.0	174	2	2	9	16	29	37	77
50-64	726	14.2	197	2	2	10	19	32	42	92
65+	857	18.4	298	2	3	13	25	42	57	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	841	4.9	11	1	2	4	6	8	10	16
B. *Operated*	51	8.2	97	1	2	4	10	17	27	56
2. MULTIPLE DX										
A. *Not Operated*	5055	7.0	34	2	2	6	8	13	17	30
B. *Operated*	2199	15.0	232	2	2	10	20	35	48	85
1. SINGLE DX	892	5.1	17	1	2	4	6	9	11	20
2. MULTIPLE DX	7254	9.5	108	2	2	6	11	20	29	60
A. NOT OPERATED	5896	6.7	31	2	2	5	8	12	16	29
B. OPERATED	2250	14.9	230	2	2	10	20	34	48	84
TOTAL 0-19 YRS	270	4.9	15	1	2	4	6	9	11	21
20-34	944	6.1	45	1	2	4	7	11	16	33
35-49	1272	8.1	82	2	2	6	9	16	24	50
50-64	2412	8.9	94	2	2	6	10	18	27	57
65+	3248	10.6	127	2	3	7	12	22	34	65
GRAND TOTAL	**8146**	**9.0**	**100**	**2**	**2**	**6**	**10**	**19**	**28**	**58**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.3	2	2	2	3	4	5	5	5
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	16	3.6	5	<1	<1	4	6	6	7	7
20-34	86	3.9	5	<1	1	4	6	6	7	11
35-49	4	4.0	5	1	1	4	5	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7		2	2	3	3	3	3	3
20-34	9	2.8	1	1	1	3	3	4	4	4
35-49	2	1.5	1	<1	<1	1	2	2	2	2
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	23	4.0	5	<1	<1	4	6	7	8	8
20-34	151	4.4	7	<1	<1	4	6	7	8	15
35-49	26	4.8	5	<1	1	5	6	8	8	9
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	2.7	2	1	1	2	4	5	5	5
B. *Operated*	106	3.9	5	<1	1	4	6	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	16	2.9	2	<1	1	3	4	4	6	7
B. *Operated*	201	4.4	7	<1	<1	5	6	7	8	13
1. SINGLE DX	112	3.8	5	<1	1	4	6	6	7	11
2. MULTIPLE DX	217	4.3	6	<1	<1	4	6	7	8	13
A. NOT OPERATED	22	2.9	2	<1	1	3	4	5	6	7
B. OPERATED	307	4.2	6	<1	<1	4	6	7	8	12
TOTAL 0-19 YRS	46	3.7	4	<1	<1	4	5	6	7	8
20-34	247	4.2	6	<1	1	4	6	7	8	12
35-49	32	4.5	5	<1	1	5	6	7	8	9
50-64	3	2.3	2	<1	<1	2	3	4	4	4
65+	1	7.0		7	7	7	7	7	7	7
GRAND TOTAL	**329**	**4.1**	**6**	**<1**	**<1**	**4**	**6**	**7**	**8**	**12**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	60	1.7	1	<1	<1	1	2	4	4	6
20-34	65	3.1	9	1	1	2	3	6	8	19
35-49	64	2.7	4	1	1	2	4	5	6	11
50-64	54	3.4	6	1	1	3	4	6	9	13
65+	51	3.6	8	1	1	3	4	7	12	14
B. *Operated*										
0-19 YRS	11	4.4	24	<1	<1	3	5	11	17	18
20-34	14	5.3	7	2	3	5	6	10	10	10
35-49	18	8.7	110	1	2	5	7	29	36	37
50-64	23	6.7	60	<1	1	5	8	10	21	40
65+	13	6.7	19	1	1	6	9	14	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	113	3.1	13	1	1	2	3	7	9	22
20-34	144	3.5	8	<1	1	3	5	7	9	11
35-49	176	4.6	24	1	1	4	5	8	11	31
50-64	336	5.3	45	1	1	4	7	10	13	23
65+	739	6.3	43	1	2	4	8	13	16	29
B. *Operated*										
0-19 YRS	13	6.6	35	2	2	5	7	16	22	23
20-34	28	7.2	27	2	2	7	9	11	18	27
35-49	52	7.9	67	1	2	5	9	18	27	38
50-64	87	9.3	50	2	3	7	12	20	27	75
65+	80	11.8	92	2	3	9	15	26	33	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	294	2.9	6	1	1	2	4	6	7	13
B. *Operated*	79	6.6	50	1	1	5	7	11	18	39
2. MULTIPLE DX										
A. *Not Operated*	1508	5.4	37	1	1	4	7	11	14	26
B. *Operated*	260	9.4	65	2	2	7	12	23	27	46
1. SINGLE DX	373	3.7	18	1	1	3	4	7	10	20
2. MULTIPLE DX	1768	6.0	43	1	1	4	7	12	17	34
A. NOT OPERATED	1802	5.0	33	1	1	4	6	10	13	25
B. OPERATED	339	8.8	63	1	2	6	10	20	27	42
TOTAL 0-19 YRS	197	3.0	13	<1	1	2	3	6	9	21
20-34	251	3.9	12	1	1	3	5	8	10	20
35-49	310	5.0	35	1	1	4	5	9	15	36
50-64	500	5.9	45	1	1	4	7	11	15	34
65+	883	6.7	48	1	2	5	9	14	18	37
GRAND TOTAL	**2141**	**5.6**	**39**	**1**	**1**	**4**	**7**	**11**	**16**	**34**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	6.5	26	1	1	6	8	14	19	19
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64	3	9.3	44	5	5	6	14	17	17	17
65+	10	9.1	42	2	2	7	13	20	20	20
B. *Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	6.0	8	4	4	6	8	8	8	8
50-64	2	3.5	5	2	2	3	5	5	5	5
65+	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	7.1	30	1	1	6	10	16	19	22
20-34	9	7.2	24	<1	1	6	11	15	16	16
35-49	21	7.2	31	<1	1	7	9	12	19	26
50-64	56	8.4	93	2	2	6	9	16	18	62
65+	278	10.7	80	3	3	8	13	22	27	41
B. *Operated*										
0-19 YRS	3	22.7	464	6	6	15	39	47	47	47
20-34	35	7.3	21	5	5	5	7	14	17	26
35-49	49	9.3	162	5	5	6	10	13	18	93
50-64	28	12.0	65	3	5	10	15	25	31	37
65+	54	20.4	263	4	5	15	27	49	59	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	7.8	33	2	2	6	9	19	20	20
B. *Operated*	6	5.2	14	1	1	4	8	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	392	9.8	76	2	3	7	12	19	26	42
B. *Operated*	169	13.1	180	5	5	8	15	28	43	67
1. SINGLE DX	30	7.3	30	1	2	6	9	18	20	20
2. MULTIPLE DX	561	10.8	109	2	3	7	13	22	29	60
A. NOT OPERATED	416	9.7	73	2	3	7	12	19	26	41
B. OPERATED	175	12.8	176	4	5	8	15	28	41	67
TOTAL 0-19 YRS	41	8.1	67	1	2	6	9	18	20	47
20-34	46	7.0	21	2	3	6	7	14	16	26
35-49	72	8.6	119	2	4	6	9	13	18	78
50-64	89	9.5	33	2	3	7	11	17	28	55
65+	343	12.2	119	3	4	9	15	25	31	61
GRAND TOTAL	**591**	**10.6**	**105**	**2**	**3**	**7**	**13**	**21**	**29**	**57**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	61	9.2	26	2	3	9	13	17	18	20
20-34	13	10.5	21	4	4	11	13	17	18	18
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	131	9.4	27	2	3	9	12	16	19	24
20-34	50	11.8	46	4	5	11	14	18	28	39
35-49	9	6.9	19	3	3	5	9	14	16	16
50-64										
65+										
B. *Operated*										
0-19 YRS	15	15.3	24	9	9	15	18	20	25	27
20-34	14	11.6	29	3	6	11	13	18	24	26
35-49	3	5.0	7	2	2	6	7	7	7	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	9.4	25	2	3	9	12	17	18	20
B. *Operated*	4	3.0	2	1	1	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	190	9.9	33	2	3	10	13	16	20	33
B. *Operated*	32	12.7	33	3	7	12	16	19	25	27
1. SINGLE DX	78	9.1	26	1	3	9	12	17	18	20
2. MULTIPLE DX	222	10.3	34	2	4	10	13	17	20	33
A. NOT OPERATED	264	9.8	31	2	3	10	13	17	19	31
B. OPERATED	36	11.6	39	2	3	11	16	19	24	27
TOTAL 0-19 YRS	208	9.8	29	2	3	9	13	17	19	24
20-34	78	11.4	39	4	5	11	13	17	24	38
35-49	14	5.9	16	1	2	5	8	11	15	16
50-64										
65+										
GRAND TOTAL	**300**	**10.0**	**32**	**2**	**3**	**10**	**13**	**17**	**19**	**30**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	2.3	1	1	1	2	3	3	3	3
35-49	8	2.5	2	<1	<1	2	4	4	4	4
50-64	1	4.0		4	4	4	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	6	6.8	5	3	3	7	9	9	9	9
20-34	151	7.1	3	5	5	7	8	9	10	15
35-49	122	7.3	4	5	5	7	8	9	10	15
50-64	14	8.7	9	6	6	8	10	14	16	16
65+	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	9.7	113	2	2	5	15	28	29	29
20-34	28	4.7	33	<1	<1	3	5	10	18	28
35-49	37	4.5	11	1	1	4	6	9	10	14
50-64	36	7.7	68	1	1	6	9	14	25	43
65+	16	7.4	26	3	3	7	7	16	20	22
B. *Operated*										
0-19 YRS	9	7.0	2	5	5	7	8	9	9	9
20-34	245	8.4	33	5	6	7	9	12	14	38
35-49	270	9.8	56	5	6	8	10	15	22	53
50-64	79	8.9	44	4	5	7	10	12	14	49
65+	3	10.0	39	3	3	12	14	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	2.4	2	<1	1	2	4	4	4	4
B. *Operated*	294	7.3	4	5	5	7	8	9	10	15
2. MULTIPLE DX										
A. *Not Operated*	123	6.1	41	1	1	5	7	12	19	33
B. *Operated*	606	9.1	44	5	6	8	9	13	16	47
1. SINGLE DX	308	7.1	5	4	5	7	8	9	10	15
2. MULTIPLE DX	729	8.6	45	2	4	7	9	13	17	43
A. NOT OPERATED	137	5.7	38	1	1	4	7	11	17	31
B. OPERATED	900	8.5	32	5	5	7	9	11	15	38
TOTAL 0-19 YRS	22	7.4	32	2	2	7	8	11	21	29
20-34	428	7.7	23	3	5	7	8	11	13	26
35-49	437	8.5	40	2	5	8	9	11	16	45
50-64	130	8.5	46	2	3	7	10	13	16	46
65+	20	8.0	26	3	3	7	10	16	19	22
GRAND TOTAL	**1037**	**8.1**	**33**	**2**	**5**	**7**	**9**	**11**	**15**	**38**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	2.9	5	<1	1	2	4	6	9	10
20-34	72	2.1	4	<1	<1	1	3	4	7	9
35-49	39	2.5	5	<1	<1	1	4	6	7	8
50-64	69	1.5	2	<1	<1	<1	1	3	4	10
65+	22	5.5	95	<1	<1	2	7	9	25	47
B. *Operated*										
0-19 YRS	32	3.8	11	<1	1	3	5	9	11	13
20-34	43	3.0	10	<1	1	2	4	6	8	19
35-49	28	5.4	50	<1	<1	4	6	8	14	39
50-64	35	4.7	12	<1	1	5	7	9	13	15
65+	12	7.5	62	<1	1	4	9	22	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	80	5.0	39	<1	1	3	5	9	15	37
20-34	59	5.5	27	1	1	4	7	12	16	29
35-49	105	5.4	22	1	2	5	7	10	12	62
50-64	131	8.7	66	1	2	6	11	18	29	40
65+	218	8.4	76	1	2	6	10	17	25	44
B. *Operated*										
0-19 YRS	21	7.0	114	1	1	4	6	15	33	49
20-34	61	7.2	38	1	2	5	10	19	22	91
35-49	101	7.3	54	<1	1	5	9	13	21	40
50-64	102	10.4	98	1	2	9	13	23	29	51
65+	103	12.0	136	2	3	9	14	28	36	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	237	2.4	13	<1	<1	1	3	6	8	11
B. *Operated*	150	4.4	23	<1	1	3	6	8	11	25
2. MULTIPLE DX										
A. *Not Operated*	593	7.2	57	1	2	5	9	14	24	40
B. *Operated*	388	9.3	91	1	2	6	12	21	29	56
1. SINGLE DX	387	3.2	18	<1	<1	2	4	7	9	20
2. MULTIPLE DX	981	8.0	71	1	2	5	10	18	25	46
A. NOT OPERATED	830	5.8	49	<1	<1	4	7	13	18	37
B. OPERATED	538	8.0	77	1	1	5	10	18	25	50
TOTAL 0-19 YRS	168	4.6	37	<1	1	3	5	9	13	39
20-34	235	4.4	24	<1	<1	3	5	11	16	26
35-49	273	5.7	36	<1	<1	4	7	11	15	38
50-64	337	7.4	68	<1	<1	5	10	16	25	39
65+	355	9.2	97	1	2	6	11	19	29	54
GRAND TOTAL	**1368**	**6.7**	**61**	**<1**	**1**	**4**	**8**	**14**	**22**	**42**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	11	3.0	4	1	1	2	5	6	6	6
35-49	17	3.4	2	1	1	3	5	5	6	6
50-64	25	3.7	6	1	2	3	4	7	10	12
65+	23	4.1	14	1	1	3	4	9	14	15
B. *Operated*										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49	3	4.3		4	4	4	5	5	5	5
50-64	9	2.6	8	<1	<1	1	3	7	9	9
65+	11	2.4	2	<1	<1	2	3	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	3.9	3	1	1	4	5	6	6	6
35-49	23	4.4	10	2	2	4	5	9	12	15
50-64	50	5.4	16	2	2	4	7	10	12	24
65+	184	6.6	32	2	3	5	8	12	16	32
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	3	7.0	52	1	1	5	12	15	15	15
35-49	4	5.8	7	2	2	6	7	8	8	8
50-64	10	5.0	17	1	1	3	7	12	13	13
65+	35	11.8	204	1	2	6	12	33	50	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	3.6	7	1	1	3	4	6	9	15
B. *Operated*	24	2.9	5	<1	<1	2	4	6	8	9
2. MULTIPLE DX										
A. *Not Operated*	264	6.1	27	2	2	5	7	11	15	30
B. *Operated*	53	9.8	147	1	2	6	10	25	41	55
1. SINGLE DX	101	3.5	7	<1	1	3	4	6	9	14
2. MULTIPLE DX	317	6.7	48	2	2	5	8	12	17	41
A. NOT OPERATED	341	5.5	23	1	2	4	7	11	14	28
B. OPERATED	77	7.6	112	<1	1	5	8	15	33	54
TOTAL 0-19 YRS	2	6.0	32	2	2	6	10	10	10	10
20-34	22	4.0	10	1	1	4	6	7	11	15
35-49	47	4.1	7	1	2	4	5	7	9	15
50-64	94	4.6	13	1	2	3	6	9	12	20
65+	253	6.9	57	1	2	5	8	13	20	42
GRAND TOTAL	**418**	**5.9**	**40**	**1**	**2**	**4**	**7**	**11**	**15**	**35**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	65	3.1	17	1	1	2	3	5	10	28
20-34	34	3.1	6	1	1	2	4	6	8	10
35-49	32	3.0	4	1	1	2	4	6	7	9
50-64	46	2.7	3	<1	1	2	3	5	6	8
65+	120	4.8	12	1	2	4	6	9	11	18
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	1	7.0		7	7	7	7	7	7	7
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	452	3.6	13	1	1	3	4	7	10	19
20-34	287	3.9	20	1	1	3	5	7	10	23
35-49	343	4.3	17	1	1	3	5	8	10	17
50-64	710	5.7	34	1	2	4	7	11	15	35
65+	2800	8.1	63	2	2	6	10	16	22	44
B. *Operated*										
0-19 YRS	14	9.4	180	1	1	4	8	21	46	53
20-34	42	7.2	107	<1	1	4	8	13	33	51
35-49	46	8.0	39	1	2	7	9	16	23	29
50-64	83	9.9	142	1	1	6	11	28	59	99+
65+	179	15.9	229	3	4	12	19	34	42	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	297	3.7	11	1	1	3	5	7	10	16
B. *Operated*	5	4.8	22	1	1	2	8	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	4592	6.8	51	1	2	5	8	13	19	39
B. *Operated*	364	12.3	181	1	2	8	16	26	42	97
1. SINGLE DX	302	3.7	11	1	1	3	5	7	10	16
2. MULTIPLE DX	4956	7.2	62	1	2	5	8	15	21	44
A. NOT OPERATED	4889	6.6	49	1	2	5	8	13	19	39
B. OPERATED	369	12.2	180	1	2	8	15	26	41	97
TOTAL 0-19 YRS	532	3.7	19	1	1	3	4	7	10	21
20-34	364	4.2	30	1	1	3	5	8	10	36
35-49	423	4.6	20	1	1	3	6	9	12	23
50-64	840	5.9	45	1	2	4	7	11	19	45
65+	3099	8.4	74	2	2	6	10	17	23	48
GRAND TOTAL	**5258**	**7.0**	**60**	**1**	**2**	**5**	**8**	**14**	**21**	**43**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	4.4	22	<1	1	3	6	10	14	22
20-34	13	3.5	7	<1	<1	3	4	8	10	10
35-49	19	2.4	1	<1	1	2	3	4	4	4
50-64	15	3.3	4	1	1	2	5	6	8	8
65+	66	4.2	7	1	1	4	6	7	8	15
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	5.3	2	4	4	5	6	7	7	7
35-49	12	4.5	9	1	1	4	6	9	10	10
50-64	3	7.7	20	3	3	8	11	12	12	12
65+	21	5.7	12	<1	1	6	8	10	12	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	4.2	17	2	2	3	4	8	9	23
20-34	47	4.0	9	<1	1	4	6	8	10	13
35-49	91	3.9	15	1	1	3	5	7	8	24
50-64	161	4.8	12	1	1	4	7	9	11	14
65+	718	5.8	31	1	1	5	8	11	13	23
B. *Operated*										
0-19 YRS	6	6.7	21	3	3	5	9	14	15	15
20-34	19	5.1	6	2	2	5	7	8	10	11
35-49	50	6.8	30	2	3	6	7	11	15	32
50-64	60	7.6	25	1	1	7	11	15	17	22
65+	214	9.3	46	2	3	8	11	17	21	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	141	3.8	9	<1	1	3	5	7	9	17
B. *Operated*	41	5.3	11	1	1	5	8	10	11	14
2. MULTIPLE DX										
A. *Not Operated*	1049	5.4	26	1	1	4	7	10	12	23
B. *Operated*	349	8.4	39	2	3	7	10	15	20	33
1. SINGLE DX	182	4.2	10	1	1	3	6	8	10	15
2. MULTIPLE DX	1398	6.1	31	1	1	5	8	11	14	27
A. NOT OPERATED	1190	5.2	24	1	1	4	7	10	12	22
B. OPERATED	390	8.0	37	2	3	7	10	15	18	33
TOTAL 0-19 YRS	67	4.4	19	1	1	3	6	9	13	23
20-34	83	4.3	8	<1	1	4	6	8	10	13
35-49	172	4.6	19	1	1	4	6	8	10	31
50-64	239	5.4	16	1	1	5	7	11	13	19
65+	1019	6.5	34	1	2	5	8	12	15	27
GRAND TOTAL	**1580**	**5.9**	**29**	**1**	**1**	**5**	**8**	**11**	**14**	**26**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	95	3.5	4	1	1	3	5	6	8	10
20-34	152	5.6	12	2	2	5	7	10	12	20
35-49	35	7.1	18	1	2	6	10	14	14	16
50-64	9	4.7	24	1	1	3	5	13	16	16
65+										
B. *Operated*										
0-19 YRS										
20-34	7	11.7	147	2	2	8	12	33	38	38
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	76	5.5	12	1	2	5	7	11	12	17
20-34	166	6.7	21	2	2	6	8	12	15	26
35-49	26	7.8	17	2	3	7	11	13	15	17
50-64	9	6.7	19	1	2	6	9	13	16	16
65+	4	10.3	27	3	3	12	14	14	14	14
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	13	21.7	467	3	4	11	32	50	71	76
35-49	5	7.2	21	2	2	6	10	14	14	14
50-64										
65+	1	15.0		15	15	15	15	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	291	5.1	12	1	2	4	7	10	12	17
B. *Operated*	7	11.7	147	2	2	8	12	33	38	38
2. MULTIPLE DX										
A. *Not Operated*	281	6.5	18	2	2	5	8	12	15	22
B. *Operated*	20	16.8	352	2	3	8	28	39	59	76
1. SINGLE DX	298	5.2	16	1	2	4	7	10	12	18
2. MULTIPLE DX	301	7.2	46	2	2	6	9	13	16	33
A. NOT OPERATED	572	5.8	16	1	2	5	8	11	14	19
B. OPERATED	27	15.4	296	2	2	8	23	37	48	76
TOTAL 0-19 YRS	172	4.4	9	1	2	4	6	8	10	14
20-34	338	6.9	44	2	2	5	8	12	17	35
35-49	66	7.4	18	2	2	6	11	14	14	17
50-64	18	5.7	22	1	1	4	9	14	16	16
65+	5	11.2	25	3	3	14	14	15	15	15
GRAND TOTAL	**599**	**6.2**	**32**	**1**	**2**	**5**	**8**	**11**	**14**	**29**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	95	2.5	8	<1	<1	1	3	5	8	17
20-34	37	2.9	5	<1	<1	2	4	6	7	11
35-49	28	2.8	4	<1	1	2	4	7	7	8
50-64	42	3.1	11	<1	1	2	3	7	9	19
65+	270	2.6	10	<1	<1	1	3	5	8	19
B. *Operated*										
0-19 YRS	30	5.0	17	1	1	4	6	11	13	18
20-34	12	5.2	33	1	1	3	6	14	20	21
35-49	13	6.7	43	<1	1	5	8	14	24	26
50-64	22	6.0	16	1	2	5	8	11	14	16
65+	40	6.1	22	<1	1	4	9	13	16	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	169	2.9	17	<1	<1	1	3	7	11	22
20-34	87	4.0	16	<1	1	3	6	9	11	21
35-49	150	3.8	13	<1	1	3	4	8	12	18
50-64	407	3.9	18	<1	1	2	5	9	12	23
65+	1510	5.0	31	1	1	3	6	11	15	26
B. *Operated*										
0-19 YRS	36	8.5	171	1	1	5	7	16	36	72
20-34	39	7.1	14	2	2	7	10	12	15	17
35-49	39	13.3	318	2	3	8	12	33	65	78
50-64	137	9.4	74	1	2	7	12	23	28	38
65+	436	10.8	100	2	3	8	14	22	30	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	472	2.7	9	<1	<1	1	3	6	8	19
B. *Operated*	117	5.8	22	1	1	4	8	12	16	23
2. MULTIPLE DX										
A. *Not Operated*	2323	4.6	27	<1	1	3	6	10	14	25
B. *Operated*	687	10.4	107	2	2	7	13	21	30	58
1. SINGLE DX	589	3.3	13	<1	<1	2	4	8	10	19
2. MULTIPLE DX	3010	5.9	51	<1	1	4	7	13	18	36
A. NOT OPERATED	2795	4.2	24	<1	1	3	5	9	13	24
B. OPERATED	804	9.7	97	1	2	7	12	20	28	56
TOTAL 0-19 YRS	330	3.6	34	<1	<1	2	4	8	13	24
20-34	175	4.6	16	<1	1	4	6	10	12	20
35-49	230	5.4	77	<1	1	3	7	11	15	59
50-64	608	5.2	35	<1	1	3	7	12	18	30
65+	2256	5.9	48	1	1	4	7	13	18	36
GRAND TOTAL	**3599**	**5.5**	**46**	**<1**	**1**	**3**	**7**	**12**	**17**	**33**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	8.2	64	<1	1	5	11	20	28	28
20-34	8	6.8	55	1	1	3	12	19	19	19
35-49	8	2.6	1	1	1	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	3.7	7	<1	1	4	4	7	10	11
20-34	39	6.0	42	1	2	4	6	14	23	30
35-49	5	3.4	2	1	1	4	4	5	5	5
50-64										
65+	6	5.7	9	1	1	6	7	10	10	10
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	2	7.0	50	2	2	7	12	12	12	12
35-49	2	7.5	25	4	4	7	11	11	11	11
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	7.0		7	7	7	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	6.0	44	1	1	3	6	17	21	28
B. *Operated*	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	65	5.2	28	1	1	4	6	8	19	29
B. *Operated*	7	7.0	19	2	2	7	11	12	12	12
1. SINGLE DX	27	6.2	43	1	1	4	8	17	20	28
2. MULTIPLE DX	72	5.4	27	1	1	4	7	11	17	29
A. NOT OPERATED	91	5.5	33	1	1	4	6	11	19	29
B. OPERATED	8	7.4	18	2	2	8	11	12	12	12
TOTAL 0-19 YRS	27	5.9	32	<1	1	4	8	11	15	28
20-34	49	6.2	42	1	2	4	7	18	21	30
35-49	15	3.5	6	1	1	3	4	5	9	11
50-64	1	2.0		2	2	2	2	2	2	2
65+	7	5.9	8	1	2	7	7	9	10	10
GRAND TOTAL	**99**	**5.6**	**31**	**1**	**1**	**4**	**7**	**11**	**19**	**29**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	103	2.8	4	1	1	2	3	5	6	12
20-34	24	4.4	54	<1	<1	3	4	5	16	38
35-49	19	3.7	19	<1	1	2	4	7	15	20
50-64	20	3.4	10	<1	<1	2	5	7	10	13
65+	57	3.1	16	<1	<1	1	4	8	11	19
B. *Operated*										
0-19 YRS	70	4.2	6	1	1	4	6	7	8	11
20-34	51	5.6	10	2	2	5	7	9	13	17
35-49	23	8.3	57	2	3	6	9	13	25	39
50-64	26	6.2	12	1	2	6	8	10	12	16
65+	27	6.4	13	1	2	6	9	13	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	135	3.3	7	<1	1	2	4	7	9	13
20-34	89	4.1	7	1	1	4	5	7	9	13
35-49	111	5.7	18	1	1	4	8	11	14	19
50-64	232	5.2	19	1	1	4	7	10	12	24
65+	398	6.7	38	1	1	5	9	15	20	30
B. *Operated*										
0-19 YRS	49	5.4	11	2	2	5	8	10	12	14
20-34	78	7.4	45	1	2	6	8	17	27	81
35-49	90	9.5	62	2	3	8	11	17	23	48
50-64	146	9.6	80	2	3	8	11	18	21	35
65+	251	11.4	99	2	3	8	14	22	31	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	223	3.2	14	<1	<1	2	4	6	8	19
B. *Operated*	197	5.6	16	1	2	5	7	9	12	18
2. MULTIPLE DX										
A. *Not Operated*	965	5.5	25	1	1	4	7	11	15	26
B. *Operated*	614	9.7	78	2	3	7	11	19	26	45
1. SINGLE DX	420	4.3	16	<1	1	3	6	8	11	19
2. MULTIPLE DX	1579	7.2	50	1	1	5	9	15	21	35
A. NOT OPERATED	1188	5.1	24	1	1	4	7	10	15	25
B. OPERATED	811	8.7	66	2	2	7	10	17	22	44
TOTAL 0-19 YRS	357	3.6	7	1	1	3	5	7	9	13
20-34	242	5.5	26	1	1	4	7	10	14	36
35-49	243	7.2	42	1	2	6	9	13	18	39
50-64	424	6.7	44	1	1	5	9	12	17	26
65+	733	8.0	63	1	1	6	10	17	23	42
GRAND TOTAL	**1999**	**6.6**	**44**	**1**	**1**	**5**	**8**	**14**	**19**	**33**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	329	1.7	1	<1	1	1	2	3	3	5
20-34	80	1.8	1	<1	1	1	2	3	4	6
35-49	13	2.5	6	<1	<1	1	3	7	9	9
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	274	3.3	2	2	2	3	4	5	6	7
20-34	99	3.5	2	2	2	3	4	5	6	9
35-49	12	4.6	2	3	3	4	6	7	7	7
50-64										
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	122	1.8	1	<1	1	2	2	3	4	6
20-34	39	2.9	4	<1	1	2	4	5	7	9
35-49	8	1.9	1	1	1	2	2	4	4	4
50-64	8	2.6	4	<1	<1	2	4	6	6	6
65+	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*										
0-19 YRS	114	3.7	2	2	2	3	4	5	7	10
20-34	58	4.7	4	2	3	4	6	7	8	14
35-49	9	5.1	2	3	3	5	6	7	7	7
50-64	1	3.0		3	3	3	3	3	3	3
65+	4	7.8	1	7	7	8	8	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	424	1.7	1	<1	1	1	2	3	4	6
B. *Operated*	386	3.4	2	2	2	3	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	179	2.1	2	<1	1	2	3	4	5	7
B. *Operated*	186	4.1	3	2	2	4	5	7	7	11
1. SINGLE DX	810	2.5	2	1	1	2	3	4	5	7
2. MULTIPLE DX	365	3.1	4	1	1	3	4	6	7	9
A. NOT OPERATED	603	1.8	1	<1	1	1	2	3	4	6
B. OPERATED	572	3.6	2	2	2	3	4	6	7	8
TOTAL 0-19 YRS	839	2.5	2	1	1	2	3	4	5	7
20-34	276	3.2	3	1	1	3	4	5	7	9
35-49	42	3.5	5	1	1	3	5	6	7	9
50-64	10	2.5	3	<1	<1	2	3	5	6	6
65+	8	5.0	10	1	1	5	8	9	9	9
GRAND TOTAL	**1175**	**2.7**	**3**	**1**	**1**	**2**	**4**	**5**	**6**	**8**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	81	4.4	12	1	2	4	5	7	9	23
20-34	14	3.6	5	1	2	3	6	6	8	8
35-49	5	2.8		2	2	3	3	3	3	3
50-64										
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	52	2.8	6	<1	<1	2	4	6	8	10
20-34	46	2.6	6	<1	<1	2	3	5	9	11
35-49	28	2.1	1	<1	1	2	3	4	4	4
50-64	19	2.7	6	<1	1	2	3	4	9	12
65+	8	1.9	1	<1	<1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	3.9	5	1	2	3	5	7	8	11
20-34	12	4.2	5	2	2	4	5	8	10	10
35-49	8	4.0	3	2	2	4	5	7	7	7
50-64	3	5.0	4	3	3	5	6	7	7	7
65+	2	6.0	2	5	5	6	7	7	7	7
B. *Operated*										
0-19 YRS	32	3.2	5	<1	1	3	5	6	8	10
20-34	25	3.3	13	<1	<1	2	4	7	11	18
35-49	16	5.9	29	<1	<1	3	10	13	17	18
50-64	20	4.5	18	1	1	3	5	10	15	18
65+	12	6.2	46	1	1	3	8	16	23	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	101	4.2	11	1	2	3	5	7	9	20
B. *Operated*	153	2.5	5	<1	<1	2	3	5	8	11
2. MULTIPLE DX										
A. *Not Operated*	82	4.0	4	1	2	4	5	7	8	11
B. *Operated*	105	4.2	18	<1	1	3	5	10	13	21
1. SINGLE DX	254	3.2	8	<1	1	2	4	6	8	12
2. MULTIPLE DX	187	4.1	12	1	1	3	5	8	11	18
A. NOT OPERATED	183	4.1	8	1	2	4	5	7	8	12
B. OPERATED	258	3.2	11	<1	<1	2	4	7	10	18
TOTAL 0-19 YRS	222	3.7	8	<1	1	3	5	7	8	11
20-34	97	3.1	8	<1	1	2	4	7	9	15
35-49	57	3.5	11	<1	1	3	4	7	12	18
50-64	42	3.7	12	1	1	3	4	7	12	18
65+	23	4.5	28	<1	1	2	5	11	17	24
GRAND TOTAL	**441**	**3.6**	**10**	**<1**	**1**	**3**	**5**	**7**	**10**	**18**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.2		<1	<1	1	1	2	2	2
20-34	27	5.6	31	<1	1	4	7	14	16	24
35-49	6	4.8	14	1	1	5	7	10	10	10
50-64	7	6.9	30	<1	1	4	13	14	14	14
65+	10	8.8	73	1	1	5	14	23	25	25
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	4.1	20	1	1	2	5	12	14	14
20-34	47	8.9	68	1	2	5	12	21	26	37
35-49	28	10.4	88	1	1	7	13	28	33	34
50-64	43	6.4	33	1	1	4	10	16	19	22
65+	85	8.6	43	1	2	7	11	17	20	35
B. *Operated*										
0-19 YRS										
20-34	2	19.0	578	2	2	19	36	36	36	36
35-49	3	28.0	469	15	15	16	44	53	53	53
50-64	2	40.0	2592	4	4	40	76	76	76	76
65+	8	15.4	128	7	7	10	20	35	38	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	5.9	35	<1	1	4	7	14	20	25
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	211	8.3	53	1	1	6	11	18	21	35
B. *Operated*	15	21.7	438	2	4	12	34	53	70	76
1. SINGLE DX	55	5.9	35	<1	1	4	7	14	20	25
2. MULTIPLE DX	226	9.2	88	1	1	7	12	20	28	42
A. NOT OPERATED	266	7.8	50	1	1	6	11	17	21	34
B. OPERATED	15	21.7	438	2	4	12	34	53	70	76
TOTAL 0-19 YRS	13	3.0	14	<1	<1	1	3	8	13	14
20-34	76	8.0	66	<1	1	5	11	20	25	37
35-49	37	10.9	125	1	1	7	14	30	34	53
50-64	52	7.8	124	1	1	4	10	16	19	75
65+	103	9.2	54	1	2	7	12	19	23	38
GRAND TOTAL	**281**	**8.5**	**79**	**1**	**1**	**6**	**11**	**19**	**24**	**39**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	61	1.9	5	<1	1	1	2	3	5	16
20-34	70	3.9	20	<1	1	2	4	8	18	21
35-49	47	6.4	81	1	1	3	8	13	25	48
50-64	32	8.4	55	1	2	5	14	21	21	25
65+	317	9.1	94	1	2	6	11	20	27	50
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34										
35-49										
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	6	9.7	97	1	1	7	14	26	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	82	3.7	27	1	1	2	4	8	19	26
20-34	136	6.8	70	1	1	4	8	16	22	38
35-49	91	[illegible]	44	1	2	4	8	17	23	99+
50-64	186	9.2	75	1	2	7	12	18	26	46
65+	1758	9.6	92	2	3	7	12	20	27	85
B. *Operated*										
0-19 YRS	8	19.1	994	1	1	7	20	74	94	94
20-34	6	20.0	720	2	2	10	23	67	72	72
35-49	6	7.7	103	1	1	3	11	25	27	27
50-64	25	24.0	599	2	2	19	29	61	76	99
65+	108	16.6	201	2	4	14	21	31	40	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	527	7.3	77	1	1	4	9	17	23	48
B. *Operated*	9	7.8	72	1	1	6	10	22	27	27
2. MULTIPLE DX										
A. *Not Operated*	2253	9.0	86	1	2	7	11	19	26	69
B. *Operated*	153	17.7	321	2	2	14	23	35	58	94
1. SINGLE DX	536	7.3	77	1	1	4	9	17	23	48
2. MULTIPLE DX	2406	9.6	106	1	2	7	12	20	28	77
A. NOT OPERATED	2780	8.7	85	1	2	6	11	19	25	62
B. OPERATED	162	17.2	312	1	2	13	22	34	52	94
TOTAL 0-19 YRS	152	3.8	77	<1	1	2	3	7	17	29
20-34	212	6.2	76	1	1	3	6	16	20	46
35-49	144	6.3	51	1	1	4	8	16	25	99+
50-64	245	10.5	144	1	2	7	14	21	29	64
65+	2189	9.8	100	2	2	7	12	21	28	72
GRAND TOTAL	**2942**	**9.2**	**101**	**1**	**2**	**6**	**11**	**20**	**27**	**69**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	7.5	85	1	1	7	14	14	14	14
65+	10	7.0	11	2	2	7	8	11	14	14
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	6	22.8	266	4	5	18	41	44	44	44
65+	106	8.4	41	2	3	7	10	18	23	65
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	18.0		18	18	18	18	18	18	18
65+	7	12.9	86	3	3	10	21	25	26	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	7.1	17	1	2	7	9	14	14	14
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	112	9.2	61	2	3	7	10	19	28	65
B. *Operated*	8	13.5	77	3	4	14	20	24	26	26
1. SINGLE DX	12	7.1	17	1	2	7	9	14	14	14
2. MULTIPLE DX	120	9.5	63	2	3	7	11	20	27	60
A. NOT OPERATED	124	9.0	57	2	3	7	10	18	26	58
B. OPERATED	8	13.5	77	3	4	14	20	24	26	26
TOTAL 0-19 YRS										
20-34										
35-49										
50-64	9	18.9	221	1	2	14	27	43	44	44
65+	123	8.6	41	2	3	7	10	18	24	55
GRAND TOTAL	**132**	**9.3**	**59**	**2**	**3**	**7**	**10**	**20**	**26**	**53**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.2		<1	<1	1	1	2	2	2
20-34	40	3.2	14	<1	<1	2	4	5	6	24
35-49	103	4.2	54	1	1	3	5	7	9	42
50-64	51	4.7	19	1	1	4	6	10	13	22
65+	13	6.7	47	1	2	5	6	14	25	28
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	7.2	136	<1	<1	2	9	28	28	28
20-34	213	6.0	50	1	1	4	6	18	25	29
35-49	388	5.7	38	1	2	3	6	13	22	29
50-64	416	7.5	56	1	2	5	9	18	23	37
65+	204	8.0	49	2	2	6	10	20	23	33
B. *Operated*										
0-19 YRS										
20-34	3	7.7	44	2	2	6	13	15	15	15
35-49	17	15.0	309	1	2	8	21	35	58	70
50-64	27	19.0	538	1	1	10	21	52	74	99
65+	25	17.4	179	3	6	13	21	36	48	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	212	4.2	37	1	1	3	5	7	10	26
B. *Operated*	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	1226	6.7	49	1	2	4	8	16	23	31
B. *Operated*	72	17.0	335	1	3	10	21	36	59	93
1. SINGLE DX	214	4.2	36	1	1	3	5	7	10	25
2. MULTIPLE DX	1298	7.3	70	1	2	4	8	19	25	37
A. NOT OPERATED	1438	6.4	48	1	1	4	7	15	22	31
B. OPERATED	74	16.6	331	1	2	10	20	36	58	92
TOTAL 0-19 YRS	10	4.2	70	<1	<1	1	2	15	28	28
20-34	256	5.6	45	1	1	3	6	15	25	28
35-49	508	5.7	53	1	1	3	6	12	21	32
50-64	495	7.8	85	1	2	5	9	20	25	39
65+	243	8.9	70	2	2	6	11	21	24	45
GRAND TOTAL	**1512**	**6.9**	**67**	**1**	**2**	**4**	**7**	**16**	**24**	**37**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	4.5	23	<1	<1	3	6	14	15	15
20-34	27	5.2	22	1	1	3	8	13	15	17
35-49	5	6.6	25	2	2	4	12	12	12	12
50-64	1	6.0		6	6	6	6	6	6	6
65+	4	6.0	29	3	3	4	9	14	14	14
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	8.9	143	1	1	4	7	29	36	50
20-34	125	5.0	33	<1	1	3	6	11	15	35
35-49	40	6.0	26	1	2	5	8	11	13	30
50-64	51	8.1	51	2	2	6	10	16	20	41
65+	92	8.0	64	2	2	5	9	14	27	45
B. *Operated*										
0-19 YRS										
20-34	5	8.6	67	<1	<1	8	12	22	22	22
35-49	3	20.0	532	2	2	12	37	46	46	46
50-64	5	18.2	434	5	5	9	24	55	55	55
65+	1	5.0		5	5	5	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	5.2	21	1	1	3	8	13	15	17
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	334	6.7	53	1	1	5	8	13	21	40
B. *Operated*	14	14.2	268	<1	2	8	14	47	53	55
1. SINGLE DX	52	5.2	21	1	1	3	8	13	15	17
2. MULTIPLE DX	348	7.0	63	1	1	5	8	13	23	46
A. NOT OPERATED	386	6.5	49	1	1	4	8	13	19	38
B. OPERATED	14	14.2	268	<1	2	8	14	47	53	55
TOTAL 0-19 YRS	41	7.3	102	<1	1	3	7	20	30	50
20-34	157	5.2	32	<1	1	3	6	12	15	33
35-49	48	6.9	58	1	2	5	8	12	15	46
50-64	57	8.9	85	2	2	6	10	16	25	54
65+	97	7.9	62	2	2	5	9	14	26	44
GRAND TOTAL	**400**	**6.8**	**58**	**1**	**1**	**4**	**8**	**13**	**21**	**43**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	70	16.2	217	2	3	12	21	37	54	95
20-34	948	10.8	93	1	2	8	15	22	27	51
35-49	432	10.7	83	1	2	8	15	22	30	45
50-64	168	11.9	89	2	3	9	17	21	26	50
65+	29	11.0	50	2	3	8	16	20	27	28
B. *Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64	1	7.0		7	7	7	7	7	7	7
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	12.0	105	1	2	8	19	26	35	38
20-34	526	10.2	66	1	2	8	14	19	25	41
35-49	294	11.6	109	2	3	9	15	23	28	48
50-64	156	13.5	123	3	4	10	17	28	39	60
65+	49	12.3	73	3	3	10	16	27	29	36
B. *Operated*										
0-19 YRS	1	90.0		90	90	90	90	90	90	90
20-34	14	25.7	399	5	9	22	35	42	74	83
35-49	10	19.4	108	10	10	14	25	36	40	40
50-64	5	15.2	84	7	7	11	22	29	29	29
65+	1	11.0		11	11	11	11	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1647	11.1	95	1	2	8	15	22	28	51
B. *Operated*	2	4.5	13	2	2	4	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	1073	11.3	89	2	3	9	15	23	28	45
B. *Operated*	31	23.6	388	7	9	15	31	39	81	90
1. SINGLE DX	1649	11.1	95	1	2	8	15	22	28	51
2. MULTIPLE DX	1104	11.6	101	2	3	9	15	24	29	47
A. NOT OPERATED	2720	11.2	93	2	2	8	15	22	28	48
B. OPERATED	33	22.4	386	4	7	14	30	38	77	90
TOTAL 0-19 YRS	119	15.1	221	2	2	11	21	34	46	93
20-34	1489	10.8	88	1	2	8	14	22	27	46
35-49	736	11.2	95	2	2	9	15	23	29	46
50-64	330	12.7	105	2	3	10	17	24	34	54
65+	79	11.8	63	2	3	10	16	25	28	34
GRAND TOTAL	**2753**	**11.3**	**98**	**2**	**2**	**9**	**15**	**23**	**29**	**49**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	10.2	59	2	2	6	18	20	22	22
20-34	49	8.8	36	2	3	8	12	17	21	28
35-49	18	9.9	37	1	2	9	13	19	21	21
50-64	6	8.8	24	1	2	8	14	14	14	14
65+	1	21.0		21	21	21	21	21	21	21
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	18.8	528	3	3	9	24	52	79	83
20-34	34	13.2	187	3	4	10	15	25	40	73
35-49	9	11.3	33	1	2	10	13	25	33	33
50-64	12	9.3	47	2	2	9	15	19	21	21
65+	4	9.0	37	5	5	6	12	18	18	18
B. *Operated*										
0-19 YRS										
20-34	1	23.0		23	23	23	23	23	23	23
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	9.4	38	2	2	8	13	19	21	27
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	71	13.0	199	2	3	9	15	25	39	81
B. *Operated*	2	12.5	221	2	2	12	23	23	23	23
1. SINGLE DX	86	9.4	38	2	2	8	13	19	21	27
2. MULTIPLE DX	73	13.0	196	2	3	9	15	25	38	81
A. NOT OPERATED	157	11.0	114	2	3	9	14	21	26	71
B. OPERATED	2	12.5	221	2	2	12	23	23	23	23
TOTAL 0-19 YRS	24	14.5	300	2	3	8	18	28	52	83
20-34	84	10.8	101	2	3	8	13	20	25	62
35-49	27	10.4	50	1	2	10	13	20	23	33
50-64	19	8.8	38	1	2	9	14	17	20	21
65+	5	11.4	56	5	5	7	19	21	21	21
GRAND TOTAL	**159**	**11.0**	**114**	**2**	**3**	**9**	**14**	**21**	**26**	**70**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	162	16.0	229	2	3	11	21	36	43	78
20-34	1230	11.8	107	1	2	9	16	24	30	52
35-49	506	11.1	86	2	2	9	15	22	28	49
50-64	186	12.3	78	2	3	10	17	23	28	45
65+	56	13.5	145	1	2	11	20	32	34	59
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	101	17.8	254	2	3	14	23	44	60	99+
20-34	796	12.6	145	2	2	9	16	26	35	63
35-49	462	11.9	95	2	3	9	16	24	31	44
50-64	238	12.7	95	2	3	10	18	27	32	51
65+	86	14.1	140	2	3	11	20	28	40	56
B. *Operated*										
0-19 YRS										
20-34	24	22.6	293	2	7	20	31	61	78	99+
35-49	21	15.5	121	3	6	12	18	32	43	47
50-64	8	23.8	132	11	12	19	32	42	44	44
65+	9	19.2	221	4	5	13	25	44	45	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2140	12.1	111	2	2	9	16	24	31	52
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1683	12.8	132	2	3	10	17	26	35	62
B. *Operated*	62	19.9	206	3	7	17	27	43	52	96
1. SINGLE DX	2140	12.1	111	2	2	9	16	24	31	52
2. MULTIPLE DX	1745	13.1	136	2	3	10	17	27	36	63
A. NOT OPERATED	3823	12.4	121	2	2	9	16	25	32	57
B. OPERATED	62	19.9	206	3	7	17	27	43	52	96
TOTAL 0-19 YRS	263	16.7	238	2	3	12	22	36	47	97
20-34	2050	12.3	125	1	2	9	16	25	32	59
35-49	989	11.6	91	2	2	9	16	23	30	48
50-64	432	12.8	90	2	3	11	17	25	31	48
65+	151	14.2	146	1	3	12	20	31	39	59
GRAND TOTAL	**3885**	**12.5**	**123**	**2**	**2**	**10**	**17**	**26**	**33**	**58**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	40.6	1081	<1	6	27	72	90	97	98
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	20.5	221	10	10	20	31	31	31	31
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	40.6	1081	<1	6	27	72	90	97	98
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	2	20.5	221	10	10	20	31	31	31	31
B. *Operated*										
1. SINGLE DX	11	40.6	1081	<1	6	27	72	90	97	98
2. MULTIPLE DX	2	20.5	221	10	10	20	31	31	31	31
A. NOT OPERATED	13	37.5	977	1	8	27	59	87	96	98
B. OPERATED										
TOTAL 0-19 YRS	13	37.5	977	1	8	27	59	87	96	98
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**13**	**37.5**	**977**	**1**	**8**	**27**	**59**	**87**	**96**	**98**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	60	12.6	179	1	3	8	17	34	41	98
20-34	545	11.5	125	1	2	8	16	24	31	61
35-49	479	11.0	100	1	2	8	15	24	30	47
50-64	376	13.9	139	2	3	11	18	28	40	59
65+	257	17.9	212	2	4	14	25	38	51	73
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	3	28.0	268	14	14	24	40	46	46	46
65+	1	16.0		16	16	16	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	118	14.2	216	1	2	9	19	34	54	99+
20-34	857	11.6	144	1	2	8	14	25	36	63
35-49	762	13.0	157	1	2	9	17	29	38	68
50-64	608	13.4	155	2	3	10	17	28	37	65
65+	576	15.9	149	3	4	13	22	33	40	60
B. *Operated*										
0-19 YRS	7	26.1	706	8	8	17	30	73	83	83
20-34	39	28.8	505	2	6	25	40	64	81	91
35-49	36	22.1	243	5	8	16	30	47	55	66
50-64	28	28.7	300	3	11	27	39	56	59	63
65+	45	26.9	311	5	7	24	38	56	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1717	12.9	141	1	2	9	17	27	37	60
B. *Operated*	4	25.0	215	14	14	20	35	46	46	46
2. MULTIPLE DX										
A. *Not Operated*	2921	13.3	156	2	2	10	17	29	37	65
B. *Operated*	155	26.6	356	4	7	22	37	55	68	91
1. SINGLE DX	1721	12.9	142	1	2	9	17	28	37	60
2. MULTIPLE DX	3076	14.0	174	2	3	10	18	31	40	70
A. NOT OPERATED	4638	13.1	150	2	2	9	17	28	37	63
B. OPERATED	159	26.5	351	4	7	22	37	54	67	90
TOTAL 0-19 YRS	185	14.1	224	1	2	9	19	34	51	99+
20-34	1441	12.1	154	1	2	8	15	26	37	67
35-49	1277	12.5	142	1	2	9	16	27	36	60
50-64	1015	14.1	159	2	3	10	18	30	40	64
65+	879	17.0	181	3	4	14	23	36	46	68
GRAND TOTAL	**4797**	**13.6**	**163**	**2**	**2**	**10**	**18**	**30**	**39**	**66**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	57	11.8	142	1	2	9	14	27	39	60
20-34	633	11.6	90	1	2	9	15	23	31	43
35-49	484	10.9	78	2	3	8	14	22	29	40
50-64	252	13.4	113	2	3	11	18	27	31	47
65+	112	16.4	151	3	5	14	22	33	41	60
B. *Operated*										
0-19 YRS										
20-34	2	32.5	1105	9	9	32	56	56	56	56
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	17.8	260	2	5	14	21	29	51	88
20-34	502	12.4	107	2	3	9	17	25	32	44
35-49	404	12.7	88	2	3	11	17	24	30	51
50-64	344	13.6	113	2	3	11	18	28	35	45
65+	192	15.9	141	2	4	13	21	29	40	59
B. *Operated*										
0-19 YRS	2	50.5	25	47	47	50	54	54	54	54
20-34	14	17.4	207	1	2	15	22	38	49	52
35-49	13	20.2	240	4	5	15	31	43	51	53
50-64	12	35.1	606	6	10	33	46	67	91	95
65+	23	33.0	485	7	11	26	45	72	78	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1538	12.0	98	2	3	9	15	25	31	47
B. *Operated*	2	32.5	1105	9	9	32	56	56	56	56
2. MULTIPLE DX										
A. *Not Operated*	1480	13.3	113	2	3	11	18	27	33	52
B. *Operated*	64	27.9	436	4	6	23	39	54	72	93
1. SINGLE DX	1540	12.1	99	2	3	9	16	25	31	47
2. MULTIPLE DX	1544	13.9	134	2	3	11	18	28	36	58
A. NOT OPERATED	3018	12.7	106	2	3	10	17	26	32	49
B. OPERATED	66	28.0	441	4	6	23	40	55	72	92
TOTAL 0-19 YRS	97	15.0	219	1	2	12	17	29	51	77
20-34	1151	12.0	101	2	3	9	16	24	32	46
35-49	901	11.8	86	2	3	10	16	24	30	46
50-64	608	13.9	130	2	3	11	18	28	34	52
65+	327	17.3	185	3	4	14	22	34	47	70
GRAND TOTAL	**3084**	**13.0**	**118**	**2**	**3**	**10**	**17**	**27**	**34**	**54**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	64	10.2	84	1	2	7	14	23	30	41
20-34	259	8.4	89	1	1	5	11	19	25	39
35-49	160	7.7	63	1	1	6	10	16	20	35
50-64	82	10.6	108	1	2	7	13	27	32	50
65+	90	9.7	150	1	1	7	12	19	25	77
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+	5	11.6	128	2	2	6	20	29	29	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	12.1	135	1	2	10	18	28	42	95
20-34	287	9.1	85	1	2	6	11	21	31	59
35-49	153	9.7	99	1	2	7	12	21	31	52
50-64	199	10.9	108	1	2	9	14	23	29	60
65+	490	9.4	70	2	2	7	12	20	28	44
B. *Operated*										
0-19 YRS	2	11.5	145	3	3	11	20	20	20	20
20-34	11	24.5	374	7	8	19	30	51	74	76
35-49	8	15.5	112	2	4	14	21	32	35	35
50-64	13	11.6	126	1	2	7	16	33	33	33
65+	37	21.6	205	4	6	19	30	44	46	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	655	8.8	93	1	1	6	12	19	26	42
B. *Operated*	6	9.8	121	1	1	5	17	28	29	29
2. MULTIPLE DX										
A. *Not Operated*	1189	9.7	87	1	2	7	12	21	30	49
B. *Operated*	71	19.3	215	3	4	16	27	41	45	71
1. SINGLE DX	661	8.9	94	1	1	6	12	19	26	42
2. MULTIPLE DX	1260	10.3	99	1	2	7	13	23	31	50
A. NOT OPERATED	1844	9.4	90	1	2	7	12	21	28	49
B. OPERATED	77	18.5	213	2	3	15	27	40	45	69
TOTAL 0-19 YRS	126	11.1	108	1	2	8	16	25	33	65
20-34	557	9.1	97	1	2	6	12	21	29	58
35-49	322	8.8	83	1	2	6	11	18	26	51
50-64	294	10.8	108	1	2	8	14	23	30	51
65+	622	10.2	97	1	2	7	13	22	30	46
GRAND TOTAL	**1921**	**9.8**	**98**	**1**	**2**	**7**	**13**	**22**	**30**	**49**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	2.3	2	<1	<1	2	3	4	6	7
20-34	116	4.1	13	1	1	3	5	9	13	17
35-49	116	4.6	29	1	1	2	6	11	16	29
50-64	60	5.0	37	1	1	3	6	11	17	36
65+	33	3.6	7	<1	1	3	5	8	10	11
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	2	4.5	13	2	2	4	7	7	7	7
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	5.7	51	<1	1	3	7	13	25	31
20-34	234	5.4	56	1	1	3	6	13	17	25
35-49	224	5.8	57	1	1	4	7	11	20	47
50-64	178	5.3	48	1	1	3	6	10	20	42
65+	201	5.5	31	1	1	4	6	10	15	30
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	5.0	37	1	1	2	8	14	14	14
35-49	10	4.3	13	<1	<1	3	7	10	10	10
50-64	9	8.6	39	2	2	5	13	18	19	19
65+	2	13.5	181	4	4	13	23	23	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	346	4.3	22	1	1	3	5	10	13	23
B. *Operated*	4	3.5	6	2	2	3	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	874	5.5	48	1	1	3	6	11	18	40
B. *Operated*	26	6.5	38	<1	1	4	10	17	20	23
1. SINGLE DX	350	4.3	21	1	1	3	5	9	13	23
2. MULTIPLE DX	900	5.5	48	1	1	3	6	12	18	39
A. NOT OPERATED	1220	5.2	41	1	1	3	6	11	16	33
B. OPERATED	30	6.1	34	1	1	4	10	15	19	23
TOTAL 0-19 YRS	59	4.4	35	<1	1	2	5	9	16	31
20-34	354	5.0	42	1	1	3	6	12	15	24
35-49	352	5.4	47	1	1	3	6	11	19	43
50-64	249	5.3	45	1	1	3	6	11	19	38
65+	236	5.3	29	1	1	4	6	10	15	30
GRAND TOTAL	**1250**	**5.2**	**41**	**1**	**1**	**3**	**6**	**11**	**17**	**33**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	74	9.9	210	<1	1	4	10	26	41	76
20-34	393	6.8	56	1	1	4	8	15	20	32
35-49	294	8.3	87	1	1	5	9	20	26	51
50-64	153	9.0	96	1	2	6	11	18	23	65
65+	67	13.8	174	2	2	8	20	33	41	57
B. *Operated*										
0-19 YRS										
20-34	1	11.0		11	11	11	11	11	11	11
35-49	4	1.8	1	<1	<1	1	2	3	3	3
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	121	13.8	312	1	1	6	18	43	62	99+
20-34	744	8.9	106	1	1	5	11	20	27	53
35-49	647	9.0	79	1	2	6	12	19	24	50
50-64	347	9.2	81	1	2	6	12	20	27	46
65+	283	9.8	84	2	2	7	12	23	30	43
B. *Operated*										
0-19 YRS	2	9.0	8	7	7	9	11	11	11	11
20-34	33	16.6	169	2	3	14	21	35	38	66
35-49	26	15.7	242	1	2	14	22	31	82	99+
50-64	16	18.7	151	3	4	16	25	39	44	46
65+	12	21.8	592	<1	1	13	29	67	74	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	981	8.3	94	1	1	5	10	19	26	56
B. *Operated*	6	3.3	15	<1	<1	2	3	10	11	11
2. MULTIPLE DX										
A. *Not Operated*	2142	9.4	104	1	2	6	12	21	29	53
B. *Operated*	89	17.2	236	2	3	14	22	35	64	92
1. SINGLE DX	987	8.3	94	1	1	5	10	19	26	55
2. MULTIPLE DX	2231	9.7	111	1	2	6	12	22	29	58
A. NOT OPERATED	3123	9.0	101	1	2	6	11	20	28	54
B. OPERATED	95	16.4	233	1	2	14	22	34	59	90
TOTAL 0-19 YRS	197	12.3	273	1	1	5	15	37	51	95
20-34	1171	8.4	94	1	1	5	11	19	25	52
35-49	971	8.9	87	1	2	6	11	20	25	52
50-64	517	9.4	90	1	2	6	12	21	27	48
65+	362	10.9	122	2	2	7	13	27	33	55
GRAND TOTAL	**3218**	**9.3**	**106**	**1**	**2**	**6**	**12**	**21**	**28**	**56**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	96	6.8	123	<1	1	3	9	31	89	99+
20-34	327	7.2	107	1	1	4	8	18	27	62
35-49	152	6.8	89	<1	1	4	8	16	24	55
50-64	49	4.6	20	<1	1	3	6	10	15	20
65+	19	5.9	22	1	1	5	8	11	16	19
B. *Operated*										
0-19 YRS	5	8.6	144	2	2	3	11	30	30	30
20-34	48	8.8	23	1	3	9	10	13	17	28
35-49	29	5.6	14	1	1	8	9	9	9	9
50-64	27	3.4	4	1	1	3	4	6	7	9
65+	19	2.4	1	1	1	2	3	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	184	8.0	149	<1	1	4	9	22	33	87
20-34	839	7.1	65	1	1	4	9	17	24	35
35-49	399	7.4	63	1	1	5	10	17	22	39
50-64	159	7.0	58	1	1	4	9	15	21	36
65+	132	7.5	80	1	2	5	9	14	19	51
B. *Operated*										
0-19 YRS	4	20.8	221	2	2	21	31	38	38	38
20-34	67	14.9	223	2	3	9	19	34	48	70
35-49	44	14.9	261	2	3	9	17	35	55	74
50-64	33	6.3	25	2	2	5	9	13	18	22
65+	22	8.3	33	2	3	7	11	14	19	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	643	6.8	96	<1	1	4	8	17	27	91
B. *Operated*	128	6.0	23	1	1	5	9	10	12	28
2. MULTIPLE DX										
A. *Not Operated*	1713	7.3	74	1	1	4	9	17	23	40
B. *Operated*	170	12.5	181	2	2	9	13	30	38	70
1. SINGLE DX	771	6.7	84	1	1	4	9	16	25	80
2. MULTIPLE DX	1883	7.7	86	1	1	5	10	18	26	47
A. NOT OPERATED	2356	7.1	80	1	1	4	9	17	25	52
B. OPERATED	298	9.7	124	1	2	7	10	22	32	66
TOTAL 0-19 YRS	289	7.8	142	<1	1	4	9	24	36	99+
20-34	1281	7.6	85	1	1	5	9	17	26	45
35-49	624	7.7	85	1	1	5	9	17	24	53
50-64	268	6.1	42	1	1	4	8	13	19	34
65+	192	6.9	63	1	2	5	8	13	18	39
GRAND TOTAL	**2654**	**7.4**	**85**	**1**	**1**	**4**	**9**	**17**	**26**	**54**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	8.2	134	<1	<1	1	19	28	30	42
20-34	446	13.0	130	<1	1	7	24	29	30	34
35-49	583	12.2	118	1	1	5	23	28	30	33
50-64	394	10.5	107	1	1	4	21	27	30	32
65+	136	13.0	104	1	2	10	21	27	29	34
B. *Operated*										
0-19 YRS										
20-34	1	21.0		21	21	21	21	21	21	21
35-49	1	22.0		22	22	22	22	22	22	22
50-64	2	6.0	32	2	2	6	10	10	10	10
65+	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	151	16.0	208	<1	1	17	28	33	41	56
20-34	1516	15.3	132	1	1	20	26	29	31	36
35-49	1967	13.8	120	1	2	10	23	28	30	35
50-64	1812	13.2	116	1	2	8	22	29	30	36
65+	952	14.2	97	2	3	14	21	27	30	37
B. *Operated*										
0-19 YRS	3	18.7	936	<1	<1	1	41	54	54	54
20-34	44	19.8	122	1	2	23	28	32	35	36
35-49	69	19.8	202	1	3	21	28	37	42	71
50-64	75	21.0	146	1	5	21	29	39	42	51
65+	49	20.4	104	7	8	20	28	34	39	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1610	12.0	119	1	1	5	23	28	30	33
B. *Operated*	6	9.8	91	2	2	6	21	22	22	22
2. MULTIPLE DX										
A. *Not Operated*	6398	14.1	121	1	2	11	23	29	30	36
B. *Operated*	240	20.3	154	1	5	21	28	35	41	54
1. SINGLE DX	1616	11.9	119	1	1	5	23	28	30	33
2. MULTIPLE DX	6638	14.3	123	1	2	12	24	29	31	38
A. NOT OPERATED	8008	13.7	121	1	2	10	23	29	30	35
B. OPERATED	246	20.0	155	2	3	21	28	35	41	54
TOTAL 0-19 YRS	205	14.1	207	<1	<1	5	26	31	37	55
20-34	2007	14.9	132	1	1	19	25	29	31	36
35-49	2620	13.6	123	1	2	9	23	28	30	35
50-64	2283	13.0	118	1	2	8	22	29	30	37
65+	1139	14.3	100	2	2	14	21	28	30	37
GRAND TOTAL	**8254**	**13.9**	**123**	**1**	**2**	**10**	**23**	**29**	**30**	**36**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	36	15.3	152	1	2	12	28	30	35	39
35-49	8	14.8	120	4	4	12	27	28	28	28
50-64	2	16.5	221	6	6	16	27	27	27	27
65+	1	11.0		11	11	11	11	11	11	11
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	14.5	365	1	1	14	28	28	28	28
20-34	73	12.0	116	1	2	7	21	30	32	37
35-49	24	10.5	108	1	2	6	17	30	31	32
50-64	13	15.6	117	2	3	14	23	29	37	39
65+	4	15.0	183	5	5	10	23	35	35	35
B. *Operated*										
0-19 YRS										
20-34	5	25.8	132	13	13	30	36	36	36	36
35-49										
50-64	2	36.5	1105	13	13	36	60	60	60	60
65+	1	31.0		31	31	31	31	31	31	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	15.1	139	2	2	12	28	30	32	39
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	116	12.2	117	1	2	7	22	30	32	38
B. *Operated*	8	29.1	257	13	13	30	36	53	60	60
1. SINGLE DX	47	15.1	139	2	2	12	28	30	32	39
2. MULTIPLE DX	124	13.3	141	1	2	8	23	30	34	44
A. NOT OPERATED	163	13.1	124	1	2	8	24	30	32	39
B. OPERATED	8	29.1	257	13	13	30	36	53	60	60
TOTAL 0-19 YRS	2	14.5	365	1	1	14	28	28	28	28
20-34	114	13.6	135	1	2	8	26	30	34	38
35-49	32	11.5	111	1	2	6	21	29	30	32
50-64	17	18.2	218	2	3	14	25	37	53	60
65+	6	17.0	160	5	5	11	31	35	35	35
GRAND TOTAL	**171**	**13.8**	**140**	**1**	**2**	**9**	**26**	**30**	**34**	**39**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	18.7	205	1	1	22	30	32	41	44
20-34	44	13.0	148	1	1	5	27	29	30	32
35-49	14	14.6	168	1	1	13	27	30	37	39
50-64	2	3.0		3	3	3	3	3	3	3
65+	5	10.8	57	5	5	9	13	24	24	24
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	11.0		11	11	11	11	11	11	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	20.0	175	1	1	26	30	34	36	37
20-34	129	16.0	146	2	3	11	27	32	33	46
35-49	41	15.0	144	1	3	11	22	33	36	40
50-64	18	13.1	136	1	3	8	18	34	36	36
65+	13	16.4	89	2	3	18	22	29	32	33
B. *Operated*										
0-19 YRS										
20-34	2	22.0	72	16	16	22	28	28	28	28
35-49	2	6.0	8	4	4	6	8	8	8	8
50-64	1	21.0		21	21	21	21	21	21	21
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	79	13.9	155	1	1	8	28	30	30	43
B. *Operated*	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	224	16.0	145	1	2	12	27	32	34	41
B. *Operated*	5	15.4	94	4	4	16	23	28	28	28
1. SINGLE DX	80	13.9	153	1	1	8	27	30	30	42
2. MULTIPLE DX	229	16.0	143	1	2	13	27	32	34	41
A. NOT OPERATED	303	15.5	148	1	2	11	27	32	34	42
B. OPERATED	6	14.7	78	4	4	13	21	27	28	28
TOTAL 0-19 YRS	37	19.5	181	1	1	26	30	34	36	44
20-34	175	15.3	147	1	2	11	27	31	33	42
35-49	58	14.5	142	1	2	10	22	33	36	40
50-64	21	12.5	129	1	3	8	19	32	36	36
65+	18	14.8	83	2	4	13	21	27	31	33
GRAND TOTAL	**309**	**15.5**	**146**	**1**	**2**	**11**	**27**	**32**	**34**	**42**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	110	1.6	8	<1	<1	1	1	2	3	18
20-34	62	1.8	12	<1	<1	1	1	2	4	25
35-49	31	2.9	18	<1	<1	1	3	7	17	18
50-64	19	3.3	38	<1	<1	1	3	6	18	28
65+	5	1.6	1	1	1	1	2	3	3	3
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	106	6.4	137	<1	<1	1	4	23	34	57
20-34	168	2.9	21	<1	<1	1	2	6	10	29
35-49	87	4.7	47	<1	<1	2	5	9	23	35
50-64	84	3.5	7	<1	1	3	5	7	8	14
65+	39	3.8	23	<1	<1	2	4	7	16	24
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	6	4.8	33	<1	<1	2	6	15	16	16
35-49	2	6.0	2	5	5	6	7	7	7	7
50-64	7	2.7	9	<1	<1	1	5	8	8	8
65+	1	3.0		3	3	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	227	2.0	13	<1	<1	1	1	3	5	28
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	484	4.2	50	<1	<1	2	4	8	19	36
B. *Operated*	17	3.8	16	<1	<1	2	6	8	13	16
1. SINGLE DX	227	2.0	13	<1	<1	1	1	3	5	28
2. MULTIPLE DX	501	4.1	49	<1	<1	2	4	8	18	36
A. NOT OPERATED	711	3.5	39	<1	<1	1	3	7	14	32
B. OPERATED	17	3.8	16	<1	<1	2	6	8	13	16
TOTAL 0-19 YRS	217	3.9	76	<1	<1	1	2	9	26	47
20-34	236	2.6	19	<1	<1	1	2	5	9	28
35-49	120	4.3	39	<1	<1	2	5	9	18	32
50-64	110	3.4	12	<1	<1	3	5	7	8	20
65+	45	3.6	20	<1	<1	2	4	6	16	24
GRAND TOTAL	**728**	**3.5**	**39**	**<1**	**<1**	**1**	**3**	**7**	**14**	**31**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	8.5	153	<1	<1	3	8	30	37	41
20-34	42	10.8	187	<1	<1	4	15	30	33	62
35-49	8	13.5	172	1	1	10	22	34	36	36
50-64	4	8.0	94	1	1	4	14	22	22	22
65+	2	11.5	181	2	2	11	21	21	21	21
B. *Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49										
50-64	1	4.0		4	4	4	4	4	4	4
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	137	23.7	365	1	1	22	40	51	57	63
20-34	208	9.7	97	1	1	5	18	27	29	35
35-49	48	10.5	116	<1	1	4	20	28	30	32
50-64	24	12.5	97	2	3	10	20	29	32	33
65+	18	6.1	29	2	2	4	8	11	19	24
B. *Operated*										
0-19 YRS	5	43.0	705	2	2	41	65	69	69	69
20-34	3	21.7	244	5	5	24	33	36	36	36
35-49	2	16.5	85	10	10	16	23	23	23	23
50-64	1	57.0		57	57	57	57	57	57	57
65+	2	9.0	2	8	8	9	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	10.3	165	<1	<1	3	15	30	35	56
B. *Operated*	2	5.0	2	4	4	5	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	435	14.2	222	1	1	7	24	36	44	57
B. *Operated*	13	29.8	535	2	4	24	45	65	68	69
1. SINGLE DX	79	10.2	162	<1	<1	4	15	30	35	56
2. MULTIPLE DX	448	14.6	237	1	1	7	24	37	48	58
A. NOT OPERATED	512	13.6	215	1	1	6	23	34	43	57
B. OPERATED	15	26.5	535	2	4	23	40	64	68	69
TOTAL 0-19 YRS	163	22.3	382	<1	1	21	39	50	57	66
20-34	254	10.0	113	1	1	4	18	28	30	36
35-49	58	11.1	121	<1	1	5	20	29	31	36
50-64	30	13.1	160	2	2	9	21	30	33	57
65+	22	6.8	35	2	2	4	9	15	22	24
GRAND TOTAL	**527**	**14.0**	**228**	**1**	**1**	**6**	**24**	**36**	**44**	**59**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	3.1	5	1	1	3	4	7	8	9
20-34	36	3.7	9	1	1	3	5	8	11	13
35-49	45	4.5	90	1	1	2	4	9	11	64
50-64	23	2.6	2	<1	1	2	3	4	5	7
65+	14	3.9	7	1	1	4	5	7	9	10
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	6	9.0	158	1	1	4	9	31	34	34
50-64	2	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	4.3	21	<1	1	2	6	9	17	18
20-34	83	4.7	22	1	1	4	5	8	13	29
35-49	88	4.0	10	1	1	3	5	7	12	18
50-64	91	4.0	12	1	1	3	5	8	11	19
65+	109	4.8	14	1	2	4	6	9	11	21
B. *Operated*										
0-19 YRS										
20-34	8	8.9	63	2	2	6	12	22	26	26
35-49	8	6.1	7	3	3	6	8	10	10	10
50-64	8	4.6	10	1	1	5	7	9	9	9
65+	5	6.6	13	3	3	7	9	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	143	3.7	32	1	1	2	4	7	9	17
B. *Operated*	12	5.7	84	1	1	3	4	16	31	34
2. MULTIPLE DX										
A. *Not Operated*	398	4.4	15	1	1	3	5	8	11	19
B. *Operated*	29	6.6	24	1	2	6	9	11	14	26
1. SINGLE DX	155	3.8	36	1	1	2	4	7	10	33
2. MULTIPLE DX	427	4.5	16	1	1	3	5	9	11	20
A. NOT OPERATED	541	4.2	19	1	1	3	5	8	11	18
B. OPERATED	41	6.3	40	1	1	4	8	11	19	34
TOTAL 0-19 YRS	54	3.6	13	1	1	2	4	8	9	18
20-34	129	4.7	21	1	1	3	5	9	13	28
35-49	147	4.5	40	1	1	3	5	9	12	35
50-64	124	3.7	10	1	1	3	4	8	10	17
65+	128	4.8	13	1	2	4	6	9	11	19
GRAND TOTAL	**582**	**4.3**	**21**	**1**	**1**	**3**	**5**	**9**	**11**	**21**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	151	8.8	206	1	1	3	8	24	38	84
20-34	276	5.3	99	<1	1	2	5	12	15	52
35-49	190	5.2	58	<1	1	3	5	12	17	34
50-64	60	4.9	27	<1	<1	3	6	11	15	27
65+	30	6.4	41	1	1	4	11	13	19	29
B. *Operated*										
0-19 YRS	1	22.0		22	22	22	22	22	22	22
20-34	2	17.0	162	8	8	17	26	26	26	26
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	278	15.1	462	1	1	5	18	54	63	95
20-34	711	5.6	15	<1	1	3	7	12	18	40
35-49	397	5.5	33	1	1	3	7	13	18	26
50-64	203	6.4	71	1	1	4	8	13	17	33
65+	151	6.0	24	1	1	4	8	13	16	22
B. *Operated*										
0-19 YRS	5	16.4	656	1	1	6	21	62	62	62
20-34	15	15.3	341	<1	<1	8	18	51	52	52
35-49	16	13.1	191	1	2	9	12	31	49	57
50-64	9	13.8	215	1	2	11	13	37	51	51
65+	4	9.3	68	3	3	6	15	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	707	6.0	104	<1	1	3	6	13	21	56
B. *Operated*	3	18.7	89	8	8	22	25	26	26	26
2. MULTIPLE DX										
A. *Not Operated*	1740	7.2	122	1	1	4	8	15	25	62
B. *Operated*	49	13.9	257	1	1	9	15	48	52	62
1. SINGLE DX	710	6.1	105	<1	1	3	6	13	22	56
2. MULTIPLE DX	1789	7.4	127	1	1	4	8	15	27	62
A. NOT OPERATED	2447	6.9	117	<1	1	3	7	14	24	62
B. OPERATED	52	14.2	247	1	1	9	16	46	52	62
TOTAL 0-19 YRS	435	13.0	382	1	1	4	13	46	61	90
20-34	1004	5.7	66	<1	1	3	6	13	18	47
35-49	603	5.6	46	1	1	3	7	13	19	31
50-64	272	6.3	68	1	1	4	8	13	16	34
65+	185	6.2	27	1	1	4	9	13	17	24
GRAND TOTAL	**2499**	**7.0**	**121**	**<1**	**1**	**4**	**7**	**15**	**25**	**62**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	232	12.5	298	1	1	5	17	48	63	99+
20-34	338	7.7	105	1	1	4	9	16	29	60
35-49	223	6.6	69	1	1	4	7	15	23	41
50-64	109	8.3	62	1	2	5	12	19	22	36
65+	60	9.8	109	1	2	6	12	22	36	52
B. *Operated*										
0-19 YRS	4	7.0	144	1	1	1	13	25	25	25
20-34	7	18.1	733	1	1	9	23	66	76	76
35-49	4	4.8	12	1	1	4	7	9	9	9
50-64	2	2.5	1	2	2	2	3	3	3	3
65+	3	24.3	529	1	1	25	41	47	47	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	287	11.9	237	1	1	6	16	40	79	99+
20-34	690	7.8	74	1	1	5	10	18	24	41
35-49	520	8.0	69	1	2	5	10	18	25	41
50-64	336	8.1	61	1	2	5	10	18	26	37
65+	326	10.0	83	2	2	7	13	23	30	48
B. *Operated*										
0-19 YRS	8	14.3	141	2	2	16	29	72	99+	99+
20-34	31	14.5	192	1	2	8	18	36	49	54
35-49	30	12.6	82	2	3	12	21	26	28	31
50-64	20	12.7	259	1	1	9	15	20	49	76
65+	30	25.5	568	3	4	20	40	70	94	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	962	8.8	143	1	1	4	11	22	35	84
B. *Operated*	20	12.6	375	1	1	3	19	36	61	76
2. MULTIPLE DX										
A. *Not Operated*	2159	8.8	95	1	2	5	11	20	30	63
B. *Operated*	119	16.5	287	2	2	11	22	39	60	99+
1. SINGLE DX	982	8.9	147	1	1	4	11	22	35	83
2. MULTIPLE DX	2278	9.2	108	1	2	6	12	22	31	76
A. NOT OPERATED	3121	8.8	110	1	1	5	11	21	31	68
B. OPERATED	139	15.9	299	1	2	10	22	39	60	99+
TOTAL 0-19 YRS	531	12.1	260	1	1	6	17	41	69	99+
20-34	1066	8.0	93	1	1	5	10	18	26	58
35-49	777	7.8	70	1	2	5	10	18	25	40
50-64	467	8.3	70	1	2	6	11	18	26	37
65+	419	11.2	139	2	2	7	14	25	37	68
GRAND TOTAL	**3260**	**9.1**	**120**	**1**	**1**	**5**	**11**	**22**	**32**	**76**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	4.5	2	3	3	4	5	6	6	6
20-34	5	16.4	556	<1	<1	6	23	58	58	58
35-49	1	9.0		9	9	9	9	9	9	9
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	8.2	79	<1	1	5	12	21	28	36
20-34	32	10.1	152	1	2	6	14	21	32	64
35-49	13	11.5	174	2	3	6	16	32	45	48
50-64	9	4.9	15	1	1	3	7	11	13	13
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	2	3.0	8	<1	<1	2	5	5	5	5
20-34	2	8.5	1	8	8	8	9	9	9	9
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	6.0		6	6	6	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	9.4	244	<1	1	5	8	26	53	58
B. *Operated*	2	4.0	2	3	3	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	79	9.1	116	1	1	6	12	21	31	59
B. *Operated*	6	5.2	10	<1	<1	5	8	9	9	9
1. SINGLE DX	14	8.6	210	<1	1	5	6	17	49	58
2. MULTIPLE DX	85	8.8	109	1	1	6	12	21	29	58
A. NOT OPERATED	91	9.1	130	1	1	5	12	21	33	62
B. OPERATED	8	4.9	8	<1	1	5	7	9	9	9
TOTAL 0-19 YRS	31	7.3	64	<1	1	5	9	17	25	36
20-34	40	10.6	184	1	1	6	13	21	45	64
35-49	14	11.4	161	2	3	6	16	30	44	48
50-64	11	4.5	13	1	1	3	5	11	13	13
65+	3	4.3	8	1	1	6	6	6	6	6
GRAND TOTAL	**99**	**8.8**	**121**	**1**	**1**	**5**	**10**	**19**	**31**	**61**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	325	9.6	22	1	3	10	12	14	16	22
20-34	50	6.5	28	1	2	5	9	15	16	25
35-49	25	8.1	57	<1	1	7	9	13	27	35
50-64	15	14.0	188	1	2	9	18	43	44	45
65+	10	15.4	130	2	2	16	19	31	42	42
B. *Operated*										
0-19 YRS	33	12.4	32	3	8	11	13	19	23	33
20-34	19	9.2	167	<1	1	4	11	25	43	52
35-49	25	9.4	72	1	1	8	14	21	25	35
50-64	15	15.7	464	1	2	9	26	77	95	99+
65+	6	14.2	349	1	1	10	12	47	51	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	296	11.5	33	2	4	11	14	18	21	32
20-34	56	8.5	80	1	2	6	11	16	22	50
35-49	46	10.3	98	2	3	7	12	25	34	99+
50-64	43	12.5	121	2	3	10	15	22	39	56
65+	39	19.3	124	3	5	18	25	36	41	44
B. *Operated*										
0-19 YRS	77	16.3	77	4	9	15	20	28	32	46
20-34	42	17.9	280	2	3	14	26	38	67	99+
35-49	38	17.2	317	1	2	10	26	50	68	99+
50-64	49	22.3	363	2	2	17	31	57	70	99+
65+	43	33.1	608	4	7	27	56	73	80	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	425	9.5	35	1	2	10	12	15	17	36
B. *Operated*	98	11.6	150	1	1	10	13	23	37	91
2. MULTIPLE DX										
A. *Not Operated*	480	11.8	65	2	3	11	14	21	26	44
B. *Operated*	249	20.8	327	2	3	15	28	51	68	99+
1. SINGLE DX	523	9.9	57	1	2	10	12	16	20	44
2. MULTIPLE DX	729	14.9	172	2	3	11	17	30	44	81
A. NOT OPERATED	905	10.7	52	1	3	10	13	18	22	43
B. OPERATED	347	18.2	293	1	2	13	23	45	63	99+
TOTAL 0-19 YRS	731	11.2	36	2	3	11	13	17	21	34
20-34	167	10.4	142	1	2	6	13	22	36	84
35-49	134	11.7	158	1	2	8	14	29	45	99+
50-64	122	17.0	282	2	2	12	23	44	63	99+
65+	98	24.6	400	3	4	19	32	57	71	81
GRAND TOTAL	**1252**	**12.8**	**130**	**1**	**3**	**11**	**15**	**24**	**36**	**72**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34										
35-49	6	6.8	19	3	3	5	10	14	14	14
50-64	31	8.9	43	1	2	7	13	19	22	27
65+	82	8.5	34	2	3	7	11	17	22	27
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	12.0		12	12	12	12	12	12	12
65+	2	8.5	13	6	6	8	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	11.3	233	2	2	4	20	34	34	34
35-49	3	16.7	52	12	12	13	22	25	25	25
50-64	83	10.3	70	2	3	8	14	20	31	39
65+	608	10.3	64	2	3	8	13	19	26	38
B. *Operated*										
0-19 YRS										
20-34	1	47.0		47	47	47	47	47	47	47
35-49										
50-64	11	17.2	92	3	4	18	25	55	94	99+
65+	82	21.3	379	4	5	16	27	47	68	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	120	8.5	35	2	3	7	11	17	22	27
B. *Operated*	3	9.7	10	6	6	11	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	699	10.3	66	2	3	8	13	20	28	39
B. *Operated*	94	21.1	349	3	5	17	27	47	72	99
1. SINGLE DX	123	8.5	34	2	3	7	11	16	22	27
2. MULTIPLE DX	793	11.6	111	2	3	9	14	23	33	56
A. NOT OPERATED	819	10.1	61	2	3	8	13	19	25	38
B. OPERATED	97	20.8	342	4	5	16	27	47	71	99
TOTAL 0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	5	18.4	430	2	2	6	37	47	47	47
35-49	9	10.1	49	3	3	10	13	21	25	25
50-64	126	10.6	68	2	3	8	15	22	29	53
65+	774	11.3	106	2	3	9	13	22	29	51
GRAND TOTAL	**916**	**11.2**	**102**	**2**	**3**	**9**	**14**	**22**	**30**	**49**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	4.8	32	<1	<1	3	5	15	16	16
20-34	116	6.3	24	1	1	5	10	14	16	19
35-49	90	6.9	37	1	1	5	11	14	15	35
50-64	42	7.9	58	1	2	6	10	16	20	43
65+	8	9.5	34	3	3	8	13	19	20	20
B. *Operated*										
0-19 YRS										
20-34	25	3.4	7	1	1	2	4	7	8	12
35-49	27	5.0	20	1	1	3	8	13	14	14
50-64	3	2.3	2	1	1	2	3	4	4	4
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	6.8	19	1	1	7	10	11	11	11
20-34	128	10.0	113	1	2	7	13	20	27	66
35-49	158	10.1	81	2	2	8	14	19	26	77
50-64	102	12.5	139	2	3	9	15	27	39	83
65+	38	10.3	47	2	3	9	14	20	23	32
B. *Operated*										
0-19 YRS										
20-34	28	17.2	314	2	2	9	27	42	52	75
35-49	45	19.2	441	2	3	13	19	54	72	87
50-64	44	14.5	299	2	3	9	16	30	59	78
65+	13	21.6	440	3	7	16	28	45	77	84
SUBTOTALS.										
1. SINGLE DX										
A. *Not Operated*	262	6.8	34	1	1	5	10	14	16	33
B. *Operated*	56	4.1	13	1	1	3	5	11	13	14
2. MULTIPLE DX										
A. *Not Operated*	430	10.6	101	2	2	8	14	22	28	68
B. *Operated*	130	17.4	362	2	3	11	21	43	70	85
1. SINGLE DX	318	6.3	32	1	1	4	10	14	16	27
2. MULTIPLE DX	560	12.2	170	2	3	9	15	25	36	78
A. NOT OPERATED	692	9.2	79	1	2	7	12	18	24	58
B. OPERATED	186	13.4	294	1	2	8	15	32	52	82
TOTAL 0-19 YRS	10	5.6	25	<1	<1	4	9	13	16	16
20-34	297	8.7	99	1	1	6	11	18	26	58
35-49	320	10.1	129	1	2	7	13	18	28	79
50-64	191	11.8	161	2	3	8	14	24	39	78
65+	60	12.5	148	2	3	10	15	22	30	79
GRAND TOTAL	**878**	**10.1**	**127**	**1**	**2**	**7**	**13**	**20**	**29**	**73**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	293	2.6	8	1	1	2	3	5	8	15
20-34	261	2.7	5	1	1	2	3	6	7	13
35-49	105	2.7	6	1	1	2	3	5	7	14
50-64	83	3.1	5	1	1	3	4	6	7	13
65+	79	3.1	4	1	1	3	4	6	7	10
B. *Operated*										
0-19 YRS	5	13.2	404	2	2	4	17	49	49	49
20-34	6	4.2	4	2	2	4	5	7	7	7
35-49	4	2.3	6	1	1	1	4	6	6	6
50-64	4	3.8	2	2	2	4	5	5	5	5
65+	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	358	3.9	22	1	1	3	4	7	10	26
20-34	379	4.4	35	1	1	3	5	9	11	20
35-49	266	4.8	23	1	1	3	6	10	15	25
50-64	387	5.6	34	1	2	4	7	11	18	31
65+	497	6.6	54	1	2	5	8	13	18	31
B. *Operated*										
0-19 YRS	21	7.8	59	1	1	5	9	19	28	31
20-34	40	7.7	50	1	1	5	11	15	23	33
35-49	31	7.9	44	1	2	7	10	17	20	30
50-64	35	11.3	153	1	2	7	14	28	34	55
65+	34	15.6	177	3	4	11	22	31	58	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	821	2.7	6	1	1	2	3	5	7	14
B. *Operated*	21	5.6	103	1	1	4	5	7	26	49
2. MULTIPLE DX										
A. *Not Operated*	1887	5.2	37	1	1	4	6	11	15	29
B. *Operated*	161	10.2	106	1	2	7	13	26	31	59
1. SINGLE DX	842	2.8	9	1	1	2	3	6	7	14
2. MULTIPLE DX	2048	5.6	44	1	1	4	7	11	17	31
A. NOT OPERATED	2708	4.4	29	1	1	3	5	9	13	25
B. OPERATED	182	9.7	108	1	2	6	12	25	31	58
TOTAL 0-19 YRS	677	3.5	21	1	1	2	4	7	10	26
20-34	686	3.9	26	1	1	3	5	8	11	19
35-49	406	4.5	21	1	1	3	5	10	15	23
50-64	509	5.6	40	1	1	4	6	11	19	33
65+	612	6.6	60	1	2	4	8	14	20	45
GRAND TOTAL	**2890**	**4.8**	**35**	**1**	**1**	**3**	**5**	**10**	**14**	**29**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	115	3.3	9	<1	1	2	4	6	8	48
20-34	178	4.1	13	1	1	3	5	9	11	19
35-49	105	4.1	18	1	1	3	5	7	10	25
50-64	100	4.2	13	1	1	3	5	8	12	19
65+	169	7.1	51	1	2	5	9	13	17	33
B. *Operated*										
0-19 YRS	121	4.2	15	<1	1	3	5	9	11	18
20-34	148	5.2	27	1	1	3	7	13	17	25
35-49	140	4.9	24	1	1	3	7	11	14	21
50-64	138	5.0	35	1	1	3	6	9	16	34
65+	109	8.1	72	1	1	6	10	16	23	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	214	6.1	122	1	1	3	6	14	41	99+
20-34	271	8.6	170	1	1	4	9	25	53	99+
35-49	221	8.9	186	1	2	4	9	21	35	96
50-64	438	11.0	198	1	2	6	12	28	46	95
65+	1269	11.1	124	2	3	7	13	24	36	58
B. *Operated*										
0-19 YRS	234	10.9	217	1	2	6	11	30	52	99+
20-34	284	11.5	237	1	2	7	13	29	51	98
35-49	248	11.8	183	1	2	8	15	28	54	99+
50-64	297	12.5	221	2	2	7	15	32	47	91
65+	488	15.6	224	2	3	11	21	36	50	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	667	4.8	25	1	1	3	6	10	13	26
B. *Operated*	656	5.4	35	1	1	3	7	12	16	29
2. MULTIPLE DX										
A. *Not Operated*	2413	10.1	150	1	2	6	12	24	39	85
B. *Operated*	1551	13.0	221	1	2	8	16	32	50	99+
1. SINGLE DX	1323	5.1	30	1	1	3	6	11	14	27
2. MULTIPLE DX	3964	11.2	180	1	2	7	13	28	44	95
A. NOT OPERATED	3080	9.0	128	1	2	5	10	21	33	78
B. OPERATED	2207	10.7	178	1	2	6	13	26	41	91
TOTAL 0-19 YRS	684	6.9	126	1	1	3	7	14	32	99+
20-34	881	8.1	144	1	1	4	9	19	32	99+
35-49	714	8.4	137	1	1	4	10	21	31	99+
50-64	973	9.9	172	1	2	5	11	24	40	83
65+	2035	11.7	145	2	3	8	14	26	38	65
GRAND TOTAL	**5287**	**9.7**	**149**	**1**	**2**	**6**	**11**	**23**	**37**	**84**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	97	2.0	2	<1	1	2	3	4	4	7
20-34	302	2.8	5	1	1	2	3	5	7	11
35-49	224	3.1	5	1	1	3	4	6	7	12
50-64	70	2.9	5	1	1	2	4	5	6	14
65+	21	5.1	11	1	2	4	7	10	13	13
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	31	3.2	5	1	1	3	4	6	9	10
35-49	21	4.1	13	1	1	3	5	9	13	15
50-64	9	2.3	2	1	1	2	3	5	6	6
65+	3	8.3	102	2	2	3	16	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	2.5	5	1	1	2	3	6	8	9
20-34	302	4.3	23	1	1	3	5	8	11	25
35-49	280	4.5	15	1	1	3	5	9	11	23
50-64	155	4.4	15	1	1	3	5	8	12	20
65+	65	3.9	6	1	1	4	5	8	9	10
B. *Operated*										
0-19 YRS	3	3.7	2	2	2	4	5	5	5	5
20-34	31	5.5	17	1	2	5	7	11	13	21
35-49	30	5.7	25	1	2	4	7	10	22	22
50-64	17	4.4	7	2	2	4	6	8	10	11
65+	9	3.8	8	2	2	2	5	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	714	2.9	5	1	1	2	4	6	7	12
B. *Operated*	65	3.6	11	1	1	2	4	7	10	19
2. MULTIPLE DX										
A. *Not Operated*	860	4.2	17	1	1	3	5	8	10	20
B. *Operated*	90	5.1	16	2	2	4	6	9	11	22
1. SINGLE DX	779	2.9	5	1	1	2	4	6	7	13
2. MULTIPLE DX	950	4.3	17	1	1	3	5	8	11	22
A. NOT OPERATED	1574	3.6	12	1	1	3	4	7	9	17
B. OPERATED	155	4.5	15	1	1	3	6	8	11	22
TOTAL 0-19 YRS	159	2.2	3	<1	1	2	3	4	6	9
20-34	666	3.6	14	1	1	3	4	7	10	19
35-49	555	4.0	12	1	1	3	5	8	9	22
50-64	251	3.9	12	1	1	3	5	8	11	17
65+	98	4.3	10	1	1	3	6	8	10	17
GRAND TOTAL	**1729**	**3.7**	**12**	**1**	**1**	**3**	**4**	**7**	**9**	**19**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	1.5	1	<1	<1	1	2	3	4	4
35-49	4	1.3		1	1	1	2	2	2	2
50-64	8	2.6	5	<1	<1	2	4	6	7	7
65+										
B. *Operated*										
0-19 YRS	32	1.6	1	<1	<1	1	2	3	3	5
20-34	533	1.7	1	<1	<1	1	2	3	3	5
35-49	812	1.7	1	<1	<1	1	2	3	3	5
50-64	702	1.9	3	<1	<1	2	2	3	4	5
65+	490	2.1	1	<1	<1	2	3	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	6	1.5	1	<1	<1	1	2	3	3	3
35-49	14	2.3	5	<1	<1	1	3	5	8	9
50-64	31	3.1	9	<1	<1	2	5	6	7	16
65+	20	4.3	30	<1	1	2	5	11	19	22
B. *Operated*										
0-19 YRS	14	2.2	2	1	1	2	3	5	5	5
20-34	163	2.2	2	<1	<1	2	3	4	5	9
35-49	271	2.6	5	<1	<1	2	3	4	6	14
50-64	430	2.7	6	<1	1	2	3	5	6	13
65+	359	3.1	9	<1	1	2	3	6	9	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	1.9	3	<1	<1	1	2	4	6	7
B. *Operated*	2569	1.8	2	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	72	3.1	14	<1	<1	2	4	6	9	21
B. *Operated*	1237	2.7	6	<1	1	2	3	5	7	14
1. SINGLE DX	2589	1.8	2	<1	<1	2	2	3	4	6
2. MULTIPLE DX	1309	2.8	6	<1	1	2	3	5	7	15
A. NOT OPERATED	92	2.9	12	<1	<1	2	3	6	7	20
B. OPERATED	3806	2.1	3	<1	<1	2	2	3	5	9
TOTAL 0-19 YRS	47	1.8	1	<1	<1	1	2	3	5	5
20-34	710	1.8	1	<1	<1	2	2	3	4	6
35-49	1101	2.0	2	<1	<1	2	2	3	4	8
50-64	1171	2.2	4	<1	<1	2	3	4	5	10
65+	869	2.6	5	<1	1	2	3	4	6	14
GRAND TOTAL	**3898**	**2.1**	**3**	**<1**	**<1**	**2**	**2**	**4**	**5**	**10**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54	8.0	52	1	2	5	11	15	24	39
20-34	123	5.8	33	1	1	4	7	12	20	27
35-49	130	6.8	93	1	1	3	8	17	23	53
50-64	97	6.2	73	1	1	4	7	10	16	57
65+	101	6.7	110	1	2	4	8	13	16	69
B. *Operated*										
0-19 YRS	89	2.8	11	<1	<1	2	3	5	7	22
20-34	552	3.1	8	<1	1	2	4	6	7	13
35-49	570	3.2	12	<1	1	2	4	6	8	16
50-64	604	3.2	18	<1	1	2	3	6	9	18
65+	300	3.5	15	<1	1	2	4	7	10	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	8.6	156	1	2	4	9	22	28	65
20-34	112	7.6	127	1	1	4	9	22	42	99+
35-49	186	6.2	45	1	1	4	7	13	16	43
50-64	253	7.5	69	1	2	5	9	16	22	41
65+	438	7.4	53	1	2	6	9	14	19	44
B. *Operated*										
0-19 YRS	53	7.4	213	1	1	3	4	18	51	72
20-34	312	6.2	113	1	1	3	6	12	19	88
35-49	436	5.7	76	1	1	3	6	11	17	49
50-64	447	6.8	120	1	1	4	7	14	22	69
65+	328	8.3	107	1	2	4	11	23	35	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	505	6.6	74	1	1	4	8	14	21	47
B. *Operated*	2115	3.2	13	<1	1	2	4	6	9	17
2. MULTIPLE DX										
A. *Not Operated*	1022	7.3	67	1	2	5	9	15	21	50
B. *Operated*	1576	6.7	108	1	1	4	7	14	25	77
1. SINGLE DX	2620	3.9	27	<1	1	2	4	8	11	24
2. MULTIPLE DX	2598	6.9	92	1	1	4	8	15	23	71
A. NOT OPERATED	1527	7.0	70	1	1	4	8	15	21	49
B. OPERATED	3691	4.7	56	<1	1	3	5	9	15	46
TOTAL 0-19 YRS	229	5.9	95	<1	1	3	5	14	20	62
20-34	1099	4.8	55	<1	1	3	5	9	14	64
35-49	1322	4.8	48	<1	1	3	5	9	14	42
50-64	1401	5.4	67	1	1	3	6	10	16	42
65+	1167	6.6	67	1	1	4	8	14	21	54
GRAND TOTAL	**5218**	**5.4**	**61**	**1**	**1**	**3**	**6**	**11**	**17**	**48**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	5.5	25	2	2	5	9	9	9	9
20-34										
35-49	2	5.5	13	3	3	5	8	8	8	8
50-64	6	1.7	1	1	1	2	2	3	3	3
65+										
B. *Operated*										
0-19 YRS	51	4.3	6	1	2	4	5	8	9	12
20-34	132	4.5	5	2	2	4	5	7	9	12
35-49	136	4.4	5	1	2	4	6	7	8	11
50-64	460	4.6	8	1	2	4	5	8	9	14
65+	435	4.6	7	2	2	4	5	7	9	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	3	1.0		1	1	1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	4.0	2	3	3	4	5	5	5	5
65+	6	2.3	1	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	34	4.8	12	1	3	4	5	7	10	22
20-34	93	4.7	9	1	2	4	6	8	12	16
35-49	90	4.8	8	1	2	4	6	8	8	16
50-64	358	5.2	9	2	2	4	6	9	11	16
65+	496	5.2	11	2	2	4	6	9	11	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	3.2	8	1	1	2	3	8	9	9
B. *Operated*	1214	4.5	7	1	2	4	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	14	2.1	2	1	1	2	3	4	5	5
B. *Operated*	1071	5.1	10	2	2	4	6	9	11	17
1. SINGLE DX	1224	4.5	7	1	2	4	5	7	9	14
2. MULTIPLE DX	1085	5.1	10	2	2	4	6	9	11	17
A. NOT OPERATED	24	2.6	5	1	1	2	3	5	8	9
B. OPERATED	2285	4.8	8	2	2	4	6	8	10	16
TOTAL 0-19 YRS	89	4.4	9	1	2	4	5	8	9	18
20-34	228	4.6	7	1	2	4	6	8	9	13
35-49	229	4.6	6	1	2	4	6	8	8	15
50-64	826	4.8	9	2	2	4	6	8	10	15
65+	937	4.9	9	2	2	4	6	8	10	17
GRAND TOTAL	**2309**	**4.8**	**8**	**2**	**2**	**4**	**6**	**8**	**10**	**16**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64	10	2.4	3	1	1	2	3	5	6	6
65+	12	2.0	3	1	1	1	3	5	6	6
B. *Operated*										
0-19 YRS	5	2.8	1	2	2	2	4	4	4	4
20-34	11	2.3	1	1	1	2	3	3	3	3
35-49	34	2.2	1	1	1	2	3	3	5	6
50-64	118	2.7	5	<1	1	2	3	6	8	11
65+	223	2.8	6	1	1	2	3	5	7	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	<1	1	1	1	1
20-34										
35-49	3	2.3	5	1	1	1	4	5	5	5
50-64	12	2.3	1	1	1	2	3	4	4	4
65+	21	3.1	4	<1	1	3	4	6	8	9
B. *Operated*										
0-19 YRS	3	17.0	675	2	2	2	36	47	47	47
20-34	5	6.4	31	2	2	3	12	13	13	13
35-49	6	3.0	2	1	1	3	4	5	5	5
50-64	88	3.4	5	1	2	3	4	7	9	12
65+	194	3.6	11	1	1	3	4	7	8	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	2.0	2	<1	1	1	2	5	6	6
B. *Operated*	391	2.7	5	1	1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	39	2.7	3	<1	1	2	4	5	6	9
B. *Operated*	296	3.7	16	1	1	3	4	7	9	19
1. SINGLE DX	417	2.7	5	1	1	2	3	5	6	12
2. MULTIPLE DX	335	3.6	15	1	1	3	4	7	9	18
A. NOT OPERATED	65	2.4	3	<1	1	2	3	5	6	9
B. OPERATED	687	3.2	10	1	1	2	3	6	8	14
TOTAL 0-19 YRS	14	5.1	147	<1	<1	2	2	8	38	47
20-34	17	3.5	12	1	1	2	3	10	13	13
35-49	43	2.3	2	1	1	2	3	4	5	6
50-64	228	3.0	5	1	1	2	4	6	8	11
65+	450	3.1	8	1	1	2	4	6	8	18
GRAND TOTAL	**752**	**3.1**	**10**	**1**	**1**	**2**	**3**	**6**	**8**	**14**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	1.3		1	1	1	2	2	2	2
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	5	1.2		<1	<1	1	1	2	2	2
65+	5	3.6	19	1	1	1	6	11	11	11
B. *Operated*										
0-19 YRS	16	2.2	1	<1	1	2	3	4	4	4
20-34	12	3.1	4	1	1	2	4	7	8	8
35-49	29	3.0	4	1	1	3	4	5	6	10
50-64	59	2.9	13	1	1	2	3	4	5	27
65+	106	2.9	6	1	1	2	3	5	7	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	3.0		3	3	3	3	3	3	3
35-49	6	2.3	1	<1	<1	2	3	4	4	4
50-64	7	1.6	1	1	1	1	2	3	3	3
65+	18	6.1	23	2	2	4	7	12	17	21
B. *Operated*										
0-19 YRS	8	4.1	11	2	2	2	6	10	11	11
20-34	14	2.6	3	1	1	2	3	6	6	6
35-49	15	3.7	17	1	1	2	4	10	14	16
50-64	43	3.5	6	1	1	3	4	8	9	11
65+	137	4.0	17	1	1	2	5	9	12	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	2.1	7	<1	1	1	2	4	9	11
B. *Operated*	222	2.9	7	1	1	2	3	5	6	14
2. MULTIPLE DX										
A. *Not Operated*	33	4.3	17	1	1	3	5	10	12	21
B. *Operated*	217	3.8	13	1	1	2	4	8	11	18
1. SINGLE DX	237	2.8	7	1	1	2	3	5	7	13
2. MULTIPLE DX	250	3.9	14	1	1	3	4	8	11	20
A. NOT OPERATED	48	3.6	14	1	1	2	4	9	11	21
B. OPERATED	439	3.3	10	1	1	2	4	7	9	16
TOTAL 0-19 YRS	25	2.8	5	1	1	2	3	5	8	11
20-34	30	2.7	3	1	1	2	3	6	6	8
35-49	52	3.1	7	1	1	2	4	5	9	16
50-64	114	2.9	9	1	1	2	3	5	7	17
65+	266	3.7	13	1	1	2	4	7	11	19
GRAND TOTAL	**487**	**3.4**	**11**	**1**	**1**	**2**	**4**	**7**	**9**	**16**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	3	1.3		<1	<1	1	2	2	2	2
65+	14	2.1	1	<1	1	2	2	4	5	5
B. *Operated*										
0-19 YRS										
20-34										
35-49	445	2.0	1	1	1	2	2	3	3	7
50-64	2744	2.1	1	1	1	2	2	3	3	5
65+	10819	2.2	2	1	1	2	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	12	1.8	5	<1	<1	1	1	5	8	8
50-64	61	1.8	8	<1	<1	1	2	3	4	21
65+	244	2.4	14	<1	<1	1	2	5	9	18
B. *Operated*										
0-19 YRS										
20-34										
35-49	232	2.5	3	1	1	2	3	4	5	10
50-64	1795	2.4	3	1	1	2	3	3	5	9
65+	9034	2.6	4	1	1	2	3	4	5	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	1.9	1	<1	<1	2	2	4	5	5
B. *Operated*	14008	2.2	2	1	1	2	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	317	2.3	12	<1	<1	1	2	4	8	19
B. *Operated*	11061	2.5	4	1	1	2	3	4	5	10
1. SINGLE DX	14026	2.2	2	1	1	2	2	3	4	5
2. MULTIPLE DX	11378	2.5	4	1	1	2	3	4	5	10
A. NOT OPERATED	335	2.3	12	<1	<1	1	2	4	8	18
B. OPERATED	25069	2.3	3	1	1	2	3	3	4	8
TOTAL 0-19 YRS										
20-34										
35-49	690	2.2	2	1	1	2	2	3	4	8
50-64	4603	2.2	2	1	1	2	2	3	4	7
65+	20111	2.4	3	1	1	2	3	3	4	9
GRAND TOTAL	**25404**	**2.3**	**3**	**1**	**1**	**2**	**3**	**3**	**4**	**8**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	57	1.9	1	<1	1	2	2	2	3	5
20-34	45	2.0	1	<1	1	2	2	3	4	5
35-49	59	1.8		<1	1	2	2	2	3	3
50-64	90	2.0	1	<1	<1	2	2	3	3	5
65+	177	1.9	1	<1	<1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	4	4.8	38	1	1	2	8	14	14	14
65+	4	1.5		<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS	38	2.1	2	<1	1	2	2	3	6	8
20-34	52	2.8	3	<1	1	2	3	6	7	9
35-49	41	2.3	1	1	1	2	2	4	5	7
50-64	90	2.6	5	<1	1	2	3	4	6	15
65+	173	2.4	3	1	1	2	2	3	5	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*	428	1.9	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	12	2.4	14	<1	<1	1	2	6	13	14
B. *Operated*	394	2.5	3	<1	1	2	3	4	6	12
1. SINGLE DX	430	1.9	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX	406	2.5	4	<1	1	2	3	4	6	13
A. NOT OPERATED	14	2.3	12	<1	<1	1	2	4	12	14
B. OPERATED	822	2.2	2	<1	1	2	2	3	4	8
TOTAL 0-19 YRS	97	2.0	1	<1	<1	2	2	3	4	8
20-34	97	2.4	2	<1	1	2	3	4	6	8
35-49	102	2.0	1	1	1	2	2	3	3	6
50-64	184	2.3	4	<1	1	2	2	3	4	14
65+	356	2.1	2	<1	<1	2	2	3	4	8
GRAND TOTAL	**836**	**2.2**	**2**	**<1**	**1**	**2**	**2**	**3**	**4**	**8**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	2.7	3	<1	<1	3	3	5	6	7
20-34	4	2.5	2	1	1	2	3	4	4	4
35-49	3	4.0	7	2	2	3	6	7	7	7
50-64	5	3.8	10	1	1	3	5	9	9	9
65+	12	3.3	3	<1	1	3	4	6	7	7
B. *Operated*										
0-19 YRS	899	1.5	1	<1	<1	1	2	2	2	5
20-34	188	1.7		<1	1	2	2	2	3	3
35-49	95	1.8	1	<1	<1	2	2	2	3	7
50-64	49	1.9	1	1	1	2	2	3	3	6
65+	41	2.0	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	1.8	1	<1	<1	2	3	3	3	3
20-34	11	3.5	17	<1	<1	2	5	10	14	14
35-49	8	2.9	7	<1	<1	2	3	7	9	9
50-64	21	4.4	11	1	1	4	5	8	12	16
65+	27	4.4	8	1	1	4	6	9	10	10
B. *Operated*										
0-19 YRS	186	1.6	1	<1	<1	1	2	2	3	7
20-34	67	1.8	1	<1	1	2	2	3	3	5
35-49	52	1.9		<1	1	2	2	3	3	4
50-64	43	2.4	3	1	1	2	3	4	7	9
65+	46	3.0	9	1	2	2	3	7	9	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	3.1	4	<1	<1	3	4	6	7	9
B. *Operated*	1272	1.6	1	<1	<1	1	2	2	2	6
2. MULTIPLE DX										
A. *Not Operated*	87	3.6	9	<1	1	3	5	8	9	15
B. *Operated*	394	1.9	2	<1	<1	2	2	3	4	8
1. SINGLE DX	1312	1.6	1	<1	<1	1	2	2	3	7
2. MULTIPLE DX	481	2.2	4	<1	<1	2	2	4	7	10
A. NOT OPERATED	127	3.4	7	<1	1	3	4	7	9	14
B. OPERATED	1666	1.7	1	<1	<1	2	2	2	3	7
TOTAL 0-19 YRS	1121	1.5	1	<1	<1	1	2	2	3	7
20-34	270	1.8	1	<1	1	2	2	2	3	7
35-49	158	1.9	1	<1	<1	2	2	3	3	9
50-64	118	2.6	4	1	1	2	3	5	7	11
65+	126	3.0	6	<1	1	2	3	7	8	12
GRAND TOTAL	**1793**	**1.8**	**2**	**<1**	**<1**	**2**	**2**	**2**	**3**	**8**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	131	1.7	2	<1	<1	<1	2	4	5	9
20-34	20	2.9	3	<1	<1	3	4	6	6	6
35-49	25	2.9	6	<1	<1	2	4	6	8	12
50-64	15	6.3	82	<1	1	3	6	26	29	30
65+	33	4.7	21	<1	1	3	5	11	17	19
B. *Operated*										
0-19 YRS	125	1.6	1	<1	<1	1	2	3	3	5
20-34	179	2.3	2	<1	<1	2	3	4	5	8
35-49	202	2.0	1	<1	<1	2	3	4	4	6
50-64	308	1.9	2	<1	<1	2	2	3	4	7
65+	462	2.3	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	117	3.1	4	<1	1	3	4	5	6	9
20-34	38	4.4	11	1	1	4	5	8	10	19
35-49	26	4.6	11	1	1	4	6	8	12	15
50-64	29	5.3	20	<1	1	4	8	10	17	19
65+	71	5.7	32	<1	1	4	7	14	21	25
B. *Operated*										
0-19 YRS	61	2.7	4	<1	<1	2	4	6	7	7
20-34	112	2.8	4	<1	<1	2	4	5	6	11
35-49	109	3.3	45	<1	1	2	3	5	10	41
50-64	247	3.2	30	<1	1	2	3	5	8	22
65+	577	3.4	17	1	1	2	4	6	8	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	224	2.7	12	<1	<1	1	3	5	7	21
B. *Operated*	1276	2.1	2	<1	<1	2	2	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	281	4.3	15	<1	1	3	5	8	11	22
B. *Operated*	1106	3.2	21	<1	1	2	4	6	8	18
1. SINGLE DX	1500	2.2	4	<1	<1	2	3	4	5	9
2. MULTIPLE DX	1387	3.5	20	<1	1	2	4	6	9	20
A. NOT OPERATED	505	3.6	15	<1	<1	3	5	7	10	21
B. OPERATED	2382	2.6	11	<1	<1	2	3	5	6	14
TOTAL 0-19 YRS	434	2.2	3	<1	<1	1	3	4	6	9
20-34	349	2.7	4	<1	<1	2	3	5	6	10
35-49	362	2.6	16	<1	<1	2	3	4	6	14
50-64	599	2.7	17	<1	<1	2	3	5	7	20
65+	1143	3.1	13	<1	1	2	4	6	8	18
GRAND TOTAL	**2887**	**2.8**	**12**	**<1**	**<1**	**2**	**3**	**5**	**7**	**16**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	286	3.3	4	1	2	3	4	6	7	11
20-34	63	4.1	24	1	1	3	4	6	8	33
35-49	23	3.3	5	1	1	3	4	6	8	10
50-64	23	2.6	2	1	1	2	3	5	5	5
65+	39	3.9	8	1	1	3	5	8	9	15
B. *Operated*										
0-19 YRS	49	2.6	3	1	1	2	3	4	6	11
20-34	48	2.9	3	1	1	3	4	5	6	9
35-49	58	2.4	1	<1	1	2	3	4	5	7
50-64	246	2.3	3	1	1	2	2	4	5	8
65+	732	2.2	2	1	1	2	2	3	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	229	4.0	4	2	2	3	5	7	8	11
20-34	59	4.3	9	1	1	4	6	8	9	16
35-49	48	4.1	19	1	1	3	4	8	11	25
50-64	74	5.6	33	1	1	4	8	11	13	36
65+	115	5.3	21	1	1	4	7	10	16	23
B. *Operated*										
0-19 YRS	67	5.3	17	1	2	4	8	11	13	20
20-34	111	4.1	24	1	1	3	5	7	9	29
35-49	103	3.8	10	<1	1	3	5	7	9	19
50-64	328	3.4	7	1	1	3	4	6	9	14
65+	738	3.3	11	1	1	2	4	7	9	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	434	3.5	7	1	1	3	4	6	7	12
B. *Operated*	1133	2.3	2	1	1	2	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	525	4.5	14	1	1	4	6	8	11	19
B. *Operated*	1347	3.5	12	1	1	2	4	7	9	16
1. SINGLE DX	1567	2.6	4	1	1	2	3	5	6	10
2. MULTIPLE DX	1872	3.8	12	1	1	3	5	7	9	18
A. NOT OPERATED	959	4.0	11	1	1	3	5	7	9	18
B. OPERATED	2480	3.0	8	1	1	2	3	5	8	12
TOTAL 0-19 YRS	631	3.7	6	1	2	3	5	7	9	12
20-34	281	3.9	17	1	1	3	5	7	9	21
35-49	232	3.4	10	1	1	3	4	6	8	20
50-64	671	3.2	9	1	1	2	4	6	9	14
65+	1624	3.0	8	1	1	2	3	6	8	15
GRAND TOTAL	**3439**	**3.3**	**9**	**1**	**1**	**2**	**4**	**6**	**8**	**14**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.5		1	1	1	2	2	2	2
20-34	6	3.2	2	<1	<1	3	4	5	5	5
35-49	8	1.6		1	1	2	2	2	2	2
50-64	12	3.4	5	1	1	3	4	7	8	8
65+	11	2.5	1	1	1	2	3	4	5	5
B. *Operated*										
0-19 YRS	9	1.3		<1	<1	1	2	2	2	2
20-34	9	2.1	1	<1	<1	2	3	4	4	4
35-49	8	2.4	1	1	1	2	3	4	4	4
50-64	16	2.3	1	<1	1	2	3	4	5	5
65+	18	2.1	1	1	1	2	2	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	2.0	2	<1	<1	2	2	4	5	5
20-34	17	2.7	3	1	1	2	4	5	6	7
35-49	22	3.0	4	1	1	2	4	5	8	10
50-64	25	3.5	3	<1	2	3	4	7	7	7
65+	58	6.1	46	1	2	4	7	14	17	43
B. *Operated*										
0-19 YRS	24	2.0	1	1	1	2	2	3	5	5
20-34	23	3.2	14	<1	<1	2	3	6	13	17
35-49	20	2.4	2	<1	1	2	3	5	6	7
50-64	36	3.9	14	1	1	3	4	8	15	18
65+	37	3.3	14	<1	1	2	3	6	8	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	2.6	3	1	1	2	3	5	6	8
B. *Operated*	60	2.1	1	<1	1	2	2	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	140	4.2	23	1	1	3	5	8	12	20
B. *Operated*	140	3.1	11	1	1	2	3	6	8	18
1. SINGLE DX	101	2.3	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	280	3.6	17	1	1	2	4	7	10	18
A. NOT OPERATED	181	3.8	19	1	1	3	4	7	10	17
B. OPERATED	200	2.8	8	<1	1	2	3	5	7	18
TOTAL 0-19 YRS	55	1.8	1	<1	1	2	2	3	5	5
20-34	55	2.9	7	<1	<1	2	3	5	7	17
35-49	58	2.5	3	1	1	2	3	4	6	10
50-64	89	3.4	8	1	1	3	4	6	8	18
65+	124	4.3	28	1	1	3	5	10	15	29
GRAND TOTAL	**381**	**3.3**	**13**	**1**	**1**	**2**	**4**	**6**	**9**	**17**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	269	2.4	2	1	1	2	3	4	5	10
20-34	12	3.3	5	<1	1	3	4	7	9	9
35-49	14	3.0	2	<1	1	3	4	5	6	6
50-64	5	2.0	1	1	1	2	3	3	3	3
65+	3	2.3	5	1	1	1	4	5	5	5
B. *Operated*										
0-19 YRS	3490	1.1		<1	<1	<1	1	1	2	3
20-34	310	1.8	1	1	1	2	2	3	3	5
35-49	279	1.8	1	<1	1	2	2	3	3	5
50-64	316	1.8	1	1	1	2	2	3	3	5
65+	116	1.7		<1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	961	2.8	4	<1	1	2	4	5	7	10
20-34	47	3.3	6	<1	1	3	4	6	8	14
35-49	23	3.7	5	<1	1	4	5	9	36	99+
50-64	18	4.1	6	<1	1	3	5	8	10	10
65+	47	5.2	14	1	2	4	7	10	12	19
B. *Operated*										
0-19 YRS	2027	1.4	1	<1	<1	1	1	2	3	6
20-34	230	2.1	2	<1	1	2	3	3	4	9
35-49	201	2.1	1	<1	1	2	2	3	4	8
50-64	205	2.3	3	1	1	2	3	4	5	11
65+	92	3.2	12	1	1	2	3	6	9	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	303	2.5	3	1	1	2	3	4	5	10
B. *Operated*	4511	1.3		<1	<1	<1	1	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	1096	3.0	5	<1	1	2	4	5	7	12
B. *Operated*	2755	1.7	2	<1	<1	1	2	3	3	8
1. SINGLE DX	4814	1.3	1	<1	<1	<1	1	2	3	4
2. MULTIPLE DX	3851	2.0	4	<1	<1	1	2	4	5	10
A. NOT OPERATED	1399	2.9	5	<1	1	2	4	5	7	11
B. OPERATED	7266	1.4	1	<1	<1	1	2	2	3	5
TOTAL 0-19 YRS	6747	1.5	2	<1	<1	<1	2	3	4	7
20-34	599	2.0	2	<1	1	2	2	3	4	8
35-49	517	2.1	3	<1	1	2	2	3	4	9
50-64	544	2.1	2	1	1	2	2	3	4	9
65+	258	2.9	9	1	1	2	3	6	9	18
GRAND TOTAL	**8665**	**1.7**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**8**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	2.9	2	1	1	3	4	5	6	8
20-34	26	4.2	7	1	2	4	5	8	10	12
35-49	18	3.9	11	1	1	3	5	8	12	14
50-64	5	2.8	2	<1	<1	3	4	5	5	5
65+	10	6.6	38	2	2	4	8	17	21	21
B. *Operated*										
0-19 YRS	245	1.6	10	<1	<1	<1	1	2	3	11
20-34	42	3.6	28	<1	<1	2	3	9	13	31
35-49	35	2.3	2	<1	<1	2	3	5	6	7
50-64	18	2.2	2	<1	<1	2	3	4	6	7
65+	18	2.9	5	<1	<1	2	3	6	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	95	3.4	5	<1	1	3	5	6	8	13
20-34	46	5.3	20	<1	1	4	6	10	16	21
35-49	24	5.1	20	1	1	4	5	13	16	20
50-64	26	7.8	69	1	2	6	10	13	22	44
65+	27	8.8	83	1	2	6	11	20	24	44
B. *Operated*										
0-19 YRS	202	2.1	5	<1	<1	1	2	4	7	13
20-34	72	3.5	10	1	1	2	4	8	11	17
35-49	50	3.5	17	<1	1	2	3	8	14	22
50-64	64	5.6	104	1	1	2	4	8	26	54
65+	31	10.7	195	2	2	5	10	28	41	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	101	3.8	9	1	1	3	4	7	9	18
B. *Operated*	358	2.0	11	<1	<1	1	2	3	6	14
2. MULTIPLE DX										
A. *Not Operated*	218	5.2	30	<1	1	4	6	10	16	28
B. *Operated*	419	3.7	41	<1	<1	2	3	7	12	39
1. SINGLE DX	459	2.4	11	<1	<1	1	3	5	7	14
2. MULTIPLE DX	637	4.2	38	<1	1	2	4	8	13	38
A. NOT OPERATED	319	4.7	24	1	1	3	5	9	14	21
B. OPERATED	777	2.9	28	<1	<1	1	3	6	9	29
TOTAL 0-19 YRS	584	2.2	7	<1	<1	1	2	4	6	13
20-34	186	4.1	17	<1	1	3	5	9	12	20
35-49	127	3.5	13	<1	1	2	4	7	13	20
50-64	113	5.4	78	1	1	3	5	10	17	53
65+	86	8.0	108	1	2	4	7	20	27	57
GRAND TOTAL	**1096**	**3.4**	**28**	**<1**	**<1**	**2**	**4**	**7**	**11**	**26**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	2.6	2	<1	1	2	3	4	7	7
20-34	74	2.9	5	1	1	2	4	5	8	13
35-49	130	3.2	18	1	1	2	4	6	7	18
50-64	184	2.7	3	1	1	2	4	5	6	10
65+	222	3.4	6	1	1	3	4	6	8	13
B. *Operated*										
0-19 YRS	12	2.3	1	1	1	2	3	3	4	4
20-34	58	2.9	2	1	1	3	4	5	5	6
35-49	68	3.4	4	1	1	3	4	6	9	10
50-64	114	4.0	11	1	2	3	5	7	8	18
65+	46	3.8	7	1	1	3	5	7	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	2.3	3	1	1	2	3	4	7	7
20-34	86	3.8	10	1	1	3	5	8	9	19
35-49	138	3.7	7	1	1	3	5	7	9	13
50-64	384	3.6	7	1	1	3	5	6	8	16
65+	790	4.4	12	1	1	3	6	8	11	16
B. *Operated*										
0-19 YRS	6	3.3	3	1	1	3	4	6	6	6
20-34	27	6.6	27	2	2	5	8	14	19	22
35-49	48	3.9	5	1	1	3	5	8	9	9
50-64	69	8.0	50	2	3	7	10	14	17	42
65+	69	6.6	41	2	2	5	8	12	14	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	622	3.1	8	1	1	2	4	6	7	12
B. *Operated*	298	3.6	7	1	1	3	4	6	8	10
2. MULTIPLE DX										
A. *Not Operated*	1410	4.1	10	1	1	3	5	8	10	16
B. *Operated*	219	6.4	35	2	2	5	8	12	15	39
1. SINGLE DX	920	3.2	7	1	1	3	4	6	7	11
2. MULTIPLE DX	1629	4.4	14	1	1	3	5	8	11	18
A. NOT OPERATED	2032	3.8	10	1	1	3	5	7	9	15
B. OPERATED	517	4.8	21	1	2	3	6	9	12	25
TOTAL 0-19 YRS	42	2.5	2	1	1	2	3	4	6	7
20-34	245	3.6	10	1	1	3	4	7	9	19
35-49	384	3.5	10	1	1	3	4	6	9	11
50-64	751	3.9	12	1	1	3	5	7	9	17
65+	1127	4.3	13	1	1	3	5	8	10	16
GRAND TOTAL	**2549**	**4.0**	**12**	**1**	**1**	**3**	**5**	**8**	**10**	**16**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	1.2		1	1	1	2	2	2	2
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	2	2.5	5	1	1	2	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	23	2.0	1	<1	1	2	3	3	4	4
20-34	188	1.7	1	1	1	1	2	3	3	4
35-49	257	1.6	1	1	1	1	2	3	3	5
50-64	325	1.6	1	1	1	1	2	3	3	4
65+	147	1.7	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	4.0	18	1	1	4	7	7	7	7
50-64	3	16.0	675	<1	<1	1	35	46	46	46
65+	6	5.0	9	1	1	4	8	9	9	9
B. *Operated*										
0-19 YRS	6	2.0	1	1	1	2	3	3	3	3
20-34	40	1.8	1	1	1	2	2	3	3	4
35-49	55	2.3	1	1	1	2	3	4	4	5
50-64	59	2.1	2	<1	1	2	3	3	5	8
65+	38	2.5	1	1	1	2	3	4	4	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	1.7	1	1	1	1	2	4	4	4
B. *Operated*	940	1.6	1	1	1	1	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	12	7.3	158	<1	<1	3	7	20	42	46
B. *Operated*	198	2.2	1	1	1	2	3	3	4	6
1. SINGLE DX	949	1.6	1	1	1	1	2	3	3	4
2. MULTIPLE DX	210	2.5	11	1	1	2	3	4	5	9
A. NOT OPERATED	21	4.9	95	<1	1	1	4	8	26	46
B. OPERATED	1138	1.7	1	1	1	2	2	3	3	5
TOTAL 0-19 YRS	29	2.0	1	1	1	2	3	3	3	4
20-34	234	1.7	1	1	1	1	2	3	3	4
35-49	316	1.8	1	1	1	2	2	3	4	5
50-64	389	1.8	6	1	1	1	2	3	3	5
65+	191	2.0	1	1	1	2	3	3	4	7
GRAND TOTAL	**1159**	**1.8**	**3**	**1**	**1**	**2**	**2**	**3**	**3**	**5**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	2.2	3	<1	<1	2	3	4	6	7
20-34	12	2.9	3	1	1	3	4	6	6	6
35-49	15	3.9	3	1	2	4	6	6	6	6
50-64	20	3.3	5	1	1	3	4	5	8	11
65+	11	4.0	10	<1	1	3	4	9	12	12
B. *Operated*										
0-19 YRS	537	1.6	1	<1	<1	1	2	2	3	4
20-34	394	1.7	1	<1	1	1	2	3	3	7
35-49	267	1.8	2	<1	<1	2	2	3	4	7
50-64	226	1.9	1	1	1	2	2	3	3	7
65+	92	1.9	2	<1	<1	2	2	3	3	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	1.8	4	<1	<1	1	2	3	4	11
20-34	18	3.5	19	1	1	2	4	5	14	20
35-49	17	2.1	4	<1	<1	1	3	5	6	7
50-64	36	3.9	15	<1	1	2	5	11	12	17
65+	49	4.3	10	1	1	3	6	9	11	17
B. *Operated*										
0-19 YRS	364	1.8	2	<1	<1	2	2	3	3	7
20-34	230	1.8	1	<1	1	2	2	3	4	6
35-49	214	2.1	2	<1	1	2	2	3	5	10
50-64	214	2.6	4	1	1	2	3	4	6	13
65+	106	2.6	2	<1	1	2	3	5	6	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	72	3.3	5	<1	1	3	4	6	7	12
B. *Operated*	1516	1.7	1	<1	<1	2	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*	151	3.4	11	<1	<1	2	4	7	11	17
B. *Operated*	1128	2.1	2	<1	1	2	2	3	5	8
1. SINGLE DX	1588	1.8	1	<1	<1	2	2	3	3	7
2. MULTIPLE DX	1279	2.2	4	<1	1	2	3	4	5	11
A. NOT OPERATED	223	3.3	9	<1	1	2	4	6	10	17
B. OPERATED	2644	1.9	2	<1	1	2	2	3	4	7
TOTAL 0-19 YRS	946	1.7	1	<1	<1	1	2	3	3	6
20-34	654	1.8	2	<1	1	2	2	3	4	7
35-49	513	2.0	2	<1	1	2	2	3	5	8
50-64	496	2.4	4	1	1	2	3	4	5	12
65+	258	2.7	5	<1	1	2	3	5	7	12
GRAND TOTAL	**2867**	**2.0**	**2**	**<1**	**1**	**2**	**2**	**3**	**4**	**9**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	4.4	8	2	2	4	5	9	11	13
20-34	10	3.4	3	<1	1	3	4	6	7	7
35-49	3	3.3	5	2	2	2	5	6	6	6
50-64	2	9.0	50	4	4	9	14	14	14	14
65+	5	6.2	14	2	2	6	10	10	10	10
B. *Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	5.5	14	1	2	5	7	13	14	14
20-34	13	7.8	53	2	3	5	7	21	26	27
35-49	10	2.7	2	<1	<1	3	4	5	5	5
50-64	19	5.1	13	1	2	4	6	9	14	17
65+	29	9.5	84	2	3	7	11	16	28	48
B. *Operated*										
0-19 YRS	2	5.5	25	2	2	5	9	9	9	9
20-34	1	45.0		45	45	45	45	45	45	45
35-49	6	8.8	44	2	2	8	13	18	19	19
50-64	10	11.6	114	2	2	10	16	27	38	38
65+	9	13.8	62	2	5	12	15	27	30	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	4.5	9	2	2	4	6	10	11	14
B. *Operated*	2	3.5	5	2	2	3	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	94	6.7	43	1	2	5	8	13	17	39
B. *Operated*	28	12.5	112	2	2	11	14	28	39	45
1. SINGLE DX	54	4.5	9	2	2	4	5	10	11	14
2. MULTIPLE DX	122	8.0	64	2	2	5	10	16	24	46
A. NOT OPERATED	146	5.9	32	2	2	4	7	12	15	28
B. OPERATED	30	11.9	110	2	2	11	13	26	38	45
TOTAL 0-19 YRS	57	4.9	11	2	2	4	6	10	13	14
20-34	25	7.4	93	1	2	5	6	20	31	45
35-49	19	4.7	22	<1	1	3	6	12	16	19
50-64	32	7.3	52	2	2	5	10	16	17	38
65+	43	10.0	74	2	3	8	12	17	28	48
GRAND TOTAL	**176**	**6.9**	**50**	**2**	**2**	**5**	**9**	**13**	**18**	**43**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	11	5.3	38	2	2	3	5	14	22	23
35-49	4	2.0	1	1	1	2	3	3	3	3
50-64	11	3.8	11	<1	<1	3	5	10	11	11
65+	8	3.8	3	2	2	3	4	7	8	8
B. *Operated*										
0-19 YRS	4	1.0		1	1	1	1	1	1	1
20-34	26	5.7	20	1	1	3	9	13	14	14
35-49	57	5.6	24	1	1	2	10	13	15	16
50-64	103	5.8	31	1	1	2	11	13	16	23
65+	38	6.5	54	1	2	2	10	19	22	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	12.5	25	9	9	12	16	16	16	16
20-34	22	5.1	44	<1	1	3	5	11	22	30
35-49	94	4.6	17	1	1	4	6	9	15	22
50-64	174	6.5	41	1	2	4	7	14	19	36
65+	330	7.6	35	1	2	6	10	15	18	29
B. *Operated*										
0-19 YRS	7	6.9	24	2	2	7	11	13	13	13
20-34	48	8.5	45	1	1	9	12	17	20	30
35-49	172	8.5	57	1	2	8	12	18	24	34
50-64	379	11.6	134	1	2	10	16	25	31	69
65+	309	12.6	124	2	2	10	18	28	34	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	4.0	16	1	1	3	4	8	10	23
B. *Operated*	228	5.8	31	1	1	2	10	13	16	23
2. MULTIPLE DX										
A. *Not Operated*	622	6.8	35	1	2	5	9	14	18	30
B. *Operated*	915	11.1	113	2	2	9	16	25	31	52
1. SINGLE DX	263	5.5	30	1	1	2	9	13	16	23
2. MULTIPLE DX	1537	9.4	86	1	2	7	13	21	27	42
A. NOT OPERATED	657	6.6	35	1	2	5	9	14	18	30
B. OPERATED	1143	10.1	101	1	2	9	14	22	29	46
TOTAL 0-19 YRS	14	5.6	29	1	1	2	10	13	15	16
20-34	107	6.8	40	1	1	4	10	15	18	30
35-49	327	6.8	42	1	2	4	10	15	21	29
50-64	667	9.2	99	1	2	6	13	20	27	49
65+	685	9.8	82	2	2	7	13	22	28	43
GRAND TOTAL	**1800**	**8.8**	**80**	**1**	**2**	**6**	**12**	**19**	**26**	**40**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.9	5	<1	<1	2	4	7	7	7
20-34	62	2.9	3	<1	1	3	4	5	6	9
35-49	153	3.1	5	1	1	3	4	6	7	13
50-64	201	3.6	8	1	1	3	4	7	9	18
65+	185	3.7	8	1	1	3	5	7	9	15
B. *Operated*										
0-19 YRS	11	1.9	1	<1	<1	2	2	3	4	4
20-34	16	2.6	4	1	1	2	3	7	8	8
35-49	22	3.3	10	<1	1	2	5	8	10	12
50-64	28	3.9	8	1	1	3	5	7	8	13
65+	10	5.7	26	<1	<1	4	8	14	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	4.2	7	1	1	4	5	8	9	12
20-34	178	3.8	6	1	1	3	5	7	9	12
35-49	602	4.2	8	1	1	3	5	8	10	15
50-64	1040	4.7	15	1	1	4	6	9	12	18
65+	1656	5.6	25	1	2	4	7	10	13	26
B. *Operated*										
0-19 YRS	6	8.3	37	2	2	7	14	17	17	17
20-34	37	5.7	26	1	1	4	8	11	16	26
35-49	116	6.7	61	1	1	5	8	13	18	44
50-64	185	6.7	38	1	2	5	9	14	21	31
65+	190	10.2	111	2	2	7	12	24	29	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	608	3.4	7	1	1	3	4	7	9	14
B. *Operated*	87	3.5	9	1	1	2	4	8	9	16
2. MULTIPLE DX										
A. *Not Operated*	3507	5.0	18	1	2	4	6	9	12	21
B. *Operated*	534	7.9	71	1	2	5	10	17	25	46
1. SINGLE DX	695	3.4	7	1	1	3	4	7	9	14
2. MULTIPLE DX	4041	5.4	26	1	2	4	7	10	14	26
A. NOT OPERATED	4115	4.7	17	1	2	4	6	9	12	20
B. OPERATED	621	7.3	65	1	1	5	9	15	23	43
TOTAL 0-19 YRS	55	4.0	11	<1	1	3	5	8	11	17
20-34	293	3.8	9	1	1	3	5	7	9	14
35-49	893	4.3	16	1	1	3	5	8	11	17
50-64	1454	4.8	17	1	1	4	6	9	12	22
65+	2041	5.8	34	1	2	4	7	11	15	28
GRAND TOTAL	**4736**	**5.1**	**24**	**1**	**2**	**4**	**6**	**10**	**13**	**25**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	4.7	16	<1	<1	4	8	9	9	9
35-49	13	4.9	17	1	1	5	6	12	14	15
50-64	41	4.0	3	2	2	4	5	6	8	10
65+	104	5.2	9	2	2	5	6	9	12	16
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	13.0		13	13	13	13	13	13	13
50-64	9	1.7		1	1	2	2	2	2	2
65+	5	5.2	14	1	1	4	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	12	7.9	42	2	3	5	12	18	22	23
35-49	111	5.9	21	1	2	5	7	10	15	26
50-64	438	5.8	18	2	2	4	7	11	14	22
65+	1460	7.6	42	2	3	6	9	14	19	35
B. *Operated*										
0-19 YRS										
20-34	4	7.3	31	2	2	6	11	15	15	15
35-49	25	7.1	60	1	1	4	10	20	23	31
50-64	96	7.0	44	1	2	5	10	15	17	37
65+	192	11.3	97	2	2	9	15	26	31	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	161	4.9	9	2	2	4	6	8	11	16
B. *Operated*	16	4.2	18	1	1	2	6	12	13	13
2. MULTIPLE DX										
A. *Not Operated*	2023	7.1	36	2	2	6	9	13	17	30
B. *Operated*	317	9.6	81	2	2	7	13	22	28	45
1. SINGLE DX	177	4.8	9	1	2	4	6	9	12	16
2. MULTIPLE DX	2340	7.5	43	2	2	6	9	14	19	35
A. NOT OPERATED	2184	7.0	34	2	2	5	8	13	17	30
B. OPERATED	333	9.4	79	2	2	7	13	21	28	44
TOTAL 0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	19	7.3	34	1	2	5	11	16	20	23
35-49	151	6.1	28	1	2	5	8	12	17	30
50-64	584	5.8	22	2	2	4	7	12	14	23
65+	1761	7.9	47	2	2	6	10	15	20	37
GRAND TOTAL	**2517**	**7.3**	**41**	**2**	**2**	**6**	**9**	**14**	**19**	**33**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49	3	5.3	24	2	2	3	9	11	11	11
50-64	8	3.1	3	<1	<1	3	4	6	6	6
65+	13	4.5	8	1	1	4	7	8	10	10
B. *Operated*										
0-19 YRS	3	2.7	1	2	2	2	4	4	4	4
20-34	11	7.4	41	1	1	7	11	16	22	22
35-49	18	4.8	14	<1	1	3	8	11	12	13
50-64	24	4.8	24	<1	1	3	6	14	15	18
65+	24	4.6	17	<1	1	3	7	10	13	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	8.1	101	2	2	4	8	24	34	36
20-34	18	4.1	7	2	2	3	5	8	10	12
35-49	46	5.4	10	1	1	5	7	11	13	14
50-64	91	5.7	15	1	1	5	8	12	14	16
65+	220	9.5	105	2	2	6	11	19	27	52
B. *Operated*										
0-19 YRS	16	10.5	84	2	2	7	16	21	31	35
20-34	56	8.4	70	1	1	5	13	20	25	40
35-49	73	9.5	69	1	2	7	14	21	22	41
50-64	171	10.3	119	1	2	7	14	23	30	62
65+	168	13.4	147	1	2	10	17	29	40	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	3.8	8	<1	1	3	5	8	10	11
B. *Operated*	80	5.0	21	<1	1	3	8	12	14	21
2. MULTIPLE DX										
A. *Not Operated*	387	7.8	71	1	2	6	10	14	21	39
B. *Operated*	484	11.0	117	1	2	8	15	23	32	50
1. SINGLE DX	108	4.7	18	<1	1	3	7	11	13	20
2. MULTIPLE DX	871	9.6	99	1	2	7	12	20	28	48
A. NOT OPERATED	415	7.5	68	1	2	5	9	14	21	38
B. OPERATED	564	10.2	108	1	2	7	14	22	29	49
TOTAL 0-19 YRS	33	8.4	82	2	2	4	13	19	33	36
20-34	87	7.2	55	1	1	4	11	15	23	37
35-49	140	7.5	46	1	1	5	11	17	21	29
50-64	294	8.2	82	1	1	6	11	17	26	47
65+	425	10.6	120	1	2	8	13	23	32	52
GRAND TOTAL	**979**	**9.1**	**92**	**1**	**2**	**6**	**12**	**19**	**26**	**46**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	32	7.7	8	2	4	8	10	10	11	14
35-49	442	8.7	12	3	4	9	11	13	14	18
50-64	1088	9.2	13	3	5	9	11	13	14	21
65+	849	9.5	15	3	5	9	12	14	16	21
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	10	6.8	12	1	1	7	10	11	11	11
35-49	57	8.8	23	2	2	9	11	14	17	25
50-64	122	9.8	29	2	2	10	12	16	19	26
65+	63	10.7	41	1	2	11	14	19	24	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	10.2	22	2	3	10	14	16	17	17
20-34	74	10.1	19	4	5	10	12	15	19	25
35-49	1040	9.6	17	3	5	9	12	14	16	22
50-64	3837	10.2	22	4	6	10	12	15	18	26
65+	6228	11.4	35	4	6	10	13	18	22	33
B. *Operated*										
0-19 YRS	3	17.7	16	14	14	17	21	22	22	22
20-34	35	12.8	210	1	2	10	13	23	29	87
35-49	400	10.8	61	2	2	10	14	19	25	36
50-64	1100	12.8	69	2	2	12	16	23	28	39
65+	1095	16.3	97	4	7	14	20	29	36	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2412	9.2	13	3	5	9	11	13	15	20
B. *Operated*	253	9.6	31	1	2	10	12	16	19	27
2. MULTIPLE DX										
A. *Not Operated*	11191	10.8	29	4	6	10	13	16	20	30
B. *Operated*	2633	13.9	85	2	3	12	17	25	32	48
1. SINGLE DX	2665	9.2	15	3	5	9	11	14	15	21
2. MULTIPLE DX	13824	11.4	41	4	6	10	13	18	23	36
A. NOT OPERATED	13603	10.5	27	4	6	10	12	16	19	29
B. OPERATED	2886	13.6	82	2	3	12	17	24	31	47
TOTAL 0-19 YRS	17	11.1	31	2	3	11	15	17	20	22
20-34	151	10.0	63	2	4	9	12	15	19	30
35-49	1939	9.6	26	2	4	9	12	15	18	29
50-64	6147	10.5	30	3	5	10	12	16	20	31
65+	8235	11.8	45	4	6	11	14	19	24	38
GRAND TOTAL	**16489**	**11.1**	**38**	**3**	**5**	**10**	**13**	**17**	**22**	**35**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	31	3.2	5	<1	1	3	4	6	9	9
35-49	264	3.1	8	1	1	2	4	5	6	18
50-64	549	3.2	4	1	1	3	4	6	7	10
65+	512	3.3	5	1	1	3	4	6	7	12
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	5	2.8	3	<1	<1	2	4	5	5	5
35-49	64	3.0	5	1	1	2	4	6	7	13
50-64	130	3.2	7	1	1	2	4	7	10	13
65+	47	4.7	24	1	1	2	6	12	16	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	4.7	17	2	2	3	4	12	14	14
20-34	61	3.8	10	1	1	3	5	8	9	18
35-49	891	3.7	9	1	1	3	4	7	9	17
50-64	2843	4.0	8	1	1	3	5	7	9	15
65+	4947	4.9	13	1	2	4	6	9	11	18
B. *Operated*										
0-19 YRS	6	11.5	33	3	3	12	16	18	18	18
20-34	38	3.9	11	<1	1	2	5	10	11	12
35-49	714	5.3	22	1	1	3	8	12	14	20
50-64	2395	6.0	34	1	1	3	9	13	16	25
65+	1570	7.9	58	1	2	6	11	17	21	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1357	3.2	5	1	1	3	4	6	7	12
B. *Operated*	247	3.4	10	1	1	2	4	7	11	16
2. MULTIPLE DX										
A. *Not Operated*	8749	4.4	11	1	2	4	6	8	11	17
B. *Operated*	4723	6.5	41	1	2	4	10	14	17	29
1. SINGLE DX	1604	3.3	6	1	1	3	4	6	8	13
2. MULTIPLE DX	13472	5.2	22	1	2	4	7	11	14	23
A. NOT OPERATED	10106	4.3	11	1	1	3	5	8	10	16
B. OPERATED	4970	6.4	40	1	1	3	10	14	17	28
TOTAL 0-19 YRS	15	6.9	36	<1	<1	4	13	16	17	18
20-34	135	3.7	9	1	1	3	5	8	9	15
35-49	1933	4.2	14	1	1	3	5	9	12	18
50-64	5917	4.7	19	1	1	3	6	10	13	21
65+	7076	5.4	24	1	2	4	7	11	15	24
GRAND TOTAL	**15076**	**5.0**	**21**	**1**	**1**	**3**	**6**	**10**	**14**	**22**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	4	3.0	1	2	2	3	4	4	4	4
35-49	87	3.7	7	1	2	3	5	7	9	15
50-64	247	3.8	9	1	1	3	5	6	10	17
65+	294	4.4	10	1	2	4	6	7	10	16
B. *Operated*										
0-19 YRS										
20-34	4	2.5	1	2	2	2	3	4	4	4
35-49	45	4.8	12	1	1	3	7	10	11	14
50-64	116	5.6	21	1	1	4	9	12	14	20
65+	51	5.8	32	1	1	4	8	12	16	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	4.5	7	1	1	4	5	9	9	9
20-34	12	3.6	6	1	1	3	5	8	9	9
35-49	373	4.1	8	1	2	3	5	7	9	14
50-64	1526	4.7	10	1	2	4	6	9	11	17
65+	2628	5.6	17	2	2	5	7	10	13	19
B. *Operated*										
0-19 YRS										
20-34	11	8.0	20	1	2	8	10	14	17	17
35-49	371	8.5	29	2	2	8	12	16	17	23
50-64	1223	9.8	54	2	2	9	13	17	21	37
65+	911	12.1	97	2	2	11	16	23	29	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	633	4.1	9	1	2	3	5	7	10	16
B. *Operated*	216	5.4	21	1	1	4	8	12	14	20
2. MULTIPLE DX										
A. *Not Operated*	4545	5.2	14	2	2	4	6	9	12	18
B. *Operated*	2516	10.4	67	2	2	9	14	19	24	41
1. SINGLE DX	849	4.4	12	1	1	3	6	9	11	18
2. MULTIPLE DX	7061	7.0	39	2	2	5	9	14	17	30
A. NOT OPERATED	5178	5.0	14	1	2	4	6	9	12	18
B. OPERATED	2732	10.0	65	2	2	9	13	18	23	40
TOTAL 0-19 YRS	7	4.6	6	1	1	5	5	8	9	9
20-34	31	4.9	15	1	1	3	8	10	12	17
35-49	876	6.0	22	1	2	4	8	12	15	20
50-64	3112	6.7	34	1	2	5	9	14	17	27
65+	3884	7.0	43	2	2	5	9	14	18	32
GRAND TOTAL	**7910**	**6.8**	**37**	**2**	**2**	**5**	**9**	**14**	**17**	**29**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	7	2.6	3	1	1	2	3	5	6	6
35-49	43	2.9	6	<1	1	2	3	6	9	11
50-64	149	3.1	7	1	1	2	4	5	8	15
65+	161	4.6	12	1	1	4	6	9	11	21
B. *Operated*										
0-19 YRS	5	2.8	16	<1	<1	1	3	10	10	10
20-34	20	3.5	10	1	1	2	4	9	11	12
35-49	501	4.3	15	1	1	2	8	10	11	15
50-64	1548	4.9	20	1	1	2	9	11	13	18
65+	720	5.7	32	1	1	2	9	13	16	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	8.6	53	1	3	6	12	21	26	27
20-34	29	3.6	11	1	1	3	4	9	11	15
35-49	407	4.2	13	1	1	3	5	9	12	17
50-64	1681	4.8	16	1	1	4	6	10	12	19
65+	4104	6.5	33	2	2	5	8	13	16	30
B. *Operated*										
0-19 YRS	10	10.9	403	1	1	3	10	39	67	67
20-34	52	5.6	40	1	1	2	9	13	14	37
35-49	1247	5.7	28	1	2	3	9	12	15	23
50-64	4416	6.9	44	1	2	4	10	14	18	30
65+	3006	9.2	83	1	2	8	13	19	24	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	361	3.7	10	1	1	3	5	7	10	15
B. *Operated*	2794	5.0	23	1	1	2	9	11	14	20
2. MULTIPLE DX										
A. *Not Operated*	6235	5.9	28	1	2	4	7	12	15	27
B. *Operated*	8731	7.5	57	1	2	5	11	16	20	35
1. SINGLE DX	3155	4.8	21	1	1	2	8	11	13	20
2. MULTIPLE DX	14966	6.9	45	1	2	5	10	14	18	32
A. NOT OPERATED	6596	5.8	27	1	2	4	7	11	14	26
B. OPERATED	11525	6.9	50	1	2	4	10	15	19	33
TOTAL 0-19 YRS	30	8.2	160	<1	1	4	10	16	27	67
20-34	108	4.5	25	1	1	2	6	11	13	27
35-49	2198	5.1	22	1	1	2	8	11	13	21
50-64	7794	6.0	33	1	1	3	9	13	16	26
65+	7991	7.4	53	1	2	5	10	15	20	35
GRAND TOTAL	**18121**	**6.5**	**42**	**1**	**2**	**4**	**9**	**14**	**17**	**30**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	7.3	11	5	5	6	9	12	12	12
20-34	77	7.4	8	3	4	7	10	11	12	13
35-49	83	8.3	12	3	4	8	10	12	14	20
50-64	89	9.6	13	5	6	9	12	15	17	21
65+	99	9.7	16	4	5	10	12	14	16	25
B. *Operated*										
0-19 YRS										
20-34	14	10.4	18	5	7	9	11	16	20	21
35-49	17	8.2	13	2	3	9	10	13	14	14
50-64	16	13.0	75	5	5	11	15	18	35	42
65+	15	11.1	8	7	8	11	13	15	16	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	12.0	9	9	9	11	15	16	16	16
20-34	86	8.7	11	3	4	8	11	13	14	16
35-49	185	9.3	16	3	4	9	12	15	17	20
50-64	358	9.9	24	4	5	9	12	15	18	30
65+	657	11.5	39	4	6	10	14	19	24	36
B. *Operated*										
0-19 YRS	2	22.5	925	1	1	22	44	44	44	44
20-34	27	14.0	92	4	4	12	17	29	36	40
35-49	56	11.0	28	4	5	10	13	16	23	29
50-64	120	14.1	125	5	7	11	16	23	37	99
65+	176	16.2	136	6	7	13	19	26	36	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	352	8.8	13	4	5	8	11	13	15	21
B. *Operated*	62	10.6	31	4	5	10	12	16	18	39
2. MULTIPLE DX										
A. *Not Operated*	1292	10.6	30	4	5	10	13	16	21	34
B. *Operated*	381	14.6	118	5	6	12	17	24	35	69
1. SINGLE DX	414	9.1	16	4	5	9	11	14	16	22
2. MULTIPLE DX	1673	11.5	53	4	5	10	14	18	23	40
A. NOT OPERATED	1644	10.2	27	4	5	9	12	16	19	31
B. OPERATED	443	14.1	108	5	6	12	16	23	31	68
TOTAL 0-19 YRS	12	12.2	119	1	4	10	14	24	41	44
20-34	204	9.0	25	3	4	8	11	14	16	32
35-49	341	9.3	18	3	4	9	11	15	17	22
50-64	583	10.8	47	4	5	9	12	16	20	40
65+	947	12.2	58	4	6	11	14	20	25	40
GRAND TOTAL	**2087**	**11.0**	**47**	**4**	**5**	**10**	**13**	**17**	**22**	**38**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	13.0		13	13	13	13	13	13	13
20-34	1	3.0		3	3	3	3	3	3	3
35-49	5	16.2	190	<1	<1	21	28	29	29	29
50-64	5	19.2	90	8	8	15	28	31	31	31
65+	1	11.0		11	11	11	11	11	11	11
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	19.1	181	2	3	23	28	36	41	41
20-34	45	23.2	203	2	3	22	32	44	45	57
35-49	23	16.6	83	2	4	16	24	29	30	31
50-64	37	27.2	272	4	5	28	37	47	51	78
65+	72	28.4	171	6	12	29	36	45	49	61
B. *Operated*										
0-19 YRS	2	56.0	72	50	50	56	62	62	62	62
20-34	18	35.4	352	13	15	29	47	63	72	78
35-49	17	34.2	174	12	14	40	44	48	54	57
50-64	15	32.2	288	3	6	36	47	50	51	51
65+	27	38.2	133	17	27	39	44	49	55	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	15.5	106	<1	2	14	27	29	31	31
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	186	25.0	201	3	5	27	34	44	48	61
B. *Operated*	79	36.0	225	11	15	38	46	52	62	76
1. SINGLE DX	14	15.5	106	<1	2	14	27	29	31	31
2. MULTIPLE DX	265	28.3	233	4	8	29	40	47	52	69
A. NOT OPERATED	200	24.3	200	3	5	25	33	43	47	60
B. OPERATED	79	36.0	225	11	15	38	46	52	62	76
TOTAL 0-19 YRS	13	23.8	335	2	3	23	32	52	60	62
20-34	64	26.3	276	2	5	27	34	47	59	76
35-49	45	23.2	197	2	4	21	30	44	46	57
50-64	57	27.8	265	4	5	28	42	48	51	76
65+	100	30.9	180	9	13	30	40	47	50	65
GRAND TOTAL	**279**	**27.6**	**234**	**3**	**6**	**28**	**39**	**47**	**51**	**68**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	2.0	2	1	1	1	3	4	4	4
20-34	26	2.0	2	<1	<1	1	3	4	6	6
35-49	51	1.9	2	<1	<1	1	3	4	5	6
50-64	80	2.0	9	<1	<1	1	2	3	5	21
65+	94	2.7	6	1	1	2	3	6	8	13
B. *Operated*										
0-19 YRS										
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	1	2.0		2	2	2	2	2	2	2
50-64	4	3.5	4	2	2	3	5	6	6	6
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	6.4	36	1	1	4	9	17	18	18
20-34	46	3.2	8	<1	1	2	4	8	9	13
35-49	99	3.5	15	1	1	2	4	7	9	25
50-64	281	3.4	7	1	1	3	4	6	8	13
65+	451	4.9	20	1	1	3	6	10	14	24
B. *Operated*										
0-19 YRS	2	7.5	25	4	4	7	11	11	11	11
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	8	10.9	122	2	2	8	14	30	35	35
50-64	16	5.3	22	1	1	4	8	12	15	17
65+	33	8.2	61	2	2	6	10	16	28	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	269	2.2	5	<1	1	2	3	4	6	12
B. *Operated*	8	2.9	2	2	2	2	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*	888	4.2	15	1	1	3	5	8	12	19
B. *Operated*	60	7.7	57	1	1	6	10	15	27	36
1. SINGLE DX	277	2.2	5	<1	1	2	3	4	6	11
2. MULTIPLE DX	948	4.4	19	1	1	3	5	9	13	24
A. NOT OPERATED	1157	3.7	14	1	1	3	5	8	11	19
B. OPERATED	68	7.1	53	1	2	5	9	13	26	36
TOTAL 0-19 YRS	31	3.9	19	1	1	3	4	10	16	18
20-34	75	2.8	6	<1	<1	2	4	6	8	12
35-49	159	3.4	19	<1	1	2	4	6	9	32
50-64	381	3.2	8	1	1	2	4	6	8	16
65+	579	4.7	21	1	1	3	6	10	14	27
GRAND TOTAL	**1225**	**3.9**	**16**	**1**	**1**	**3**	**5**	**8**	**11**	**21**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.5	1	1	1	1	2	3	4	4
20-34	50	1.7	1	<1	<1	1	2	3	4	7
35-49	125	1.7	1	<1	<1	1	2	3	4	7
50-64	290	2.1	3	<1	<1	2	2	4	5	9
65+	445	2.8	5	<1	1	2	3	6	8	11
B. *Operated*										
0-19 YRS										
20-34										
35-49	4	1.8		1	1	2	2	2	2	2
50-64	12	5.0	16	1	1	3	9	11	11	11
65+	16	4.4	15	<1	1	3	6	11	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	1.6	1	<1	<1	1	2	3	4	4
20-34	66	2.9	7	<1	1	2	3	7	9	12
35-49	255	3.0	5	<1	1	2	4	6	8	11
50-64	1171	3.7	11	1	1	3	5	8	10	16
65+	3361	5.4	28	1	1	4	7	11	14	25
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	8.0	76	2	2	4	14	18	18	18
35-49	23	5.8	34	<1	1	3	8	18	19	19
50-64	103	9.2	103	1	2	7	11	19	28	59
65+	379	9.9	56	2	3	8	13	19	26	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	918	2.3	4	<1	1	2	3	5	6	9
B. *Operated*	32	4.3	14	1	1	3	7	11	11	14
2. MULTIPLE DX										
A. *Not Operated*	4861	4.8	23	1	1	3	6	10	13	22
B. *Operated*	509	9.6	65	2	2	7	13	19	25	42
1. SINGLE DX	950	2.4	4	<1	1	2	3	5	7	11
2. MULTIPLE DX	5370	5.3	29	1	1	4	7	11	14	26
A. NOT OPERATED	5779	4.4	21	1	1	3	6	9	12	21
B. OPERATED	541	9.2	64	1	2	7	12	19	25	40
TOTAL 0-19 YRS	17	1.6	1	<1	1	1	2	3	4	4
20-34	119	2.5	7	<1	<1	2	3	5	8	14
35-49	407	2.7	6	<1	1	2	3	5	8	12
50-64	1576	3.8	18	<1	1	3	5	8	11	19
65+	4201	5.5	30	1	1	4	7	11	15	27
GRAND TOTAL	**6320**	**4.8**	**26**	**1**	**1**	**3**	**6**	**10**	**14**	**25**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	3.5	32	<1	1	2	4	5	6	37
20-34	76	2.1	2	<1	<1	2	2	4	5	7
35-49	131	2.8	15	<1	1	2	3	5	6	15
50-64	268	2.8	6	1	1	2	3	5	6	17
65+	313	3.5	7	1	1	3	4	7	9	12
B. *Operated*										
0-19 YRS	7	3.1	4	1	1	2	4	7	7	7
20-34	16	4.3	10	<1	1	4	7	9	10	10
35-49	40	3.7	5	1	1	3	5	6	8	10
50-64	111	4.3	16	1	1	3	6	8	10	21
65+	340	5.2	13	2	2	4	7	9	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	3.0	7	1	1	2	4	6	9	12
20-34	191	3.3	8	1	1	2	4	6	8	13
35-49	526	3.6	10	1	1	3	5	7	9	15
50-64	1491	4.4	13	1	1	3	5	8	12	19
65+	3532	5.7	22	1	2	4	7	11	14	26
B. *Operated*										
0-19 YRS	10	5.0	20	1	1	3	11	12	12	12
20-34	39	6.8	20	2	2	6	9	12	15	23
35-49	125	7.8	95	1	2	5	9	14	22	51
50-64	559	7.5	66	1	2	6	9	14	20	32
65+	2244	8.7	54	2	3	7	11	16	21	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	828	3.0	9	<1	1	2	4	6	7	14
B. *Operated*	514	4.9	13	1	2	4	6	9	11	15
2. MULTIPLE DX										
A. *Not Operated*	5805	5.0	18	1	1	4	6	10	13	23
B. *Operated*	2977	8.4	58	2	2	7	10	16	21	41
1. SINGLE DX	1342	3.7	11	1	1	3	5	7	9	15
2. MULTIPLE DX	8782	6.2	34	1	2	5	8	12	16	29
A. NOT OPERATED	6633	4.8	18	1	1	4	6	9	12	23
B. OPERATED	3491	7.9	53	2	2	6	10	15	20	38
TOTAL 0-19 YRS	122	3.4	16	1	1	2	4	6	10	19
20-34	322	3.5	10	<1	1	2	5	7	10	15
35-49	822	4.1	26	1	1	3	5	8	10	28
50-64	2429	4.9	27	1	1	3	6	10	13	23
65+	6429	6.6	34	1	2	5	8	13	17	30
GRAND TOTAL	**10124**	**5.8**	**32**	**1**	**2**	**4**	**7**	**12**	**15**	**28**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	3.3	5	<1	<1	3	5	7	7	7
20-34	6	7.0	54	2	2	4	9	20	21	21
35-49	18	5.4	11	1	2	5	7	10	12	14
50-64	131	4.8	8	1	2	4	6	8	9	18
65+	724	5.9	20	2	2	5	7	11	15	22
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49	1	5.0		5	5	5	5	5	5	5
50-64	11	5.5	27	2	2	3	7	14	18	18
65+	18	13.8	147	2	3	12	19	22	42	55
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	78	6.1	27	1	1	5	8	14	17	25
20-34	60	6.4	61	1	2	4	7	9	20	46
35-49	317	6.6	34	2	2	5	8	12	16	33
50-64	2378	7.0	33	2	2	5	9	13	17	32
65+	12841	8.0	38	2	3	6	10	15	19	31
B. *Operated*										
0-19 YRS	13	20.2	505	2	3	11	25	59	68	70
20-34	24	7.5	76	1	1	7	8	11	24	45
35-49	84	9.9	86	1	2	8	12	20	35	45
50-64	366	11.8	92	2	3	9	15	24	33	48
65+	1251	15.1	150	3	4	12	19	29	40	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	885	5.7	18	1	2	5	7	10	15	22
B. *Operated*	31	10.2	112	2	2	7	15	20	23	55
2. MULTIPLE DX										
A. *Not Operated*	15674	7.8	38	2	3	6	10	15	19	31
B. *Operated*	1738	14.1	139	2	4	11	18	29	38	66
1. SINGLE DX	916	5.9	22	2	2	5	7	11	16	22
2. MULTIPLE DX	17412	8.4	51	2	3	7	10	16	22	37
A. NOT OPERATED	16559	7.7	37	2	3	6	10	15	19	31
B. OPERATED	1769	14.0	139	2	4	11	18	28	38	65
TOTAL 0-19 YRS	98	7.7	109	1	1	5	9	15	21	63
20-34	90	6.7	63	1	2	5	7	10	21	46
35-49	420	7.2	45	1	2	6	9	13	18	41
50-64	2886	7.5	43	2	2	6	9	14	19	35
65+	14834	8.5	51	2	3	7	10	16	22	37
GRAND TOTAL	**18328**	**8.3**	**50**	**2**	**3**	**6**	**10**	**16**	**21**	**37**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	3.3	4	<1	1	3	5	6	7	9
20-34	128	3.0	3	1	1	2	4	5	7	10
35-49	173	3.9	31	1	1	3	4	7	11	17
50-64	174	4.3	14	1	1	3	6	8	10	20
65+	99	5.8	31	1	1	4	6	13	20	27
B. *Operated*										
0-19 YRS	28	3.1	5	1	1	2	5	7	7	8
20-34	51	5.3	34	1	1	2	8	11	18	29
35-49	110	4.2	17	1	1	2	6	10	13	20
50-64	212	4.6	27	1	1	2	7	11	15	24
65+	139	5.5	35	1	1	2	10	14	16	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	4.4	12	1	1	3	6	9	10	17
20-34	235	5.0	21	1	2	4	6	10	13	26
35-49	422	5.4	20	1	1	4	7	11	14	23
50-64	1050	6.5	31	1	2	5	8	13	17	28
65+	1738	7.9	42	2	2	6	10	16	20	31
B. *Operated*										
0-19 YRS	41	5.5	37	1	1	2	8	14	16	31
20-34	112	9.1	71	1	1	7	13	18	21	46
35-49	348	6.8	46	1	2	4	10	16	23	29
50-64	869	8.1	81	1	2	5	11	17	24	42
65+	1045	10.7	115	2	2	8	15	23	29	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	594	4.1	20	1	1	3	5	7	10	23
B. *Operated*	540	4.7	27	1	1	2	7	12	15	24
2. MULTIPLE DX										
A. *Not Operated*	3496	7.0	35	1	2	5	9	14	18	28
B. *Operated*	2415	9.0	92	1	2	6	12	20	27	46
1. SINGLE DX	1134	4.4	23	1	1	3	5	10	13	24
2. MULTIPLE DX	5911	7.8	59	1	2	6	10	16	22	36
A. NOT OPERATED	4090	6.5	34	1	2	5	8	13	17	28
B. OPERATED	2955	8.2	82	1	2	5	11	18	25	43
TOTAL 0-19 YRS	140	4.3	18	1	1	3	6	9	13	18
20-34	526	5.4	33	1	1	3	7	12	16	29
35-49	1053	5.5	31	1	1	3	7	12	16	28
50-64	2305	6.8	49	1	2	5	9	15	19	34
65+	3021	8.7	69	2	2	6	11	18	24	42
GRAND TOTAL	**7045**	**7.3**	**55**	**1**	**2**	**5**	**10**	**16**	**21**	**35**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	3.5	2	2	2	3	4	5	5	5
50-64	8	3.9	5	1	1	3	5	7	7	7
65+	11	5.9	25	1	1	3	9	13	17	17
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	11	3.5	18	1	1	2	3	11	15	15
65+	12	7.1	117	1	1	2	8	21	36	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	4.0	11	2	2	3	6	9	9	9
35-49	23	3.8	9	<1	1	3	5	9	11	11
50-64	155	5.9	61	1	1	4	7	11	15	54
65+	653	7.2	35	2	2	6	9	14	19	31
B. *Operated*										
0-19 YRS										
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	29	6.2	36	2	2	3	9	14	23	23
50-64	120	6.6	25	1	2	5	10	14	16	20
65+	152	9.8	88	1	2	8	13	20	24	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	4.8	14	1	1	3	7	10	13	17
B. *Operated*	24	5.3	68	1	1	2	5	13	22	39
2. MULTIPLE DX										
A. *Not Operated*	835	6.8	39	1	2	5	9	13	18	32
B. *Operated*	303	8.2	60	1	2	7	12	16	22	48
1. SINGLE DX	47	5.0	41	1	1	3	6	11	15	39
2. MULTIPLE DX	1138	7.2	45	1	2	5	9	14	19	35
A. NOT OPERATED	858	6.8	39	1	2	5	9	13	17	31
B. OPERATED	327	7.9	61	1	2	6	11	16	22	46
TOTAL 0-19 YRS										
20-34	6	3.2	9	1	1	2	3	8	9	9
35-49	57	5.0	23	1	2	3	6	11	15	23
50-64	294	6.0	43	1	2	4	8	13	15	24
65+	828	7.6	46	2	2	6	10	15	21	38
GRAND TOTAL	**1185**	**7.1**	**45**	**1**	**2**	**5**	**9**	**14**	**18**	**36**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34										
35-49	6	9.7	110	<1	<1	6	17	26	27	27
50-64	5	7.0	60	1	1	4	11	20	20	20
65+	3	11.0	169	3	3	4	20	26	26	26
B. *Operated*										
0-19 YRS	4	21.0	126	11	11	18	29	36	36	36
20-34	19	12.3	56	1	2	12	17	22	23	23
35-49	38	14.7	108	1	2	12	21	31	32	37
50-64	28	16.3	257	2	2	13	21	30	37	84
65+	11	18.8	70	10	11	16	21	33	38	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	11.6	241	2	2	4	16	39	39	39
20-34	7	9.6	40	1	2	10	15	18	19	19
35-49	9	9.6	60	1	1	10	14	21	25	25
50-64	8	7.1	109	1	1	2	11	25	28	28
65+	24	18.1	275	4	4	14	22	36	50	80
B. *Operated*										
0-19 YRS	2	37.5	2113	5	5	37	70	70	70	70
20-34	27	24.8	340	7	10	20	30	55	66	84
35-49	50	28.0	318	7	9	25	35	59	66	80
50-64	67	25.0	313	7	8	21	31	50	81	99+
65+	37	26.5	317	4	7	23	36	48	64	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	9.0	83	<1	1	4	15	26	27	27
B. *Operated*	100	15.4	136	2	2	13	21	31	32	61
2. MULTIPLE DX										
A. *Not Operated*	53	13.3	190	1	1	10	19	29	37	79
B. *Operated*	183	26.2	325	6	8	22	33	56	71	95
1. SINGLE DX	115	14.6	133	1	2	12	21	29	32	54
2. MULTIPLE DX	236	23.3	323	3	5	19	31	48	66	88
A. NOT OPERATED	68	12.3	168	1	1	9	18	27	36	73
B. OPERATED	283	22.4	285	3	6	19	29	44	64	85
TOTAL 0-19 YRS	12	18.8	412	2	3	10	29	48	67	70
20-34	53	18.3	239	1	4	16	22	37	55	83
35-49	103	20.4	259	1	3	17	29	37	58	78
50-64	108	20.5	307	2	3	17	27	47	79	99+
65+	75	22.1	275	3	5	17	28	44	59	79
GRAND TOTAL	**351**	**20.4**	**277**	**2**	**3**	**16**	**27**	**39**	**62**	**84**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49	3	34.0	223	23	23	28	45	51	51	51
50-64	2	7.5	25	4	4	7	11	11	11	11
65+	1	35.0		35	35	35	35	35	35	35
B. *Operated*										
0-19 YRS	1	69.0		69	69	69	69	69	69	69
20-34	2	82.5	265	71	71	82	94	94	94	94
35-49	2	27.0	128	19	19	27	35	35	35	35
50-64	5	50.2	947	18	18	52	80	81	81	81
65+	5	37.6	427	24	24	29	44	74	74	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	7	22.4	297	4	4	23	33	48	51	51
B. *Operated*	15	48.5	725	18	19	35	73	81	91	94
1. SINGLE DX										
2. MULTIPLE DX	22	40.2	722	5	9	31	69	80	86	94
A. NOT OPERATED	7	22.4	297	4	4	23	33	48	51	51
B. OPERATED	15	48.5	725	18	19	35	73	81	91	94
TOTAL 0-19 YRS	1	69.0		69	69	69	69	69	69	69
20-34	3	56.7	2134	5	5	71	88	94	94	94
35-49	5	31.2	158	19	19	28	39	51	51	51
50-64	7	38.0	1070	4	5	20	73	81	81	81
65+	6	37.2	343	24	24	31	35	70	74	74
GRAND TOTAL	**22**	**40.2**	**722**	**5**	**9**	**31**	**69**	**80**	**86**	**94**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	4.0	13	1	1	3	6	9	9	9
20-34	4	4.5	8	2	2	4	7	7	7	7
35-49	3	5.3	16	3	3	3	8	10	10	10
50-64	12	7.8	77	<1	<1	4	13	22	25	26
65+	41	10.5	75	1	2	8	14	22	31	37
B. *Operated*										
0-19 YRS	8	12.0	85	1	2	8	21	25	25	25
20-34	10	8.7	11	5	5	8	11	13	14	14
35-49	11	8.5	38	2	3	8	10	16	24	25
50-64	40	10.4	58	2	3	8	13	21	31	32
65+	58	11.8	42	4	5	10	15	21	26	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	9.4	124	2	2	7	9	29	34	34
20-34	6	20.3	169	1	2	19	25	39	41	41
35-49	28	15.3	230	1	1	11	18	44	51	59
50-64	68	15.0	212	2	3	9	17	43	48	59
65+	182	15.8	156	3	5	12	21	31	38	63
B. *Operated*										
0-19 YRS	17	16.6	163	2	3	15	22	31	46	54
20-34	14	22.0	268	3	5	18	38	57	89	99+
35-49	28	24.1	546	4	4	14	36	47	89	97
50-64	71	21.9	328	5	6	17	30	49	64	98
65+	170	24.8	363	4	7	18	35	58	74	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	9.0	68	1	1	6	13	21	27	36
B. *Operated*	127	10.8	47	3	4	9	14	21	26	31
2. MULTIPLE DX										
A. *Not Operated*	291	15.5	175	2	3	12	20	32	47	62
B. *Operated*	300	23.4	356	4	6	18	33	56	71	99+
1. SINGLE DX	191	10.2	55	1	2	8	14	21	26	32
2. MULTIPLE DX	591	19.6	282	3	4	14	26	44	60	95
A. NOT OPERATED	355	14.4	162	2	3	10	19	31	43	62
B. OPERATED	427	19.7	297	3	5	14	26	43	64	99+
TOTAL 0-19 YRS	36	12.8	132	1	2	8	19	25	33	54
20-34	34	15.7	186	2	2	13	21	41	54	99+
35-49	70	17.4	349	2	3	10	21	40	50	95
50-64	191	16.2	236	2	3	10	21	42	53	82
65+	451	18.2	240	3	5	14	23	39	57	78
GRAND TOTAL	**782**	**17.3**	**242**	**2**	**4**	**13**	**22**	**39**	**55**	**85**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	5	15.0	153	2	2	13	21	35	35	35
50-64	19	14.5	109	2	3	14	19	31	37	39
65+	61	22.3	301	4	6	15	29	43	62	84
B. *Operated*										
0-19 YRS										
20-34	3	25.3	177	14	14	31	70	99+	99+	99+
35-49	4	31.0	143	18	18	29	38	47	47	47
50-64	10	40.4	386	13	18	44	67	99+	99+	99+
65+	47	28.6	322	9	11	24	39	49	64	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	85	20.2	258	3	4	15	26	39	61	79
B. *Operated*	64	30.4	323	10	12	28	45	72	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	149	24.6	310	4	7	21	35	52	74	99+
A. NOT OPERATED	85	20.2	258	3	4	15	26	39	61	79
B. OPERATED	64	30.4	323	10	12	28	45	72	99+	99+
TOTAL 0-19 YRS										
20-34	3	25.3	177	14	14	31	70	99+	99+	99+
35-49	9	22.1	201	2	5	18	31	42	47	47
50-64	29	23.4	351	2	4	20	38	66	99	99+
65+	108	25.1	317	5	7	20	32	48	62	88
GRAND TOTAL	**149**	**24.6**	**310**	**4**	**7**	**21**	**35**	**52**	**74**	**99+**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34										
35-49	2	5.0	32	1	1	5	9	9	9	9
50-64	8	4.4	13	1	1	3	7	10	10	10
65+	33	3.3	7	<1	1	2	4	7	10	11
B. *Operated*										
0-19 YRS	3	7.7	44	2	2	6	13	15	15	15
20-34	5	5.8	48	1	1	4	8	18	18	18
35-49	51	5.0	12	1	1	5	7	9	11	15
50-64	419	4.6	10	1	1	4	6	8	10	15
65+	795	5.2	18	1	1	4	6	9	12	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	7	3.3	10	1	1	2	4	9	10	10
50-64	62	5.0	27	1	1	3	6	10	15	31
65+	196	5.6	25	1	1	4	7	12	15	24
B. *Operated*										
0-19 YRS	3	8.3	121	1	1	3	16	21	21	21
20-34	6	11.8	171	<1	<1	9	12	34	37	37
35-49	95	6.5	47	1	2	4	8	12	22	39
50-64	946	6.2	27	1	2	5	8	12	15	23
65+	2199	7.8	52	2	2	6	9	15	20	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	3.5	9	<1	1	2	4	9	10	11
B. *Operated*	1273	5.0	16	1	1	4	6	9	11	19
2. MULTIPLE DX										
A. *Not Operated*	265	5.4	25	1	1	4	7	11	15	25
B. *Operated*	3249	7.3	45	2	2	6	9	14	19	36
1. SINGLE DX	1318	4.9	15	1	1	4	6	9	11	19
2. MULTIPLE DX	3514	7.2	44	1	2	5	9	14	19	35
A. NOT OPERATED	310	5.1	23	1	1	3	6	11	14	24
B. OPERATED	4522	6.7	38	1	2	5	8	12	17	32
TOTAL 0-19 YRS	8	6.4	57	<1	<1	3	10	19	21	21
20-34	11	9.1	115	<1	1	4	12	26	36	37
35-49	155	5.9	34	1	1	4	7	10	15	31
50-64	1435	5.6	22	1	2	4	7	10	14	22
65+	3223	7.0	43	1	2	5	8	13	18	34
GRAND TOTAL	**4832**	**6.6**	**37**	**1**	**2**	**5**	**8**	**12**	**17**	**32**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	7	11.6	119	2	2	12	13	30	34	34
65+	19	11.3	196	1	2	5	9	35	45	52
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	4	39.8	1411	8	8	31	69	88	88	88
35-49	4	5.3	9	2	2	5	7	9	9	9
50-64	39	12.7	173	2	3	9	13	34	47	54
65+	81	14.5	160	2	4	12	18	28	45	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	26	11.4	169	1	2	6	12	34	39	52
B. *Operated*	129	14.4	210	2	3	10	18	31	50	68
1. SINGLE DX	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX	155	13.9	203	2	3	9	17	33	49	63
A. NOT OPERATED	26	11.4	169	1	2	6	12	34	39	52
B. OPERATED	130	14.3	208	2	3	10	18	31	50	68
TOTAL 0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	4	39.8	1411	8	8	31	69	88	88	88
35-49	4	5.3	9	2	2	5	7	9	9	9
50-64	46	12.5	162	2	3	9	13	33	42	54
65+	101	13.9	165	2	3	9	18	30	45	61
GRAND TOTAL	**156**	**13.8**	**202**	**2**	**3**	**9**	**17**	**33**	**49**	**63**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	5	3.4	2	2	2	4	4	5	5	5
35-49	12	6.3	24	2	2	4	9	14	17	18
50-64	49	6.7	50	1	2	5	8	12	15	48
65+	153	9.2	56	2	3	7	12	20	24	34
B. *Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	12	5.7	46	1	1	3	6	14	24	26
35-49	7	6.4	29	2	2	5	11	15	15	15
50-64	21	5.1	17	1	1	4	7	12	14	14
65+	23	6.4	31	1	1	6	8	16	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	4.1	6	1	1	4	6	8	8	8
20-34	6	8.3	29	4	4	6	14	16	16	16
35-49	64	10.8	138	2	3	8	12	19	36	61
50-64	360	10.7	146	2	3	7	12	22	38	64
65+	1319	11.7	109	2	3	8	14	23	34	57
B. *Operated*										
0-19 YRS	4	11.0	28	6	6	10	15	18	18	18
20-34	7	7.3	20	2	2	7	10	14	15	15
35-49	37	12.9	223	1	2	8	12	37	45	72
50-64	118	12.3	200	2	3	8	14	26	50	71
65+	254	15.8	153	2	4	13	21	34	42	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	220	8.3	53	2	2	6	11	17	21	38
B. *Operated*	65	5.8	27	1	1	4	7	14	16	25
2. MULTIPLE DX										
A. *Not Operated*	1756	11.4	117	2	3	8	14	23	34	59
B. *Operated*	420	14.4	171	2	3	10	18	32	42	65
1. SINGLE DX	285	7.7	48	2	2	6	10	16	20	33
2. MULTIPLE DX	2176	12.0	129	2	3	8	15	25	36	60
A. NOT OPERATED	1976	11.1	111	2	3	8	13	22	32	57
B. OPERATED	485	13.2	161	2	2	9	17	30	40	63
TOTAL 0-19 YRS	14	6.2	20	1	2	5	8	13	17	18
20-34	30	6.2	30	2	2	4	8	14	16	26
35-49	120	10.8	149	2	2	7	12	21	40	65
50-64	548	10.5	147	2	2	7	11	21	37	64
65+	1749	12.0	113	2	3	9	15	25	35	57
GRAND TOTAL	**2461**	**11.5**	**121**	**2**	**3**	**8**	**14**	**24**	**35**	**59**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	9.0		9	9	9	9	9	9	9
35-49	17	15.9	438	3	4	8	16	29	69	91
50-64	140	16.1	224	3	4	11	20	33	46	76
65+	553	17.0	202	3	5	12	21	35	50	69
B. *Operated*										
0-19 YRS										
20-34	4	13.0	39	5	5	13	17	20	20	20
35-49	12	20.3	558	2	2	13	38	78	96	99+
50-64	27	26.4	509	2	4	20	54	86	99+	99+
65+	81	24.6	326	4	7	20	38	53	75	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	711	16.8	211	3	5	12	21	34	50	75
B. *Operated*	124	24.2	377	3	5	19	40	63	99	99+
1. SINGLE DX	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX	835	17.9	242	3	5	12	23	41	55	91
A. NOT OPERATED	712	16.7	211	3	5	12	21	34	50	75
B. OPERATED	124	24.2	377	3	5	19	40	63	99	99+
TOTAL 0-19 YRS										
20-34	5	12.2	33	5	5	12	16	20	20	20
35-49	29	17.7	475	2	3	9	20	68	91	99+
50-64	167	17.7	282	3	4	12	24	46	68	99+
65+	635	17.9	224	3	5	13	23	39	52	78
GRAND TOTAL	**836**	**17.8**	**242**	**3**	**5**	**12**	**23**	**41**	**55**	**91**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	14	2.4	1	1	1	2	3	4	5	5
35-49	40	2.3	2	<1	1	2	3	5	6	6
50-64	222	3.0	4	1	1	2	4	6	7	9
65+	566	3.4	8	1	1	3	4	6	8	13
B. *Operated*										
0-19 YRS										
20-34	4	3.5	3	2	2	3	5	5	5	5
35-49	41	3.4	6	1	1	3	4	6	8	15
50-64	124	3.4	11	1	1	2	4	6	8	18
65+	170	4.1	23	1	1	3	4	8	12	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	4.9	12	1	2	4	5	11	13	13
20-34	30	3.3	4	1	1	3	4	6	7	8
35-49	150	4.0	9	1	1	3	5	7	10	19
50-64	708	4.4	16	1	1	3	6	8	10	19
65+	3533	5.4	21	1	2	4	7	10	14	23
B. *Operated*										
0-19 YRS	4	13.3	221	2	2	8	22	35	35	35
20-34	8	6.5	44	1	1	5	7	18	22	22
35-49	63	5.1	13	1	1	4	7	9	12	19
50-64	446	5.9	35	1	2	4	7	12	17	30
65+	813	7.8	46	2	2	6	10	16	22	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	842	3.2	7	1	1	3	4	6	8	12
B. *Operated*	339	3.7	16	1	1	2	4	7	10	20
2. MULTIPLE DX										
A. *Not Operated*	4430	5.2	20	1	2	4	6	10	13	22
B. *Operated*	1334	7.1	42	1	2	5	9	15	20	34
1. SINGLE DX	1181	3.4	9	1	1	3	4	6	8	14
2. MULTIPLE DX	5764	5.6	25	1	2	4	7	11	15	27
A. NOT OPERATED	5272	4.9	18	1	2	4	6	9	12	21
B. OPERATED	1673	6.4	38	1	2	5	8	14	19	33
TOTAL 0-19 YRS	13	7.5	79	1	2	4	8	17	32	35
20-34	56	3.6	10	1	1	3	5	6	8	21
35-49	294	3.9	9	1	1	3	5	8	10	17
50-64	1500	4.6	20	1	1	3	6	9	12	22
65+	5082	5.5	25	1	2	4	7	11	14	26
GRAND TOTAL	**6945**	**5.2**	**23**	**1**	**2**	**4**	**6**	**10**	**14**	**25**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0		4	4	4	4	4	4	4
20-34	15	7.1	27	2	2	6	12	13	17	18
35-49	26	6.6	12	1	2	7	9	11	12	14
50-64	165	7.3	62	1	2	5	9	14	17	48
65+	665	9.3	80	2	2	7	11	19	26	49
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	3	5.3	16	1	1	6	8	9	9	9
35-49	15	5.7	16	1	1	5	8	13	13	13
50-64	33	7.5	145	1	2	3	7	19	28	64
65+	58	11.7	115	1	2	9	12	28	39	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	5.3	20	1	1	3	9	12	13	13
20-34	12	7.7	75	1	2	6	8	18	31	33
35-49	104	7.5	35	2	2	7	9	13	16	34
50-64	725	10.2	138	2	2	7	11	21	35	68
65+	3816	11.7	110	2	3	9	14	24	32	57
B. *Operated*										
0-19 YRS	2	22.5	481	7	7	22	38	38	38	38
20-34	13	18.3	427	2	4	8	27	50	69	73
35-49	28	12.6	157	1	2	9	14	41	49	99+
50-64	185	14.2	185	2	3	10	18	31	43	71
65+	536	18.8	290	3	4	13	25	43	61	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	873	8.8	74	2	2	6	11	17	25	48
B. *Operated*	110	9.3	112	1	1	6	11	22	30	56
2. MULTIPLE DX										
A. *Not Operated*	4664	11.4	113	2	3	8	14	23	32	60
B. *Operated*	764	17.4	266	2	3	12	23	41	58	85
1. SINGLE DX	983	8.8	78	1	2	6	11	17	25	49
2. MULTIPLE DX	5428	12.2	139	2	3	9	15	26	36	68
A. NOT OPERATED	5537	11.0	108	2	3	8	14	22	31	57
B. OPERATED	874	16.4	254	2	3	11	22	39	56	83
TOTAL 0-19 YRS	12	7.8	103	1	2	4	8	20	35	38
20-34	43	10.5	178	1	2	7	11	27	37	73
35-49	173	8.0	53	1	2	7	10	14	23	46
50-64	1108	10.4	138	2	2	7	12	22	35	66
65+	5075	12.1	131	2	3	9	15	25	35	66
GRAND TOTAL	**6411**	**11.7**	**131**	**2**	**3**	**8**	**14**	**25**	**35**	**65**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+	4	20.3	147	5	5	21	29	34	34	34
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	13.0		13	13	13	13	13	13	13
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	10.9	107	1	2	10	13	28	32	32
20-34	8	17.6	568	1	2	6	30	57	59	59
35-49	34	15.7	412	2	2	9	16	53	83	99+
50-64	293	15.2	204	2	3	10	20	35	46	68
65+	1513	16.8	197	3	4	12	22	35	49	71
B. *Operated*										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	6	11.3	175	1	1	8	11	34	37	37
35-49	9	27.2	562	10	10	15	42	67	75	75
50-64	64	24.0	565	3	5	15	32	67	92	99+
65+	190	29.6	463	6	8	25	42	62	82	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	17.4	151	5	5	18	26	34	34	34
B. *Operated*	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	1855	16.5	203	3	4	12	22	36	49	71
B. *Operated*	270	27.7	490	4	7	20	39	64	82	99+
1. SINGLE DX	6	16.7	124	5	5	15	24	33	34	34
2. MULTIPLE DX	2125	18.0	253	3	4	13	24	40	55	84
A. NOT OPERATED	1860	16.5	203	3	4	12	22	36	49	71
B. OPERATED	271	27.7	489	4	7	20	39	64	82	99+
TOTAL 0-19 YRS	8	11.6	97	1	2	11	15	27	32	32
20-34	14	14.9	383	1	1	6	11	54	58	59
35-49	45	17.7	436	2	3	10	17	55	78	99+
50-64	357	16.8	279	2	3	11	22	39	58	91
65+	1707	18.3	242	4	5	13	25	39	54	81
GRAND TOTAL	**2131**	**18.0**	**253**	**3**	**4**	**13**	**24**	**40**	**55**	**84**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	11	2.5	2	<1	<1	2	4	5	5	5
35-49	26	3.5	4	1	1	3	5	6	8	10
50-64	62	3.3	7	1	1	3	4	6	7	17
65+	134	4.7	14	1	2	4	6	9	11	18
B. *Operated*										
0-19 YRS										
20-34	17	7.2	38	<1	1	5	11	18	19	20
35-49	37	6.8	46	<1	1	4	10	20	26	99+
50-64	59	4.4	19	1	1	2	7	10	14	20
65+	69	4.1	15	1	1	2	5	10	14	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	7.9	76	3	3	5	8	20	32	32
20-34	28	4.5	12	<1	1	3	7	11	11	13
35-49	96	5.3	36	1	1	4	6	9	11	39
50-64	313	6.4	37	1	2	4	8	14	20	43
65+	1542	8.1	64	2	2	6	10	16	23	43
B. *Operated*										
0-19 YRS	7	14.0	239	2	2	7	24	39	42	42
20-34	13	11.4	50	1	2	11	17	21	23	23
35-49	64	11.6	225	1	2	6	13	30	43	78
50-64	146	10.2	143	1	2	6	13	27	41	76
65+	320	11.4	154	1	2	8	14	25	43	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	234	4.1	11	1	1	3	5	7	10	17
B. *Operated*	182	5.0	26	1	1	3	8	12	17	26
2. MULTIPLE DX										
A. *Not Operated*	1989	7.7	58	2	2	6	9	15	22	43
B. *Operated*	550	11.1	157	1	2	7	14	27	42	63
1. SINGLE DX	416	4.5	17	1	1	3	6	10	13	21
2. MULTIPLE DX	2539	8.4	82	1	2	6	10	18	27	55
A. NOT OPERATED	2223	7.3	55	1	2	5	9	15	21	42
B. OPERATED	732	9.6	131	1	1	6	11	22	33	61
TOTAL 0-19 YRS	18	9.9	137	2	2	5	8	31	38	42
20-34	69	6.1	32	<1	1	4	9	16	18	22
35-49	223	7.2	96	1	1	4	8	16	28	64
50-64	580	6.8	63	1	2	4	8	15	22	48
65+	2065	8.3	76	2	2	6	10	17	25	53
GRAND TOTAL	**2955**	**7.9**	**74**	**1**	**2**	**5**	**9**	**17**	**24**	**51**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	5	3.2	2	2	2	3	4	5	5	5
65+	16	3.4	6	<1	1	2	4	7	9	10
B. *Operated*										
0-19 YRS										
20-34	2	1.0		1	1	1	1	1	1	1
35-49	25	4.2	13	<1	1	3	6	10	12	14
50-64	100	4.6	15	1	1	3	7	10	12	16
65+	121	4.8	23	1	1	2	7	11	15	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	18.0		18	18	18	18	18	18	18
20-34	1	2.0		2	2	2	2	2	2	2
35-49	4	3.5	4	1	1	4	5	5	5	5
50-64	56	4.9	29	1	1	3	6	8	18	27
65+	353	7.5	42	2	2	6	9	14	20	31
B. *Operated*										
0-19 YRS	2	22.5	365	9	9	22	36	36	36	36
20-34	11	6.6	49	1	1	3	9	18	23	23
35-49	95	8.0	40	1	1	8	10	16	22	29
50-64	557	9.5	109	1	1	7	13	20	31	61
65+	1029	13.0	156	1	2	10	17	30	39	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	3.3	5	1	1	2	4	6	8	10
B. *Operated*	248	4.6	19	1	1	2	7	11	13	18
2. MULTIPLE DX										
A. *Not Operated*	415	7.1	41	1	2	5	9	14	20	31
B. *Operated*	1694	11.6	137	1	2	9	15	27	36	62
1. SINGLE DX	269	4.5	18	1	1	2	7	10	13	18
2. MULTIPLE DX	2109	10.7	121	1	2	8	14	24	34	58
A. NOT OPERATED	436	6.9	40	1	2	5	8	14	19	30
B. OPERATED	1942	10.7	127	1	1	8	14	25	35	58
TOTAL 0-19 YRS	3	21.0	189	9	9	18	31	36	36	36
20-34	14	5.5	43	1	1	3	8	16	21	23
35-49	124	7.1	36	1	1	5	10	14	20	27
50-64	718	8.4	93	1	1	6	11	18	27	54
65+	1519	11.0	127	1	2	8	14	25	34	58
GRAND TOTAL	**2378**	**10.0**	**113**	**1**	**1**	**7**	**13**	**22**	**32**	**56**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	9	1.9	1	<1	<1	2	2	4	4	4
65+	27	3.9	13	<1	<1	3	5	7	13	17
B. *Operated*										
0-19 YRS	2	10.0	2	9	9	10	11	11	11	11
20-34	1	6.0		6	6	6	6	6	6	6
35-49	6	11.2	9	7	7	11	13	15	15	15
50-64	91	8.6	25	1	2	9	10	14	15	30
65+	198	9.6	22	2	2	10	12	16	18	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	27	4.7	35	<1	1	3	5	8	19	29
65+	161	6.1	40	1	1	4	8	12	16	35
B. *Operated*										
0-19 YRS	3	11.7	12	8	8	12	14	15	15	15
20-34	5	19.0	122	7	7	18	28	33	33	33
35-49	18	11.0	54	1	2	10	15	22	26	28
50-64	340	11.6	66	1	2	10	14	19	28	44
65+	985	14.4	131	2	3	12	17	26	36	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	3.4	11	<1	<1	2	4	7	11	17
B. *Operated*	298	9.3	23	1	2	9	12	15	17	21
2. MULTIPLE DX										
A. *Not Operated*	191	5.8	39	1	1	4	7	11	16	34
B. *Operated*	1351	13.7	115	2	3	11	16	25	35	66
1. SINGLE DX	334	8.7	25	1	2	9	11	15	17	21
2. MULTIPLE DX	1542	12.7	112	1	2	11	15	23	33	58
A. NOT OPERATED	227	5.4	35	<1	1	4	7	11	16	31
B. OPERATED	1649	12.9	101	2	2	11	15	22	32	57
TOTAL 0-19 YRS	5	11.0	8	8	8	11	13	15	15	15
20-34	7	14.9	132	3	4	10	25	32	33	33
35-49	26	10.3	46	1	2	10	13	19	25	28
50-64	467	10.4	59	1	2	9	13	17	26	39
65+	1371	12.6	112	1	2	11	16	22	33	64
GRAND TOTAL	**1876**	**12.0**	**99**	**1**	**2**	**10**	**15**	**21**	**30**	**56**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+	6	3.7	3	1	1	4	5	6	6	6
B. *Operated*										
0-19 YRS	5	2.0	5	1	1	1	3	6	6	6
20-34	9	4.2	9	1	1	3	7	8	8	8
35-49	25	7.9	81	1	2	6	9	15	27	44
50-64	40	6.0	33	<1	1	5	8	11	19	27
65+	56	6.3	26	1	1	5	9	12	17	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	4	3.8	6	1	1	3	5	7	7	7
50-64	4	3.0	3	1	1	3	4	5	5	5
65+	8	4.9	5	1	2	5	6	8	8	8
B. *Operated*										
0-19 YRS	4	11.5	216	2	2	6	21	33	33	33
20-34	19	13.1	259	1	2	6	17	40	55	57
35-49	34	12.4	208	1	2	7	16	25	51	64
50-64	104	10.0	81	2	2	8	13	22	28	75
65+	173	12.2	179	2	2	9	13	25	42	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	3.8	3	1	1	4	5	6	6	6
B. *Operated*	135	6.2	37	1	1	5	8	12	17	30
2. MULTIPLE DX										
A. *Not Operated*	18	3.8	5	1	1	4	5	7	8	8
B. *Operated*	334	11.6	155	1	2	8	14	24	37	70
1. SINGLE DX	143	6.1	35	1	1	5	8	11	17	28
2. MULTIPLE DX	352	11.2	150	1	2	8	13	24	36	70
A. NOT OPERATED	26	3.8	5	1	1	4	5	7	7	8
B. OPERATED	469	10.1	127	1	2	7	12	21	32	66
TOTAL 0-19 YRS	10	5.7	99	1	1	2	6	21	33	33
20-34	30	9.8	183	1	1	5	9	21	52	57
35-49	64	10.0	148	1	2	6	12	21	38	63
50-64	148	8.8	69	1	2	7	11	20	27	55
65+	243	10.4	142	1	2	7	12	20	32	70
GRAND TOTAL	**495**	**9.7**	**122**	**1**	**2**	**7**	**12**	**20**	**29**	**65**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	5	4.6	20	<1	<1	4	7	12	12	12
35-49	10	5.8	14	1	1	6	8	11	11	11
50-64	21	2.8	5	<1	<1	2	4	6	7	7
65+	30	5.6	9	1	1	5	8	10	11	11
B. *Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	24	5.8	23	<1	1	5	9	11	15	19
35-49	94	6.1	23	1	1	5	9	11	15	24
50-64	280	5.8	20	1	1	5	9	11	12	22
65+	368	6.1	27	1	1	6	9	13	16	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	8	7.5	10	2	3	8	10	11	11	11
35-49	14	7.4	29	2	3	6	8	13	22	24
50-64	56	4.8	14	<1	<1	4	7	9	12	16
65+	140	8.4	66	1	2	7	10	13	18	48
B. *Operated*										
0-19 YRS	3	5.3	17	2	2	4	8	10	10	10
20-34	35	12.5	166	1	2	9	13	24	49	59
35-49	159	10.5	124	1	2	8	11	20	32	60
50-64	770	9.4	62	1	2	8	12	18	23	37
65+	1377	12.5	125	1	2	10	15	25	36	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	67	4.7	11	<1	1	4	7	10	11	12
B. *Operated*	768	6.0	24	1	1	5	9	12	14	22
2. MULTIPLE DX										
A. *Not Operated*	219	7.4	50	1	1	6	9	13	17	40
B. *Operated*	2344	11.3	106	1	2	9	14	22	32	57
1. SINGLE DX	835	5.9	23	1	1	5	9	11	14	22
2. MULTIPLE DX	2563	11.0	103	1	2	9	13	21	30	57
A. NOT OPERATED	286	6.7	42	<1	1	6	9	11	15	36
B. OPERATED	3112	10.0	91	1	2	8	12	20	28	53
TOTAL 0-19 YRS	7	5.3	14	2	2	4	9	10	10	10
20-34	72	9.1	100	1	1	8	11	16	24	59
35-49	277	8.7	85	1	2	7	10	16	24	49
50-64	1127	8.1	52	1	1	7	11	15	20	34
65+	1915	10.9	107	1	2	9	14	22	31	56
GRAND TOTAL	**3398**	**9.7**	**88**	**1**	**1**	**8**	**12**	**19**	**27**	**52**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	59	4.8	12	1	2	4	6	9	13	16
20-34	15	4.7	13	<1	1	4	6	10	14	15
35-49	23	4.2	8	<1	1	3	6	9	10	10
50-64	37	3.2	8	<1	<1	2	4	6	9	15
65+	42	3.1	5	<1	<1	2	5	6	8	9
B. *Operated*										
0-19 YRS	9	1.9	2	1	1	1	2	5	5	5
20-34	21	4.1	48	<1	1	2	3	11	21	31
35-49	88	4.8	27	1	1	2	7	11	15	27
50-64	187	4.0	18	1	1	2	6	9	11	15
65+	217	5.7	45	1	1	3	8	13	18	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	6.3	18	2	2	6	8	12	13	19
20-34	45	6.2	71	<1	1	3	7	12	23	47
35-49	87	6.4	62	1	1	4	7	12	16	51
50-64	149	5.5	35	1	1	3	6	12	17	35
65+	333	6.7	40	1	2	5	8	14	19	33
B *Operated*										
0-19 YRS	16	8.1	91	1	2	4	8	26	32	34
20-34	48	6.3	31	1	1	5	8	13	19	25
35-49	149	7.6	75	1	1	4	10	21	28	99
50-64	442	8.2	75	1	1	6	11	18	25	52
65+	921	11.1	128	1	2	8	15	25	33	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	176	4.0	9	<1	1	3	5	8	10	15
B. *Operated*	522	4.8	32	1	1	2	6	11	15	33
2. MULTIPLE DX										
A. *Not Operated*	644	6.3	43	1	1	4	8	13	18	35
B. *Operated*	1576	9.8	107	1	2	7	13	23	30	58
1. SINGLE DX	698	4.6	27	1	1	2	6	10	14	31
2. MULTIPLE DX	2220	8.8	91	1	2	6	11	21	28	52
A. NOT OPERATED	820	5.8	37	1	1	4	7	12	17	30
B. OPERATED	2098	8.5	93	1	1	6	11	21	28	52
TOTAL 0-19 YRS	114	5.4	25	1	1	4	7	11	14	30
20-34	129	5.7	45	1	1	4	7	12	19	34
35-49	347	6.3	56	1	1	4	8	14	24	53
50-64	815	6.5	55	1	1	4	9	14	21	40
65+	1513	9.1	100	1	1	6	12	22	30	52
GRAND TOTAL	**2918**	**7.8**	**79**	**1**	**1**	**5**	**10**	**17**	**26**	**47**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	7.3	14	3	3	7	10	12	15	16
20-34	185	6.9	14	2	3	7	9	11	13	20
35-49	235	7.1	14	2	3	7	9	12	15	19
50-64	288	7.2	11	2	3	7	9	12	13	18
65+	298	7.5	13	3	3	7	9	12	14	18
B. *Operated*										
0-19 YRS	15	7.1	29	<1	1	7	10	16	16	19
20-34	80	6.2	19	1	2	5	8	11	12	25
35-49	100	6.3	19	1	1	6	8	11	14	22
50-64	118	7.7	14	2	2	8	10	12	13	21
65+	90	8.8	22	2	3	8	11	15	17	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	7.7	6	3	4	8	10	10	11	12
20-34	175	7.9	18	2	3	7	10	13	15	24
35-49	308	8.5	26	3	4	8	10	14	16	31
50-64	599	8.7	23	3	4	8	10	14	17	26
65+	1031	9.1	21	3	4	8	11	14	18	25
B. *Operated*										
0-19 YRS	16	11.0	34	3	4	10	13	17	24	27
20-34	119	9.6	60	2	3	9	12	16	21	42
35-49	162	9.4	50	2	3	8	11	16	22	44
50-64	304	9.6	40	2	3	8	12	18	22	36
65+	450	11.1	44	4	5	10	13	19	24	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1023	7.2	13	2	3	7	9	12	14	18
B. *Operated*	403	7.3	19	1	2	7	10	12	15	22
2. MULTIPLE DX										
A. *Not Operated*	2132	8.8	22	3	4	8	11	14	17	26
B. *Operated*	1051	10.3	46	2	4	9	12	16	23	37
1. SINGLE DX	1426	7.2	15	2	3	7	9	12	14	19
2. MULTIPLE DX	3183	9.3	30	3	4	8	11	15	19	30
A. NOT OPERATED	3155	8.3	20	3	4	8	10	13	16	24
B. OPERATED	1454	9.4	40	2	3	8	11	17	22	33
TOTAL 0-19 YRS	67	8.2	21	2	3	8	10	14	16	26
20-34	559	7.7	27	2	2	7	10	13	15	23
35-49	805	8.0	27	2	3	7	10	13	16	31
50-64	1309	8.5	24	2	3	8	10	14	17	28
65+	1869	9.3	26	3	4	8	11	15	19	28
GRAND TOTAL	**4609**	**8.6**	**26**	**2**	**3**	**8**	**11**	**14**	**18**	**28**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	4.3	33	<1	<1	1	8	11	11	11
35-49	6	4.5	4	1	1	5	6	7	7	7
50-64	15	8.3	46	<1	1	8	11	14	24	27
65+	42	9.5	47	1	3	7	11	20	26	28
B. *Operated*										
0-19 YRS	13	2.4	1	1	1	2	3	4	4	4
20-34	434	3.2	4	1	1	3	4	5	5	11
35-49	575	3.6	9	1	2	3	4	5	7	16
50-64	407	4.0	9	1	2	3	4	6	8	17
65+	174	6.7	68	1	2	4	7	14	21	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	14	6.3	48	<1	1	5	9	13	24	27
35-49	23	6.3	22	<1	1	4	11	13	14	14
50-64	63	8.6	102	1	2	6	11	15	22	65
65+	236	10.8	70	2	3	9	14	22	29	50
B. *Operated*										
0-19 YRS	4	5.5	2	4	4	5	6	7	7	7
20-34	92	4.0	9	2	2	3	5	6	8	20
35-49	174	5.0	23	1	2	4	5	9	14	27
50-64	241	6.5	54	2	2	4	7	15	22	41
65+	232	15.1	218	2	3	10	20	33	50	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	66	8.6	44	1	1	7	11	18	25	28
B. *Operated*	1603	3.9	15	1	2	3	4	6	8	20
2. MULTIPLE DX										
A. *Not Operated*	336	9.9	74	1	2	8	13	21	28	50
B. *Operated*	743	8.5	112	2	2	4	9	20	29	54
1. SINGLE DX	1669	4.1	17	1	2	3	4	6	10	22
2. MULTIPLE DX	1079	8.9	100	2	2	5	11	20	28	53
A. NOT OPERATED	402	9.6	69	1	2	7	12	20	27	48
B. OPERATED	2346	5.4	50	1	2	3	5	10	18	42
TOTAL 0-19 YRS	17	3.1	3	1	1	3	4	6	7	7
20-34	543	3.4	6	1	1	3	4	5	6	13
35-49	778	4.0	13	1	2	3	4	6	10	22
50-64	726	5.3	35	1	2	4	5	10	15	33
65+	684	11.1	128	2	3	7	14	24	32	63
GRAND TOTAL	**2748**	**6.0**	**55**	**1**	**2**	**4**	**6**	**13**	**20**	**43**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	24	3.1	11	<1	<1	2	4	4	8	18
35-49	39	3.0	5	<1	<1	2	4	6	8	10
50-64	32	3.2	4	<1	1	3	4	6	8	8
65+	24	2.8	3	<1	1	2	3	5	6	9
B. *Operated*										
0-19 YRS	4	3.8	5	2	2	3	5	7	7	7
20-34	220	3.9	3	1	2	4	5	6	7	9
35-49	345	4.1	3	2	2	4	5	7	8	9
50-64	252	4.4	4	2	2	4	5	7	8	12
65+	121	5.2	10	2	3	4	6	8	10	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	46	2.9	7	<1	1	2	4	6	8	14
35-49	71	3.9	6	1	2	3	5	7	8	13
50-64	82	3.5	5	1	1	3	5	7	8	10
65+	130	4.6	9	1	1	4	6	9	10	13
B. *Operated*										
0-19 YRS	18	4.2	5	1	1	4	6	8	8	8
20-34	733	4.4	4	2	2	4	5	7	8	11
35-49	1228	4.7	5	2	3	4	5	7	8	12
50-64	1021	5.0	7	2	3	4	6	8	10	16
65+	497	6.2	18	3	3	5	7	11	14	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	121	3.0	5	<1	<1	3	4	5	7	12
B. *Operated*	942	4.3	5	2	2	4	5	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	332	3.9	7	1	1	3	5	8	9	12
B. *Operated*	3497	4.9	8	2	3	4	6	8	10	16
1. SINGLE DX	1063	4.1	5	1	2	4	5	7	8	10
2. MULTIPLE DX	3829	4.8	8	2	2	4	6	8	10	15
A. NOT OPERATED	453	3.7	7	<1	1	3	5	7	9	12
B. OPERATED	4439	4.8	7	2	3	4	6	7	9	15
TOTAL 0-19 YRS	27	3.7	5	1	1	3	5	7	8	8
20-34	1023	4.2	4	1	2	4	5	7	8	11
35-49	1683	4.5	5	2	2	4	5	7	8	12
50-64	1387	4.8	7	2	2	4	6	7	9	15
65+	772	5.7	15	2	3	5	7	10	12	22
GRAND TOTAL	**4892**	**4.7**	**7**	**2**	**2**	**4**	**6**	**7**	**9**	**15**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	4.4	14	1	1	3	6	10	14	15
20-34	60	6.0	13	1	2	6	8	11	13	18
35-49	81	6.3	11	1	2	6	9	10	12	16
50-64	75	6.2	23	1	1	5	8	11	17	23
65+	137	6.3	39	1	1	5	8	12	15	29
B. *Operated*										
0-19 YRS	61	2.8	7	<1	1	2	3	6	11	12
20-34	212	3.2	9	<1	<1	2	3	7	10	15
35-49	94	5.2	22	1	1	3	8	11	12	25
50-64	101	6.1	21	<1	1	5	9	12	14	22
65+	60	8.1	62	1	2	6	11	15	23	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	3.3	8	1	1	2	4	8	10	13
20-34	137	5.5	17	1	1	4	7	12	14	19
35-49	199	6.1	20	1	1	5	8	12	15	21
50-64	500	6.2	24	1	2	5	8	12	15	24
65+	1114	7.0	32	1	2	5	9	13	17	29
B. *Operated*										
0-19 YRS	38	4.7	17	1	1	3	7	11	13	18
20-34	223	5.4	35	1	1	3	7	11	18	29
35-49	166	9.9	135	1	1	6	13	22	31	62
50-64	279	12.5	138	2	3	9	16	24	35	75
65+	485	12.1	119	2	3	10	15	22	29	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	376	6.1	24	1	1	5	8	11	15	22
B. *Operated*	528	4.6	23	<1	1	3	7	10	12	22
2. MULTIPLE DX										
A. *Not Operated*	1989	6.5	28	1	2	5	9	13	16	26
B. *Operated*	1191	10.4	114	1	2	8	13	21	29	54
1. SINGLE DX	904	5.3	24	1	1	4	8	11	13	22
2. MULTIPLE DX	3180	8.0	64	1	2	6	10	16	21	38
A. NOT OPERATED	2365	6.4	27	1	2	5	8	12	15	26
B. OPERATED	1719	8.6	93	1	1	6	11	18	24	47
TOTAL 0-19 YRS	161	3.6	11	1	1	2	4	9	12	15
20-34	632	4.8	21	<1	1	3	6	10	13	22
35-49	540	7.1	58	1	1	6	9	14	18	34
50-64	955	8.0	65	1	2	6	10	16	22	37
65+	1796	8.3	62	1	2	6	11	16	21	42
GRAND TOTAL	**4084**	**7.4**	**56**	**1**	**1**	**5**	**9**	**15**	**20**	**36**

173: Acute uri except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1786	2.1	2	<1	1	2	3	4	5	7
20-34	261	3.0	3	1	1	3	4	5	6	8
35-49	95	3.2	3	1	1	3	4	6	7	8
50-64	75	3.7	5	1	1	3	5	6	9	11
65+	53	3.7	4	1	2	3	4	6	7	12
B. *Operated*										
0-19 YRS	379	1.8	1	<1	<1	2	2	2	3	7
20-34	169	2.4	4	1	1	2	3	4	5	12
35-49	34	2.7	6	1	1	2	3	6	9	10
50-64	20	2.7	8	<1	<1	2	3	6	9	13
65+	10	2.6	4	<1	<1	2	4	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2045	2.9	5	1	1	2	4	5	6	10
20-34	502	3.4	4	1	1	3	4	6	8	11
35-49	249	3.8	10	1	1	3	5	7	8	18
50-64	326	4.8	13	1	2	4	6	8	10	20
65+	601	6.1	27	2	2	5	7	12	15	23
B. *Operated*										
0-19 YRS	188	3.5	22	<1	1	2	4	7	12	30
20-34	103	3.8	15	1	1	2	5	7	12	20
35-49	55	5.7	48	1	1	4	6	12	21	40
50-64	40	5.9	19	<1	1	5	8	13	15	16
65+	52	11.7	178	<1	1	9	14	26	37	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2270	2.4	2	<1	1	2	3	4	5	8
B. *Operated*	612	2.0	3	<1	1	2	2	3	5	10
2. MULTIPLE DX										
A. *Not Operated*	3723	3.7	11	1	1	3	5	7	9	16
B. *Operated*	438	5.0	48	<1	1	2	6	12	16	36
1. SINGLE DX	2882	2.3	2	<1	1	2	3	4	5	8
2. MULTIPLE DX	4161	3.9	15	1	1	3	5	7	10	18
A. NOT OPERATED	5993	3.2	8	1	1	2	4	6	8	13
B. OPERATED	1050	3.3	24	<1	1	2	3	7	12	24
TOTAL 0-19 YRS	4398	2.5	4	<1	1	2	3	5	6	9
20-34	1035	3.1	5	1	1	3	4	6	7	12
35-49	433	3.8	13	1	1	3	5	7	8	20
50-64	461	4.6	12	1	2	4	6	8	10	16
65+	716	6.3	39	1	2	5	7	12	15	35
GRAND TOTAL	**7043**	**3.2**	**10**	**1**	**1**	**2**	**4**	**6**	**8**	**15**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1590	3.1	4	1	1	3	4	6	7	10
20-34	147	3.8	4	1	2	3	5	7	8	11
35-49	158	4.1	5	1	2	4	5	7	8	12
50-64	152	4.8	7	2	2	4	6	8	9	14
65+	218	5.0	8	2	2	4	6	9	10	13
B. *Operated*										
0-19 YRS	9	3.6	8	1	1	3	5	8	9	9
20-34	2	6.5	5	5	5	6	8	8	8	8
35-49	5	4.6	16	<1	<1	3	7	11	11	11
50-64	12	4.9	9	2	2	4	7	9	11	11
65+	7	5.3	23	<1	<1	3	9	12	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1613	3.7	5	1	1	3	5	6	8	12
20-34	295	4.4	9	1	2	4	6	8	10	16
35-49	452	5.3	14	2	2	4	7	9	11	21
50-64	1247	6.2	22	2	2	5	8	11	14	24
65+	3059	7.2	25	2	3	6	9	13	16	27
B. *Operated*										
0-19 YRS	13	7.8	36	2	2	6	10	19	19	19
20-34	23	7.4	58	1	2	5	9	18	26	32
35-49	43	8.9	49	1	2	7	12	15	23	35
50-64	97	11.3	92	2	2	8	15	24	33	46
65+	178	12.8	149	2	3	10	16	24	32	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2265	3.5	5	1	1	3	4	6	8	11
B. *Operated*	35	4.7	11	<1	1	3	7	10	11	13
2. MULTIPLE DX										
A. *Not Operated*	6666	5.9	20	2	2	5	7	11	14	23
B. *Operated*	354	11.4	114	2	2	9	15	23	31	53
1. SINGLE DX	2300	3.6	5	1	1	3	5	6	8	11
2. MULTIPLE DX	7020	6.2	26	2	2	5	8	11	15	26
A. NOT OPERATED	8931	5.3	18	1	2	4	7	10	13	21
B. OPERATED	389	10.8	108	2	2	8	14	22	29	52
TOTAL 0-19 YRS	3225	3.5	5	1	1	3	4	6	7	11
20-34	467	4.4	10	1	2	4	5	8	10	17
35-49	658	5.3	15	2	2	4	6	9	12	21
50-64	1508	6.4	26	2	2	5	8	11	15	28
65+	3462	7.3	32	2	3	6	9	13	17	29
GRAND TOTAL	**9320**	**5.6**	**23**	**1**	**2**	**4**	**7**	**10**	**14**	**24**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.1		<1	<1	1	1	2	2	2
20-34	9	1.2		<1	<1	1	1	2	3	3
35-49	5	1.0		<1	<1	1	1	1	1	1
50-64	5	1.4	1	1	1	1	2	3	3	3
65+										
B. *Operated*										
0-19 YRS	327	1.5	1	<1	1	1	2	2	3	4
20-34	857	1.6	1	<1	1	1	2	3	3	4
35-49	441	1.6	1	<1	1	1	2	3	3	4
50-64	219	1.7	1	<1	1	1	2	3	3	5
65+	52	1.7	1	1	1	1	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	1.4	1	<1	<1	1	1	3	4	4
20-34	20	1.5	1	<1	<1	1	2	3	4	4
35-49	10	2.1	3	1	1	1	2	5	6	6
50-64	8	1.5	1	<1	<1	1	2	3	3	3
65+	7	2.9	10	<1	<1	2	3	9	10	10
B. *Operated*										
0-19 YRS	608	1.9	1	<1	1	2	2	3	4	5
20-34	1508	1.9	1	1	1	2	2	3	4	5
35-49	864	2.1	4	<1	1	2	3	3	4	7
50-64	491	2.3	2	<1	1	2	3	4	4	8
65+	136	2.4	1	1	1	2	3	4	5	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	1.2		<1	<1	1	1	2	3	3
B. *Operated*	1896	1.6	1	<1	1	1	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	59	1.7	2	<1	<1	1	2	4	5	10
B. *Operated*	3607	2.1	2	<1	1	2	3	3	4	6
1. SINGLE DX	1923	1.6	1	<1	1	1	2	3	3	4
2. MULTIPLE DX	3666	2.0	2	<1	1	2	3	3	4	6
A. NOT OPERATED	86	1.6	2	<1	<1	1	2	3	4	9
B. OPERATED	5503	1.9	2	<1	1	2	2	3	4	5
TOTAL 0-19 YRS	957	1.8	1	<1	1	2	2	3	3	5
20-34	2394	1.8	1	<1	1	2	2	3	4	5
35-49	1320	1.9	3	<1	1	2	2	3	4	6
50-64	723	2.1	2	<1	1	2	3	3	4	7
65+	195	2.3	2	1	1	2	3	3	4	7
GRAND TOTAL	**5589**	**1.9**	**2**	**<1**	**1**	**2**	**2**	**3**	**4**	**5**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	26	1.4		<1	<1	1	2	2	3	4
20-34	59	2.0	5	<1	<1	1	2	4	4	16
35-49	66	1.5	1	<1	<1	1	2	3	3	5
50-64	76	1.6	1	<1	<1	1	2	3	4	6
65+	43	1.8	1	<1	1	2	2	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	4	1.5		<1	<1	1	2	2	2	2
50-64	5	1.0		<1	<1	<1	1	1	1	1
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	46	2.2	3	<1	1	2	3	4	5	10
20-34	102	2.2	1	1	1	2	3	4	4	6
35-49	141	2.0	1	<1	1	2	3	3	4	6
50-64	145	2.9	45	<1	1	2	3	5	5	12
65+	88	2.5	3	1	1	2	3	5	6	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	270	1.7	2	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	12	1.3		<1	<1	1	2	2	2	2
B. *Operated*	522	2.4	14	<1	1	2	3	4	5	8
1. SINGLE DX	271	1.7	2	<1	<1	1	2	3	4	6
2. MULTIPLE DX	534	2.4	14	<1	1	2	3	4	5	8
A. NOT OPERATED	13	1.4		<1	<1	1	2	2	3	3
B. OPERATED	792	2.2	10	<1	1	2	3	4	5	8
TOTAL 0-19 YRS	73	1.9	2	<1	<1	1	2	3	4	9
20-34	163	2.1	3	<1	1	2	3	3	4	7
35-49	211	1.8	1	<1	<1	2	2	3	4	6
50-64	226	2.4	29	<1	<1	2	3	4	5	7
65+	132	2.3	2	1	1	2	3	4	5	9
GRAND TOTAL	**805**	**2.1**	**10**	**<1**	**1**	**2**	**3**	**4**	**5**	**7**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	94	1.4	1	<1	1	1	2	2	3	6
20-34	26	1.4		<1	1	1	2	3	3	3
35-49	3	3.0	1	2	2	3	4	4	4	4
50-64										
65+	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*										
0-19 YRS	10839	1.5	1	<1	<1	1	2	2	2	3
20-34	2852	1.6	1	1	1	1	2	3	3	4
35-49	267	1.9	1	1	1	2	2	3	4	4
50-64	39	1.8	1	1	1	2	2	3	4	7
65+	17	1.6	1	<1	1	1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	196	1.4	1	<1	<1	1	1	3	4	5
20-34	32	2.2	4	<1	<1	1	2	5	7	9
35-49	4	1.0		<1	<1	<1	1	1	1	1
50-64										
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	5020	1.4	1	<1	<1	1	2	2	2	4
20-34	651	1.9	2	1	1	2	2	3	4	6
35-49	87	2.2	2	1	1	2	2	3	5	10
50-64	32	2.9	41	1	1	2	2	3	4	38
65+	11	2.7	2	1	1	2	3	5	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	125	1.4	1	<1	1	1	2	2	3	6
B. *Operated*	14014	1.5	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	233	1.5	1	<1	<1	1	2	3	4	6
B. *Operated*	5801	1.5	1	<1	<1	1	2	2	3	4
1. SINGLE DX	14139	1.5	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX	6034	1.5	1	<1	<1	1	2	2	3	4
A. NOT OPERATED	358	1.5	1	<1	<1	1	2	3	4	6
B. OPERATED	19815	1.5	1	<1	<1	1	2	2	3	4
TOTAL 0-19 YRS	16149	1.5	1	<1	<1	1	2	2	2	3
20-34	3561	1.7	1	1	1	2	2	3	3	4
35-49	361	1.9	1	1	1	2	2	3	4	6
50-64	71	2.3	19	1	1	2	2	3	4	31
65+	31	2.1	2	<1	1	2	3	4	5	6
GRAND TOTAL	**20173**	**1.5**	**1**	**<1**	**<1**	**1**	**2**	**2**	**3**	**4**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	223	2.6	2	<1	1	2	3	5	6	8
20-34	185	2.9	4	1	1	2	3	5	6	12
35-49	82	2.7	4	<1	<1	2	3	4	5	13
50-64	55	2.3	2	1	1	2	3	4	5	7
65+	24	2.8	5	<1	1	2	4	5	8	10
B. *Operated*										
0-19 YRS	376	2.2	8	<1	<1	2	2	4	5	13
20-34	613	2.0	4	<1	<1	2	2	3	4	7
35-49	498	2.0	2	<1	<1	2	2	3	4	9
50-64	456	1.9	2	<1	<1	2	2	3	4	9
65+	254	2.1	3	<1	<1	2	2	3	4	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	203	3.1	4	1	1	3	4	5	7	10
20-34	159	3.6	10	1	1	3	5	6	7	20
35-49	109	3.9	7	1	1	3	5	7	9	15
50-64	113	4.0	8	<1	1	3	6	7	9	15
65+	114	5.6	22	1	1	4	7	10	14	26
B. *Operated*										
0-19 YRS	362	2.7	11	<1	<1	2	3	5	8	17
20-34	641	2.6	9	1	1	2	3	5	6	13
35-49	592	2.8	11	1	1	2	3	4	7	17
50-64	545	3.1	12	<1	1	2	3	6	8	19
65+	376	4.0	36	1	1	2	4	9	13	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	569	2.7	3	<1	1	2	3	5	6	9
B. *Operated*	2197	2.0	4	<1	<1	2	2	3	4	9
2. MULTIPLE DX										
A. *Not Operated*	698	3.9	10	1	1	3	5	7	9	16
B. *Operated*	2516	3.0	15	<1	1	2	3	5	8	19
1. SINGLE DX	2766	2.2	4	<1	<1	2	3	4	5	9
2. MULTIPLE DX	3214	3.2	14	<1	1	2	4	6	9	18
A. NOT OPERATED	1267	3.4	7	1	1	3	4	6	8	14
B. OPERATED	4713	2.5	10	<1	<1	2	3	4	6	16
TOTAL 0-19 YRS	1164	2.6	7	<1	<1	2	3	5	6	13
20-34	1598	2.5	7	<1	1	2	3	4	6	12
35-49	1281	2.6	7	<1	1	2	3	4	6	12
50-64	1169	2.7	8	<1	1	2	3	5	7	15
65+	768	3.6	23	<1	1	2	4	7	12	21
GRAND TOTAL	**5980**	**2.7**	**9**	**<1**	**1**	**2**	**3**	**5**	**7**	**15**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3843	3.7	6	1	2	3	4	6	8	11
20-34	1145	4.3	6	2	2	4	5	7	9	12
35-49	793	4.8	6	2	2	4	6	8	9	13
50-64	774	5.4	10	2	2	5	7	9	11	16
65+	1274	6.7	20	2	3	6	8	12	14	22
B. *Operated*										
0-19 YRS	28	5.1	12	<1	1	5	7	10	12	14
20-34	28	8.8	21	2	2	8	13	15	16	18
35-49	39	8.7	60	1	2	8	11	17	21	43
50-64	64	8.9	37	2	3	7	12	18	21	27
65+	65	9.1	52	1	1	8	12	21	22	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3979	4.4	11	1	2	4	5	8	10	16
20-34	1072	5.6	15	2	2	5	7	10	12	22
35-49	1218	6.1	18	2	2	5	8	11	13	19
50-64	2614	7.5	29	2	3	6	9	13	17	28
65+	8683	9.5	49	3	4	8	11	17	22	37
B. *Operated*										
0-19 YRS	81	11.5	116	2	3	9	15	22	36	59
20-34	121	13.1	85	3	4	10	17	24	30	44
35-49	192	14.6	170	4	5	11	17	30	35	92
50-64	446	14.2	143	3	4	11	17	28	37	71
65+	980	18.0	187	4	6	14	23	34	45	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7829	4.5	10	1	2	4	6	8	10	15
B. *Operated*	224	8.4	41	1	2	7	11	17	21	31
2. MULTIPLE DX										
A. *Not Operated*	17566	7.5	38	2	2	6	9	14	18	31
B. *Operated*	1820	16.1	169	4	5	13	20	31	41	78
1. SINGLE DX	8053	4.6	11	1	2	4	6	8	10	17
2. MULTIPLE DX	19386	8.3	56	2	3	6	10	16	21	38
A. NOT OPERATED	25395	6.6	31	2	2	5	8	12	16	28
B. OPERATED	2044	15.3	160	3	4	12	19	30	39	74
TOTAL 0-19 YRS	7931	4.1	10	1	2	3	5	7	9	15
20-34	2366	5.4	18	2	2	4	6	10	13	23
35-49	2242	6.4	34	2	2	5	8	11	15	31
50-64	3898	7.9	45	2	3	6	9	14	19	34
65+	11002	9.9	65	3	4	8	12	18	24	43
GRAND TOTAL	**27439**	**7.3**	**46**	**2**	**2**	**5**	**9**	**14**	**19**	**34**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	150	2.2	2	<1	1	2	3	4	5	7
20-34	143	2.8	3	1	1	2	4	5	6	8
35-49	86	3.2	3	1	1	3	4	5	6	8
50-64	75	3.4	3	1	1	3	4	7	7	8
65+	115	4.1	5	1	2	4	6	7	8	11
B. *Operated*										
0-19 YRS	2	8.0	72	2	2	8	14	14	14	14
20-34	2	5.0	18	2	2	5	8	8	8	8
35-49										
50-64	1	5.0		5	5	5	5	5	5	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	246	3.0	6	1	1	2	4	6	7	12
20-34	286	3.2	8	1	1	3	4	6	8	12
35-49	176	4.2	9	1	2	3	5	8	10	15
50-64	241	4.5	8	1	2	4	6	8	10	15
65+	631	6.0	21	2	2	5	7	11	14	22
B. *Operated*										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	11	6.2	14	1	2	6	8	11	14	14
35-49	3	9.3	89	2	2	6	16	20	20	20
50-64	8	13.5	173	3	3	10	16	35	43	43
65+	21	15.9	194	4	5	11	17	37	49	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	569	3.1	3	1	1	3	4	6	7	9
B. *Operated*	5	6.2	25	2	2	5	9	14	14	14
2. MULTIPLE DX										
A. *Not Operated*	1580	4.6	15	1	2	4	6	9	11	19
B. *Operated*	45	12.1	142	2	3	9	14	30	41	58
1. SINGLE DX	574	3.1	4	1	1	3	4	6	7	9
2. MULTIPLE DX	1625	4.8	20	1	2	4	6	9	12	20
A. NOT OPERATED	2149	4.2	12	1	1	3	5	8	10	17
B. OPERATED	50	11.5	133	2	2	8	14	25	41	58
TOTAL 0-19 YRS	400	2.8	5	1	1	2	3	5	6	11
20-34	442	3.2	6	1	1	3	4	6	7	12
35-49	265	4.0	8	1	2	3	5	7	9	15
50-64	325	4.4	13	1	2	4	6	8	10	16
65+	767	6.0	27	2	2	5	7	11	14	29
GRAND TOTAL	**2199**	**4.4**	**16**	**1**	**1**	**3**	**5**	**8**	**11**	**19**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	325	2.6	3	1	1	2	3	5	6	9
20-34	76	3.8	13	1	1	3	4	6	6	26
35-49	82	4.5	6	1	2	4	6	8	9	13
50-64	173	5.4	11	2	2	4	7	10	12	17
65+	314	5.9	17	2	2	5	7	11	13	21
B. *Operated*										
0-19 YRS	7	4.7	50	<1	<1	1	6	17	20	20
20-34	8	3.8	22	<1	<1	2	4	12	15	15
35-49	10	2.5	3	1	1	2	3	5	6	6
50-64	24	4.0	22	<1	<1	2	6	10	16	18
65+	26	6.5	333	<1	<1	2	4	8	26	95
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	341	3.2	5	1	1	3	4	5	7	11
20-34	171	4.1	7	1	1	3	5	8	9	12
35-49	232	5.2	14	1	2	4	6	10	12	20
50-64	742	6.9	43	2	2	5	8	12	17	30
65+	1852	7.9	38	2	3	6	10	15	19	33
B. *Operated*										
0-19 YRS	10	6.0	25	2	2	5	7	13	19	19
20-34	19	5.1	29	1	2	4	6	9	19	25
35-49	35	5.3	35	<1	<1	3	6	13	22	25
50-64	107	9.7	172	1	1	7	11	17	28	81
65+	182	12.8	111	1	2	10	17	27	33	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	970	4.4	12	1	1	4	6	8	10	17
B. *Operated*	75	4.7	128	<1	<1	2	4	8	15	76
2. MULTIPLE DX										
A. *Not Operated*	3338	6.8	35	2	2	5	8	13	17	30
B. *Operated*	353	10.5	122	1	2	7	13	23	31	56
1. SINGLE DX	1045	4.4	20	1	1	3	5	8	11	18
2. MULTIPLE DX	3691	7.1	45	2	2	5	9	14	19	33
A. NOT OPERATED	4308	6.3	31	1	2	5	8	12	16	29
B. OPERATED	428	9.5	128	<1	1	6	12	20	28	57
TOTAL 0-19 YRS	683	2.9	5	1	1	2	4	5	6	10
20-34	274	4.1	11	1	1	3	5	7	9	17
35-49	359	4.9	14	1	2	4	6	9	12	20
50-64	1046	6.9	51	2	2	5	8	12	17	36
65+	2374	8.0	46	2	3	6	10	15	20	35
GRAND TOTAL	**4736**	**6.5**	**40**	**1**	**2**	**5**	**8**	**13**	**17**	**31**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	11	5.6	12	2	2	5	7	11	14	14
50-64	66	5.6	18	1	2	5	7	11	17	20
65+	149	7.0	28	2	2	6	8	13	18	28
B. *Operated*										
0-19 YRS	1	19.0		19	19	19	19	19	19	19
20-34	1	6.0		6	6	6	6	6	6	6
35-49	6	8.3	29	<1	<1	9	12	15	15	15
50-64	8	11.5	99	2	2	8	17	27	31	31
65+	2	14.0	72	8	8	14	20	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	4	<1	<1	3	4	5	5	5
20-34	6	4.5	5	3	3	4	4	9	9	9
35-49	28	9.6	49	1	3	8	13	22	24	26
50-64	290	8.5	67	2	2	6	10	18	23	42
65+	815	8.6	51	2	3	7	10	16	22	39
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	17	10.7	20	6	6	10	13	17	21	22
35-49	15	16.5	137	4	6	15	23	27	43	49
50-64	40	16.7	224	3	5	9	22	44	50	53
65+	75	18.9	221	4	5	15	25	37	59	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	227	6.5	25	2	2	5	8	12	17	27
B. *Operated*	18	10.8	62	1	2	9	16	20	27	31
2. MULTIPLE DX										
A. *Not Operated*	1142	8.6	55	2	3	7	10	16	23	39
B. *Operated*	148	17.0	193	4	6	12	23	37	49	81
1. SINGLE DX	245	6.8	29	2	2	5	8	14	19	28
2. MULTIPLE DX	1290	9.5	78	2	3	7	11	19	26	48
A. NOT OPERATED	1369	8.2	51	2	3	6	10	16	21	38
B. OPERATED	166	16.3	182	3	5	12	22	34	49	78
TOTAL 0-19 YRS	6	5.8	46	<1	<1	4	6	18	19	19
20-34	24	9.0	23	3	4	8	11	15	19	22
35-49	60	10.5	74	2	3	8	14	23	25	47
50-64	404	8.9	83	2	2	6	10	19	26	50
65+	1041	9.1	68	2	3	7	11	18	25	43
GRAND TOTAL	**1535**	**9.1**	**71**	**2**	**3**	**7**	**11**	**19**	**25**	**45**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3867	2.7	2	1	1	2	3	5	5	8
20-34	1113	3.4	4	1	1	3	4	6	7	10
35-49	997	4.2	7	1	2	4	5	8	9	13
50-64	995	4.7	9	1	2	4	6	8	10	15
65+	815	5.3	10	2	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	9	4.3	5	2	2	4	5	8	9	9
20-34	8	6.9	24	1	2	6	9	15	17	17
35-49	4	5.3	34	2	2	3	8	14	14	14
50-64	12	7.2	6	3	4	7	9	10	11	11
65+	7	11.0	20	5	5	12	15	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2229	3.2	4	1	1	3	4	6	7	10
20-34	989	4.3	9	1	2	4	5	8	9	16
35-49	1149	5.3	15	2	2	4	6	10	12	18
50-64	2047	6.1	18	2	2	5	8	11	13	22
65+	2615	7.1	30	2	3	6	9	13	16	25
B. *Operated*										
0-19 YRS	28	8.0	46	1	2	6	10	19	25	27
20-34	47	7.8	27	2	2	7	11	15	17	23
35-49	59	11.5	139	2	3	8	16	21	29	75
50-64	99	12.6	164	2	3	10	14	23	39	96
65+	141	16.1	252	3	4	11	19	36	56	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7787	3.5	6	1	1	3	4	6	8	12
B. *Operated*	40	7.0	18	2	2	6	9	13	16	17
2. MULTIPLE DX										
A. *Not Operated*	9029	5.4	19	1	2	4	7	10	13	20
B. *Operated*	374	12.8	175	2	3	9	15	25	39	78
1. SINGLE DX	7827	3.5	6	1	1	3	4	6	8	12
2. MULTIPLE DX	9403	5.7	27	1	2	4	7	11	14	24
A. NOT OPERATED	16816	4.5	14	1	2	4	6	9	11	18
B. OPERATED	414	12.2	163	2	3	9	15	23	37	78
TOTAL 0-19 YRS	6133	2.9	3	1	1	3	4	5	6	9
20-34	2157	3.9	8	1	1	3	5	7	9	14
35-49	2209	4.9	16	1	2	4	6	9	11	18
50-64	3153	5.9	22	2	2	5	7	10	13	22
65+	3578	7.1	38	2	2	6	9	13	16	30
GRAND TOTAL	**17230**	**4.7**	**19**	**1**	**2**	**4**	**6**	**9**	**12**	**20**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	3.4	3	1	2	3	4	7	7	7
20-34	9	4.4	11	1	1	3	8	9	9	9
35-49	56	4.9	10	1	2	4	7	8	11	15
50-64	431	5.8	16	1	2	5	7	10	14	21
65+	857	6.5	29	2	2	5	8	13	15	30
B. *Operated*										
0-19 YRS	4	3.3	7	1	1	2	5	7	7	7
20-34	4	6.8	61	<1	<1	4	12	18	18	18
35-49	10	4.8	14	1	1	4	8	10	12	12
50-64	38	8.0	87	1	2	4	8	18	30	47
65+	33	9.3	35	1	3	8	12	18	22	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	5.7	24	1	1	4	6	11	16	24
20-34	32	8.3	73	1	2	7	9	18	23	45
35-49	226	6.7	35	2	2	5	8	13	16	30
50-64	2121	7.6	38	2	2	6	9	14	18	32
65+	5287	8.2	44	2	3	7	10	16	21	35
B. *Operated*										
0-19 YRS	8	4.4	19	1	1	2	8	11	12	12
20-34	11	11.1	197	2	2	8	11	28	50	52
35-49	36	11.0	121	2	2	7	14	27	48	99+
50-64	216	11.7	181	1	2	8	14	30	48	99+
65+	443	15.1	189	2	4	11	19	33	45	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1371	6.2	24	1	2	5	8	11	15	24
B. *Operated*	89	7.8	56	1	1	6	10	17	22	42
2. MULTIPLE DX										
A. *Not Operated*	7696	8.0	42	2	3	6	10	15	20	34
B. *Operated*	714	13.7	185	2	3	10	17	31	46	99+
1. SINGLE DX	1460	6.3	26	1	2	5	8	12	15	27
2. MULTIPLE DX	8410	8.5	57	2	3	7	10	16	22	41
A. NOT OPERATED	9067	7.7	40	2	2	6	9	15	19	33
B. OPERATED	803	13.1	174	2	2	9	16	29	44	99+
TOTAL 0-19 YRS	60	4.7	17	1	1	3	6	9	12	23
20-34	56	8.1	86	1	2	6	10	16	22	52
35-49	328	6.8	42	1	2	5	8	13	17	42
50-64	2806	7.6	48	2	2	6	9	15	20	38
65+	6620	8.5	55	2	3	7	10	16	22	39
GRAND TOTAL	**9870**	**8.1**	**53**	**2**	**2**	**6**	**10**	**16**	**21**	**39**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	3.9	8	1	1	3	5	9	10	12
20-34	90	3.2	5	<1	1	3	4	6	8	12
35-49	28	4.3	8	1	1	4	6	8	9	13
50-64	11	4.9	5	2	2	4	7	8	9	9
65+	8	5.0	14	1	1	3	8	10	11	11
B. *Operated*										
0-19 YRS	59	6.3	20	2	2	5	8	13	17	20
20-34	342	5.4	12	2	2	4	7	10	12	18
35-49	94	4.9	8	2	2	4	6	8	10	17
50-64	50	5.9	20	1	2	4	7	11	15	23
65+	37	8.7	81	2	2	5	9	24	31	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	2.7	2	1	1	2	3	5	6	6
20-34	23	5.5	23	1	1	3	8	13	16	18
35-49	13	6.3	9	<1	2	6	9	10	11	11
50-64	29	6.9	38	1	2	5	8	17	21	26
65+	58	7.3	39	1	2	6	8	14	21	36
B. *Operated*										
0-19 YRS	24	8.2	18	3	4	8	11	13	16	19
20-34	97	8.0	38	2	3	6	10	16	20	31
35-49	78	8.7	58	2	3	6	11	14	22	46
50-64	113	11.5	105	2	3	8	15	22	31	55
65+	158	10.3	71	3	3	7	14	25	28	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	163	3.7	7	1	1	3	5	8	9	12
B. *Operated*	582	5.6	18	2	2	4	7	10	14	22
2. MULTIPLE DX										
A. *Not Operated*	133	6.5	31	1	2	5	8	12	19	28
B. *Operated*	470	9.8	69	2	3	7	13	20	27	36
1. SINGLE DX	745	5.2	16	1	2	4	7	10	12	20
2. MULTIPLE DX	603	9.0	62	2	3	6	12	19	26	36
A. NOT OPERATED	296	4.9	20	1	1	4	6	9	12	24
B. OPERATED	1052	7.5	44	2	2	5	9	15	20	34
TOTAL 0-19 YRS	119	5.9	18	1	2	5	8	12	16	19
20-34	552	5.5	18	1	2	4	7	10	14	21
35-49	213	6.3	30	2	2	5	7	11	14	30
50-64	203	9.1	76	2	2	7	12	20	26	38
65+	261	9.2	65	2	3	6	12	22	28	37
GRAND TOTAL	**1348**	**6.9**	**40**	**2**	**2**	**5**	**8**	**14**	**19**	**32**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	162	3.4	54	1	1	2	3	6	7	13
20-34	126	3.6	10	1	1	3	4	7	9	16
35-49	106	3.5	11	1	1	3	4	6	9	18
50-64	136	4.0	20	1	1	3	5	9	11	22
65+	200	5.2	20	1	1	4	7	11	15	24
B. *Operated*										
0-19 YRS	46	3.3	17	<1	1	1	4	10	12	21
20-34	64	5.8	31	1	1	4	8	11	18	27
35-49	114	6.4	36	1	1	5	9	12	18	31
50-64	188	5.7	31	1	1	4	8	12	17	31
65+	165	6.1	90	<1	1	3	8	11	14	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	353	4.3	21	1	1	3	5	9	13	20
20-34	223	5.3	36	1	1	3	6	11	15	27
35-49	328	5.5	37	1	1	4	7	11	15	25
50-64	813	6.2	36	1	2	5	8	12	17	28
65+	2275	8.2	57	2	2	6	10	16	21	38
B. *Operated*										
0-19 YRS	88	8.5	189	<1	1	3	11	19	30	84
20-34	130	12.0	197	1	2	7	15	28	45	71
35-49	234	10.2	107	1	2	7	14	22	26	55
50-64	611	10.7	121	1	2	8	14	27	35	74
65+	993	13.2	168	1	2	9	18	31	40	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	730	4.1	25	1	1	3	5	8	11	20
B. *Operated*	577	5.8	48	<1	1	4	8	11	16	33
2. MULTIPLE DX										
A. *Not Operated*	3992	7.1	48	1	2	5	9	14	19	34
B. *Operated*	2056	11.9	151	1	2	8	15	28	37	71
1. SINGLE DX	1307	4.8	36	1	1	3	6	10	13	26
2. MULTIPLE DX	6048	8.7	89	1	2	6	11	19	27	51
A. NOT OPERATED	4722	6.6	46	1	1	5	8	13	18	32
B. OPERATED	2633	10.5	135	1	1	7	13	25	34	65
TOTAL 0-19 YRS	649	4.6	54	1	1	3	5	10	13	30
20-34	543	6.6	78	1	1	4	7	14	21	47
35-49	782	6.8	60	1	1	4	8	15	20	42
50-64	1748	7.6	70	1	1	5	9	16	25	44
65+	3633	9.3	93	1	2	7	11	20	28	55
GRAND TOTAL	**7355**	**8.0**	**81**	**1**	**1**	**5**	**10**	**17**	**25**	**48**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	3.0	5	<1	1	2	4	6	7	10
20-34	37	3.4	8	<1	1	3	4	7	11	12
35-49	23	4.0	19	<1	1	3	5	7	12	22
50-64	12	2.8	4	<1	<1	2	4	6	7	7
65+	6	4.5	3	2	2	5	5	7	7	7
B. *Operated*										
0-19 YRS	739	2.1	2	<1	<1	2	3	4	5	6
20-34	768	2.8	2	1	1	3	4	4	5	8
35-49	364	2.7	4	1	1	2	3	4	5	10
50-64	194	2.7	3	1	1	2	4	5	6	8
65+	63	3.7	26	<1	1	2	4	6	9	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	3.8	58	<1	<1	2	4	5	8	52
20-34	67	3.6	9	<1	1	3	5	8	11	13
35-49	35	3.9	26	<1	<1	3	4	7	10	30
50-64	36	3.0	4	<1	1	2	4	6	7	8
65+	37	4.6	17	1	1	4	6	12	15	16
B. *Operated*										
0-19 YRS	508	2.6	3	<1	<1	2	4	5	6	9
20-34	520	3.8	15	1	1	3	5	6	7	22
35-49	305	3.3	11	<1	1	3	4	6	7	14
50-64	266	3.4	19	1	1	2	3	5	9	24
65+	249	3.7	21	1	1	2	4	7	10	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	102	3.4	9	<1	1	3	4	7	8	17
B. *Operated*	2128	2.6	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	219	3.8	22	<1	1	3	4	7	11	20
B. *Operated*	1848	3.3	13	<1	1	3	4	5	7	17
1. SINGLE DX	2230	2.6	4	<1	<1	2	3	4	5	8
2. MULTIPLE DX	2067	3.3	14	<1	1	3	4	6	8	17
A. NOT OPERATED	321	3.7	18	<1	1	3	4	7	10	18
B. OPERATED	3976	2.9	8	<1	<1	2	4	5	6	12
TOTAL 0-19 YRS	1315	2.4	4	<1	<1	2	3	4	5	7
20-34	1392	3.2	8	1	1	3	4	5	6	12
35-49	727	3.0	8	1	1	2	4	5	7	14
50-64	508	3.1	11	1	1	2	4	5	7	16
65+	355	3.8	21	1	1	2	4	7	11	28
GRAND TOTAL	**4297**	**3.0**	**9**	**<1**	**<1**	**2**	**4**	**5**	**6**	**12**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	3.3	3	1	2	3	4	5	7	8
20-34	49	4.2	6	1	1	4	5	8	9	11
35-49	25	3.8	6	1	1	3	5	8	9	10
50-64	20	4.2	8	1	1	3	6	8	10	11
65+	15	6.1	17	3	3	5	6	14	16	17
B. *Operated*										
0-19 YRS	109	1.9	2	<1	<1	1	2	4	4	8
20-34	115	2.5	4	<1	<1	2	3	5	6	10
35-49	85	2.6	4	<1	1	2	3	4	5	13
50-64	110	2.5	3	<1	1	2	3	5	6	8
65+	84	3.2	14	1	1	2	3	4	6	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	89	3.9	5	1	2	3	5	7	9	12
20-34	43	4.6	9	1	2	4	6	9	11	12
35-49	27	4.8	16	1	1	4	6	8	12	21
50-64	44	6.0	22	1	2	5	8	12	14	26
65+	99	7.4	54	1	2	6	9	12	16	50
B. *Operated*										
0-19 YRS	50	3.6	8	<1	1	3	5	7	10	14
20-34	69	3.9	17	<1	1	2	4	9	14	20
35-49	84	2.9	3	1	1	3	4	5	7	8
50-64	124	4.4	25	1	1	3	4	10	16	27
65+	155	5.1	29	1	1	3	5	9	18	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	155	4.1	7	1	1	3	5	8	9	14
B. *Operated*	503	2.5	5	<1	<1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	302	5.5	27	1	2	4	7	10	12	25
B. *Operated*	482	4.2	20	<1	1	3	4	8	14	23
1. SINGLE DX	658	2.9	6	<1	1	2	4	5	7	11
2. MULTIPLE DX	784	4.7	23	1	1	3	6	9	13	25
A. NOT OPERATED	457	5.0	21	1	2	4	6	9	11	21
B. OPERATED	985	3.4	13	<1	1	2	4	6	9	20
TOTAL 0-19 YRS	294	3.0	5	<1	<1	2	4	6	7	11
20-34	276	3.5	9	<1	1	3	4	8	9	16
35-49	221	3.1	5	1	1	3	4	6	7	12
50-64	298	3.9	16	<1	1	3	4	8	12	24
65+	353	5.3	34	1	1	4	6	11	15	31
GRAND TOTAL	**1442**	**3.9**	**16**	**<1**	**1**	**3**	**5**	**7**	**11**	**21**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	117	2.4	4	<1	1	2	3	5	7	9
20-34	105	2.4	2	<1	1	2	3	5	5	8
35-49	152	2.9	5	1	1	2	4	6	7	10
50-64	129	2.9	5	<1	1	2	4	6	8	11
65+	114	3.3	8	1	1	3	4	6	8	17
B. *Operated*										
0-19 YRS	31	3.9	12	<1	<1	2	6	9	13	14
20-34	70	4.6	14	<1	1	3	7	9	14	16
35-49	71	4.7	12	<1	<1	4	7	9	11	14
50-64	120	5.1	27	<1	1	4	7	10	13	29
65+	140	4.8	18	<1	<1	3	7	11	14	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	176	4.3	37	1	1	3	5	9	12	41
20-34	232	3.6	8	1	1	3	5	7	8	12
35-49	380	4.0	11	1	1	3	5	8	10	16
50-64	558	4.4	13	1	1	3	6	9	12	19
65+	794	5.6	29	1	2	4	7	10	14	30
B. *Operated*										
0-19 YRS	41	9.7	227	<1	1	4	10	35	58	99+
20-34	125	8.4	127	<1	1	6	9	14	21	71
35-49	239	7.7	55	<1	1	6	9	15	22	42
50-64	420	7.5	43	1	1	6	9	14	21	34
65+	698	9.0	77	1	2	7	11	18	25	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	617	2.8	5	<1	1	2	3	5	7	11
B. *Operated*	432	4.8	18	<1	<1	3	7	10	13	17
2. MULTIPLE DX										
A. *Not Operated*	2140	4.7	20	1	1	3	6	9	12	23
B. *Operated*	1523	8.4	73	1	1	6	10	17	24	47
1. SINGLE DX	1049	3.6	11	<1	1	2	5	8	10	15
2. MULTIPLE DX	3663	6.2	45	1	1	4	8	12	18	35
A. NOT OPERATED	2757	4.3	18	1	1	3	5	8	11	21
B. OPERATED	1955	7.6	63	<1	1	6	9	15	22	43
TOTAL 0-19 YRS	365	4.3	49	<1	1	2	4	8	13	45
20-34	532	4.6	40	1	1	3	5	9	11	27
35-49	842	4.9	25	1	1	4	6	10	13	25
50-64	1227	5.4	26	1	1	4	7	11	14	27
65+	1746	6.7	50	1	1	5	8	14	19	36
GRAND TOTAL	**4712**	**5.6**	**39**	**1**	**1**	**4**	**7**	**11**	**16**	**31**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	5.8	40	2	2	4	5	16	21	21
20-34	46	3.8	6	1	1	3	5	8	9	11
35-49	69	4.1	11	1	1	3	5	9	12	16
50-64	54	4.0	8	<1	1	3	6	8	9	12
65+	49	4.1	7	<1	1	4	5	8	9	12
B. *Operated*										
0-19 YRS	3	5.7	4	4	4	5	7	8	8	8
20-34	32	7.3	16	<1	1	7	9	13	15	17
35-49	73	6.9	17	<1	1	7	9	12	15	18
50-64	66	7.2	19	<1	<1	7	10	11	15	22
65+	65	6.3	31	<1	<1	6	8	13	17	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.8	1	2	2	3	3	4	4	4
20-34	53	5.3	9	1	2	5	7	10	12	14
35-49	127	5.0	10	1	2	4	7	9	10	17
50-64	179	5.4	11	2	2	5	7	9	11	16
65+	368	6.4	20	2	2	5	8	13	16	22
B. *Operated*										
0-19 YRS	6	5.7	7	1	1	6	8	8	8	8
20-34	38	8.4	107	<1	1	6	9	15	29	58
35-49	110	8.1	31	1	3	7	10	14	17	31
50-64	201	8.2	56	1	2	7	10	14	20	46
65+	295	9.6	65	2	3	7	11	17	24	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	226	4.1	9	<1	1	3	5	8	10	15
B. *Operated*	239	6.9	21	<1	<1	7	9	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	732	5.8	15	2	2	5	7	10	14	21
B. *Operated*	650	8.8	59	1	3	7	11	16	22	45
1. SINGLE DX	465	5.5	17	<1	1	4	8	10	13	20
2. MULTIPLE DX	1382	7.2	38	2	2	6	9	13	17	34
A. NOT OPERATED	958	5.4	14	1	2	5	7	10	13	19
B. OPERATED	889	8.3	49	<1	2	7	10	15	20	41
TOTAL 0-19 YRS	22	5.0	17	1	2	4	6	8	13	21
20-34	169	6.0	34	1	1	5	8	11	13	30
35-49	379	6.1	20	1	2	5	8	12	14	21
50-64	500	6.6	32	1	2	5	9	11	15	29
65+	777	7.5	40	1	2	6	9	14	19	34
GRAND TOTAL	**1847**	**6.8**	**33**	**1**	**2**	**5**	**8**	**12**	**16**	**32**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	3.8	7	1	1	3	6	8	8	8
20-34	31	3.7	3	2	2	3	5	6	7	8
35-49	68	3.8	3	1	1	4	5	7	7	8
50-64	94	4.1	4	2	2	4	5	6	8	11
65+	120	5.2	9	2	2	5	7	9	10	16
B. *Operated*										
0-19 YRS	3	4.7	10	1	1	6	7	7	7	7
20-34	23	6.5	11	2	3	6	7	10	14	17
35-49	57	7.3	14	3	3	6	10	12	14	19
50-64	68	7.3	13	3	3	7	10	13	14	15
65+	88	8.0	26	3	3	6	11	15	17	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.8	7	1	1	3	6	7	7	7
20-34	44	4.9	10	2	3	4	5	9	12	17
35-49	120	4.8	5	2	2	4	6	8	9	11
50-64	230	6.0	21	2	2	5	7	10	14	27
65+	599	7.2	24	2	3	6	8	12	17	27
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	32	9.8	69	2	3	8	12	16	33	39
35-49	85	8.8	56	2	3	7	10	16	23	45
50-64	206	9.9	48	3	3	8	13	20	25	36
65+	560	12.6	118	3	4	9	15	24	36	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	322	4.4	6	2	2	4	6	7	9	12
B. *Operated*	239	7.4	18	3	3	6	10	13	15	21
2. MULTIPLE DX										
A. *Not Operated*	998	6.5	21	2	3	5	8	11	15	26
B. *Operated*	884	11.5	96	3	4	9	14	22	32	53
1. SINGLE DX	561	5.7	13	2	2	5	7	10	13	18
2. MULTIPLE DX	1882	8.8	63	2	3	6	10	17	23	45
A. NOT OPERATED	1320	6.0	18	2	2	5	7	10	13	24
B. OPERATED	1123	10.6	82	3	3	8	13	20	28	49
TOTAL 0-19 YRS	18	3.8	7	1	1	3	6	7	8	8
20-34	130	6.1	27	2	2	5	7	12	15	36
35-49	330	6.0	23	2	2	5	7	10	14	24
50-64	598	7.2	31	2	3	5	9	14	18	32
65+	1367	9.3	69	3	3	7	11	18	24	46
GRAND TOTAL	**2443**	**8.1**	**53**	**2**	**3**	**6**	**9**	**15**	**21**	**39**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	64	3.2	4	1	1	3	4	6	8	10
20-34	213	3.0	3	1	1	3	4	5	6	10
35-49	203	3.5	5	1	1	3	5	7	8	10
50-64	153	3.6	4	1	1	3	4	6	7	10
65+	129	4.8	10	1	2	4	6	8	11	18
B. *Operated*										
0-19 YRS	3	5.0	4	3	3	5	6	7	7	7
20-34	45	8.5	18	2	3	8	10	15	18	19
35-49	73	7.7	14	2	3	8	9	13	15	20
50-64	43	8.1	13	1	3	8	10	13	15	15
65+	24	9.5	41	<1	3	9	12	16	21	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	3.7	4	1	2	3	4	5	9	11
20-34	264	4.1	8	1	2	3	5	7	9	15
35-49	315	4.3	8	1	2	4	5	7	10	15
50-64	474	4.7	10	2	2	4	6	8	10	18
65+	668	5.9	16	2	2	5	7	11	14	21
B. *Operated*										
0-19 YRS	4	22.3	776	7	7	9	37	64	64	64
20-34	49	7.3	21	<1	1	8	9	12	18	23
35-49	105	8.5	28	2	3	8	10	15	20	26
50-64	136	9.9	55	2	3	8	11	20	27	36
65+	157	10.9	102	2	3	9	12	21	27	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	762	3.6	5	1	1	3	4	6	8	11
B. *Operated*	188	8.2	18	2	3	8	10	14	16	20
2. MULTIPLE DX										
A. *Not Operated*	1767	5.0	12	2	2	4	6	9	12	18
B. *Operated*	451	9.8	69	2	3	8	11	18	24	47
1. SINGLE DX	950	4.5	11	1	1	3	6	9	11	17
2. MULTIPLE DX	2218	5.9	27	2	2	5	7	11	14	26
A. NOT OPERATED	2529	4.5	10	1	2	4	6	8	11	17
B. OPERATED	639	9.3	54	2	3	8	11	17	22	45
TOTAL 0-19 YRS	117	4.1	36	1	2	3	4	7	9	28
20-34	571	4.3	11	1	1	3	5	8	10	18
35-49	696	5.0	14	1	2	4	7	9	13	19
50-64	806	5.6	22	1	2	4	7	10	14	26
65+	978	6.6	33	2	2	5	8	12	16	28
GRAND TOTAL	**3168**	**5.5**	**23**	**1**	**2**	**4**	**7**	**10**	**13**	**24**

193: Nongastric peptic ulcer with hemorrhage or perforation (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	2.9	2	1	1	3	4	5	6	6
20-34	140	3.2	3	1	1	3	4	6	6	7
35-49	188	4.0	4	1	2	4	5	7	7	9
50-64	222	4.4	9	1	2	4	5	7	8	12
65+	243	5.1	8	2	2	4	6	9	10	15
B. *Operated*										
0-19 YRS	7	5.9	9	2	2	5	8	10	11	11
20-34	54	7.4	10	3	4	7	9	11	13	20
35-49	93	8.5	11	4	5	8	10	11	14	23
50-64	89	7.8	12	3	3	8	10	12	15	18
65+	79	12.5	53	5	6	11	15	20	30	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	4.3	13	1	1	3	5	9	14	17
20-34	138	3.9	5	1	2	4	5	6	7	14
35-49	276	4.8	8	2	2	4	6	8	10	15
50-64	454	5.3	11	2	2	5	6	9	11	18
65+	842	7.2	33	2	3	6	8	13	18	33
B. *Operated*										
0-19 YRS	3	16.3	124	8	8	12	25	29	29	29
20-34	36	7.9	12	2	4	7	9	11	15	19
35-49	99	11.7	145	2	3	9	13	22	29	92
50-64	221	12.5	95	4	4	9	15	23	32	52
65+	452	16.2	139	4	6	12	20	31	41	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	816	4.3	7	1	2	4	5	7	8	12
B. *Operated*	322	9.0	25	3	4	8	10	14	17	30
2. MULTIPLE DX										
A. *Not Operated*	1731	6.1	22	2	2	5	7	11	14	24
B. *Operated*	811	14.3	127	4	5	11	17	27	38	58
1. SINGLE DX	1138	5.6	17	2	2	5	7	10	12	20
2. MULTIPLE DX	2542	8.7	70	2	3	6	10	17	24	48
A. NOT OPERATED	2547	5.5	18	2	2	4	6	9	13	22
B. OPERATED	1133	12.8	104	4	5	10	15	24	33	56
TOTAL 0-19 YRS	54	4.6	21	1	1	3	5	8	12	29
20-34	368	4.5	8	1	2	4	6	8	10	16
35-49	656	6.1	35	2	2	5	7	11	14	25
50-64	986	7.0	39	2	3	5	8	13	17	36
65+	1616	9.7	78	2	3	7	11	19	27	49
GRAND TOTAL	**3680**	**7.7**	**56**	**2**	**2**	**6**	**9**	**15**	**21**	**42**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	1	2	2	3	4	4	4	4
20-34	3	4.7	2	3	3	5	6	6	6	6
35-49	7	4.1	3	2	2	4	5	7	7	7
50-64	11	4.8	7	2	2	4	5	9	11	11
65+	19	6.1	8	3	3	6	7	11	12	12
B. *Operated*										
0-19 YRS	3	8.7	17	4	4	10	11	12	12	12
20-34	13	8.1	27	1	1	9	11	15	17	17
35-49	28	10.5	28	4	5	10	12	16	22	28
50-64	34	12.9	91	5	6	11	16	18	22	60
65+	32	14.2	48	3	5	14	17	25	28	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	3	9.7	12	6	6	10	12	13	13	13
35-49	20	5.1	9	1	2	4	6	9	12	15
50-64	36	6.0	10	2	2	6	8	10	12	14
65+	64	8.0	36	2	3	7	11	13	17	38
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	14	12.4	54	4	6	9	16	24	28	29
35-49	59	12.5	61	4	5	10	15	24	26	42
50-64	77	17.6	184	5	6	15	20	33	44	79
65+	132	20.3	231	6	8	16	25	42	52	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	5.1	6	2	3	4	6	8	11	12
B. *Operated*	110	12.0	56	3	5	11	15	19	25	42
2. MULTIPLE DX										
A. *Not Operated*	125	6.9	25	2	2	6	9	13	14	26
B. *Operated*	283	17.5	182	5	6	14	21	35	46	79
1. SINGLE DX	153	10.0	51	2	3	9	14	17	22	29
2. MULTIPLE DX	408	14.3	158	3	4	11	17	28	41	64
A. NOT OPERATED	168	6.5	21	2	2	5	8	12	13	21
B. OPERATED	393	16.0	153	4	6	13	18	29	42	65
TOTAL 0-19 YRS	9	5.7	17	2	2	4	10	12	12	12
20-34	33	9.7	39	1	3	9	12	17	23	29
35-49	114	10.2	50	3	4	9	13	17	25	39
50-64	158	13.1	137	3	4	10	16	23	35	63
65+	247	15.2	173	3	4	12	18	29	43	67
GRAND TOTAL	**561**	**13.1**	**132**	**3**	**4**	**10**	**16**	**25**	**36**	**60**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	210	2.4	2	1	1	2	3	4	5	8
20-34	438	3.0	11	1	1	2	4	6	7	10
35-49	322	3.0	4	1	1	3	4	5	7	10
50-64	241	3.4	6	<1	1	3	4	6	8	13
65+	149	4.0	8	1	1	3	5	8	9	15
B. *Operated*										
0-19 YRS	5	3.4	3	1	1	3	4	6	6	6
20-34	45	4.1	21	<1	<1	3	5	9	11	28
35-49	47	5.8	20	<1	1	5	8	11	14	23
50-64	40	4.5	12	<1	<1	4	7	9	11	13
65+	26	6.3	31	<1	1	5	7	16	20	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	326	2.9	5	1	1	2	4	5	6	11
20-34	824	3.6	7	1	1	3	4	7	8	15
35-49	972	4.2	9	1	2	4	5	8	9	15
50-64	1145	4.6	11	1	2	4	6	9	11	16
65+	1502	5.7	29	2	2	4	7	10	13	23
B. *Operated*										
0-19 YRS	7	14.9	323	<1	<1	7	32	41	42	42
20-34	136	7.1	85	<1	<1	5	8	12	16	65
35-49	190	7.4	34	1	3	6	9	13	16	33
50-64	314	7.5	42	<1	2	6	10	14	19	37
65+	414	8.9	64	1	2	7	11	18	23	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1360	3.1	7	1	1	2	4	6	7	11
B. *Operated*	163	5.0	20	<1	<1	4	7	10	13	23
2. MULTIPLE DX										
A. *Not Operated*	4769	4.6	16	1	2	4	6	8	11	19
B. *Operated*	1061	8.0	57	<1	2	6	10	15	21	42
1. SINGLE DX	1523	3.3	9	1	1	3	4	6	8	13
2. MULTIPLE DX	5830	5.2	25	1	2	4	6	10	13	23
A. NOT OPERATED	6129	4.2	14	1	1	3	5	8	10	17
B. OPERATED	1224	7.6	53	<1	2	6	9	14	20	39
TOTAL 0-19 YRS	548	2.9	9	1	1	2	3	5	6	12
20-34	1443	3.8	17	1	1	3	5	7	9	17
35-49	1531	4.4	13	1	1	4	5	8	10	16
50-64	1740	4.9	17	1	2	4	6	10	12	20
65+	2091	6.2	37	1	2	5	8	11	16	27
GRAND TOTAL	**7353**	**4.8**	**22**	**1**	**1**	**4**	**6**	**9**	**12**	**22**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	2.5	2	<1	1	2	3	5	6	8
20-34	86	3.0	4	<1	1	3	4	5	6	11
35-49	74	3.2	4	1	1	3	4	6	7	9
50-64	58	3.5	6	<1	1	3	5	7	8	12
65+	57	4.1	12	<1	1	3	5	8	10	20
B. *Operated*										
0-19 YRS	54	3.8	4	1	1	3	5	7	8	9
20-34	18	8.9	40	1	3	8	11	14	24	30
35-49	31	10.0	46	3	4	9	12	17	23	37
50-64	22	9.5	56	<1	1	8	13	18	24	32
65+	14	13.8	120	1	3	12	19	32	34	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	68	3.1	3	1	1	2	5	6	7	9
20-34	153	4.2	12	1	1	3	5	8	11	16
35-49	179	4.5	13	1	1	3	5	10	14	17
50-64	248	5.2	21	1	2	4	6	10	14	22
65+	393	5.9	23	1	2	5	7	11	14	23
B. *Operated*										
0-19 YRS	17	5.7	12	2	2	5	7	11	14	15
20-34	41	10.3	63	2	4	8	12	22	30	37
35-49	85	13.1	85	2	5	11	17	23	26	55
50-64	116	13.8	107	3	5	11	17	29	35	77
65+	168	17.1	188	3	5	13	22	36	46	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	331	3.2	6	<1	1	3	4	6	8	12
B. *Operated*	139	7.8	48	1	2	6	9	16	21	35
2. MULTIPLE DX										
A. *Not Operated*	1041	5.1	19	1	1	4	6	10	13	22
B. *Operated*	427	14.3	134	3	4	11	18	29	37	65
1. SINGLE DX	470	4.6	22	1	1	3	6	9	13	29
2. MULTIPLE DX	1468	7.8	70	1	2	5	10	17	23	47
A. NOT OPERATED	1372	4.6	16	1	1	4	6	9	12	21
B. OPERATED	566	12.7	121	2	3	10	17	26	35	61
TOTAL 0-19 YRS	195	3.4	5	1	1	3	5	6	7	11
20-34	298	5.0	25	1	1	3	6	10	13	30
35-49	369	6.7	45	1	1	4	8	15	19	31
50-64	444	7.4	59	1	2	5	9	17	22	45
65+	632	8.9	93	1	2	6	11	19	27	49
GRAND TOTAL	**1938**	**7.0**	**60**	**1**	**1**	**4**	**8**	**15**	**21**	**38**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	2.3	1	<1	<1	2	3	4	5	5
20-34	17	1.7	1	<1	1	1	2	3	4	4
35-49	7	2.1	1	<1	<1	2	3	4	4	4
50-64	3	2.3	2	<1	<1	2	3	4	4	4
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	3655	3.2	2	2	2	3	4	5	5	8
20-34	2918	3.5	2	2	2	3	4	5	6	8
35-49	871	3.8	3	2	2	3	4	6	7	10
50-64	295	4.4	4	2	3	4	5	7	8	14
65+	109	4.9	5	2	3	4	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	1.6	2	<1	1	1	2	3	5	6
20-34	7	2.9	5	<1	<1	2	4	7	7	7
35-49	2	8.5	25	5	5	8	12	12	12	12
50-64	3	8.0	7	6	6	7	10	11	11	11
65+	6	9.7	67	2	2	8	11	24	25	25
B. *Operated*										
0-19 YRS	533	4.4	7	2	2	4	5	7	9	15
20-34	607	4.7	9	2	3	4	5	8	9	17
35-49	219	5.6	20	2	3	4	7	9	11	28
50-64	139	6.8	20	3	3	5	8	13	16	23
65+	99	7.6	33	3	3	6	8	14	19	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	2.1	1	<1	<1	2	3	4	4	5
B. *Operated*	7848	3.5	2	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	32	4.4	25	<1	1	2	6	11	12	25
B. *Operated*	1597	5.1	13	2	3	4	6	8	11	20
1. SINGLE DX	7896	3.4	2	2	2	3	4	5	6	9
2. MULTIPLE DX	1629	5.1	14	2	2	4	6	9	11	20
A. NOT OPERATED	80	3.0	12	<1	<1	2	3	6	9	21
B. OPERATED	9445	3.7	4	2	2	3	4	6	7	11
TOTAL 0-19 YRS	4222	3.4	3	2	2	3	4	5	6	9
20-34	3549	3.7	3	2	2	3	4	5	7	10
35-49	1099	4.2	7	2	2	4	5	6	8	12
50-64	440	5.2	11	2	3	4	6	8	12	18
65+	215	6.3	21	3	3	5	7	10	14	31
GRAND TOTAL	**9525**	**3.7**	**4**	**2**	**2**	**3**	**4**	**6**	**7**	**11**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	6.5	2	5	5	6	7	9	9	9
20-34	7	4.6	4	2	2	4	7	7	7	7
35-49	1	8.0		8	8	8	8	8	8	8
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	11.0		11	11	11	11	11	11	11
B. *Operated*										
0-19 YRS	748	6.5	10	3	3	6	8	10	12	16
20-34	491	6.3	8	3	3	6	8	10	12	16
35-49	257	7.1	8	3	4	7	9	11	13	15
50-64	210	7.4	10	4	4	7	9	11	12	18
65+	99	9.4	12	5	6	9	11	14	17	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	6.8	48	2	2	4	11	17	17	17
20-34	3	7.0	3	6	6	6	8	9	9	9
35-49	5	9.8	20	4	4	9	13	16	16	16
50-64	1	4.0		4	4	4	4	4	4	4
65+	9	8.3	18	1	2	9	12	13	14	14
B. *Operated*										
0-19 YRS	398	9.1	26	4	4	8	11	15	20	27
20-34	271	8.9	28	4	4	8	10	15	17	23
35-49	186	9.8	26	4	5	9	11	16	19	27
50-64	209	11.7	60	5	6	9	13	20	26	44
65+	225	13.7	75	5	6	11	16	24	30	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	5.9	6	2	3	6	7	9	10	11
B. *Operated*	1805	6.8	10	3	3	6	8	11	12	17
2. MULTIPLE DX										
A. *Not Operated*	22	8.0	20	2	3	7	12	15	16	17
B. *Operated*	1289	10.4	44	4	5	9	12	17	23	40
1. SINGLE DX	1821	6.8	10	3	3	6	8	11	12	17
2. MULTIPLE DX	1311	10.3	43	4	5	9	12	17	23	39
A. NOT OPERATED	38	7.1	15	2	3	6	9	12	15	17
B. OPERATED	3094	8.3	27	3	4	7	10	13	17	28
TOTAL 0-19 YRS	1156	7.4	17	3	3	7	9	12	15	23
20-34	772	7.2	17	3	3	7	9	11	14	20
35-49	449	8.3	17	4	4	7	10	13	16	24
50-64	421	9.5	39	4	4	8	11	15	21	38
65+	334	12.3	59	5	6	10	14	21	27	46
GRAND TOTAL	**3132**	**8.3**	**27**	**3**	**4**	**7**	**10**	**13**	**17**	**27**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	1.8	2	<1	1	1	2	3	4	7
20-34	37	1.8	1	<1	1	2	2	3	4	4
35-49	10	2.3	2	1	1	2	3	4	5	5
50-64	4	1.8	1	1	1	2	2	3	3	3
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	316	3.5	2	2	2	3	4	5	6	8
20-34	245	3.8	4	2	2	3	4	6	7	10
35-49	68	4.5	5	2	2	4	5	7	10	13
50-64	24	6.5	40	2	3	4	8	10	20	33
65+	9	4.9	7	1	2	4	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	2.0	2	<1	<1	1	3	4	5	6
20-34	24	2.0	2	<1	1	2	3	4	5	5
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	4	6.8	4	4	4	7	8	9	9	9
65+	5	5.0	54	<1	<1	2	7	18	18	18
B. *Operated*										
0-19 YRS	135	4.8	38	2	2	4	5	8	10	28
20-34	167	5.1	9	2	3	4	6	8	11	18
35-49	48	5.4	5	2	3	5	7	8	9	11
50-64	36	7.5	61	2	3	6	8	12	14	49
65+	16	12.1	78	3	3	8	21	26	27	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	1.8	1	<1	1	2	2	3	4	6
B. *Operated*	662	3.8	5	2	2	3	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	57	2.6	8	<1	1	2	3	5	7	17
B. *Operated*	402	5.5	28	2	2	4	6	9	11	25
1. SINGLE DX	748	3.6	5	1	2	3	4	6	7	11
2. MULTIPLE DX	459	5.2	26	1	2	4	6	8	11	25
A. NOT OPERATED	143	2.2	4	<1	1	2	3	4	5	10
B. OPERATED	1064	4.5	14	2	2	4	5	7	9	19
TOTAL 0-19 YRS	507	3.7	12	1	2	3	4	5	7	13
20-34	473	4.0	6	1	2	4	5	7	8	15
35-49	128	4.6	5	2	2	4	6	8	9	13
50-64	68	6.8	47	2	2	5	8	11	14	46
65+	31	8.6	62	1	2	6	10	24	26	28
GRAND TOTAL	**1207**	**4.2**	**13**	**1**	**2**	**4**	**5**	**7**	**9**	**18**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	1.2		<1	<1	1	1	2	2	2
20-34	11	1.5	1	<1	<1	1	2	3	3	3
35-49	5	1.6	2	<1	<1	1	2	4	4	4
50-64	5	1.4		<1	<1	1	2	2	2	2
65+	13	3.7	11	<1	<1	2	6	9	11	11
B. *Operated*										
0-19 YRS	2077	1.7	1	<1	<1	1	2	3	4	5
20-34	2343	2.7	1	1	1	3	3	4	5	6
35-49	2180	2.9	2	1	1	3	4	4	5	6
50-64	3140	3.1	2	1	1	3	4	5	5	8
65+	2837	3.4	4	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	1.6	10	<1	<1	<1	1	2	2	23
20-34	12	1.3		<1	<1	1	2	2	3	3
35-49	26	1.7	2	<1	<1	1	1	4	6	6
50-64	33	2.6	5	<1	<1	1	4	6	8	8
65+	96	2.7	6	<1	1	2	3	6	8	12
B. *Operated*										
0-19 YRS	967	1.8	3	<1	<1	1	2	3	4	6
20-34	720	3.3	3	1	2	3	4	5	6	10
35-49	988	3.5	4	1	2	3	4	5	6	10
50-64	2072	3.9	5	1	2	3	5	6	8	13
65+	2794	4.9	13	2	2	4	6	8	11	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	2.0	4	<1	<1	1	2	4	8	11
B. *Operated*	12577	2.8	2	<1	1	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	225	2.2	6	<1	<1	1	2	5	7	11
B. *Operated*	7541	3.9	9	1	1	3	5	6	8	15
1. SINGLE DX	12627	2.8	2	<1	1	3	4	5	5	7
2. MULTIPLE DX	7766	3.8	9	1	1	3	5	6	8	15
A. NOT OPERATED	275	2.2	6	<1	<1	1	2	5	7	11
B. OPERATED	20118	3.2	5	<1	1	3	4	5	6	11
TOTAL 0-19 YRS	3118	1.7	2	<1	<1	1	2	3	4	5
20-34	3086	2.8	2	1	1	3	3	4	5	7
35-49	3199	3.0	2	1	1	3	4	5	5	8
50-64	5250	3.4	3	1	2	3	4	5	6	10
65+	5740	4.1	9	1	2	4	5	7	9	15
GRAND TOTAL	**20393**	**3.2**	**5**	**<1**	**1**	**3**	**4**	**5**	**6**	**11**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.4		1	1	1	2	2	2	2
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49										
50-64	4	2.8	6	<1	<1	2	4	6	6	6
65+	5	1.8	1	1	1	2	2	3	3	3
B. *Operated*										
0-19 YRS	192	1.6	1	<1	<1	1	2	3	4	7
20-34	77	3.3	5	1	1	3	4	5	7	13
35-49	59	3.4	2	2	2	3	4	5	6	8
50-64	105	3.5	3	1	2	3	4	6	7	9
65+	163	4.9	8	2	2	4	6	8	10	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	2.3	6	1	1	1	3	6	7	7
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	3	2.3	5	1	1	1	4	5	5	5
65+	20	4.0	14	<1	1	3	5	10	12	14
B. *Operated*										
0-19 YRS	93	1.8	1	<1	1	1	2	4	4	6
20-34	35	3.2	2	1	2	3	4	5	6	6
35-49	29	4.5	9	2	2	3	5	9	12	14
50-64	103	5.8	20	2	2	5	7	11	13	25
65+	315	7.8	57	2	3	6	9	15	20	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	2.0	2	<1	<1	2	3	4	5	6
B. *Operated*	596	3.3	6	1	1	3	4	6	7	13
2. MULTIPLE DX										
A. *Not Operated*	31	3.4	11	1	1	2	4	9	10	14
B. *Operated*	575	6.0	41	1	1	4	7	12	16	28
1. SINGLE DX	612	3.2	6	1	1	3	4	6	7	13
2. MULTIPLE DX	606	5.9	40	1	1	4	7	12	16	28
A. NOT OPERATED	47	2.9	8	<1	1	2	4	7	10	14
B. OPERATED	1171	4.6	25	1	1	3	5	9	13	22
TOTAL 0-19 YRS	297	1.7	1	<1	<1	1	2	3	4	7
20-34	115	3.2	4	1	1	3	4	5	6	12
35-49	88	3.8	5	2	2	3	4	6	8	13
50-64	215	4.6	12	1	2	4	5	8	11	15
65+	503	6.7	41	2	2	5	8	13	16	28
GRAND TOTAL	**1218**	**4.6**	**24**	**1**	**1**	**3**	**5**	**9**	**13**	**21**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	3	4.0	27	1	1	1	8	10	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	224	1.3		<1	<1	1	2	2	2	3
20-34	147	2.2	1	<1	1	2	3	4	4	6
35-49	239	2.4	2	1	1	2	3	4	5	6
50-64	159	2.7	3	<1	1	2	3	4	5	10
65+	68	2.8	2	<1	1	3	4	5	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	3	1.0		<1	<1	1	1	1	1	1
35-49	8	2.5	3	<1	<1	2	3	5	6	6
50-64	9	5.3	47	<1	<1	2	7	17	22	22
65+	10	3.2	4	<1	<1	3	5	6	6	6
B. *Operated*										
0-19 YRS	46	1.6	1	<1	<1	1	2	3	4	5
20-34	62	3.6	3	1	1	3	5	6	6	7
35-49	143	3.7	6	1	1	3	5	6	8	12
50-64	161	4.1	6	1	2	4	5	7	8	12
65+	110	5.4	18	1	2	4	7	11	14	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	3.4	10	1	1	3	4	9	10	10
B. *Operated*	837	2.2	2	<1	<1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	33	3.2	16	<1	<1	2	4	6	9	22
B. *Operated*	522	4.0	8	1	1	3	5	7	9	15
1. SINGLE DX	844	2.2	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX	555	3.9	9	1	1	3	5	7	9	15
A. NOT OPERATED	40	3.3	15	<1	<1	2	4	7	9	22
B. OPERATED	1359	2.9	5	<1	<1	2	4	5	7	12
TOTAL 0-19 YRS	275	1.3		<1	<1	1	2	2	2	4
20-34	214	2.6	2	<1	1	2	3	5	6	6
35-49	393	2.9	4	1	1	2	4	5	6	11
50-64	329	3.5	6	1	1	3	4	7	8	13
65+	188	4.4	13	1	1	3	5	8	11	19
GRAND TOTAL	**1399**	**2.9**	**5**	**<1**	**<1**	**2**	**4**	**5**	**7**	**12**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	6.0		6	6	6	6	6	6	6
35-49	5	2.2	1	<1	<1	3	3	3	3	3
50-64	8	2.3	2	<1	<1	2	3	5	5	5
65+	5	5.0	38	2	2	2	6	16	16	16
B. *Operated*										
0-19 YRS	74	1.8	1	<1	<1	1	2	3	4	6
20-34	245	3.2	4	1	1	3	4	6	6	9
35-49	437	3.9	4	1	2	4	5	7	7	9
50-64	508	4.6	5	2	2	4	6	8	9	12
65+	350	5.0	6	2	2	4	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	9	1.3		<1	<1	1	2	2	2	2
35-49	10	1.9	1	1	1	2	3	4	4	4
50-64	22	8.1	349	<1	<1	2	4	18	55	85
65+	46	3.6	12	<1	1	3	5	6	10	21
B. *Operated*										
0-19 YRS	20	3.1	5	<1	<1	2	4	7	8	8
20-34	136	5.2	15	1	2	4	6	9	13	23
35-49	324	6.5	38	2	3	5	7	11	15	36
50-64	510	6.8	29	2	3	6	8	11	14	24
65+	547	7.8	50	2	3	6	9	13	18	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	3.1	11	<1	<1	2	3	5	11	16
B. *Operated*	1614	4.2	5	1	2	4	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	87	4.3	97	<1	1	2	4	6	10	66
B. *Operated*	1537	6.9	37	2	3	6	8	11	15	30
1. SINGLE DX	1634	4.2	5	1	1	4	6	7	8	11
2. MULTIPLE DX	1624	6.8	41	2	2	5	8	11	15	30
A. NOT OPERATED	107	4.1	81	<1	1	2	4	6	10	56
B. OPERATED	3151	5.5	23	1	2	5	7	9	12	22
TOTAL 0-19 YRS	95	2.1	4	<1	<1	2	3	4	5	8
20-34	391	3.9	9	1	1	3	5	7	8	16
35-49	776	5.0	20	1	2	4	6	8	10	23
50-64	1048	5.7	25	2	2	5	7	9	12	19
65+	948	6.5	34	2	2	5	8	11	14	28
GRAND TOTAL	**3258**	**5.4**	**25**	**1**	**2**	**5**	**7**	**9**	**12**	**23**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	12	2.9	3	1	1	3	4	5	7	7
35-49	35	3.3	5	1	1	3	4	7	8	11
50-64	57	2.7	3	<1	1	2	4	5	6	7
65+	59	4.0	7	1	2	3	5	7	8	18
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	13	5.4	6	1	2	6	7	8	8	8
35-49	28	6.0	6	2	3	6	6	9	10	12
50-64	47	6.9	21	1	2	7	8	11	14	99+
65+	19	9.6	10	6	6	9	11	14	16	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	2.8	1	1	1	3	4	4	4	4
20-34	58	4.2	8	1	1	4	5	7	10	15
35-49	167	3.9	7	1	1	3	4	8	10	12
50-64	355	4.0	6	1	2	4	5	7	9	13
65+	674	4.8	11	1	2	4	6	9	11	16
B. *Operated*										
0-19 YRS	2	6.0	2	5	5	6	7	7	7	7
20-34	65	8.1	13	3	4	8	9	13	14	24
35-49	151	8.9	44	2	4	8	9	15	18	33
50-64	271	8.2	31	2	2	8	10	14	18	23
65+	276	9.8	77	2	3	8	11	17	23	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	163	3.3	5	<1	1	3	4	6	7	11
B. *Operated*	108	7.0	14	2	3	7	8	11	12	60
2. MULTIPLE DX										
A. *Not Operated*	1262	4.4	9	1	2	4	6	8	10	15
B. *Operated*	765	8.9	49	2	3	8	10	15	19	37
1. SINGLE DX	271	4.7	12	1	1	4	7	8	11	19
2. MULTIPLE DX	2027	6.1	29	1	2	5	8	11	15	26
A. NOT OPERATED	1425	4.3	9	1	2	4	5	8	10	15
B. OPERATED	873	8.7	45	2	3	8	10	14	18	36
TOTAL 0-19 YRS	11	3.6	3	1	1	3	5	6	7	7
20-34	148	5.9	14	1	2	6	8	10	13	17
35-49	381	6.0	27	1	2	5	8	10	12	20
50-64	730	5.7	20	1	2	4	8	10	13	20
65+	1028	6.2	34	2	2	5	8	11	15	32
GRAND TOTAL	**2298**	**6.0**	**27**	**1**	**2**	**5**	**8**	**11**	**14**	**24**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	2	5.5	5	4	4	5	7	7	7	7
35-49	2	5.5	25	2	2	5	9	9	9	9
50-64	3	6.3	70	1	1	2	12	16	16	16
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	14	2.1	2	<1	1	2	3	4	5	5
20-34	62	3.0	2	<1	1	3	4	5	6	8
35-49	88	3.4	5	1	2	3	4	5	6	15
50-64	84	3.5	4	1	2	3	4	5	6	13
65+	77	4.6	40	1	2	4	5	7	8	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	7	3.7	7	1	1	3	4	8	9	9
50-64	5	2.8	2	1	1	3	4	5	5	5
65+	13	5.5	26	<1	1	5	6	12	18	20
B. *Operated*										
0-19 YRS	10	4.7	6	2	2	4	7	8	9	9
20-34	29	5.5	25	1	1	5	6	9	12	28
35-49	41	5.3	10	1	2	4	7	10	11	15
50-64	65	4.5	6	2	2	4	6	7	11	13
65+	105	7.1	38	2	3	5	8	14	20	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	5.7	22	1	1	5	7	13	16	16
B. *Operated*	325	3.6	13	1	1	3	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	26	4.3	16	<1	1	3	5	9	12	20
B. *Operated*	250	5.8	23	2	2	5	7	10	14	28
1. SINGLE DX	334	3.6	13	1	1	3	4	5	7	14
2. MULTIPLE DX	276	5.7	23	1	2	4	7	10	14	27
A. NOT OPERATED	35	4.7	17	1	1	4	6	9	14	20
B. OPERATED	575	4.5	19	1	2	4	5	8	10	21
TOTAL 0-19 YRS	25	3.2	5	<1	1	3	4	7	8	9
20-34	94	3.8	10	1	1	3	5	6	8	21
35-49	138	4.0	7	1	2	3	5	8	9	15
50-64	157	3.9	6	1	2	3	5	6	9	14
65+	196	6.0	39	1	2	4	7	10	16	39
GRAND TOTAL	**610**	**4.6**	**18**	**1**	**2**	**4**	**5**	**8**	**10**	**21**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	2	1.0		1	1	1	1	1	1	1
35-49	4	3.8	8	<1	<1	3	6	7	7	7
50-64	5	1.8	1	1	1	2	2	3	3	3
65+	6	3.2	7	<1	<1	2	4	8	8	8
B. *Operated*										
0-19 YRS	28	2.8	4	<1	<1	2	4	5	8	8
20-34	77	3.1	4	1	1	3	4	6	7	10
35-49	146	4.2	8	1	1	3	6	8	9	16
50-64	162	4.4	6	1	2	4	6	8	9	14
65+	157	5.6	11	2	2	5	7	10	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	4.3	5	2	2	4	6	7	7	7
35-49	6	3.0	3	1	1	3	4	6	6	6
50-64	11	5.3	54	2	2	3	4	15	26	27
65+	39	7.4	75	2	2	4	7	19	23	46
B. *Operated*										
0-19 YRS	8	7.4	9	2	3	7	9	11	12	12
20-34	26	4.3	4	1	2	4	6	7	8	9
35-49	112	6.5	22	2	2	5	9	12	16	22
50-64	200	7.8	37	2	3	6	9	15	19	36
65+	382	11.0	70	3	4	9	13	21	28	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	2.5	4	<1	<1	2	3	6	8	8
B. *Operated*	570	4.4	8	1	2	4	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	60	6.4	61	2	2	4	6	17	23	44
B. *Operated*	728	9.1	55	2	3	7	11	17	23	42
1. SINGLE DX	589	4.4	8	1	1	4	6	8	10	15
2. MULTIPLE DX	788	8.9	56	2	3	7	11	17	23	43
A. NOT OPERATED	79	5.4	50	1	1	3	6	13	21	40
B. OPERATED	1298	7.1	40	1	2	5	9	14	19	33
TOTAL 0-19 YRS	38	3.7	8	<1	<1	3	5	8	9	12
20-34	109	3.4	4	1	1	3	5	6	7	10
35-49	268	5.1	15	1	2	4	7	10	13	20
50-64	378	6.2	27	1	2	5	8	12	16	26
65+	584	9.2	60	2	3	7	12	18	24	45
GRAND TOTAL	**1377**	**7.0**	**40**	**1**	**2**	**5**	**9**	**14**	**19**	**33**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	129	2.3	3	<1	1	2	3	5	6	9
20-34	200	3.7	6	1	1	3	5	6	8	12
35-49	267	3.9	8	1	1	3	5	6	8	13
50-64	381	3.8	7	1	1	3	5	7	9	14
65+	448	4.7	9	1	2	4	6	8	11	15
B. *Operated*										
0-19 YRS	116	6.4	23	2	3	5	7	11	14	27
20-34	121	8.7	21	4	5	8	10	14	17	28
35-49	166	9.4	30	4	5	8	11	15	19	36
50-64	204	10.9	44	5	6	9	12	18	23	37
65+	248	11.9	36	5	6	11	14	19	22	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	78	3.2	4	1	1	3	4	6	8	10
20-34	194	4.8	16	1	2	4	6	9	11	23
35-49	303	5.6	33	1	2	4	7	10	15	36
50-64	606	5.3	13	1	2	5	7	10	12	19
65+	1446	6.8	32	2	2	5	8	12	16	30
B. *Operated*										
0-19 YRS	98	8.0	37	2	3	6	9	16	20	36
20-34	169	11.8	76	4	5	10	14	19	26	52
35-49	298	14.8	148	5	6	10	17	29	40	67
50-64	484	15.1	122	5	7	12	18	29	36	69
65+	975	17.4	133	7	8	14	20	33	44	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1425	3.9	7	1	1	3	5	7	9	14
B. *Operated*	855	10.0	36	4	5	9	12	16	21	36
2. MULTIPLE DX										
A. *Not Operated*	2627	6.1	27	1	2	5	7	11	15	27
B. *Operated*	2024	15.5	129	5	6	12	18	29	40	66
1. SINGLE DX	2280	6.2	27	1	2	5	8	12	15	25
2. MULTIPLE DX	4651	10.2	93	2	2	8	13	20	28	56
A. NOT OPERATED	4052	5.3	21	1	2	4	7	10	13	23
B. OPERATED	2879	13.9	107	5	6	11	17	26	35	61
TOTAL 0-19 YRS	421	4.9	22	1	1	4	6	9	13	21
20-34	684	6.9	39	1	2	5	9	13	17	32
35-49	1034	8.4	79	1	2	6	10	17	24	50
50-64	1675	8.5	68	1	2	6	10	17	24	46
65+	3117	10.2	87	2	2	8	13	20	28	54
GRAND TOTAL	**6931**	**8.9**	**75**	**1**	**2**	**7**	**11**	**18**	**25**	**49**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2202	2.5	9	1	1	2	3	4	6	9
20-34	1284	2.4	3	1	1	2	3	4	5	9
35-49	590	2.7	5	1	1	2	3	5	6	9
50-64	459	2.8	3	1	1	2	4	5	6	9
65+	516	3.3	7	1	1	3	4	6	8	13
B. *Operated*										
0-19 YRS	67	4.1	6	2	2	3	5	7	8	15
20-34	101	4.5	7	1	2	4	5	8	10	15
35-49	40	5.6	14	1	2	5	7	10	14	18
50-64	36	6.1	13	1	2	5	8	10	12	19
65+	21	8.3	42	3	3	7	10	16	23	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3286	3.2	5	1	1	3	4	5	7	11
20-34	1332	3.0	9	1	1	2	4	5	7	13
35-49	886	3.8	9	1	1	3	5	7	9	16
50-64	1247	4.4	15	1	2	3	5	8	11	18
65+	2792	5.6	23	1	2	4	7	11	14	25
B. *Operated*										
0-19 YRS	93	6.6	81	2	2	4	7	14	17	58
20-34	131	8.0	120	2	2	5	8	13	23	66
35-49	120	7.5	51	2	2	6	9	12	19	44
50-64	129	10.9	148	2	3	7	14	21	45	99+
65+	267	12.7	129	2	3	10	15	25	33	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5051	2.6	6	1	1	2	3	5	6	10
B. *Operated*	265	5.1	12	2	2	4	6	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	9543	4.1	13	1	1	3	5	8	10	17
B. *Operated*	740	9.9	117	2	2	7	12	20	29	78
1. SINGLE DX	5316	2.7	7	1	1	2	3	5	6	10
2. MULTIPLE DX	10283	4.5	23	1	1	3	5	9	12	23
A. NOT OPERATED	14594	3.6	11	1	1	3	4	7	9	16
B. OPERATED	1005	8.6	94	2	2	6	10	17	25	72
TOTAL 0-19 YRS	5648	3.0	8	1	1	2	4	5	6	11
20-34	2848	3.0	13	1	1	2	4	5	7	13
35-49	1636	3.7	12	1	1	3	5	7	9	16
50-64	1871	4.5	24	1	1	3	5	9	11	26
65+	3596	5.8	33	1	2	4	7	11	15	29
GRAND TOTAL	**15599**	**3.9**	**18**	**1**	**1**	**3**	**5**	**7**	**10**	**20**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.0	4	2	2	4	5	6	6	6
20-34	25	4.0	8	1	1	3	5	8	10	14
35-49	212	4.5	6	2	2	4	6	7	8	12
50-64	440	4.9	18	1	2	4	6	8	9	15
65+	598	4.6	7	1	2	4	6	8	10	13
B. *Operated*										
0-19 YRS	2	7.0	8	5	5	7	9	9	9	9
20-34	20	8.1	13	3	4	7	10	13	16	17
35-49	83	9.5	22	3	5	9	11	15	19	28
50-64	182	9.9	17	3	5	10	12	14	18	24
65+	147	10.8	32	2	4	10	13	16	21	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	8.5	85	2	2	8	15	15	15	15
20-34	27	5.1	6	2	3	4	7	8	9	11
35-49	189	5.0	9	1	2	4	6	9	11	15
50-64	649	5.5	17	1	2	5	7	10	11	20
65+	2301	6.1	18	2	2	5	8	11	14	22
B. *Operated*										
0-19 YRS	4	6.0	8	2	2	7	8	8	8	8
20-34	35	9.7	15	5	6	9	12	14	19	20
35-49	190	12.6	45	5	7	11	15	21	25	40
50-64	522	13.4	87	4	6	11	15	24	32	45
65+	903	14.6	95	4	5	12	18	26	33	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1278	4.7	11	1	2	4	6	8	9	13
B. *Operated*	434	10.0	23	3	5	10	12	15	19	26
2. MULTIPLE DX										
A. *Not Operated*	3168	5.9	17	2	2	5	7	11	14	21
B. *Operated*	1654	13.9	86	4	6	12	16	25	32	50
1. SINGLE DX	1712	6.0	19	1	2	5	8	11	13	20
2. MULTIPLE DX	4822	8.7	55	2	3	7	11	17	22	38
A. NOT OPERATED	4446	5.6	16	2	2	5	7	10	12	20
B. OPERATED	2088	13.1	75	4	5	11	15	23	29	47
TOTAL 0-19 YRS	11	6.1	15	2	2	6	8	11	15	15
20-34	107	5.9	16	2	2	7	9	12	14	19
35-49	674	7.6	32	2	2	6	10	14	18	29
50-64	1793	8.1	51	2	2	6	10	15	20	38
65+	3949	8.0	49	2	2	6	10	16	21	36
GRAND TOTAL	**6534**	**8.0**	**47**	**2**	**2**	**6**	**10**	**15**	**20**	**35**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	3.4	12	<1	<1	2	5	9	10	10
20-34	19	2.6	7	<1	<1	1	3	8	9	9
35-49	21	2.0	3	<1	<1	1	2	5	6	7
50-64	16	3.6	10	<1	1	3	5	6	11	13
65+	8	3.9	5	2	2	3	5	7	8	8
B. *Operated*										
0-19 YRS	83	2.0	1	<1	<1	2	3	3	4	7
20-34	672	2.8	3	1	1	2	3	5	6	9
35-49	663	2.9	3	1	1	2	4	5	6	10
50-64	393	3.0	4	1	1	3	3	5	6	11
65+	142	3.4	4	1	2	3	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	4.5	11	1	1	4	7	10	11	11
20-34	21	5.0	19	<1	1	4	8	12	13	14
35-49	28	5.3	45	1	1	3	5	11	24	30
50-64	43	4.9	14	<1	1	4	7	9	13	17
65+	38	6.9	148	1	2	4	7	10	16	77
B. *Operated*										
0-19 YRS	42	4.2	26	<1	1	3	4	8	13	30
20-34	467	3.6	14	1	1	3	4	6	8	16
35-49	566	4.1	12	1	1	3	5	7	9	18
50-64	504	4.4	22	1	2	3	5	8	10	21
65+	266	6.9	68	1	2	4	8	14	18	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	71	2.9	7	<1	<1	2	4	6	9	12
B. *Operated*	1953	2.9	3	1	1	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	141	5.5	56	1	1	4	7	10	13	34
B. *Operated*	1845	4.5	25	1	1	3	5	8	11	21
1. SINGLE DX	2024	2.9	4	1	1	3	4	5	6	10
2. MULTIPLE DX	1986	4.5	27	1	1	3	5	8	12	21
A. NOT OPERATED	212	4.6	41	<1	1	3	6	9	12	26
B. OPERATED	3798	3.6	14	1	1	3	4	6	8	17
TOTAL 0-19 YRS	143	2.9	11	<1	1	2	3	5	8	14
20-34	1179	3.1	8	1	1	3	4	5	7	13
35-49	1278	3.5	8	1	1	3	4	6	8	15
50-64	956	3.8	15	1	1	3	4	7	9	17
65+	454	5.7	56	1	2	4	6	11	16	41
GRAND TOTAL	**4010**	**3.7**	**16**	**1**	**1**	**3**	**4**	**6**	**9**	**18**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	286	3.2	11	1	1	2	4	6	9	17
20-34	569	4.3	12	1	1	3	5	8	11	19
35-49	428	4.3	13	1	1	3	6	8	11	19
50-64	287	4.1	16	1	1	3	5	8	11	21
65+	417	4.2	17	1	1	3	5	8	11	22
B. *Operated*										
0-19 YRS	129	4.9	24	<1	<1	3	6	11	16	27
20-34	356	6.8	30	1	1	6	9	13	17	28
35-49	276	6.8	36	1	1	6	9	12	18	32
50-64	249	6.6	27	<1	1	5	9	13	16	24
65+	231	7.7	39	1	2	6	11	16	19	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	252	3.5	11	1	1	3	5	7	9	11
20-34	720	5.2	23	1	1	4	6	10	14	22
35-49	785	5.4	22	1	2	4	7	10	15	26
50-64	919	5.4	19	1	2	4	7	10	14	22
65+	2299	6.0	34	1	2	5	7	12	16	28
B. *Operated*										
0-19 YRS	158	10.5	147	1	1	6	12	24	35	63
20-34	674	9.5	84	1	2	7	11	20	29	50
35-49	625	10.9	126	2	2	8	13	22	33	66
50-64	785	11.6	126	2	2	8	14	25	37	67
65+	1165	14.3	173	2	4	10	17	30	41	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1987	4.1	14	1	1	3	5	8	10	19
B. *Operated*	1241	6.8	32	<1	1	5	9	13	17	27
2. MULTIPLE DX										
A. *Not Operated*	4975	5.6	27	1	2	4	7	11	15	26
B. *Operated*	3407	11.9	138	2	3	9	14	25	37	65
1. SINGLE DX	3228	5.1	23	1	1	4	7	11	14	24
2. MULTIPLE DX	8382	8.1	82	1	2	5	10	17	25	51
A. NOT OPERATED	6962	5.1	23	1	1	4	6	10	14	24
B. OPERATED	4648	10.5	115	1	2	8	13	22	33	60
TOTAL 0-19 YRS	825	4.9	47	1	1	3	5	10	16	36
20-34	2319	6.5	43	1	1	5	8	13	18	37
35-49	2114	7.0	60	1	1	5	9	14	20	40
50-64	2240	7.5	66	1	2	5	9	16	22	47
65+	4112	8.3	86	1	2	5	10	17	25	51
GRAND TOTAL	**11610**	**7.3**	**67**	**1**	**1**	**5**	**9**	**15**	**22**	**45**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	8	6.3	49	2	2	4	6	18	23	23
35-49	34	6.1	43	1	2	4	6	16	24	28
50-64	49	7.4	39	2	2	5	11	17	19	27
65+	18	9.2	83	1	2	6	12	17	31	40
B. *Operated*										
0-19 YRS										
20-34	9	9.0	270	<1	<1	4	6	36	52	52
35-49	15	5.8	32	<1	1	4	10	14	17	18
50-64	19	4.5	13	1	1	4	8	10	11	11
65+	4	3.0	6	1	1	3	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	18.2	117	1	3	21	28	29	30	30
20-34	198	14.4	124	2	3	9	25	28	30	44
35-49	476	12.4	98	2	3	9	20	28	29	39
50-64	676	11.4	104	2	3	8	15	23	28	56
65+	387	11.7	71	3	4	9	16	22	27	44
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	29	11.8	93	1	2	9	18	26	31	38
35-49	127	14.4	166	1	2	11	18	30	46	55
50-64	196	14.7	168	1	3	11	21	30	41	66
65+	96	12.4	101	2	3	10	16	27	30	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	110	7.1	48	1	2	5	9	16	23	33
B. *Operated*	47	5.7	65	<1	1	4	7	12	15	52
2. MULTIPLE DX										
A. *Not Operated*	1750	12.1	98	2	3	9	18	27	28	45
B. *Operated*	449	13.9	149	1	3	10	19	29	42	65
1. SINGLE DX	157	6.7	53	1	1	4	8	15	21	39
2. MULTIPLE DX	2199	12.5	109	2	3	9	18	27	30	51
A. NOT OPERATED	1860	11.8	97	2	3	8	17	26	28	45
B. OPERATED	496	13.1	146	1	2	10	18	29	41	64
TOTAL 0-19 YRS	15	16.1	133	1	1	20	27	28	30	30
20-34	244	13.6	125	2	2	8	24	28	30	45
35-49	652	12.3	111	2	2	9	19	28	30	48
50-64	940	11.7	116	2	3	8	16	24	30	62
65+	505	11.6	77	3	3	9	16	23	29	47
GRAND TOTAL	**2356**	**12.1**	**107**	**2**	**3**	**9**	**17**	**27**	**30**	**51**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0	3	1	1	1	3	4	4	4
20-34	11	3.6	5	1	1	3	5	7	8	8
35-49	9	5.0	10	1	1	4	6	10	11	11
50-64	17	3.4	5	1	1	3	5	6	8	9
65+	21	6.2	32	<1	1	5	8	14	19	24
B. *Operated*										
0-19 YRS	11	1.9		1	1	2	2	3	3	3
20-34	91	2.0	4	<1	<1	1	2	4	7	12
35-49	84	2.1	6	<1	1	1	2	5	7	15
50-64	81	2.7	14	<1	1	1	2	7	12	19
65+	35	3.6	31	<1	<1	1	3	8	20	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	5.0	29	2	2	3	8	13	13	13
20-34	36	9.3	196	2	2	6	9	16	35	79
35-49	102	7.7	63	1	2	5	9	18	24	44
50-64	250	8.6	78	2	3	6	10	15	22	59
65+	241	9.0	53	2	3	7	11	17	23	35
B. *Operated*										
0-19 YRS	6	6.0	30	1	1	4	8	15	16	16
20-34	63	4.6	23	<1	1	2	6	13	15	21
35-49	106	7.2	66	1	1	4	12	17	22	40
50-64	211	8.7	105	1	1	4	12	24	28	48
65+	179	10.6	126	1	1	7	15	25	32	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	61	4.6	16	1	1	4	5	9	12	23
B. *Operated*	302	2.4	11	<1	1	1	2	5	8	19
2. MULTIPLE DX										
A. *Not Operated*	633	8.6	72	2	2	7	10	16	23	54
B. *Operated*	565	8.6	97	1	1	5	12	22	28	44
1. SINGLE DX	363	2.8	12	<1	1	1	3	6	9	19
2. MULTIPLE DX	1198	8.6	84	1	1	6	11	19	26	46
A. NOT OPERATED	694	8.3	69	1	2	6	10	16	22	50
B. OPERATED	867	6.4	76	1	1	2	8	18	25	40
TOTAL 0-19 YRS	24	3.5	14	1	1	2	3	8	14	16
20-34	201	4.2	51	<1	1	2	5	9	13	33
35-49	301	5.9	52	1	1	3	8	14	21	34
50-64	559	7.6	81	1	1	5	10	18	25	52
65+	476	9.1	81	1	1	7	12	21	26	42
GRAND TOTAL	**1561**	**7.2**	**73**	**1**	**1**	**4**	**9**	**16**	**24**	**43**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	3.7	5	1	2	3	5	7	9	10
20-34	84	4.3	7	1	1	4	5	7	9	15
35-49	41	5.3	12	2	2	5	7	9	10	19
50-64	46	4.8	13	1	2	4	6	11	13	17
65+	32	4.9	14	1	1	4	6	10	12	18
B. *Operated*										
0-19 YRS	5	4.6	21	1	1	2	7	12	12	12
20-34	28	5.1	31	<1	<1	3	7	14	17	22
35-49	34	4.9	77	<1	1	2	5	9	14	51
50-64	20	5.4	46	<1	<1	2	7	18	21	23
65+	26	6.7	45	<1	1	4	12	19	21	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	5.6	37	1	2	3	5	13	23	26
20-34	87	6.3	26	2	3	5	8	10	13	32
35-49	151	7.7	68	2	2	5	9	16	22	50
50-64	281	8.1	45	1	2	6	10	17	23	30
65+	307	8.4	29	2	3	7	11	15	18	28
B. *Operated*										
0-19 YRS	7	17.1	294	4	4	10	24	46	51	51
20-34	37	13.3	166	<1	1	11	17	28	46	55
35-49	56	11.6	168	1	1	8	14	26	37	69
50-64	138	11.4	91	1	1	10	17	23	33	41
65+	107	14.6	153	1	2	11	19	28	37	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	227	4.6	10	1	2	4	6	9	11	17
B. *Operated*	113	5.4	49	<1	1	3	7	14	19	33
2. MULTIPLE DX										
A. *Not Operated*	860	7.8	41	2	2	6	10	16	21	32
B. *Operated*	345	12.8	135	1	1	10	18	26	37	55
1. SINGLE DX	340	4.9	23	1	1	3	6	10	14	22
2. MULTIPLE DX	1205	9.2	73	1	2	7	12	20	25	42
A. NOT OPERATED	1087	7.2	37	2	2	5	9	15	19	30
B. OPERATED	458	10.9	124	1	1	8	16	23	33	54
TOTAL 0-19 YRS	70	6.0	61	1	2	3	6	12	24	46
20-34	236	6.5	51	1	1	5	8	14	18	39
35-49	282	7.8	85	1	2	5	9	16	24	53
50-64	485	8.6	59	1	2	6	11	19	24	38
65+	472	9.5	65	2	2	7	12	19	24	37
GRAND TOTAL	**1545**	**8.3**	**65**	**1**	**2**	**6**	**10**	**18**	**23**	**40**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	2.5	2	<1	<1	2	4	5	5	5
20-34	182	2.5	4	<1	1	2	3	5	6	8
35-49	196	2.5	3	<1	1	2	3	4	6	8
50-64	214	3.0	4	<1	1	2	4	6	7	10
65+	164	3.8	6	1	1	3	5	7	9	12
B. *Operated*										
0-19 YRS	191	5.9	5	3	4	5	7	8	10	15
20-34	2081	5.9	3	4	4	6	7	8	9	12
35-49	1943	6.2	5	4	4	6	7	8	10	14
50-64	1864	6.7	5	4	5	6	7	9	11	16
65+	1081	8.0	13	5	5	7	9	12	14	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	3.6	4	<1	1	4	5	7	8	8
20-34	164	3.7	33	1	1	3	4	6	7	14
35-49	188	3.7	7	1	1	3	5	7	9	14
50-64	378	4.3	15	1	1	4	6	8	9	18
65+	795	5.7	18	1	2	5	7	10	13	20
B. *Operated*										
0-19 YRS	113	7.1	8	4	4	7	8	11	12	18
20-34	1426	7.2	10	4	5	7	8	11	13	18
35-49	1870	7.7	19	4	5	7	8	11	15	24
50-64	2672	8.8	29	4	5	7	10	14	17	31
65+	3041	11.6	51	5	6	10	14	19	24	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	774	2.9	4	<1	1	2	4	6	7	10
B. *Operated*	7160	6.5	6	4	4	6	7	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	1548	4.9	18	1	1	4	6	9	11	19
B. *Operated*	9122	9.2	34	4	5	8	11	15	19	33
1. SINGLE DX	7934	6.2	7	2	4	6	7	9	11	15
2. MULTIPLE DX	10670	8.6	34	3	4	7	10	14	18	32
A. NOT OPERATED	2322	4.2	14	1	1	3	5	8	10	16
B. OPERATED	16282	8.0	24	4	5	7	9	13	16	27
TOTAL 0-19 YRS	345	5.9	7	2	3	5	7	9	11	15
20-34	3853	6.2	8	2	4	6	7	9	11	16
35-49	4197	6.6	13	2	4	6	8	10	12	20
50-64	5128	7.5	21	3	4	7	8	11	14	23
65+	5081	9.7	43	3	4	8	11	17	21	36
GRAND TOTAL	**18604**	**7.6**	**24**	**3**	**4**	**7**	**9**	**12**	**15**	**26**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	3.2	2	<1	1	4	4	5	5	5
20-34	113	3.0	3	1	1	3	4	6	7	8
35-49	110	3.0	4	1	1	2	4	6	7	11
50-64	99	3.3	4	1	1	3	4	6	8	10
65+	105	4.2	8	1	1	4	5	8	10	14
B. *Operated*										
0-19 YRS	15	5.9	3	3	4	6	7	7	9	10
20-34	233	6.4	9	4	4	6	7	9	10	16
35-49	187	7.1	12	4	4	6	8	11	13	24
50-64	149	8.0	12	4	4	7	10	13	15	18
65+	147	9.2	18	5	6	8	10	13	17	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	3.7	6	1	1	3	6	7	8	8
20-34	91	3.7	6	1	1	3	5	7	8	12
35-49	107	4.0	8	1	1	3	5	7	9	17
50-64	156	4.5	10	1	1	4	6	8	10	17
65+	282	6.4	27	1	2	5	8	11	16	28
B. *Operated*										
0-19 YRS	18	6.8	4	4	4	7	8	9	10	11
20-34	245	7.6	14	4	5	7	8	12	14	21
35-49	300	9.2	50	4	5	7	10	15	19	39
50-64	315	9.5	34	4	5	8	11	15	20	33
65+	413	12.7	70	5	6	10	15	22	28	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	444	3.3	5	1	1	3	4	6	8	11
B. *Operated*	731	7.5	13	4	4	7	9	11	14	20
2. MULTIPLE DX										
A. *Not Operated*	647	5.1	18	1	1	4	6	9	12	23
B. *Operated*	1291	10.0	49	4	5	8	11	17	22	36
1. SINGLE DX	1175	5.9	14	1	2	5	7	10	12	18
2. MULTIPLE DX	1938	8.4	44	2	3	7	10	15	20	34
A. NOT OPERATED	1091	4.4	13	1	1	4	6	8	10	19
B. OPERATED	2022	9.1	37	4	5	7	10	15	19	34
TOTAL 0-19 YRS	61	5.0	6	1	2	5	7	8	9	11
20-34	682	5.9	13	1	2	6	7	9	11	18
35-49	704	6.8	32	1	2	6	8	12	15	28
50-64	719	7.3	26	1	2	6	9	13	16	27
65+	947	9.3	53	2	3	8	11	17	22	36
GRAND TOTAL	**3113**	**7.5**	**34**	**1**	**2**	**6**	**9**	**13**	**17**	**31**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	8.8	161	<1	<1	2	13	31	33	33
20-34	19	2.8	3	<1	1	3	4	6	7	7
35-49	25	3.4	5	<1	1	2	5	6	8	9
50-64	27	3.4	6	1	1	3	4	6	7	13
65+	33	3.3	4	1	1	3	4	5	8	10
B. *Operated*										
0-19 YRS	8	7.6	1	6	6	7	8	9	10	10
20-34	91	7.6	9	4	4	7	9	12	12	16
35-49	82	7.1	12	2	3	7	9	11	13	18
50-64	101	8.2	18	2	3	8	10	14	16	21
65+	131	9.7	29	1	2	9	13	16	18	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	10	3.6	13	1	1	2	4	10	12	12
35-49	15	4.3	6	<1	2	4	6	8	9	9
50-64	48	5.1	12	1	1	5	6	9	12	18
65+	101	6.6	17	1	2	6	9	12	14	21
B. *Operated*										
0-19 YRS	9	12.0	13	5	6	13	14	15	16	16
20-34	77	9.7	31	5	5	8	12	15	21	32
35-49	86	9.8	18	5	5	9	12	15	20	21
50-64	151	11.1	75	4	5	9	13	18	22	56
65+	435	15.1	99	4	7	13	18	27	34	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	110	3.6	13	1	1	3	4	6	8	21
B. *Operated*	413	8.3	19	2	3	8	10	14	16	23
2. MULTIPLE DX										
A. *Not Operated*	174	5.8	15	1	2	5	8	11	13	18
B. *Operated*	758	13.1	82	4	6	11	16	22	29	54
1. SINGLE DX	523	7.3	21	1	2	7	9	13	15	23
2. MULTIPLE DX	932	11.8	78	2	4	10	14	21	27	51
A. NOT OPERATED	284	4.9	15	1	1	4	6	9	13	18
B. OPERATED	1171	11.4	65	3	5	10	14	20	25	48
TOTAL 0-19 YRS	23	9.7	46	1	2	8	13	15	22	33
20-34	197	7.8	22	2	3	7	10	12	15	29
35-49	208	7.5	18	1	2	7	10	13	16	21
50-64	327	8.7	49	1	3	7	11	16	18	30
65+	700	12.3	84	2	3	10	15	22	28	52
GRAND TOTAL	**1455**	**10.2**	**62**	**2**	**3**	**8**	**13**	**18**	**23**	**47**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	7.8	6	5	5	7	9	11	11	11
20-34	14	2.9	5	<1	<1	2	5	6	7	8
35-49	19	3.4	6	1	1	2	4	8	9	9
50-64	32	4.8	9	1	1	4	6	8	11	14
65+	42	4.3	9	1	1	4	5	9	11	12
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	11	7.9	42	1	2	7	8	19	24	24
35-49	19	6.4	36	<1	1	5	9	12	20	26
50-64	12	7.9	29	<1	1	8	10	15	20	21
65+	29	10.4	47	2	3	9	15	19	22	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	28	6.5	30	1	2	5	9	14	21	21
35-49	39	5.7	16	1	2	5	7	10	11	23
50-64	82	6.2	25	1	1	5	9	14	16	24
65+	187	7.4	30	1	2	6	9	15	18	29
B. *Operated*										
0-19 YRS	6	8.3	25	2	2	9	11	15	15	15
20-34	18	11.8	26	3	5	11	16	19	20	21
35-49	46	12.4	87	2	3	10	14	26	37	42
50-64	94	16.2	193	3	5	12	19	30	48	74
65+	169	16.7	162	3	4	13	21	32	43	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	111	4.2	9	1	1	4	6	8	10	13
B. *Operated*	72	8.5	41	1	2	7	11	18	22	29
2. MULTIPLE DX										
A. *Not Operated*	337	6.8	27	1	2	5	9	14	18	27
B. *Operated*	333	15.6	153	2	4	12	19	30	41	59
1. SINGLE DX	183	5.9	26	1	1	5	8	12	16	25
2. MULTIPLE DX	670	11.2	109	1	2	8	14	23	30	55
A. NOT OPERATED	448	6.2	24	1	1	5	8	12	16	24
B. OPERATED	405	14.3	141	2	3	11	18	29	38	59
TOTAL 0-19 YRS	12	7.7	15	2	3	7	11	12	15	15
20-34	71	7.4	34	1	1	5	11	16	21	23
35-49	123	7.9	56	1	1	6	10	15	24	39
50-64	220	10.4	120	1	2	8	13	20	29	59
65+	427	11.0	104	1	2	8	14	23	30	53
GRAND TOTAL	**853**	**10.1**	**96**	**1**	**2**	**7**	**12**	**21**	**29**	**53**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	5.1	18	2	2	4	6	10	16	21
20-34	380	5.2	24	1	1	4	6	9	14	26
35-49	378	5.4	17	2	2	4	6	9	12	22
50-64	244	5.6	16	1	2	5	7	11	14	22
65+	178	5.5	14	1	2	5	7	10	13	21
B. *Operated*										
0-19 YRS	4	15.0	215	2	2	12	26	34	34	34
20-34	30	12.3	133	1	2	10	15	21	25	64
35-49	38	11.3	121	1	2	9	14	26	29	56
50-64	50	8.8	57	1	1	7	12	19	24	36
65+	28	10.1	91	1	1	8	14	20	25	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	6.2	26	1	2	5	8	12	15	32
20-34	577	6.5	28	2	2	5	8	12	16	30
35-49	909	7.1	34	2	3	6	8	13	17	30
50-64	750	7.0	37	2	2	6	9	13	16	30
65+	632	7.6	29	2	3	6	9	14	18	30
B. *Operated*										
0-19 YRS	12	9.8	61	2	2	8	17	41	89	99+
20-34	97	15.2	155	3	5	11	19	31	44	62
35-49	201	16.6	210	3	4	12	22	35	43	86
50-64	222	17.8	254	4	5	13	21	38	56	85
65+	229	16.8	191	2	4	13	20	37	45	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1228	5.4	19	1	2	4	6	9	13	23
B. *Operated*	150	10.6	98	1	1	8	14	21	26	56
2. MULTIPLE DX										
A. *Not Operated*	2924	7.1	33	2	2	6	9	13	17	30
B. *Operated*	761	16.7	208	3	5	12	21	36	45	82
1. SINGLE DX	1378	5.9	30	1	2	5	7	11	16	26
2. MULTIPLE DX	3685	9.0	84	2	3	6	11	18	26	51
A. NOT OPERATED	4152	6.6	29	2	2	5	8	12	16	27
B. OPERATED	911	15.7	195	2	4	11	19	34	44	79
TOTAL 0-19 YRS	120	6.4	34	2	2	4	8	14	20	53
20-34	1084	7.0	49	1	2	5	8	13	20	40
35-49	1526	8.0	67	2	2	6	9	15	23	43
50-64	1266	8.7	90	2	2	6	10	17	24	57
65+	1067	9.3	79	2	2	7	11	18	26	47
GRAND TOTAL	**5063**	**8.2**	**71**	**2**	**2**	**6**	**9**	**16**	**23**	**45**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	79	2.9	14	<1	1	2	3	5	6	25
20-34	118	3.1	6	<1	1	2	4	6	7	15
35-49	127	3.5	13	<1	1	3	4	6	7	20
50-64	161	3.7	5	1	1	3	5	6	7	11
65+	254	4.7	14	1	2	4	6	8	11	20
B. *Operated*										
0-19 YRS	4	4.8	15	<1	<1	4	8	9	9	9
20-34	12	7.3	16	2	3	6	10	14	14	14
35-49	13	6.9	54	1	1	4	8	19	25	27
50-64	22	5.8	15	<1	1	5	9	12	13	13
65+	33	7.3	23	2	2	6	9	14	18	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	117	3.1	6	1	1	2	4	7	8	13
20-34	327	3.8	12	1	1	3	5	7	10	17
35-49	496	4.5	13	1	2	4	5	8	11	19
50-64	946	5.2	20	1	2	4	6	9	13	26
65+	2364	6.8	35	2	2	5	8	12	17	31
B. *Operated*										
0-19 YRS	13	5.2	11	1	1	6	7	10	11	11
20-34	55	6.8	35	2	2	5	9	12	16	36
35-49	104	9.1	56	2	3	7	10	20	24	40
50-64	206	8.9	63	1	3	7	11	17	24	53
65+	567	10.7	99	2	3	8	13	20	28	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	739	3.8	11	1	1	3	5	7	9	17
B. *Operated*	84	6.7	24	1	2	6	9	14	16	25
2. MULTIPLE DX										
A. *Not Operated*	4250	5.9	28	1	2	5	7	11	15	27
B. *Operated*	945	9.8	83	2	3	7	12	20	25	43
1. SINGLE DX	823	4.1	13	1	1	3	5	7	10	18
2. MULTIPLE DX	5195	6.6	40	1	2	5	8	12	17	32
A. NOT OPERATED	4989	5.6	26	1	2	4	7	10	14	25
B. OPERATED	1029	9.6	78	2	3	7	12	19	25	42
TOTAL 0-19 YRS	213	3.2	9	1	1	2	4	7	8	13
20-34	512	4.1	14	1	1	3	5	8	12	18
35-49	740	5.0	22	1	2	4	6	9	14	27
50-64	1335	5.6	27	1	2	4	6	10	14	27
65+	3218	7.4	47	2	2	6	9	14	19	34
GRAND TOTAL	**6018**	**6.2**	**37**	**1**	**2**	**5**	**7**	**12**	**17**	**31**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	3.7	10	1	1	3	4	9	12	13
20-34	1	10.0		10	10	10	10	10	10	10
35-49	2	5.5	13	3	3	5	8	8	8	8
50-64	6	8.3	3	6	6	8	9	11	11	11
65+	4	5.0	14	1	1	4	7	10	10	10
B. *Operated*										
0-19 YRS	5	2.4	7	<1	<1	1	3	7	7	7
20-34										
35-49	7	7.6	41	2	2	5	11	18	20	20
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	4	7.5	22	3	3	7	11	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	5.4	31	1	1	4	6	11	19	27
20-34	13	4.5	8	2	2	3	5	9	11	12
35-49	20	5.7	15	<1	1	5	8	11	14	16
50-64	48	8.8	76	2	3	6	10	18	28	48
65+	62	8.4	27	2	3	7	12	16	19	24
B. *Operated*										
0-19 YRS	3	34.3	2266	2	2	12	70	89	89	89
20-34	16	15.4	115	1	2	12	26	30	32	33
35-49	17	12.1	86	1	1	10	18	28	31	31
50-64	34	19.2	446	2	4	10	26	49	77	89
65+	27	20.0	281	5	7	16	23	41	55	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	5.0	12	1	1	4	8	10	11	13
B. *Operated*	18	5.4	27	<1	1	3	7	12	17	20
2. MULTIPLE DX										
A. *Not Operated*	175	7.4	40	2	2	5	9	15	20	29
B. *Operated*	97	18.0	326	2	4	12	24	33	51	89
1. SINGLE DX	52	5.1	17	1	1	4	8	11	12	20
2. MULTIPLE DX	272	11.2	167	2	2	7	13	25	31	83
A. NOT OPERATED	209	7.0	36	1	2	5	9	14	19	28
B. OPERATED	115	16.0	300	1	2	11	22	31	50	89
TOTAL 0-19 YRS	61	6.0	139	1	1	3	5	11	16	82
20-34	30	10.5	92	2	2	7	13	28	30	33
35-49	46	8.3	52	1	2	7	11	19	23	31
50-64	90	12.5	234	2	3	7	14	29	48	87
65+	97	11.5	123	3	3	8	15	22	26	67
GRAND TOTAL	**324**	**10.2**	**148**	**1**	**2**	**7**	**12**	**23**	**29**	**83**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	45	4.2	13	<1	1	3	5	8	10	20
20-34	8	3.8	8	<1	<1	3	5	8	9	9
35-49	7	3.7	6	1	1	3	5	7	8	8
50-64	5	3.8	3	1	1	4	5	6	6	6
65+	5	7.6	68	2	2	4	11	22	22	22
B. *Operated*										
0-19 YRS	36	2.3	2	<1	<1	2	2	5	6	7
20-34	35	2.8	3	1	1	2	3	5	7	8
35-49	27	2.6	2	1	1	2	3	4	5	7
50-64	19	3.2	11	<1	<1	2	4	9	12	12
65+	10	9.6	74	1	1	7	19	22	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	5.4	15	1	1	4	8	10	15	17
20-34	21	3.9	9	<1	1	3	6	8	10	11
35-49	26	6.9	34	1	2	6	8	16	19	25
50-64	50	8.2	44	1	2	6	11	17	20	33
65+	87	8.5	126	2	2	6	10	16	22	99+
B. *Operated*										
0-19 YRS	31	8.1	45	1	2	6	13	15	22	29
20-34	85	6.4	39	1	2	4	9	14	18	31
35-49	65	7.1	59	1	2	4	9	17	18	44
50-64	102	8.9	103	1	2	5	11	20	29	53
65+	77	14.1	183	2	3	9	19	36	47	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	70	4.3	15	<1	1	3	5	8	9	22
B. *Operated*	127	3.2	12	<1	1	2	3	6	9	21
2. MULTIPLE DX										
A. *Not Operated*	240	7.1	65	1	2	5	9	15	19	39
B. *Operated*	360	9.0	99	1	2	5	12	20	29	48
1. SINGLE DX	197	3.6	13	<1	1	2	4	7	9	22
2. MULTIPLE DX	600	8.3	86	1	2	5	10	18	25	48
A. NOT OPERATED	310	6.5	55	1	1	5	8	13	18	30
B. OPERATED	487	7.5	83	1	2	4	9	18	25	47
TOTAL 0-19 YRS	168	4.9	21	<1	1	3	7	10	14	22
20-34	149	5.0	27	1	1	3	7	11	14	30
35-49	125	5.9	41	1	2	3	7	15	18	35
50-64	176	7.9	76	1	1	5	10	18	25	48
65+	179	10.9	152	2	3	7	14	24	37	89
GRAND TOTAL	**797**	**7.1**	**72**	**1**	**1**	**4**	**8**	**16**	**22**	**47**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	4.7	5	1	2	5	6	8	9	9
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	3	4.3	4	2	2	5	6	6	6	6
50-64	1	9.0		9	9	9	9	9	9	9
65+										
B. *Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	4	4.3		4	4	1	5	5	5	5
35-49	2	4.0	8	2	2	4	6	6	6	6
50-64										
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	4.1	7	1	1	4	5	8	9	11
20-34	6	6.2	25	2	2	5	6	15	16	16
35-49	6	6.5	28	1	1	4	12	14	14	14
50-64	6	6.5	4	4	4	6	8	9	9	9
65+	11	9.0	58	2	2	7	11	19	28	29
B. *Operated*										
0-19 YRS	6	8.2	13	2	2	8	10	13	13	13
20-34	12	10.9	75	3	3	8	16	24	31	32
35-49	7	7.4	64	2	2	6	7	21	25	25
50-64	12	14.5	119	2	5	11	20	31	38	39
65+	7	14.4	264	2	2	12	18	42	48	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	4.7	5	1	2	5	6	8	9	9
B. *Operated*	9	3.6	2	1	1	4	4	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	60	5.7	21	1	1	5	7	11	13	28
B. *Operated*	44	11.5	105	2	2	8	13	27	34	48
1. SINGLE DX	35	4.4	5	1	2	4	6	8	9	9
2. MULTIPLE DX	104	8.2	65	1	2	6	10	16	27	43
A. NOT OPERATED	86	5.4	17	1	1	5	6	9	12	24
B. OPERATED	53	10.2	96	2	2	7	12	25	31	48
TOTAL 0-19 YRS	59	4.6	8	1	1	5	6	9	10	13
20-34	24	8.0	51	2	3	5	8	18	24	32
35-49	18	6.2	33	1	2	5	6	13	21	25
50-64	19	11.7	88	3	4	9	12	28	34	39
65+	19	10.7	130	2	2	7	13	25	39	48
GRAND TOTAL	**139**	**7.2**	**52**	**1**	**2**	**5**	**8**	**13**	**23**	**40**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	3	5.7	41	<1	<1	3	10	13	13	13
35-49										
50-64	2	3.5	5	2	2	3	5	5	5	5
65+	10	4.6	10	<1	1	4	5	10	11	11
B. *Operated*										
0-19 YRS	9	9.8	92	2	2	6	16	26	29	29
20-34	54	8.6	61	1	1	6	15	20	24	30
35-49	57	5.9	45	<1	1	3	9	15	20	27
50-64	70	5.5	39	1	1	4	6	11	21	33
65+	52	4.5	18	1	1	3	6	8	14	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	3.3	4	1	1	3	4	7	8	8
20-34	45	2.8	8	<1	<1	2	4	5	9	15
35-49	42	4.2	18	<1	<1	3	6	10	11	23
50-64	101	6.3	52	<1	1	5	7	13	16	43
65+	217	9.2	66	1	2	7	12	19	26	50
B. *Operated*										
0-19 YRS	57	8.9	71	1	1	5	13	22	27	34
20-34	221	12.4	184	1	2	7	16	32	45	62
35-49	219	12.9	193	1	1	8	18	35	43	68
50-64	308	10.8	114	1	2	7	15	26	32	53
65+	335	13.6	168	2	2	9	19	35	43	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	4.2	12	<1	<1	3	5	10	12	13
B. *Operated*	242	6.2	44	1	1	3	8	16	22	29
2. MULTIPLE DX										
A. *Not Operated*	416	7.2	55	<1	1	5	9	15	22	41
B. *Operated*	1140	12.2	158	1	2	8	16	30	41	62
1. SINGLE DX	260	6.1	42	<1	1	3	8	16	21	29
2. MULTIPLE DX	1556	10.9	135	1	1	7	14	27	38	60
A. NOT OPERATED	434	7.1	54	<1	1	5	9	15	22	40
B. OPERATED	1382	11.2	143	1	2	7	15	27	38	61
TOTAL 0-19 YRS	80	8.0	66	1	1	4	11	21	27	33
20-34	323	10.4	149	1	1	5	14	26	41	55
35-49	318	10.5	156	<1	1	6	15	27	38	64
50-64	481	9.1	95	1	1	6	12	22	28	48
65+	614	11.1	125	1	2	7	14	26	38	64
GRAND TOTAL	**1816**	**10.2**	**125**	**1**	**1**	**6**	**14**	**25**	**35**	**57**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	1	5.0		5	5	5	5	5	5	5
50-64	2	10.0	162	1	1	10	19	19	19	19
65+	7	5.6	24	1	1	3	10	13	13	13
B. *Operated*										
0-19 YRS	1	22.0		22	22	22	22	22	22	22
20-34	3	4.0	7	2	2	3	6	7	7	7
35-49	9	5.3	48	1	1	2	7	17	22	22
50-64	20	3.2	14	<1	<1	2	3	9	12	14
65+	17	5.1	54	<1	1	2	6	18	25	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	4.1	18	<1	<1	2	5	12	14	14
20-34	16	5.4	22	1	2	4	6	9	17	21
35-49	21	9.2	158	1	2	7	9	13	36	62
50-64	73	8.0	37	2	2	6	10	18	22	28
65+	329	11.2	89	2	3	9	14	21	28	56
B. *Operated*										
0-19 YRS	10	16.8	372	1	1	9	19	50	62	62
20-34	36	12.4	101	1	1	9	20	25	30	45
35-49	43	13.4	210	1	2	9	16	29	42	79
50-64	69	12.9	135	1	2	9	16	26	44	53
65+	161	18.7	286	2	3	14	24	40	56	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	4.6	28	<1	1	2	6	13	17	19
B. *Operated*	50	4.7	38	<1	1	2	6	12	22	27
2. MULTIPLE DX										
A. *Not Operated*	447	10.3	82	2	3	8	13	20	26	55
B. *Operated*	319	16.0	230	1	2	11	21	37	48	78
1. SINGLE DX	66	4.7	35	<1	1	2	6	13	20	26
2. MULTIPLE DX	766	12.7	152	2	3	9	16	26	38	72
A. NOT OPERATED	463	10.1	81	2	2	8	13	20	26	54
B. OPERATED	369	14.4	219	1	2	10	20	32	47	77
TOTAL 0-19 YRS	22	10.3	218	<1	1	4	14	27	48	62
20-34	58	9.5	83	1	1	6	13	21	27	44
35-49	74	11.1	178	1	2	8	13	22	38	75
50-64	164	9.5	86	1	1	7	12	20	26	50
65+	514	13.3	163	2	3	10	16	27	38	75
GRAND TOTAL	**832**	**12.0**	**147**	**1**	**2**	**9**	**15**	**25**	**35**	**67**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	200	3.4	2	2	2	3	4	5	6	9
20-34	297	3.8	4	2	2	4	5	6	8	11
35-49	90	4.0	4	2	2	4	5	7	7	11
50-64	51	4.6	6	2	2	4	6	8	10	14
65+	50	5.5	8	2	2	5	7	10	11	12
B. *Operated*										
0-19 YRS	6	3.0	2	<1	<1	3	4	5	5	5
20-34	9	3.9	4	1	1	4	5	7	7	7
35-49	5	8.8	31	4	4	8	11	18	18	18
50-64	5	7.8	10	4	4	9	10	11	11	11
65+	4	8.5	2	7	7	8	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	192	4.2	5	2	2	4	5	7	9	12
20-34	415	4.6	9	2	2	4	5	8	9	15
35-49	192	5.6	14	2	3	5	6	8	13	22
50-64	211	6.2	10	2	3	6	8	10	12	16
65+	396	8.0	32	3	3	6	10	14	18	31
B. *Operated*										
0-19 YRS	24	7.7	57	<1	1	6	10	14	22	37
20-34	51	8.8	37	3	4	7	10	17	25	30
35-49	36	10.4	42	4	4	9	12	24	26	26
50-64	39	12.0	45	4	5	10	14	20	25	35
65+	60	12.8	100	4	5	12	15	19	20	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	688	3.9	4	2	2	4	5	7	8	11
B. *Operated*	29	5.9	14	1	2	5	8	10	11	18
2. MULTIPLE DX										
A. *Not Operated*	1406	5.9	18	2	2	5	7	10	13	22
B. *Operated*	210	10.7	62	3	4	9	14	19	25	44
1. SINGLE DX	717	4.0	5	2	2	4	5	7	8	11
2. MULTIPLE DX	1616	6.5	26	2	2	5	8	12	16	28
A. NOT OPERATED	2094	5.2	14	2	2	4	6	9	12	21
B. OPERATED	239	10.1	58	3	4	8	13	18	23	39
TOTAL 0-19 YRS	422	4.0	7	2	2	3	5	6	8	13
20-34	772	4.6	10	2	2	4	5	8	10	19
35-49	323	5.8	18	2	2	5	7	9	14	25
50-64	306	6.7	18	2	3	6	8	11	14	21
65+	510	8.4	41	3	3	7	10	15	19	33
GRAND TOTAL	**2333**	**5.7**	**21**	**2**	**2**	**5**	**7**	**10**	**14**	**25**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	182	3.4	3	1	2	3	4	5	6	12
20-34	274	3.6	3	1	2	3	5	6	6	8
35-49	61	4.2	7	1	1	4	5	7	9	15
50-64	35	4.0	5	2	2	3	5	7	9	12
65+	53	5.4	50	1	2	4	5	8	11	41
B. *Operated*										
0-19 YRS	19	5.6	14	<1	<1	5	7	12	13	13
20-34	32	5.0	11	<1	1	5	7	10	10	12
35-49	11	5.8	6	1	3	5	8	9	10	10
50-64	14	6.4	10	<1	2	7	8	11	11	11
65+	13	7.2	57	<1	1	4	11	20	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	168	4.1	5	1	2	4	5	7	8	12
20-34	387	4.5	8	1	2	4	6	7	10	14
35-49	175	5.8	22	2	3	5	7	10	12	26
50-64	187	7.4	35	2	3	6	9	12	16	38
65+	344	7.8	38	3	3	6	9	14	19	34
B. *Operated*										
0-19 YRS	42	5.5	15	<1	<1	5	8	12	13	14
20-34	84	9.0	106	2	3	7	9	15	26	64
35-49	44	11.2	166	2	2	8	12	22	39	72
50-64	88	10.6	53	3	4	9	12	19	22	42
65+	97	15.1	126	4	5	12	18	28	39	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	605	3.8	8	1	2	3	4	6	7	12
B. *Operated*	89	5.8	17	<1	1	5	8	11	13	21
2. MULTIPLE DX										
A. *Not Operated*	1261	6.0	24	2	2	5	7	10	13	26
B. *Operated*	355	10.9	103	2	3	8	13	21	30	55
1. SINGLE DX	694	4.0	9	1	2	3	5	7	8	14
2. MULTIPLE DX	1616	7.1	45	2	2	5	8	13	18	38
A. NOT OPERATED	1866	5.3	20	2	2	4	6	9	12	24
B. OPERATED	444	9.9	90	1	2	8	12	20	28	54
TOTAL 0-19 YRS	411	4.0	6	1	2	4	5	7	9	13
20-34	777	4.7	19	1	2	4	6	8	10	19
35-49	291	6.3	44	2	2	5	7	11	15	41
50-64	324	7.8	39	2	3	6	10	14	19	38
65+	507	8.9	66	2	3	7	10	18	24	41
GRAND TOTAL	**2310**	**6.1**	**37**	**1**	**2**	**5**	**7**	**11**	**15**	**35**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	1.9	2	<1	1	1	2	4	5	5
20-34	246	2.0	5	<1	<1	1	2	4	5	7
35-49	256	1.8	1	<1	1	1	2	3	4	6
50-64	192	1.8	2	<1	1	1	2	3	4	7
65+	72	2.3	3	1	1	2	3	5	6	8
B. *Operated*										
0-19 YRS	11	6.4	5	2	3	6	8	9	9	9
20-34	159	7.3	12	2	4	7	8	11	12	22
35-49	140	7.3	14	1	2	7	9	11	13	20
50-64	150	7.9	17	1	3	8	9	12	14	23
65+	55	8.6	25	2	3	8	10	13	16	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	2.7	2	1	1	3	4	5	5	5
20-34	153	2.6	4	1	1	2	3	5	6	9
35-49	163	2.7	5	1	1	2	3	5	6	11
50-64	180	2.7	5	1	1	2	3	5	7	12
65+	164	4.2	11	1	1	4	6	8	8	12
B. *Operated*										
0-19 YRS	23	12.1	226	2	3	6	11	38	54	57
20-34	154	9.3	51	2	3	8	11	16	21	43
35-49	207	9.1	40	2	3	8	11	16	19	31
50-64	220	9.2	30	2	4	8	11	15	20	31
65+	205	11.7	92	2	4	10	14	21	28	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	797	1.9	3	<1	1	1	2	4	5	6
B. *Operated*	515	7.6	15	2	3	7	9	12	14	23
2. MULTIPLE DX										
A. *Not Operated*	671	3.0	7	1	1	2	4	6	8	12
B. *Operated*	809	9.9	59	2	3	8	12	17	22	42
1. SINGLE DX	1312	4.1	15	1	1	2	7	9	11	17
2. MULTIPLE DX	1480	6.8	47	1	1	5	9	14	18	34
A. NOT OPERATED	1468	2.4	5	<1	1	2	3	5	6	10
B. OPERATED	1324	9.0	43	2	3	8	10	15	19	34
TOTAL 0-19 YRS	76	5.8	88	1	1	3	6	9	14	56
20-34	712	4.9	26	1	1	3	7	10	13	25
35-49	766	5.0	25	1	1	3	7	10	13	23
50-64	742	5.4	24	1	1	4	8	11	14	23
65+	496	7.5	60	1	1	6	10	15	20	35
GRAND TOTAL	**2792**	**5.5**	**34**	**1**	**1**	**4**	**8**	**11**	**15**	**29**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	92	1.9	2	<1	1	2	3	3	4	9
20-34	946	1.7	1	<1	1	1	2	3	4	5
35-49	1230	1.7	1	<1	1	1	2	3	4	5
50-64	749	2.0	3	<1	1	2	2	3	4	7
65+	264	2.1	2	1	1	2	3	4	5	7
B. *Operated*										
0-19 YRS	48	4.7	8	1	2	4	6	9	11	11
20-34	553	4.9	8	1	1	4	7	9	10	13
35-49	658	5.0	9	1	2	5	7	9	11	14
50-64	553	5.6	13	1	2	5	8	10	12	17
65+	220	6.3	13	2	2	6	8	11	14	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	2.1	1	1	1	2	3	4	4	6
20-34	294	2.1	2	1	1	2	2	4	5	8
35-49	345	2.1	2	<1	1	2	2	4	5	8
50-64	396	2.5	3	1	1	2	3	5	6	9
65+	253	3.1	5	1	1	2	4	6	8	11
B. *Operated*										
0-19 YRS	18	5.8	10	1	2	5	8	12	60	99+
20-34	294	6.8	22	2	2	6	8	12	14	26
35-49	378	6.7	19	2	2	6	9	12	14	21
50-64	442	7.5	23	2	2	7	10	13	17	25
65+	366	9.6	61	2	3	8	12	18	25	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3281	1.8	2	<1	1	1	2	3	4	6
B. *Operated*	2032	5.3	10	1	2	5	7	9	11	15
2. MULTIPLE DX										
A. *Not Operated*	1320	2.4	3	1	1	2	3	5	6	9
B. *Operated*	1498	7.7	32	2	2	7	10	13	17	30
1. SINGLE DX	5313	3.1	8	1	1	2	4	7	9	13
2. MULTIPLE DX	2818	5.2	25	1	1	4	7	11	14	25
A. NOT OPERATED	4601	2.0	2	<1	1	2	2	4	5	7
B. OPERATED	3530	6.3	21	1	2	6	8	11	14	22
TOTAL 0-19 YRS	190	3.0	6	1	1	2	4	7	9	12
20-34	2087	3.3	10	1	1	2	4	8	9	13
35-49	2611	3.3	10	1	1	2	4	8	10	14
50-64	2140	4.2	15	1	1	3	6	9	12	18
65+	1103	5.6	34	1	1	4	8	12	15	29
GRAND TOTAL	**8131**	**3.8**	**15**	**1**	**1**	**2**	**5**	**9**	**11**	**18**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	2.9	4	<1	1	2	4	6	8	8
20-34	33	2.2	2	1	1	2	3	4	6	7
35-49	24	2.9	10	<1	1	2	3	8	11	11
50-64	28	3.3	5	1	1	3	4	7	8	8
65+	27	3.7	9	1	1	3	4	6	12	13
B. *Operated*										
0-19 YRS	231	5.8	12	<1	<1	6	8	10	12	14
20-34	145	5.9	21	<1	1	6	8	11	13	24
35-49	74	6.7	30	1	1	6	9	11	15	29
50-64	116	4.6	19	<1	1	3	6	10	14	21
65+	76	4.8	34	<1	1	3	5	10	19	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	3.5	16	<1	1	2	4	6	9	25
20-34	74	3.6	9	1	1	3	4	7	10	17
35-49	59	4.0	10	<1	1	3	5	7	11	15
50-64	101	5.5	24	1	2	4	7	11	14	26
65+	215	7.9	38	1	2	6	11	16	22	28
B. *Operated*										
0-19 YRS	269	6.3	16	<1	1	7	9	11	12	20
20-34	200	8.1	31	2	2	7	10	14	16	33
35-49	181	8.9	58	1	2	8	10	15	21	43
50-64	287	8.8	72	1	2	7	11	19	26	51
65+	405	10.7	98	1	2	8	15	24	28	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	135	2.9	6	1	1	2	4	6	8	12
B. *Operated*	642	5.6	20	<1	1	5	8	11	13	22
2. MULTIPLE DX										
A. *Not Operated*	501	5.9	29	1	1	4	7	13	18	26
B. *Operated*	1342	8.8	63	1	2	7	11	18	24	40
1. SINGLE DX	777	5.1	19	<1	1	4	8	10	12	22
2. MULTIPLE DX	1843	8.0	55	1	2	6	10	16	23	36
A. NOT OPERATED	636	5.3	25	1	1	4	7	12	15	25
B. OPERATED	1984	7.8	51	1	1	7	10	15	21	35
TOTAL 0-19 YRS	575	5.7	15	<1	1	6	8	10	12	17
20-34	452	6.2	26	1	1	6	8	11	14	24
35-49	338	7.1	45	1	1	6	9	14	18	35
50-64	532	7.0	52	1	1	5	9	14	21	35
65+	723	9.0	75	1	2	6	12	21	25	39
GRAND TOTAL	**2620**	**7.1**	**46**	**1**	**1**	**6**	**9**	**14**	**20**	**34**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.5	1	1	1	2	3	4	4	4
20-34	62	1.7	1	<1	<1	1	2	3	4	4
35-49	75	1.9	1	<1	1	2	2	4	5	6
50-64	36	1.9	1	<1	<1	2	2	4	5	5
65+	15	2.3	2	1	1	2	3	4	5	6
B. *Operated*										
0-19 YRS	7	4.7	7	1	1	5	7	8	8	8
20-34	23	4.9	15	<1	1	3	7	11	13	15
35-49	41	4.5	13	<1	1	3	7	10	12	16
50-64	46	4.6	10	1	1	4	7	9	9	15
65+	61	3.5	8	1	1	2	4	8	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.3	2	1	1	2	3	4	4	4
20-34	39	2.8	7	1	1	2	4	7	8	13
35-49	31	2.6	6	<1	1	2	3	5	6	13
50-64	35	3.0	8	<1	1	2	4	7	9	14
65+	28	3.9	10	1	1	3	5	10	11	12
B. *Operated*										
0-19 YRS	7	4.6	7	<1	<1	5	7	7	7	7
20-34	35	4.0	10	1	1	3	6	8	10	14
35-49	43	5.9	19	1	2	5	8	11	15	23
50-64	81	5.5	24	1	1	4	7	11	18	22
65+	184	8.0	67	1	2	6	10	15	19	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	194	1.9	1	<1	1	2	2	3	4	6
B. *Operated*	178	4.3	11	1	1	3	6	9	11	15
2. MULTIPLE DX										
A. *Not Operated*	137	3.1	7	1	1	2	4	6	9	13
B. *Operated*	350	6.7	46	1	2	5	8	14	16	42
1. SINGLE DX	372	3.0	7	<1	1	2	4	7	9	14
2. MULTIPLE DX	487	5.7	38	1	1	4	7	11	15	36
A. NOT OPERATED	331	2.4	4	<1	1	2	3	5	6	12
B. OPERATED	528	5.9	36	1	1	4	8	11	15	35
TOTAL 0-19 YRS	24	3.7	5	<1	1	3	5	7	8	8
20-34	159	2.9	8	<1	1	2	3	7	9	14
35-49	190	3.5	11	<1	1	2	4	8	11	16
50-64	198	4.2	16	1	1	3	5	9	11	21
65+	288	6.3	50	1	1	4	8	13	15	44
GRAND TOTAL	**859**	**4.5**	**26**	**1**	**1**	**3**	**6**	**10**	**13**	**23**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	2.4	1	1	1	2	3	4	5	5
20-34	36	2.2	1	<1	<1	2	3	4	4	6
35-49	16	2.8	4	<1	1	2	4	6	7	7
50-64	27	3.2	3	1	1	3	4	6	7	7
65+	19	3.3	3	1	1	3	4	6	8	8
B. *Operated*										
0-19 YRS	40	2.3	4	<1	<1	2	2	4	6	11
20-34	63	2.4	4	<1	1	2	3	5	6	11
35-49	65	2.5	6	<1	<1	1	3	6	9	12
50-64	108	2.3	3	<1	<1	2	3	5	6	9
65+	128	3.2	7	<1	1	2	4	6	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	2.7	3	1	1	2	3	5	7	8
20-34	79	3.9	12	1	1	3	5	7	9	21
35-49	49	5.5	22	2	2	4	6	10	18	25
50-64	68	3.9	6	1	2	3	5	7	8	12
65+	265	6.9	29	1	2	5	8	14	17	27
B. *Operated*										
0-19 YRS	57	2.3	4	<1	<1	2	3	5	7	10
20-34	130	3.9	20	<1	<1	3	5	8	10	21
35-49	155	3.8	11	1	1	3	4	8	12	15
50-64	219	4.7	21	<1	1	3	6	11	14	23
65+	489	5.8	34	1	1	4	7	12	16	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	131	2.7	2	<1	1	2	3	5	6	7
B. *Operated*	404	2.6	5	<1	<1	2	3	5	8	12
2. MULTIPLE DX										
A. *Not Operated*	500	5.6	23	1	2	4	7	11	15	24
B. *Operated*	1050	4.9	25	<1	1	3	6	11	14	25
1. SINGLE DX	535	2.6	4	<1	1	2	3	5	7	11
2. MULTIPLE DX	1550	5.1	25	1	1	4	6	11	14	25
A. NOT OPERATED	631	5.0	20	1	1	4	6	9	14	23
B. OPERATED	1454	4.2	21	<1	1	3	5	9	12	22
TOTAL 0-19 YRS	169	2.4	3	<1	<1	2	3	5	6	10
20-34	308	3.4	13	<1	1	2	4	7	9	16
35-49	285	3.7	12	<1	1	3	4	8	10	19
50-64	422	3.8	14	<1	1	2	5	8	12	20
65+	901	5.7	29	1	1	4	7	12	16	29
GRAND TOTAL	**2085**	**4.5**	**21**	**<1**	**1**	**3**	**6**	**9**	**13**	**23**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	2	1	1	3	4	4	4	4
20-34	3	4.7	6	2	2	5	6	7	7	7
35-49	5	3.8	9	1	1	4	6	8	8	8
50-64	4	3.8	4	<1	<1	4	5	6	6	6
65+	9	2.7	3	1	1	2	3	6	6	6
B. *Operated*										
0-19 YRS	276	1.5	2	<1	<1	1	1	2	3	10
20-34	163	2.3	4	<1	<1	2	3	5	6	10
35-49	145	2.1	3	<1	<1	2	3	4	5	10
50-64	148	2.8	7	<1	<1	2	3	5	8	14
65+	176	2.8	4	<1	1	2	4	5	6	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	1.7	1	<1	<1	1	2	4	4	4
20-34	3	4.3	4	2	2	5	6	6	6	6
35-49	6	2.5	2	1	1	2	3	5	5	5
50-64	10	4.3	26	<1	<1	3	5	12	18	18
65+	40	5.1	18	<1	1	4	6	10	13	21
B. *Operated*										
0-19 YRS	238	1.6	2	<1	<1	1	2	2	3	8
20-34	216	2.8	11	<1	<1	2	3	6	9	13
35-49	198	3.4	15	<1	1	2	4	6	9	25
50-64	280	4.1	19	<1	1	3	5	9	11	26
65+	442	5.5	33	1	2	4	6	11	15	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	3.3	4	<1	1	3	5	6	7	8
B. *Operated*	908	2.2	4	<1	<1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	65	4.4	16	<1	1	3	5	9	13	21
B. *Operated*	1374	3.8	21	<1	<1	2	4	8	11	23
1. SINGLE DX	932	2.2	4	<1	<1	2	3	4	6	10
2. MULTIPLE DX	1439	3.8	21	<1	<1	2	4	8	11	22
A. NOT OPERATED	89	4.1	13	<1	1	3	5	8	11	20
B. OPERATED	2282	3.2	15	<1	<1	2	4	7	10	18
TOTAL 0-19 YRS	523	1.5	2	<1	<1	1	2	2	4	9
20-34	385	2.6	8	<1	<1	2	3	6	7	12
35-49	354	2.9	10	<1	<1	2	3	5	8	20
50-64	442	3.7	15	<1	<1	2	4	8	10	19
65+	667	4.7	25	1	1	3	6	10	13	23
GRAND TOTAL	**2371**	**3.2**	**15**	**<1**	**<1**	**2**	**4**	**7**	**10**	**18**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	183	2.5	2	1	1	2	3	5	6	7
20-34	137	2.7	6	1	1	2	3	4	7	14
35-49	71	3.0	6	1	1	2	4	5	7	14
50-64	93	3.5	4	<1	1	3	5	6	7	10
65+	206	4.5	13	1	1	4	6	8	10	20
B. *Operated*										
0-19 YRS	212	2.2	6	<1	<1	1	2	5	8	14
20-34	188	2.7	8	<1	<1	2	3	6	9	17
35-49	189	2.7	6	<1	<1	2	3	6	8	11
50-64	250	2.8	12	<1	<1	2	3	5	7	12
65+	361	3.6	9	1	1	3	5	7	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	427	3.4	13	1	1	3	4	6	8	12
20-34	497	4.1	21	1	1	3	5	8	10	15
35-49	380	5.7	37	1	2	4	7	10	14	32
50-64	681	5.9	36	1	2	5	7	11	14	29
65+	2800	7.8	44	2	2	6	10	14	18	32
B. *Operated*										
0-19 YRS	288	2.9	10	<1	<1	1	3	7	10	14
20-34	379	4.1	20	<1	<1	2	5	9	12	19
35-49	323	5.3	42	<1	1	4	6	11	15	34
50-64	683	6.2	54	<1	1	4	8	14	17	44
65+	1544	8.4	80	1	2	6	10	17	25	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	690	3.3	8	1	1	3	4	6	8	14
B. *Operated*	1200	2.9	9	<1	<1	2	4	6	8	15
2. MULTIPLE DX										
A. *Not Operated*	4785	6.6	39	1	2	5	8	12	16	31
B. *Operated*	3217	6.6	61	<1	1	4	8	14	19	45
1. SINGLE DX	1890	3.1	8	<1	<1	2	4	6	8	15
2. MULTIPLE DX	8002	6.6	48	1	1	5	8	13	17	35
A. NOT OPERATED	5475	6.2	37	1	2	5	8	12	16	30
B. OPERATED	4417	5.6	50	<1	1	3	7	12	17	39
TOTAL 0-19 YRS	1110	2.9	10	<1	<1	2	4	6	8	13
20-34	1201	3.7	17	<1	1	3	5	8	10	18
35-49	963	4.8	32	<1	1	3	6	9	12	29
50-64	1707	5.4	39	<1	1	4	7	11	15	31
65+	4911	7.5	53	1	2	6	9	15	19	40
GRAND TOTAL	**9892**	**5.9**	**42**	**1**	**1**	**4**	**7**	**12**	**16**	**32**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64	3	3.3	4	1	1	4	5	5	5	5
65+	29	2.1	3	<1	<1	1	3	5	6	7
B. *Operated*										
0-19 YRS	6	5.8	2	4	4	6	7	7	7	7
20-34	8	4.5	19	<1	<1	3	6	12	14	14
35-49	82	3.2	5	<1	1	3	5	6	7	11
50-64	1375	4.5	5	1	2	5	6	7	9	12
65+	2556	5.2	6	2	2	5	6	8	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	7.0	18	4	4	7	10	10	10	10
20-34	2	2.0		2	2	2	2	2	2	2
35-49	4	3.8	1	3	3	4	4	5	5	5
50-64	70	3.9	25	<1	<1	3	5	7	8	32
65+	255	4.9	25	1	1	3	6	11	15	24
B. *Operated*										
0-19 YRS	7	4.3	4	2	2	4	5	7	8	8
20-34	7	6.1	16	2	2	6	7	13	14	14
35-49	126	5.3	16	1	2	4	7	9	12	22
50-64	1987	5.8	17	1	2	5	7	10	12	21
65+	5633	7.4	28	3	4	6	9	13	17	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	2.4	3	<1	<1	1	4	5	6	7
B. *Operated*	4027	4.9	6	1	2	5	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	333	4.7	25	<1	1	3	6	10	15	28
B. *Operated*	7760	7.0	25	2	3	6	8	12	16	28
1. SINGLE DX	4063	4.9	6	1	2	5	6	8	9	13
2. MULTIPLE DX	8093	6.9	26	2	3	6	8	12	15	28
A. NOT OPERATED	369	4.4	23	<1	1	3	5	10	14	27
B. OPERATED	11787	6.3	20	2	3	5	7	11	14	24
TOTAL 0-19 YRS	15	5.3	5	2	2	5	7	8	9	10
20-34	19	4.7	15	<1	1	4	6	11	14	14
35-49	214	4.5	12	<1	1	4	5	8	11	18
50-64	3435	5.3	13	1	2	5	6	8	11	18
65+	8473	6.6	22	2	3	5	8	11	15	26
GRAND TOTAL	**12156**	**6.2**	**20**	**2**	**2**	**5**	**7**	**11**	**14**	**24**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	5.3	21	2	2	3	8	12	12	12
20-34	26	3.4	5	<1	1	3	4	7	8	9
35-49	33	2.8	2	1	1	3	3	5	6	7
50-64	40	4.5	7	2	2	4	5	7	10	14
65+	26	3.5	4	1	1	3	5	6	7	8
B. *Operated*										
0-19 YRS	3	2.7	4	<1	<1	2	4	5	5	5
20-34	22	2.5	5	<1	<1	2	3	5	8	9
35-49	27	2.7	4	<1	<1	2	3	6	8	8
50-64	49	2.4	2	<1	<1	2	3	5	6	7
65+	44	3.2	5	1	1	2	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	2.1	1	1	1	2	3	3	3	3
20-34	38	3.4	4	1	2	3	4	7	8	9
35-49	61	4.5	6	2	2	4	5	7	10	15
50-64	100	3.9	3	1	2	4	5	6	7	9
65+	130	4.9	12	1	2	4	6	9	11	18
B. *Operated*										
0-19 YRS	2	5.5	41	1	1	5	10	10	10	10
20-34	39	4.4	53	<1	<1	2	4	9	20	40
35-49	57	3.4	9	<1	<1	2	4	8	10	15
50-64	147	4.5	24	<1	1	3	6	9	10	28
65+	150	6.2	46	2	2	5	7	11	16	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	129	3.7	5	1	1	3	5	6	8	13
B. *Operated*	145	2.7	4	<1	<1	2	3	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	336	4.3	8	1	2	4	5	7	10	12
B. *Operated*	395	5.0	34	<1	1	4	6	9	13	26
1. SINGLE DX	274	3.1	5	<1	1	3	4	6	7	12
2. MULTIPLE DX	731	4.7	22	1	1	4	6	9	11	22
A. NOT OPERATED	465	4.1	7	1	2	4	5	7	9	13
B. OPERATED	540	4.4	27	<1	1	3	6	9	11	23
TOTAL 0-19 YRS	16	3.4	10	<1	1	2	4	9	11	12
20-34	125	3.6	20	<1	1	2	4	7	9	26
35-49	178	3.6	7	<1	1	3	5	6	9	14
50-64	336	4.0	13	1	1	3	5	7	9	14
65+	350	5.1	26	1	2	4	6	9	11	22
GRAND TOTAL	**1005**	**4.3**	**18**	**1**	**1**	**3**	**5**	**8**	**10**	**17**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	217	1.6	2	<1	<1	1	2	3	3	4
20-34	84	2.4	1	<1	1	2	3	4	4	7
35-49	98	2.1	2	1	1	2	3	4	5	7
50-64	166	2.3	2	1	1	2	3	4	4	7
65+	122	2.6	1	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	1.2		<1	<1	<1	1	2	3	3
20-34	3	1.0		1	1	1	1	1	1	1
35-49	1	4.0		4	4	4	4	4	4	4
50-64	6	1.7	1	<1	<1	1	3	3	3	3
65+	2	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	205	1.8	2	<1	<1	1	2	3	4	6
20-34	39	3.3	10	<1	1	3	4	6	8	20
35-49	66	3.1	10	1	1	2	3	6	7	21
50-64	126	2.8	2	1	1	3	3	4	5	8
65+	137	4.0	7	1	2	3	5	7	10	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	687	2.1	2	<1	<1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	25	1.5	1	<1	<1	1	2	3	3	4
B. *Operated*	573	2.8	5	<1	<1	2	3	5	7	13
1. SINGLE DX	689	2.1	2	<1	<1	2	3	4	4	6
2. MULTIPLE DX	598	2.7	5	<1	<1	2	3	5	6	13
A. NOT OPERATED	27	1.4	1	<1	<1	1	2	3	3	4
B. OPERATED	1260	2.4	3	<1	<1	2	3	4	5	10
TOTAL 0-19 YRS	437	1.7	2	<1	<1	1	2	3	3	5
20-34	126	2.6	4	<1	1	2	3	4	5	12
35-49	165	2.5	5	1	1	2	3	4	5	12
50-64	298	2.5	2	1	1	2	3	4	4	8
65+	261	3.4	5	1	2	3	4	6	8	13
GRAND TOTAL	**1287**	**2.4**	**3**	**<1**	**<1**	**2**	**3**	**4**	**5**	**10**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	3.4	3	1	1	3	4	5	8	8
20-34	99	3.8	5	1	1	3	5	7	8	11
35-49	44	3.8	6	1	1	3	5	7	8	11
50-64	30	5.1	8	2	2	4	6	9	10	13
65+	33	5.1	7	2	3	5	6	8	11	13
B. *Operated*										
0-19 YRS	36	3.4	7	1	1	2	5	7	7	14
20-34	53	3.2	4	<1	1	3	4	7	7	9
35-49	35	3.4	5	<1	1	3	4	7	8	10
50-64	31	3.4	4	<1	1	3	5	5	6	9
65+	21	2.7	1	1	1	3	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	4.4	7	2	2	3	6	8	9	9
20-34	58	4.9	13	1	2	4	6	9	12	21
35-49	39	3.8	3	2	2	4	5	6	7	8
50-64	57	6.7	13	2	3	6	9	11	13	21
65+	80	6.1	15	2	2	5	7	12	15	20
B. *Operated*										
0-19 YRS	9	1.9	1	<1	<1	2	2	3	3	3
20-34	38	4.4	19	1	1	3	5	9	15	20
35-49	43	4.0	13	1	1	3	5	7	14	16
50-64	52	5.0	14	1	2	4	6	10	13	16
65+	79	7.5	38	2	2	5	10	16	22	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	252	4.1	6	1	1	4	5	7	9	12
B. *Operated*	176	3.3	4	1	1	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	243	5.5	13	2	2	5	7	10	13	21
B. *Operated*	221	5.5	25	1	1	4	7	12	16	24
1. SINGLE DX	428	3.7	5	1	1	3	5	7	8	11
2. MULTIPLE DX	464	5.5	19	1	2	4	7	11	14	22
A. NOT OPERATED	495	4.8	10	1	2	4	6	9	11	16
B. OPERATED	397	4.5	17	1	1	3	5	9	13	22
TOTAL 0-19 YRS	100	3.4	5	1	1	3	4	7	8	11
20-34	248	4.0	9	1	1	3	5	7	9	15
35-49	161	3.8	7	1	1	3	5	7	8	15
50-64	170	5.3	12	1	2	4	7	10	12	16
65+	213	6.1	23	2	2	5	7	12	16	24
GRAND TOTAL	**892**	**4.6**	**13**	**1**	**1**	**4**	**6**	**9**	**11**	**19**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	117	1.1		<1	<1	<1	1	1	2	3
20-34	15	1.2		<1	<1	<1	1	2	3	3
35-49	8	1.4	1	<1	<1	1	2	3	3	3
50-64	9	1.2		<1	<1	1	1	2	2	2
65+	11	2.5	5	<1	<1	2	3	7	7	7
B. *Operated*										
0-19 YRS	240	1.4	4	<1	<1	<1	1	2	2	3
20-34	64	1.6	1	<1	<1	1	2	3	3	5
35-49	42	1.5	1	<1	<1	1	2	3	3	4
50-64	41	1.6		<1	<1	2	2	2	2	4
65+	22	1.9	1	<1	<1	2	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	2.5	26	<1	<1	<1	1	5	17	20
20-34	4	1.3		<1	<1	1	2	2	2	2
35-49	7	1.6	1	1	1	1	2	3	3	3
50-64	7	1.7	1	<1	<1	1	2	4	4	4
65+	10	11.1	309	<1	<1	4	7	42	54	54
B. *Operated*										
0-19 YRS	77	1.4	1	<1	<1	1	2	2	2	5
20-34	38	2.1	3	<1	1	2	2	3	7	8
35-49	36	1.7	1	<1	<1	2	2	2	3	5
50-64	47	2.4	5	<1	<1	2	2	4	6	15
65+	70	5.1	32	<1	1	3	6	10	19	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	160	1.2	1	<1	<1	<1	1	2	2	6
B. *Operated*	409	1.5	3	<1	<1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	42	4.1	92	<1	<1	1	2	6	24	54
B. *Operated*	268	2.7	12	<1	<1	2	2	5	7	22
1. SINGLE DX	569	1.4	2	<1	<1	1	2	2	2	4
2. MULTIPLE DX	310	2.9	23	<1	<1	2	2	6	8	28
A. NOT OPERATED	202	1.8	21	<1	<1	<1	1	2	3	25
B. OPERATED	677	1.9	7	<1	<1	1	2	3	5	14
TOTAL 0-19 YRS	448	1.3	3	<1	<1	<1	1	2	2	3
20-34	121	1.7	1	<1	<1	1	2	3	4	7
35-49	93	1.6	1	<1	<1	1	2	3	3	5
50-64	104	1.9	3	<1	<1	2	2	3	4	11
65+	113	4.8	51	<1	<1	3	5	8	18	39
GRAND TOTAL	**879**	**1.9**	**10**	**<1**	**<1**	**1**	**2**	**3**	**5**	**15**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	1.6	1	<1	<1	1	2	4	4	4
20-34	18	2.2	2	<1	<1	2	3	4	5	6
35-49	12	3.3	17	1	1	1	4	9	14	15
50-64	8	3.0	8	<1	<1	2	4	8	9	9
65+	9	3.1	4	1	1	4	4	6	6	6
B. *Operated*										
0-19 YRS	381	1.7	2	<1	<1	1	2	3	4	8
20-34	282	2.1	4	<1	1	2	2	3	4	10
35-49	184	2.3	12	<1	<1	2	3	4	5	10
50-64	216	2.7	3	1	1	2	3	5	6	11
65+	106	3.2	6	<1	1	3	4	5	8	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	2.1	3	<1	<1	1	3	5	6	6
20-34	16	3.3	5	1	1	3	4	7	8	8
35-49	15	3.3	12	<1	1	3	4	6	12	14
50-64	20	3.7	11	<1	<1	3	4	9	11	12
65+	35	5.2	19	1	1	4	6	9	12	25
B. *Operated*										
0-19 YRS	143	1.9	2	<1	<1	1	2	3	5	8
20-34	177	3.0	8	<1	1	2	3	6	10	15
35-49	177	3.7	16	1	1	3	4	7	10	20
50-64	297	4.6	33	1	1	3	5	9	13	25
65+	219	4.7	19	1	2	3	5	9	15	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	2.4	5	<1	<1	1	3	4	6	14
B. *Operated*	1169	2.2	5	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	101	3.9	12	<1	1	3	5	8	10	19
B. *Operated*	1013	3.8	19	1	1	3	4	8	11	21
1. SINGLE DX	1237	2.2	5	<1	1	2	3	4	5	9
2. MULTIPLE DX	1114	3.8	19	1	1	3	4	8	11	21
A. NOT OPERATED	169	3.3	10	<1	<1	3	4	7	9	15
B. OPERATED	2182	3.0	12	<1	1	2	3	5	8	18
TOTAL 0-19 YRS	560	1.8	2	<1	<1	1	2	3	4	8
20-34	493	2.5	5	<1	1	2	3	4	6	14
35-49	388	3.0	15	<1	1	2	3	6	9	19
50-64	541	3.8	20	1	1	3	4	7	10	17
65+	369	4.3	16	1	1	3	5	8	12	25
GRAND TOTAL	**2351**	**3.0**	**12**	**<1**	**1**	**2**	**3**	**6**	**8**	**17**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	6	2.2	1	<1	<1	2	2	4	4	4
50-64	3	1.3		<1	<1	1	2	2	2	2
65+	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
0-19 YRS	52	1.6	1	<1	<1	1	2	3	3	5
20-34	444	1.9	5	<1	<1	1	2	3	5	7
35-49	1137	2.0	2	<1	<1	2	2	4	5	8
50-64	610	2.0	2	<1	<1	2	2	3	4	6
65+	276	2.0	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	4	3.8	6	1	1	3	5	7	7	7
35-49	7	2.4	3	<1	<1	2	4	5	5	5
50-64	8	1.1		<1	<1	1	1	2	2	2
65+	10	2.8	6	1	1	2	5	7	8	8
B. *Operated*										
0-19 YRS	24	2.3	3	<1	<1	2	3	5	6	8
20-34	199	2.7	4	<1	<1	2	4	6	7	9
35-49	621	3.0	12	<1	1	2	4	6	7	11
50-64	455	2.8	4	<1	1	2	4	5	7	10
65+	270	3.1	8	<1	1	2	3	5	8	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	2.1	1	<1	<1	2	3	4	4	4
B. *Operated*	2519	2.0	2	<1	<1	2	2	3	5	7
2. MULTIPLE DX										
A. *Not Operated*	30	2.4	4	<1	<1	1	3	5	7	8
B. *Operated*	1569	2.9	8	<1	1	2	4	5	7	11
1. SINGLE DX	2534	2.0	2	<1	<1	2	2	3	5	7
2. MULTIPLE DX	1599	2.9	8	<1	1	2	4	5	7	11
A. NOT OPERATED	45	2.3	3	<1	<1	2	3	5	6	8
B. OPERATED	4088	2.3	5	<1	<1	2	3	4	6	9
TOTAL 0-19 YRS	79	1.8	2	<1	<1	1	2	3	5	7
20-34	649	2.2	5	<1	<1	2	2	5	5	8
35-49	1771	2.4	6	<1	<1	2	3	5	6	9
50-64	1076	2.3	3	<1	<1	2	3	4	6	9
65+	558	2.6	5	<1	<1	2	3	4	6	12
GRAND TOTAL	**4133**	**2.3**	**5**	**<1**	**<1**	**2**	**3**	**4**	**6**	**9**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	3.0	2	1	1	3	4	5	5	5
20-34	42	3.1	3	<1	1	3	4	5	6	9
35-49	18	2.4	5	<1	<1	1	3	6	8	9
50-64	7	3.0	5	1	1	2	4	6	7	7
65+	3	2.0	1	<1	<1	2	3	3	3	3
B. *Operated*										
0-19 YRS	249	2.5	2	<1	1	2	3	4	5	8
20-34	463	2.7	3	<1	1	2	4	4	5	10
35-49	306	2.8	7	<1	<1	2	4	5	5	9
50-64	258	2.7	7	<1	1	2	3	4	6	10
65+	158	2.3	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	4.6	7	2	2	4	6	9	10	10
20-34	32	3.8	11	<1	1	3	4	8	8	18
35-49	35	4.1	20	<1	<1	3	5	8	16	20
50-64	13	3.7	27	<1	<1	1	4	12	17	18
65+	21	3.8	14	<1	1	2	5	8	13	16
B. *Operated*										
0-19 YRS	52	3.3	5	<1	<1	3	4	5	6	16
20-34	209	3.2	4	<1	<1	3	4	5	6	10
35-49	251	3.5	5	<1	1	3	5	6	8	13
50-64	262	4.0	9	1	1	3	5	7	9	12
65+	163	4.3	20	1	1	3	5	7	11	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	78	2.9	3	<1	1	3	4	5	7	9
B. *Operated*	1434	2.6	4	<1	<1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	108	3.9	16	<1	<1	3	5	8	11	19
B. *Operated*	937	3.7	9	<1	1	3	5	6	8	13
1. SINGLE DX	1512	2.7	4	<1	1	2	3	4	5	9
2. MULTIPLE DX	1045	3.7	9	<1	1	3	5	7	9	16
A. NOT OPERATED	186	3.5	11	<1	<1	3	4	7	9	18
B. OPERATED	2371	3.1	6	<1	1	3	4	5	7	12
TOTAL 0-19 YRS	316	2.7	3	<1	1	2	3	4	5	8
20-34	746	2.9	4	<1	1	3	4	5	6	10
35-49	610	3.2	7	<1	<1	3	4	6	8	13
50-64	540	3.3	8	<1	1	3	4	6	8	12
65+	345	3.3	12	<1	1	2	4	6	8	17
GRAND TOTAL	**2557**	**3.1**	**7**	**<1**	**1**	**3**	**4**	**5**	**7**	**12**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	166	2.1	2	1	1	2	3	3	4	8
20-34	386	2.1	4	<1	1	2	3	4	5	7
35-49	73	2.2	2	1	1	2	3	4	5	6
50-64	8	2.0	2	<1	<1	2	2	4	5	5
65+	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
0-19 YRS	349	3.7	5	<1	1	4	5	7	8	12
20-34	1174	3.9	5	1	1	4	5	6	7	11
35-49	276	4.7	4	1	2	5	6	7	8	10
50-64	53	5.8	3	3	4	6	7	8	10	11
65+	13	6.9	5	3	4	6	9	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	78	2.2	2	1	1	2	3	4	5	7
20-34	237	2.5	6	1	1	2	3	5	8	15
35-49	60	2.7	4	1	1	2	3	5	6	12
50-64	5	2.8	3	2	2	2	3	6	6	6
65+	4	9.3	29	2	2	10	13	15	15	15
B. *Operated*										
0-19 YRS	284	4.5	6	1	2	4	6	7	9	13
20-34	1959	4.9	7	1	2	5	6	8	9	13
35-49	811	5.9	6	3	4	6	7	8	10	15
50-64	125	6.8	10	4	5	6	8	10	11	24
65+	58	9.8	121	4	5	7	10	14	22	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	634	2.1	3	<1	1	2	3	4	5	7
B. *Operated*	1865	4.1	5	1	1	4	5	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	384	2.5	6	1	1	2	3	4	7	14
B. *Operated*	3237	5.3	9	1	2	5	6	8	10	15
1. SINGLE DX	2499	3.6	5	1	1	4	5	6	7	10
2. MULTIPLE DX	3621	5.0	10	1	1	5	6	8	10	15
A. NOT OPERATED	1018	2.3	4	1	1	2	3	4	5	11
B. OPERATED	5102	4.8	8	1	1	5	6	8	9	14
TOTAL 0-19 YRS	877	3.5	5	1	1	3	5	6	8	12
20-34	3756	4.2	7	1	1	4	5	7	8	13
35-49	1220	5.3	6	1	2	5	6	8	9	14
50-64	191	6.2	9	2	3	6	7	9	10	20
65+	76	9.3	95	3	5	7	10	14	18	70
GRAND TOTAL	**6120**	**4.4**	**8**	**1**	**1**	**4**	**6**	**7**	**9**	**13**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	468	3.8	5	1	2	3	4	6	7	13
20-34	1187	4.1	7	1	2	4	5	7	8	11
35-49	154	4.6	6	2	2	4	6	7	9	11
50-64	10	3.8	3	2	2	3	4	6	8	8
65+	4	6.8		6	6	7	7	7	7	7
B. *Operated*										
0-19 YRS	157	4.5	8	1	1	4	6	7	10	14
20-34	840	4.3	8	<1	<1	4	6	8	9	14
35-49	198	5.5	11	<1	1	5	7	9	11	18
50-64	37	5.5	7	1	2	5	7	9	10	13
65+	9	7.1	66	<1	<1	5	9	20	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	238	4.4	6	2	2	4	6	7	8	12
20-34	806	4.6	8	1	2	4	6	8	10	15
35-49	175	5.0	8	1	2	5	6	9	10	15
50-64	19	6.7	24	2	2	6	8	14	19	21
65+	12	6.0	17	2	2	5	9	12	14	14
B. *Operated*										
0-19 YRS	239	5.9	11	1	2	5	7	10	13	16
20-34	2461	5.2	11	<1	1	5	6	8	10	16
35-49	897	6.6	15	1	3	6	8	10	12	22
50-64	113	9.5	48	4	4	7	10	19	24	39
65+	46	13.6	155	3	4	9	19	32	50	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1823	4.0	7	1	2	4	5	7	8	11
B. *Operated*	1241	4.6	9	<1	<1	5	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	1250	4.7	8	1	2	4	6	8	10	15
B. *Operated*	3756	5.8	16	1	1	5	7	9	12	21
1. SINGLE DX	3064	4.3	8	1	1	4	5	7	9	13
2. MULTIPLE DX	5006	5.5	14	1	2	5	7	9	11	19
A. NOT OPERATED	3073	4.3	7	1	2	4	5	7	9	13
B. OPERATED	4997	5.5	15	<1	1	5	7	9	11	19
TOTAL 0-19 YRS	1102	4.5	8	1	2	4	6	7	9	14
20-34	5294	4.7	9	1	1	5	6	8	10	15
35-49	1424	6.0	13	1	2	6	7	10	12	19
50-64	179	8.1	38	2	3	6	9	17	21	34
65+	71	11.1	121	2	3	8	13	25	45	90
GRAND TOTAL	**8070**	**5.1**	**12**	**1**	**1**	**5**	**6**	**8**	**10**	**17**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.8	2	<1	<1	3	4	4	4	4
20-34	39	2.7	3	<1	1	2	4	5	7	7
35-49	7	1.7	1	<1	<1	2	2	3	3	3
50-64	1	4.0		4	4	4	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	37	2.4	3	<1	<1	2	3	5	7	7
20-34	741	3.7	5	<1	<1	4	6	6	7	9
35-49	410	5.0	4	1	2	5	6	7	7	10
50-64	28	5.6	5	<1	1	6	7	8	9	10
65+	5	4.0	8	1	1	5	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.0	1	1	1	2	2	3	3	3
20-34	35	3.4	6	<1	<1	3	5	7	8	10
35-49	19	3.5	8	<1	<1	3	5	7	10	12
50-64	3	1.3		<1	<1	1	2	2	2	2
65+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	34	4.0	8	<1	<1	4	6	9	10	10
20-34	2317	5.1	5	1	1	5	6	7	8	12
35-49	2404	6.0	5	3	4	6	7	8	9	13
50-64	302	6.4	7	4	4	6	7	8	9	18
65+	52	8.4	33	4	5	7	8	12	23	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	2.6	3	<1	1	2	4	5	7	7
B. *Operated*	1221	4.2	5	<1	<1	5	6	7	7	9
2. MULTIPLE DX										
A. *Not Operated*	64	3.2	6	<1	<1	2	5	6	8	12
B. *Operated*	5109	5.6	6	1	3	6	7	8	9	13
1. SINGLE DX	1272	4.1	5	<1	<1	5	6	7	7	9
2. MULTIPLE DX	5173	5.6	6	1	2	6	7	8	9	13
A. NOT OPERATED	115	2.9	5	<1	1	2	4	6	7	11
B. OPERATED	6330	5.3	6	1	2	6	6	8	9	12
TOTAL 0-19 YRS	80	3.1	6	<1	<1	2	5	7	8	10
20-34	3132	4.7	6	<1	1	5	6	7	8	11
35-49	2840	5.8	5	2	4	6	7	8	9	13
50-64	334	6.2	7	3	4	6	7	8	9	17
65+	59	7.8	33	1	3	7	8	12	21	36
GRAND TOTAL	**6445**	**5.3**	**6**	**1**	**1**	**5**	**6**	**8**	**9**	**12**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	4.7		4	4	5	5	5	5	5
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	5	1.0		1	1	1	1	1	1	1
20-34	57	2.3	3	<1	<1	1	3	6	6	6
35-49	51	2.9	8	<1	<1	2	4	6	7	16
50-64	22	1.5	1	<1	<1	1	2	3	4	4
65+	6	1.5		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	7	3.4	7	1	1	2	5	8	8	8
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	7	6.0	44	1	1	3	7	17	20	20
20-34	311	4.8	7	<1	1	5	6	8	9	12
35-49	310	4.9	6	<1	1	5	6	7	8	11
50-64	104	4.5	12	<1	<1	5	6	8	11	16
65+	28	5.7	28	1	1	6	7	9	16	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	4.7		4	4	5	5	5	5	5
B. *Operated*	141	2.3	5	<1	<1	1	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	9	3.2	6	1	1	2	5	7	8	8
B. *Operated*	760	4.8	8	<1	1	5	6	8	9	15
1. SINGLE DX	144	2.4	5	<1	<1	1	3	5	6	9
2. MULTIPLE DX	769	4.8	8	<1	1	5	6	8	9	15
A. NOT OPERATED	12	3.6	5	1	1	4	5	7	8	8
B. OPERATED	901	4.5	9	<1	<1	5	6	7	9	15
TOTAL 0-19 YRS	13	3.7	29	1	1	1	4	10	18	20
20-34	378	4.4	7	<1	1	5	6	7	9	11
35-49	362	4.6	7	<1	1	5	6	7	8	11
50-64	126	4.0	11	<1	<1	3	6	8	9	15
65+	34	4.9	25	1	1	3	7	9	14	26
GRAND TOTAL	**913**	**4.4**	**8**	**<1**	**<1**	**5**	**6**	**7**	**9**	**15**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	2.7	2	1	1	2	3	5	6	6
20-34	91	3.1	3	1	1	3	4	5	6	10
35-49	22	3.0	8	<1	<1	2	4	7	9	12
50-64	3	4.0	1	3	3	4	5	5	5	5
65+	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	43	1.5	1	<1	<1	1	2	3	4	4
20-34	294	1.7	2	<1	<1	1	2	3	4	6
35-49	143	1.5	1	<1	<1	1	2	3	3	5
50-64	51	1.5	1	<1	<1	1	2	2	3	6
65+	22	2.5	8	<1	<1	2	2	6	10	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	4.0	4	1	2	4	5	7	8	11
20-34	120	4.7	8	2	2	4	6	9	10	14
35-49	30	5.3	15	1	2	4	6	10	15	16
50-64	11	4.4	10	2	2	4	5	9	13	13
65+	19	7.7	23	2	3	7	11	15	17	18
B. *Operated*										
0-19 YRS	35	3.4	7	<1	<1	2	6	8	8	9
20-34	265	4.0	8	<1	1	4	6	8	8	14
35-49	132	4.7	24	<1	<1	3	6	9	12	23
50-64	63	6.7	201	<1	1	2	6	17	24	92
65+	32	6.9	80	1	1	3	9	16	23	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	145	3.0	3	1	1	3	4	5	6	10
B. *Operated*	553	1.6	2	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	228	4.9	10	2	2	4	6	10	11	16
B. *Operated*	527	4.6	40	<1	1	3	6	8	11	25
1. SINGLE DX	698	1.9	2	<1	<1	1	2	4	5	8
2. MULTIPLE DX	755	4.7	31	<1	1	4	6	8	11	21
A. NOT OPERATED	373	4.2	8	1	2	3	5	8	10	15
B. OPERATED	1080	3.1	23	<1	<1	2	4	7	8	17
TOTAL 0-19 YRS	153	2.9	4	<1	1	2	4	6	8	10
20-34	770	3.1	6	<1	<1	2	4	6	8	12
35-49	327	3.2	14	<1	<1	2	4	7	10	16
50-64	128	4.3	105	<1	<1	2	4	7	17	59
65+	75	5.7	47	<1	1	3	8	13	17	40
GRAND TOTAL	**1453**	**3.4**	**19**	**<1**	**<1**	**2**	**4**	**7**	**9**	**16**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	5.3	56	<1	<1	<1	11	14	14	14
50-64	3	4.3		4	4	4	5	5	5	5
65+	6	2.0	1	1	1	2	2	4	4	4
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	261	5.2	4	2	3	5	6	8	9	10
35-49	425	5.7	3	3	4	6	7	8	9	11
50-64	577	5.9	4	3	4	6	7	8	9	11
65+	500	6.4	5	3	4	6	7	9	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	9	2.8	2	<1	<1	3	4	5	5	5
35-49	18	2.0	3	<1	<1	1	2	5	6	6
50-64	31	2.6	4	<1	1	2	4	6	7	8
65+	39	4.1	18	<1	<1	2	6	9	11	22
B. *Operated*										
0-19 YRS	3	6.7		6	6	7	7	7	7	7
20-34	921	5.9	5	3	4	6	7	8	9	14
35-49	1874	6.3	4	4	4	6	7	9	10	15
50-64	1498	6.9	13	4	4	6	8	9	12	16
65+	1299	7.5	10	4	5	7	9	11	13	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	3.4	13	<1	<1	2	4	8	13	14
B. *Operated*	1764	5.9	4	3	4	6	7	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	97	3.1	10	<1	<1	2	4	7	8	18
B. *Operated*	5595	6.7	9	4	4	6	8	9	11	16
1. SINGLE DX	1776	5.9	4	3	4	6	7	8	9	12
2. MULTIPLE DX	5692	6.6	9	4	4	6	8	9	11	16
A. NOT OPERATED	109	3.1	10	<1	<1	2	4	7	8	17
B. OPERATED	7359	6.5	8	3	4	6	7	9	10	15
TOTAL 0-19 YRS	4	6.5		6	6	6	7	7	7	7
20-34	1191	5.7	5	3	4	6	7	8	9	13
35-49	2320	6.2	4	3	4	6	7	8	10	14
50-64	2109	6.6	11	3	4	6	8	9	11	15
65+	1844	7.1	9	3	4	7	8	10	12	17
GRAND TOTAL	**7468**	**6.5**	**8**	**3**	**4**	**6**	**7**	**9**	**10**	**15**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	3	2.0	3	1	1	1	3	4	4	4
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	70	1.4	1	<1	<1	1	1	3	3	8
35-49	84	1.5	2	<1	<1	<1	1	3	5	7
50-64	17	1.4	1	<1	<1	1	2	3	3	3
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	7	2.3	1	<1	<1	2	3	4	4	4
35-49	3	1.0		<1	<1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	4	3.5	3	2	2	3	5	5	5	5
20-34	87	3.3	8	<1	<1	2	6	7	8	13
35-49	135	3.7	9	<1	<1	3	5	7	8	13
50-64	21	3.3	10	<1	<1	1	6	8	9	11
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	1.6	1	1	1	1	2	4	4	4
B. *Operated*	173	1.5	1	<1	<1	<1	1	2	5	7
2. MULTIPLE DX										
A. *Not Operated*	12	1.8	1	<1	<1	1	2	3	4	4
B. *Operated*	247	3.5	8	<1	<1	2	5	7	8	11
1. SINGLE DX	180	1.5	1	<1	<1	1	1	3	5	7
2. MULTIPLE DX	259	3.4	8	<1	<1	2	5	7	8	11
A. NOT OPERATED	19	1.7	1	<1	<1	1	2	3	4	4
B. OPERATED	420	2.7	7	<1	<1	1	5	6	7	11
TOTAL 0-19 YRS	10	2.1	3	<1	<1	2	2	5	5	5
20-34	167	2.4	6	<1	<1	1	3	6	7	10
35-49	223	2.8	7	<1	<1	1	5	6	7	11
50-64	39	2.4	6	<1	<1	1	3	7	8	11
65+										
GRAND TOTAL	**439**	**2.6**	**6**	**<1**	**<1**	**1**	**4**	**6**	**7**	**11**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	1.6	1	<1	<1	1	2	3	3	4
20-34	72	1.3		<1	<1	1	2	2	2	4
35-49	38	1.4	1	<1	<1	1	1	2	3	7
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	83	1.4	1	<1	<1	1	2	2	4	6
20-34	1196	1.9	3	<1	<1	1	2	5	6	7
35-49	1384	1.8	3	<1	<1	1	2	5	6	7
50-64	161	1.6	2	<1	<1	<1	1	4	5	7
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	2.3	2	<1	1	2	3	4	5	9
20-34	116	1.9	2	<1	<1	1	2	3	4	8
35-49	113	1.9	2	<1	<1	1	2	4	5	8
50-64	19	2.1	3	<1	<1	1	3	4	6	7
65+										
B. *Operated*										
0-19 YRS	112	2.1	2	<1	<1	2	2	4	5	7
20-34	2000	4.0	8	<1	<1	4	6	7	8	12
35-49	3289	4.4	9	<1	<1	5	6	7	8	13
50-64	401	3.9	8	<1	<1	4	6	7	8	11
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	146	1.4	1	<1	<1	1	2	2	3	4
B. *Operated*	2824	1.8	3	<1	<1	1	2	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	293	2.0	2	<1	<1	1	2	4	5	8
B. *Operated*	5802	4.2	8	<1	<1	4	6	7	8	12
1. SINGLE DX	2970	1.8	3	<1	<1	1	2	5	6	7
2. MULTIPLE DX	6095	4.0	8	<1	<1	4	6	7	8	12
A. NOT OPERATED	439	1.8	2	<1	<1	1	2	3	4	8
B. OPERATED	8626	3.4	8	<1	<1	2	5	7	8	11
TOTAL 0-19 YRS	275	1.9	2	<1	<1	1	2	4	5	7
20-34	3384	3.1	7	<1	<1	2	5	6	7	11
35-49	4824	3.6	8	<1	<1	3	6	7	8	11
50-64	582	3.2	7	<1	<1	2	5	7	8	11
65+										
GRAND TOTAL	**9065**	**3.3**	**8**	**<1**	**<1**	**2**	**5**	**7**	**8**	**11**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	3.3	5	2	2	2	5	6	6	6
50-64	6	1.8	3	<1	<1	1	2	5	5	5
65+	6	1.3	1	<1	<1	1	1	3	3	3
B. *Operated*										
0-19 YRS	2	3.5	13	<1	<1	3	6	6	6	6
20-34	3	2.3	5	1	1	1	4	5	5	5
35-49	118	1.3	1	<1	<1	1	1	2	3	6
50-64	532	1.4	1	<1	<1	1	1	2	2	7
65+	207	1.7	2	<1	<1	1	2	2	3	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	16	3.2	6	<1	<1	3	4	6	9	10
50-64	29	2.4	9	<1	<1	1	3	4	6	17
65+	19	2.6	5	<1	<1	2	4	4	7	10
B. *Operated*										
0-19 YRS										
20-34	14	4.6	5	1	1	5	6	7	8	8
35-49	134	3.1	8	<1	<1	2	5	7	8	15
50-64	673	2.6	8	<1	<1	1	3	6	7	14
65+	329	2.9	10	<1	1	2	3	7	8	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	1.9	3	<1	<1	1	2	5	6	6
B. *Operated*	862	1.4	1	<1	<1	1	2	2	3	7
2. MULTIPLE DX										
A. *Not Operated*	65	2.7	7	<1	<1	2	3	4	7	16
B. *Operated*	1150	2.8	8	<1	<1	2	3	6	8	14
1. SINGLE DX	877	1.4	1	<1	<1	1	2	2	3	7
2. MULTIPLE DX	1215	2.8	8	<1	<1	2	3	6	8	14
A. NOT OPERATED	80	2.5	6	<1	<1	2	3	5	6	15
B. OPERATED	2012	2.2	6	<1	<1	1	2	6	7	11
TOTAL 0-19 YRS	2	3.5	13	<1	<1	3	6	6	6	6
20-34	18	4.1	5	1	1	5	5	7	8	8
35-49	271	2.3	5	<1	<1	1	2	6	7	10
50-64	1240	2.1	5	<1	<1	1	2	5	7	11
65+	561	2.4	7	<1	<1	2	2	6	8	13
GRAND TOTAL	**2092**	**2.2**	**6**	**<1**	**<1**	**1**	**2**	**6**	**7**	**12**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	1.4		<1	<1	1	2	2	3	3
20-34	64	2.2	4	<1	<1	1	3	5	7	9
35-49	18	2.3	2	<1	<1	2	4	4	5	6
50-64	3	1.3		<1	<1	1	2	2	2	2
65+	3	3.7	8	2	2	2	6	7	7	7
B. *Operated*										
0-19 YRS	113	2.3	3	<1	<1	2	3	5	6	7
20-34	1066	2.5	5	<1	<1	2	4	5	6	9
35-49	752	2.5	5	<1	<1	1	4	6	6	10
50-64	450	2.5	12	<1	<1	1	2	6	7	10
65+	162	2.6	10	<1	<1	1	2	6	7	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	3.0	8	1	1	2	3	9	9	9
20-34	87	2.7	7	<1	1	2	4	6	8	13
35-49	34	2.8	7	<1	<1	2	4	7	10	11
50-64	23	3.8	9	<1	<1	2	5	9	10	10
65+	27	5.1	32	1	1	3	6	12	15	28
B. *Operated*										
0-19 YRS	80	2.7	3	<1	<1	2	4	6	6	6
20-34	1378	4.0	9	<1	<1	4	6	7	8	14
35-49	1630	4.4	10	<1	<1	5	6	7	8	14
50-64	1033	4.6	25	<1	<1	5	6	8	10	20
65+	419	5.6	28	<1	1	4	8	12	16	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	111	2.1	3	<1	<1	1	3	4	6	8
B. *Operated*	2543	2.5	6	<1	<1	1	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	185	3.3	11	<1	1	2	4	7	10	14
B. *Operated*	4540	4.4	15	<1	<1	4	6	8	9	17
1. SINGLE DX	2654	2.5	6	<1	<1	1	3	6	6	10
2. MULTIPLE DX	4725	4.3	15	<1	<1	4	6	8	9	17
A. NOT OPERATED	296	2.8	9	<1	<1	2	3	6	9	13
B. OPERATED	7083	3.7	12	<1	<1	3	6	7	8	15
TOTAL 0-19 YRS	230	2.4	3	<1	<1	2	3	5	6	9
20-34	2595	3.3	7	<1	<1	2	5	6	7	11
35-49	2434	3.7	9	<1	<1	3	6	7	8	12
50-64	1509	4.0	22	<1	<1	2	6	7	9	17
65+	611	4.8	25	<1	1	2	7	10	15	27
GRAND TOTAL	**7379**	**3.7**	**12**	**<1**	**<1**	**2**	**6**	**7**	**8**	**15**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	102	1.6	1	<1	<1	1	2	3	3	4
20-34	181	1.9	2	<1	<1	1	2	4	5	8
35-49	46	2.4	4	1	1	2	3	4	5	13
50-64	6	2.8	8	<1	<1	2	4	8	8	8
65+	4	5.8	23	2	2	5	9	12	12	12
B. *Operated*										
0-19 YRS	86	1.9	2	<1	<1	1	2	4	5	8
20-34	851	2.7	6	<1	<1	2	4	6	7	10
35-49	460	5.1	7	<1	1	5	7	8	9	10
50-64	336	6.4	5	3	4	6	8	9	10	12
65+	162	7.4	9	4	5	7	9	10	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	69	2.0	1	<1	1	2	2	3	4	6
20-34	220	2.2	5	<1	<1	1	3	4	6	11
35-49	52	2.8	10	<1	<1	2	4	5	8	20
50-64	22	3.0	4	<1	1	3	4	6	7	8
65+	29	4.3	10	<1	1	3	5	10	10	13
B. *Operated*										
0-19 YRS	116	2.7	4	<1	<1	2	4	6	6	10
20-34	2365	4.3	6	<1	<1	5	6	7	8	11
35-49	1521	5.9	7	1	2	6	7	9	10	13
50-64	540	7.2	10	3	4	7	8	10	12	19
65+	312	8.5	26	4	5	8	10	13	17	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	339	1.9	2	<1	<1	1	2	4	5	8
B. *Operated*	1895	4.3	9	<1	<1	4	6	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	392	2.4	5	<1	<1	2	3	5	6	12
B. *Operated*	4854	5.4	10	<1	1	5	7	9	10	16
1. SINGLE DX	2234	4.0	9	<1	<1	4	6	8	9	12
2. MULTIPLE DX	5246	5.1	10	<1	1	5	7	8	10	15
A. NOT OPERATED	731	2.2	4	<1	<1	2	3	4	5	11
B. OPERATED	6749	5.1	10	<1	1	5	7	8	10	14
TOTAL 0-19 YRS	373	2.1	3	<1	<1	1	3	4	5	7
20-34	3617	3.7	6	<1	<1	4	5	7	8	10
35-49	2079	5.6	8	1	1	6	7	8	9	13
50-64	904	6.8	8	2	4	6	8	10	11	18
65+	507	7.9	21	3	4	7	9	12	14	23
GRAND TOTAL	**7480**	**4.8**	**10**	**<1**	**1**	**5**	**6**	**8**	**9**	**14**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	4	1	1	3	4	5	5	5
20-34	26	3.0	18	<1	<1	2	3	6	10	22
35-49	2	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	115	4.1	1	2	3	4	5	6	6	8
20-34	1427	4.2	2	2	3	4	5	6	6	8
35-49	150	4.4	3	3	3	4	5	6	7	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	4.0	19	1	1	2	7	9	9	9
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	84	4.4	2	2	3	4	5	6	7	10
20-34	1382	4.7	8	3	3	4	5	6	7	10
35-49	161	5.1	4	3	3	5	6	7	9	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	3.1	15	<1	<1	2	4	5	7	22
B. *Operated*	1692	4.2	2	2	3	4	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	4	4.3	13	1	1	3	7	9	9	9
B. *Operated*	1627	4.7	8	3	3	4	5	6	7	11
1. SINGLE DX	1723	4.2	2	2	3	4	5	6	6	8
2. MULTIPLE DX	1631	4.7	8	3	3	4	5	6	7	11
A. NOT OPERATED	35	3.2	15	<1	<1	2	4	6	8	22
B. OPERATED	3319	4.5	5	3	3	4	5	6	7	10
TOTAL 0-19 YRS	202	4.2	2	2	3	4	5	6	6	8
20-34	2838	4.4	5	3	3	4	5	6	7	10
35-49	314	4.8	3	3	3	5	5	7	8	12
50-64										
65+										
GRAND TOTAL	**3354**	**4.4**	**5**	**3**	**3**	**4**	**5**	**6**	**7**	**10**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54	1.2		<1	<1	1	1	2	2	4
20-34	59	1.4	1	<1	<1	1	1	3	4	6
35-49	7	1.1		<1	<1	1	1	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	953	1.3		<1	<1	1	1	2	2	3
20-34	1583	1.3	1	<1	<1	1	1	2	2	5
35-49	131	1.4	1	<1	<1	1	1	2	3	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	2.3	3	1	1	2	4	5	5	5
20-34	17	2.5	5	<1	1	2	3	3	8	11
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	163	1.5	1	<1	<1	1	2	2	4	7
20-34	802	1.8	3	<1	<1	1	2	4	5	9
35-49	237	1.7	2	<1	<1	1	2	3	6	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	120	1.3	1	<1	<1	1	1	2	3	5
B. *Operated*	2667	1.3		<1	<1	1	1	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	25	2.4	4	<1	1	2	3	4	6	11
B. *Operated*	1202	1.7	3	<1	<1	1	2	3	5	8
1. SINGLE DX	2787	1.3		<1	<1	1	1	2	2	4
2. MULTIPLE DX	1227	1.7	3	<1	<1	1	2	3	5	8
A. NOT OPERATED	145	1.5	1	<1	<1	1	2	3	4	6
B. OPERATED	3869	1.4	1	<1	<1	1	1	2	3	6
TOTAL 0-19 YRS	1177	1.3		<1	<1	1	1	2	2	4
20-34	2461	1.4	1	<1	<1	1	1	2	3	7
35-49	376	1.6	2	<1	<1	1	2	3	5	7
50-64										
65+										
GRAND TOTAL	**4014**	**1.4**	**1**	**<1**	**<1**	**1**	**1**	**2**	**3**	**6**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	2	5.0	32	1	1	5	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	3	1.0		1	1	1	1	1	1	1
1. SINGLE DX	2	5.0	32	1	1	5	9	9	9	9
2. MULTIPLE DX	3	1.0		1	1	1	1	1	1	1
A. NOT OPERATED										
B. OPERATED	5	2.6	13	1	1	1	3	9	9	9
TOTAL 0-19 YRS	3	3.7	21	1	1	1	7	9	9	9
20-34	2	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
GRAND TOTAL	**5**	**2.6**	**13**	**1**	**1**	**1**	**3**	**9**	**9**	**9**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	138	1.4	1	<1	<1	1	2	2	3	5
20-34	463	1.3	1	<1	<1	1	1	2	3	4
35-49	53	1.4	1	<1	<1	1	1	2	3	9
50-64										
65+										
B. *Operated*										
0-19 YRS	866	1.3		<1	<1	1	1	2	2	4
20-34	4845	1.2		<1	<1	1	1	2	2	4
35-49	670	1.2		<1	<1	1	1	2	2	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	1.9	1	<1	1	2	2	3	4	5
20-34	117	1.8	4	<1	<1	1	2	3	4	11
35-49	15	1.8	1	1	1	1	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	129	1.7	2	<1	<1	1	2	3	4	7
20-34	915	1.9	3	<1	<1	1	2	4	5	9
35-49	175	1.9	4	<1	<1	1	2	4	5	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	654	1.3	1	<1	<1	1	1	2	3	5
B. *Operated*	6381	1.2		<1	<1	1	1	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	149	1.8	3	<1	1	1	2	3	4	7
B. *Operated*	1219	1.9	3	<1	<1	1	2	4	5	10
1. SINGLE DX	7035	1.2		<1	<1	1	1	2	2	4
2. MULTIPLE DX	1368	1.9	3	<1	<1	1	2	4	5	10
A. NOT OPERATED	803	1.4	1	<1	<1	1	2	2	3	6
B. OPERATED	7600	1.3	1	<1	<1	1	1	2	3	5
TOTAL 0-19 YRS	1150	1.3	1	<1	<1	1	1	2	3	5
20-34	6340	1.3	1	<1	<1	1	1	2	3	5
35-49	913	1.3	1	<1	<1	1	1	2	3	7
50-64										
65+										
GRAND TOTAL	**8403**	**1.3**	**1**	**<1**	**<1**	**1**	**1**	**2**	**3**	**5**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	2.4	2	<1	<1	2	3	4	5	6
20-34	199	2.0	2	<1	<1	2	3	4	4	6
35-49	22	1.5	1	<1	<1	1	2	3	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	121	1.7	2	<1	<1	1	2	3	4	7
20-34	1001	1.3	1	<1	<1	1	1	2	3	5
35-49	159	1.3	1	<1	<1	1	1	2	3	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	2.5	4	<1	1	2	4	5	7	8
20-34	63	2.5	2	<1	1	2	3	5	6	6
35-49	5	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	53	2.5	3	<1	1	2	3	6	6	8
20-34	324	2.3	5	<1	<1	1	3	5	6	11
35-49	68	1.9	2	<1	<1	2	2	3	4	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	265	2.0	2	<1	<1	2	3	4	4	6
B. *Operated*	1281	1.3	1	<1	<1	1	1	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	94	2.4	3	<1	1	2	3	5	6	8
B. *Operated*	445	2.3	4	<1	<1	1	3	5	6	10
1. SINGLE DX	1546	1.4	1	<1	<1	1	2	2	3	6
2. MULTIPLE DX	539	2.3	4	<1	<1	2	3	5	6	10
A. NOT OPERATED	359	2.1	2	<1	<1	2	3	4	5	7
B. OPERATED	1726	1.6	2	<1	<1	1	2	3	4	7
TOTAL 0-19 YRS	244	2.1	2	<1	<1	1	3	4	6	8
20-34	1587	1.6	2	<1	<1	1	2	3	4	7
35-49	254	1.5	1	<1	<1	1	2	2	3	6
50-64										
65+										
GRAND TOTAL	**2085**	**1.7**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**7**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	97	1.6	1	<1	<1	1	2	3	3	7
20-34	412	1.8	1	<1	<1	1	2	3	4	6
35-49	25	1.6	1	<1	<1	1	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	18	1.9	1	<1	1	2	3	4	5	5
35-49	3	2.0	1	<1	<1	2	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	3.1	3	<1	<1	3	4	6	6	6
20-34	83	2.7	6	<1	1	2	3	5	8	14
35-49	11	1.8	1	1	1	2	2	3	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	3	3.0	12	<1	<1	1	5	7	7	7
20-34	14	2.7	5	1	1	2	4	6	8	9
35-49	2	2.0		2	2	2	2	2	2	2
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	534	1.8	1	<1	<1	1	2	3	4	6
B. *Operated*	23	1.9	1	<1	<1	1	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	112	2.7	5	<1	1	2	3	5	7	13
B. *Operated*	19	2.7	5	<1	1	2	4	6	8	9
1. SINGLE DX	557	1.8	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX	131	2.7	5	<1	1	2	3	5	7	13
A. NOT OPERATED	646	1.9	2	<1	1	1	2	3	5	7
B. OPERATED	42	2.2	3	<1	1	2	3	5	6	9
TOTAL 0-19 YRS	120	1.9	2	<1	<1	1	2	3	5	8
20-34	527	2.0	2	<1	1	1	2	4	5	8
35-49	41	1.7	1	<1	<1	2	2	3	3	4
50-64										
65+										
GRAND TOTAL	**688**	**1.9**	**2**	**<1**	**1**	**1**	**2**	**4**	**5**	**8**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	1.6	1	<1	<1	1	2	3	3	3
20-34	50	1.7	2	<1	<1	1	2	3	3	10
35-49	3	1.7		1	1	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	5	1.4		1	1	1	2	2	2	2
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.6	23	1	1	1	5	12	12	12
20-34	13	4.5	53	<1	1	2	4	11	25	28
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	2	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	62	1.6	2	<1	<1	1	2	3	3	9
B. *Operated*	5	1.4		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	18	4.2	43	<1	1	2	3	10	22	28
B. *Operated*	2	1.0		1	1	1	1	1	1	1
1. SINGLE DX	67	1.6	2	<1	<1	1	2	3	3	9
2. MULTIPLE DX	20	3.9	39	<1	1	2	3	9	20	28
A. NOT OPERATED	80	2.2	12	<1	<1	1	2	3	6	23
B. OPERATED	7	1.3		1	1	1	2	2	2	2
TOTAL 0-19 YRS	14	2.3	9	<1	<1	1	3	4	10	12
20-34	70	2.1	12	<1	<1	1	2	3	5	24
35-49	3	1.7		1	1	2	2	2	2	2
50-64										
65+										
GRAND TOTAL	**87**	**2.1**	**11**	**<1**	**<1**	**1**	**2**	**3**	**5**	**22**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	114	2.8	5	<1	1	2	3	5	7	13
20-34	643	2.7	5	<1	1	2	3	5	7	12
35-49	63	3.0	5	1	1	2	3	5	8	12
50-64										
65+										
B. *Operated*										
0-19 YRS	7	3.4	2	1	1	4	5	5	5	5
20-34	64	3.9	13	<1	1	2	5	9	13	15
35-49	11	2.8	3	<1	<1	2	4	5	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	2.9	7	<1	<1	2	3	5	8	15
20-34	215	3.2	9	<1	1	2	4	6	8	16
35-49	30	3.5	10	<1	<1	3	5	7	7	16
50-64										
65+										
B. *Operated*										
0-19 YRS	13	3.1	6	<1	<1	2	6	6	7	7
20-34	60	3.3	10	<1	<1	3	4	8	9	18
35-49	9	2.8	5	<1	<1	2	4	6	7	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	820	2.8	5	<1	1	2	3	5	7	12
B. *Operated*	82	3.7	11	<1	1	2	5	7	12	15
2. MULTIPLE DX										
A. *Not Operated*	285	3.2	9	<1	1	2	4	6	8	16
B. *Operated*	82	3.2	9	<1	<1	2	4	7	9	16
1. SINGLE DX	902	2.8	6	<1	1	2	3	5	7	13
2. MULTIPLE DX	367	3.2	9	<1	<1	2	4	6	9	16
A. NOT OPERATED	1105	2.9	6	<1	1	2	3	5	7	13
B. OPERATED	164	3.5	10	<1	<1	2	5	7	10	15
TOTAL 0-19 YRS	174	2.8	5	<1	<1	2	4	5	7	14
20-34	982	2.9	7	<1	1	2	4	5	7	14
35-49	113	3.1	6	<1	1	2	4	6	7	14
50-64										
65+										
GRAND TOTAL	**1269**	**2.9**	**7**	**<1**	**1**	**2**	**4**	**5**	**7**	**14**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	180	3.1	3	1	1	3	4	5	7	10
20-34	950	3.5	5	1	1	3	4	6	8	12
35-49	35	4.0	4	2	2	3	5	7	8	9
50-64										
65+										
B. *Operated*										
0-19 YRS	3	2.0	3	1	1	1	3	4	4	4
20-34	3	1.0		1	1	1	1	1	1	1
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	3.3	10	1	1	3	4	6	7	21
20-34	338	3.9	8	1	1	3	5	7	9	17
35-49	20	4.0	5	1	1	4	5	7	8	10
50-64										
65+										
B. *Operated*										
0-19 YRS	4	3.8	3	2	2	3	5	6	6	6
20-34	25	4.4	24	<1	<1	2	5	11	17	21
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1165	3.4	5	1	1	3	4	6	8	11
B. *Operated*	8	1.8	1	1	1	1	2	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	415	3.8	8	1	1	3	5	7	9	17
B. *Operated*	29	4.3	21	<1	<1	3	5	9	16	21
1. SINGLE DX	1173	3.4	5	1	1	3	4	6	8	11
2. MULTIPLE DX	444	3.8	9	1	1	3	5	7	9	17
A. NOT OPERATED	1580	3.5	6	1	1	3	4	6	8	13
B. OPERATED	37	3.8	18	<1	1	2	4	7	14	21
TOTAL 0-19 YRS	244	3.1	5	1	1	3	4	5	7	10
20-34	1316	3.6	6	1	1	3	4	6	8	14
35-49	57	3.9	4	1	2	3	5	7	8	10
50-64										
65+										
GRAND TOTAL	**1617**	**3.5**	**6**	**1**	**1**	**3**	**4**	**6**	**8**	**13**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	844	1.1		<1	<1	<1	1	1	2	3
20-34	3677	1.1		<1	<1	<1	1	1	2	4
35-49	198	1.1		<1	<1	<1	1	1	2	5
50-64										
65+										
B. *Operated*										
0-19 YRS	67	1.5	5	<1	<1	<1	1	2	3	16
20-34	266	1.3	1	<1	<1	<1	1	2	3	6
35-49	19	1.3	1	<1	<1	<1	1	3	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	89	1.5	1	<1	<1	1	1	3	4	6
20-34	365	1.7	5	<1	<1	1	1	3	5	12
35-49	28	1.3	1	<1	<1	1	1	1	2	7
50-64										
65+										
B. *Operated*										
0-19 YRS	17	2.5	3	<1	<1	2	4	5	6	6
20-34	71	1.9	6	<1	<1	1	2	4	5	16
35-49	5	2.8	6	<1	<1	1	5	6	6	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4719	1.1		<1	<1	<1	1	1	2	4
B. *Operated*	352	1.3	2	<1	<1	<1	1	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	482	1.6	4	<1	<1	1	1	3	4	12
B. *Operated*	93	2.0	5	<1	<1	1	2	5	6	14
1. SINGLE DX	5071	1.1		<1	<1	<1	1	1	2	4
2. MULTIPLE DX	575	1.7	4	<1	<1	1	2	3	5	12
A. NOT OPERATED	5201	1.2	1	<1	<1	<1	1	1	2	4
B. OPERATED	445	1.5	2	<1	<1	1	1	2	4	7
TOTAL 0-19 YRS	1017	1.2	1	<1	<1	<1	1	1	2	4
20-34	4379	1.2	1	<1	<1	<1	1	1	2	5
35-49	250	1.2	1	<1	<1	<1	1	1	2	6
50-64										
65+										
GRAND TOTAL	**5646**	**1.2**	**1**	**<1**	**<1**	**<1**	**1**	**1**	**2**	**5**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	2.2	1	<1	1	2	3	4	5	5
20-34	376	3.2	14	<1	1	2	3	6	10	21
35-49	45	3.3	14	<1	1	2	4	5	10	21
50-64										
65+										
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	34	2.9	4	<1	1	2	4	5	7	9
35-49	11	3.3	4	1	1	3	4	6	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	2.3	4	1	1	1	4	5	5	5
20-34	143	3.7	22	<1	1	2	4	7	12	24
35-49	9	2.7	1	1	1	3	3	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	25	3.6	19	<1	1	2	4	8	13	21
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	439	3.2	13	<1	1	2	3	6	9	21
B. *Operated*	47	2.9	4	1	1	2	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	159	3.5	20	<1	1	2	4	7	11	23
B. *Operated*	27	3.6	17	<1	1	2	4	8	12	21
1. SINGLE DX	486	3.2	12	<1	1	2	3	6	9	21
2. MULTIPLE DX	186	3.5	20	<1	1	2	4	7	11	22
A. NOT OPERATED	598	3.3	15	<1	1	2	4	6	10	21
B. OPERATED	74	3.2	9	1	1	2	4	6	8	18
TOTAL 0-19 YRS	27	2.2	2	<1	1	2	3	5	5	5
20-34	578	3.3	15	<1	1	2	4	7	10	22
35-49	67	3.2	11	1	1	2	4	5	7	20
50-64										
65+										
GRAND TOTAL	**672**	**3.3**	**14**	**<1**	**1**	**2**	**4**	**6**	**9**	**21**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	68	1.6	2	<1	<1	1	2	3	4	10
20-34	397	2.0	7	<1	<1	1	2	4	5	13
35-49	35	2.0	2	<1	<1	2	3	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	6	1.5	1	<1	<1	1	2	3	3	3
20-34	44	2.2	17	<1	<1	1	2	3	5	28
35-49	4	1.5		<1	<1	1	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	2.1	3	<1	<1	2	2	4	7	8
20-34	101	3.2	26	<1	1	2	3	5	8	34
35-49	9	1.9	1	<1	<1	2	2	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	8	3.8	15	<1	<1	2	5	10	12	12
20-34	33	3.0	6	<1	<1	2	4	6	7	13
35-49	3	1.3		1	1	1	2	2	2	2
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	500	1.9	6	<1	<1	1	2	3	5	12
B. *Operated*	54	2.1	14	<1	<1	1	2	3	5	27
2. MULTIPLE DX										
A. *Not Operated*	127	3.0	21	<1	<1	2	3	5	8	34
B. *Operated*	44	3.0	7	<1	<1	2	4	6	9	13
1. SINGLE DX	554	1.9	6	<1	<1	1	2	3	5	13
2. MULTIPLE DX	171	3.0	18	<1	<1	2	3	5	8	31
A. NOT OPERATED	627	2.1	9	<1	<1	1	2	4	5	13
B. OPERATED	98	2.5	11	<1	<1	2	3	5	7	21
TOTAL 0-19 YRS	99	1.9	3	<1	<1	1	2	3	5	12
20-34	575	2.3	11	<1	<1	1	2	4	6	15
35-49	51	1.9	1	<1	<1	2	2	4	4	6
50-64										
65+										
GRAND TOTAL	**725**	**2.2**	**9**	**<1**	**<1**	**1**	**2**	**4**	**6**	**13**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	161	2.8	3	<1	1	3	4	5	5	9
20-34	394	2.7	2	<1	1	3	4	4	5	7
35-49	13	2.5	4	<1	<1	2	3	6	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	5	2.2	5	1	1	1	3	6	6	6
20-34	23	3.2	9	<1	1	2	4	6	10	14
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	197	3.6	3	1	1	3	5	6	7	9
20-34	427	3.5	5	<1	1	3	4	6	7	12
35-49	12	3.3	5	1	1	3	5	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	14	3.3	5	<1	1	3	4	7	8	8
20-34	32	4.1	7	1	1	4	5	8	9	13
35-49	3	1.3		1	1	1	2	2	2	2
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	568	2.7	2	<1	1	3	4	5	5	8
B. *Operated*	30	3.0	8	<1	1	2	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	636	3.5	4	<1	1	3	5	6	7	11
B. *Operated*	49	3.7	6	1	1	3	5	7	9	13
1. SINGLE DX	598	2.7	3	<1	1	2	4	5	5	8
2. MULTIPLE DX	685	3.5	5	1	1	3	5	6	7	11
A. NOT OPERATED	1204	3.1	4	<1	1	3	4	5	6	9
B. OPERATED	79	3.4	7	1	1	3	4	7	9	14
TOTAL 0-19 YRS	377	3.2	3	<1	1	3	4	5	6	9
20-34	876	3.1	4	<1	1	3	4	5	6	11
35-49	30	2.7	4	<1	<1	2	4	6	7	8
50-64										
65+										
GRAND TOTAL	**1283**	**3.1**	**4**	**<1**	**1**	**3**	**4**	**5**	**6**	**10**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	3.5	7	<1	1	2	5	8	9	10
20-34	243	3.8	9	1	1	3	5	7	10	16
35-49	42	3.8	6	1	1	3	5	7	9	9
50-64										
65+										
B. *Operated*										
0-19 YRS	3	4.0	12	2	2	2	7	8	8	8
20-34	21	4.2	27	<1	<1	3	4	12	18	19
35-49	5	2.6	4	<1	<1	2	3	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	106	2.9	7	<1	<1	2	4	6	8	15
20-34	638	3.6	13	<1	1	3	4	7	9	15
35-49	68	4.9	45	<1	1	3	7	9	10	46
50-64										
65+										
B. *Operated*										
0-19 YRS	15	3.9	7	1	1	4	5	7	9	10
20-34	90	4.9	26	<1	1	3	6	9	17	28
35-49	7	4.7	9	1	1	5	6	9	10	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	324	3.8	8	1	1	3	5	7	9	15
B. *Operated*	29	3.9	21	<1	<1	2	4	8	18	19
2. MULTIPLE DX										
A. *Not Operated*	812	3.7	15	<1	1	3	4	7	9	16
B. *Operated*	112	4.8	22	<1	1	3	6	9	12	27
1. SINGLE DX	353	3.8	9	1	1	3	5	8	9	18
2. MULTIPLE DX	924	3.8	16	<1	1	3	5	8	9	19
A. NOT OPERATED	1136	3.7	13	<1	1	3	5	7	9	15
B. OPERATED	141	4.6	22	<1	1	3	6	9	14	25
TOTAL 0-19 YRS	163	3.2	7	<1	1	2	4	7	9	13
20-34	992	3.8	13	<1	1	3	5	8	10	19
35-49	122	4.4	28	<1	1	3	6	8	10	23
50-64										
65+										
GRAND TOTAL	**1277**	**3.8**	**14**	**<1**	**1**	**3**	**5**	**8**	**9**	**19**

268: Miscellaneous complications of pregnancy without delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	543	1.9	3	<1	<1	1	2	4	5	9
20-34	2460	1.9	5	<1	<1	1	2	4	5	11
35-49	153	2.3	15	<1	<1	1	2	5	6	12
50-64										
65+										
B. *Operated*										
0-19 YRS	172	2.7	10	<1	<1	1	3	6	9	19
20-34	1177	2.2	12	<1	<1	1	2	4	5	14
35-49	74	2.2	3	<1	<1	2	2	5	6	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	234	2.8	8	<1	<1	2	3	6	8	17
20-34	1078	2.8	13	<1	<1	2	3	6	8	15
35-49	71	3.4	35	<1	<1	2	4	6	8	40
50-64										
65+										
B. *Operated*										
0-19 YRS	112	3.3	13	<1	<1	2	4	7	10	19
20-34	574	2.9	12	<1	<1	2	3	6	8	19
35-49	57	2.8	5	<1	<1	2	4	6	7	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3156	1.9	5	<1	<1	1	2	4	5	11
B. *Operated*	1423	2.2	11	<1	<1	1	2	4	6	14
2. MULTIPLE DX										
A. *Not Operated*	1383	2.8	14	<1	<1	2	3	6	8	16
B. *Operated*	743	2.9	12	<1	<1	2	3	6	8	18
1. SINGLE DX	4579	2.0	7	<1	<1	1	2	4	5	12
2. MULTIPLE DX	2126	2.9	13	<1	<1	2	3	6	8	18
A. NOT OPERATED	4539	2.2	8	<1	<1	1	2	4	6	12
B. OPERATED	2166	2.5	12	<1	<1	1	3	5	7	16
TOTAL 0-19 YRS	1061	2.3	7	<1	<1	1	3	5	7	14
20-34	5289	2.3	9	<1	<1	1	3	4	6	13
35-49	355	2.5	15	<1	<1	1	3	5	7	12
50-64										
65+										
GRAND TOTAL	**6705**	**2.3**	**9**	**<1**	**<1**	**1**	**3**	**4**	**6**	**13**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	2.2	1	1	1	2	3	3	3	4
20-34	204	2.5	1	1	1	2	3	3	4	7
35-49	8	1.9	1	1	1	2	2	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	22	3.0	6	<1	1	3	3	5	9	12
20-34	149	3.5	7	1	2	3	4	5	6	10
35-49	23	3.9	4	2	2	3	5	7	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	86	2.4	1	1	1	2	3	3	4	8
20-34	468	2.7	6	1	1	2	3	4	4	13
35-49	28	4.3	78	1	1	3	3	4	9	49
50-64										
65+										
B. *Operated*										
0-19 YRS	96	4.0	16	2	2	3	5	6	7	27
20-34	1032	4.9	38	2	2	4	5	7	12	38
35-49	108	5.3	21	2	2	4	6	12	17	23
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	263	2.4	1	1	1	2	3	3	4	6
B. *Operated*	194	3.5	6	1	2	3	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	582	2.7	9	1	1	2	3	4	4	13
B. *Operated*	1236	4.9	35	2	2	4	5	7	12	33
1. SINGLE DX	457	2.9	4	1	1	3	3	5	5	10
2. MULTIPLE DX	1818	4.2	27	1	2	3	4	6	9	28
A. NOT OPERATED	845	2.6	7	1	1	2	3	4	4	10
B. OPERATED	1430	4.7	31	2	2	4	5	7	11	31
TOTAL 0-19 YRS	255	3.0	8	1	2	2	3	5	6	15
20-34	1853	4.0	24	1	2	3	4	6	8	26
35-49	167	4.8	27	2	2	3	5	8	14	24
50-64										
65+										
GRAND TOTAL	**2275**	**3.9**	**23**	**1**	**2**	**3**	**4**	**6**	**8**	**24**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3577	2.0	1	1	1	2	2	3	3	4
20-34	26147	2.0	1	1	1	2	3	3	3	4
35-49	1419	2.2	1	1	1	2	3	3	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	1027	2.1	1	1	1	2	2	3	3	4
20-34	5644	2.2	1	1	1	2	3	3	4	4
35-49	343	2.3	1	1	1	2	3	3	4	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2617	2.1	1	1	1	2	3	3	3	5
20-34	16287	2.1	1	1	1	2	3	3	3	4
35-49	803	2.0	1	1	1	2	3	3	3	4
50-64										
65+										
B. *Operated*										
0-19 YRS	559	2.4	2	1	1	2	3	3	4	6
20-34	6898	2.6	1	1	1	3	3	4	4	5
35-49	820	2.9	1	1	2	3	3	4	4	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31143	2.0	1	1	1	2	3	3	3	4
B. *Operated*	7014	2.2	1	1	1	2	3	3	4	4
2. MULTIPLE DX										
A. *Not Operated*	19707	2.1	1	1	1	2	3	3	3	4
B. *Operated*	8277	2.6	1	1	1	3	3	4	4	5
1. SINGLE DX	38157	2.1	1	1	1	2	3	3	3	4
2. MULTIPLE DX	27984	2.2	1	1	1	2	3	3	4	5
A. NOT OPERATED	50850	2.0	1	1	1	2	3	3	3	4
B. OPERATED	15291	2.4	1	1	1	2	3	4	4	5
TOTAL 0-19 YRS	7780	2.1	1	1	1	2	3	3	3	4
20-34	54976	2.1	1	1	1	2	3	3	4	5
35-49	3385	2.3	1	1	1	2	3	3	4	5
50-64										
65+										
GRAND TOTAL	**66141**	**2.1**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**5**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	18	2.2	2	<1	1	2	4	4	5	5
35-49	2	6.5	41	2	2	6	11	11	11	11
50-64										
65+										
B. *Operated*										
0-19 YRS	6	5.5	16	<1	<1	5	6	12	13	13
20-34	122	7.1	62	2	3	5	6	13	21	48
35-49	21	5.8	13	2	3	5	7	9	13	19
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	2.8	7	<1	<1	2	3	7	9	9
20-34	46	3.6	13	1	1	3	3	6	12	19
35-49	4	2.5	2	1	1	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	19	7.2	60	2	3	5	8	15	27	35
20-34	464	7.8	85	2	3	5	6	14	30	53
35-49	107	9.5	139	3	4	5	7	23	36	64
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	2.6	6	<1	1	2	4	5	8	11
B. *Operated*	149	6.9	53	2	3	5	6	12	19	45
2. MULTIPLE DX										
A. *Not Operated*	58	3.4	11	1	1	3	3	6	10	19
B. *Operated*	590	8.1	94	3	3	5	7	17	32	54
1. SINGLE DX	169	6.4	49	1	2	5	6	11	18	43
2. MULTIPLE DX	648	7.7	89	2	3	5	6	15	30	53
A. NOT OPERATED	78	3.2	10	1	1	3	3	5	10	18
B. OPERATED	739	7.8	86	2	3	5	6	16	30	53
TOTAL 0-19 YRS	33	5.8	41	<1	1	4	6	11	17	35
20-34	650	7.2	75	2	3	5	6	14	25	50
35-49	134	8.7	116	2	3	5	7	19	33	58
50-64										
65+										
GRAND TOTAL	**817**	**7.4**	**81**	**2**	**3**	**5**	**6**	**14**	**27**	**51**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	1.7	1	<1	<1	1	2	3	3	3
20-34	106	2.1	1	1	1	2	3	3	4	6
35-49	10	2.2	1	<1	<1	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	21	3.0	5	1	1	2	4	5	7	10
20-34	111	3.6	3	1	1	3	5	6	7	9
35-49	13	3.8	4	1	1	4	6	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	2.3	2	1	1	2	3	4	5	7
20-34	190	2.4	2	1	1	2	3	4	4	10
35-49	18	2.6	2	<1	1	2	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	86	3.9	4	1	2	4	5	6	8	11
20-34	597	4.1	8	1	2	4	5	7	8	15
35-49	70	4.5	5	2	2	4	5	7	8	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	135	2.0	1	<1	1	2	3	3	4	6
B. *Operated*	145	3.5	3	1	1	3	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	237	2.4	2	1	1	2	3	4	4	9
B. *Operated*	753	4.1	7	1	2	4	5	7	8	13
1. SINGLE DX	280	2.8	3	1	1	2	4	5	6	8
2. MULTIPLE DX	990	3.7	6	1	1	3	5	6	7	13
A. NOT OPERATED	372	2.3	2	1	1	2	3	4	4	7
B. OPERATED	898	4.0	6	1	2	4	5	6	8	13
TOTAL 0-19 YRS	155	3.2	4	1	1	3	4	5	7	10
20-34	1004	3.5	6	1	1	3	4	6	7	13
35-49	111	3.9	4	1	1	4	5	7	8	11
50-64										
65+										
GRAND TOTAL	**1270**	**3.5**	**6**	**1**	**1**	**3**	**4**	**6**	**7**	**12**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.2	1	1	1	2	3	4	4	4
20-34	23	1.9	1	<1	1	2	2	3	4	4
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	44	1.8	1	1	1	2	3	3	3	3
20-34	331	2.2	1	<1	1	2	3	3	4	6
35-49	22	2.1	1	<1	1	2	3	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34	34	2.4	1	<1	1	2	3	4	4	4
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	68	2.6	3	1	1	2	3	4	5	12
20-34	533	2.7	3	1	1	2	3	4	5	9
35-49	38	3.1	2	1	2	3	3	5	6	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	2.0	1	1	1	2	2	3	4	4
B. *Operated*	397	2.1	1	<1	1	2	3	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	38	2.3	1	<1	1	2	3	4	4	4
B. *Operated*	639	2.7	3	1	1	2	3	4	5	9
1. SINGLE DX	425	2.1	1	<1	1	2	3	3	4	5
2. MULTIPLE DX	677	2.7	3	1	1	2	3	4	5	9
A. NOT OPERATED	66	2.2	1	<1	1	2	3	4	4	4
B. OPERATED	1036	2.5	2	1	1	2	3	4	5	7
TOTAL 0-19 YRS	119	2.3	2	1	1	2	3	3	4	10
20-34	921	2.5	2	1	1	2	3	4	5	7
35-49	62	2.7	2	1	1	3	3	4	5	9
50-64										
65+										
GRAND TOTAL	**1102**	**2.5**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**7**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	2.4	1	1	1	2	3	3	4	6
20-34	181	2.2	1	1	1	2	3	3	3	5
35-49	8	2.6	1	1	1	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	15	2.1	1	<1	1	2	2	3	4	4
20-34	109	2.4	1	1	1	2	3	4	4	5
35-49	4	1.8	2	1	1	1	3	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	2.4	1	1	1	2	3	4	5	5
20-34	280	2.4	1	1	1	2	3	4	4	5
35-49	13	1.7	1	1	1	1	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	45	2.7	1	1	2	3	3	4	5	6
20-34	280	2.8	2	1	1	3	3	4	5	7
35-49	23	2.7	1	<1	1	3	3	4	5	5
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	215	2.2	1	1	1	2	3	3	3	5
B. *Operated*	128	2.3	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	334	2.4	1	1	1	2	3	3	4	5
B. *Operated*	348	2.8	1	1	1	3	3	4	5	7
1. SINGLE DX	343	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX	682	2.6	1	1	1	2	3	4	4	6
A. NOT OPERATED	549	2.3	1	1	1	2	3	3	4	5
B. OPERATED	476	2.7	1	1	1	3	3	4	5	7
TOTAL 0-19 YRS	127	2.5	1	1	1	2	3	4	4	6
20-34	850	2.5	1	1	1	2	3	4	4	6
35-49	48	2.4	1	1	1	3	3	4	4	5
50-64										
65+										
GRAND TOTAL	**1025**	**2.5**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	**6**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.5	1	2	2	2	3	4	4	4
20-34	78	2.7	1	1	2	2	3	4	5	6
35-49	5	2.6	1	2	2	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	9	3.0	1	1	1	3	4	5	5	5
20-34	53	3.4	3	1	1	3	5	5	6	9
35-49	3	6.0	7	3	3	7	8	8	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	2.6	2	1	1	2	3	5	6	6
20-34	137	3.5	14	1	1	3	4	5	8	25
35-49	14	2.8	2	1	1	3	3	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	52	3.9	3	2	2	4	5	6	7	9
20-34	710	4.7	9	2	2	4	5	7	9	18
35-49	66	4.5	4	2	2	4	6	7	8	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	87	2.7	1	1	2	2	3	4	5	6
B. *Operated*	65	3.5	3	1	1	3	5	5	7	9
2. MULTIPLE DX										
A. *Not Operated*	163	3.4	12	1	1	3	4	5	7	24
B. *Operated*	828	4.6	8	2	2	4	5	7	8	18
1. SINGLE DX	152	3.0	2	1	1	3	4	5	6	8
2. MULTIPLE DX	991	4.4	9	2	2	4	5	7	8	18
A. NOT OPERATED	250	3.2	8	1	1	3	4	5	6	24
B. OPERATED	893	4.5	8	2	2	4	5	7	8	17
TOTAL 0-19 YRS	77	3.5	3	1	2	3	5	6	7	9
20-34	978	4.3	9	1	2	4	5	7	8	18
35-49	88	4.2	4	2	2	4	6	7	8	10
50-64										
65+										
GRAND TOTAL	**1143**	**4.2**	**8**	**1**	**2**	**4**	**5**	**7**	**8**	**18**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	2.4	6	<1	<1	2	2	3	9	11
20-34	116	2.1	1	1	1	2	3	3	4	5
35-49	21	2.6	1	1	1	2	3	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	130	4.1	1	2	3	4	5	5	6	8
20-34	1097	4.0	2	2	2	4	5	5	6	7
35-49	59	4.5	1	2	3	4	5	6	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	1.9		1	1	2	2	3	3	3
20-34	133	2.2	1	1	1	2	3	3	4	7
35-49	10	2.5	3	1	1	2	3	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	295	4.6	3	2	3	4	5	7	7	10
20-34	2400	4.4	3	2	3	4	5	6	7	10
35-49	249	4.7	3	2	2	5	6	7	7	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	153	2.2	1	<1	1	2	3	3	4	5
B. *Operated*	1286	4.1	2	2	3	4	5	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	155	2.2	1	1	1	2	3	3	4	6
B. *Operated*	2944	4.5	3	2	3	4	5	6	7	10
1. SINGLE DX	1439	3.9	2	1	2	4	5	5	6	7
2. MULTIPLE DX	3099	4.4	3	2	2	4	5	6	7	10
A. NOT OPERATED	308	2.2	1	1	1	2	3	3	4	6
B. OPERATED	4230	4.3	3	2	3	4	5	6	7	10
TOTAL 0-19 YRS	453	4.3	3	2	2	4	5	6	7	10
20-34	3746	4.2	3	2	2	4	5	6	7	9
35-49	339	4.4	3	2	2	4	5	6	7	10
50-64										
65+										
GRAND TOTAL	**4538**	**4.2**	**3**	**2**	**2**	**4**	**5**	**6**	**7**	**10**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	1.8	1	1	1	2	2	3	3	3
20-34	412	2.2	1	1	1	2	3	3	4	4
35-49	21	1.9	1	1	1	2	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	150	2.8	2	1	2	3	4	4	5	7
20-34	1013	3.0	2	1	2	3	4	5	5	6
35-49	72	3.5	3	1	2	3	4	5	6	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	69	2.4	2	1	1	2	3	3	5	9
20-34	570	2.2	1	1	1	2	3	3	4	5
35-49	54	2.4	1	1	1	2	3	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	473	3.4	3	1	2	3	4	5	6	10
20-34	3888	3.5	3	1	2	3	4	5	6	8
35-49	376	4.0	4	1	2	4	5	6	7	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	473	2.1	1	1	1	2	3	3	4	4
B. *Operated*	1235	3.0	2	1	2	3	4	5	5	6
2. MULTIPLE DX										
A. *Not Operated*	693	2.2	1	1	1	2	3	3	4	5
B. *Operated*	4737	3.5	3	1	2	3	4	5	6	9
1. SINGLE DX	1708	2.8	2	1	1	3	3	4	5	6
2. MULTIPLE DX	5430	3.3	3	1	2	3	4	5	6	8
A. NOT OPERATED	1166	2.2	1	1	1	2	3	3	4	5
B. OPERATED	5972	3.4	3	1	2	3	4	5	6	8
TOTAL 0-19 YRS	732	3.1	3	1	1	3	4	5	6	9
20-34	5883	3.2	3	1	2	3	4	5	6	8
35-49	523	3.7	4	1	2	3	5	6	7	11
50-64										
65+										
GRAND TOTAL	**7138**	**3.2**	**3**	**1**	**2**	**3**	**4**	**5**	**6**	**8**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	19	2.1	1	<1	1	2	2	4	5	5
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	207	4.6	2	3	3	5	5	6	6	12
20-34	1348	4.6	1	3	3	5	5	6	6	8
35-49	56	4.6	1	3	4	5	5	6	6	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.8	1	2	2	3	3	4	4	4
20-34	46	3.0	1	1	2	3	4	5	5	6
35-49	8	2.9	1	1	1	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	756	5.0	4	3	3	5	5	7	8	12
20-34	4541	4.9	2	3	3	5	5	6	7	10
35-49	332	5.2	3	3	4	5	6	7	8	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	2.1	1	<1	1	2	3	4	5	5
B. *Operated*	1611	4.6	1	3	3	5	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	59	3.0	1	1	2	3	4	4	5	6
B. *Operated*	5629	4.9	3	3	3	5	5	6	7	11
1. SINGLE DX	1635	4.5	1	3	3	5	5	6	6	8
2. MULTIPLE DX	5688	4.9	3	3	3	5	5	6	7	11
A. NOT OPERATED	83	2.7	1	1	1	3	3	4	5	6
B. OPERATED	7240	4.8	2	3	3	5	5	6	7	10
TOTAL 0-19 YRS	971	4.9	3	3	3	5	5	6	7	12
20-34	5954	4.8	2	3	3	5	5	6	7	10
35-49	398	5.0	3	3	3	5	6	6	7	11
50-64										
65+										
GRAND TOTAL	**7323**	**4.8**	**2**	**3**	**3**	**5**	**5**	**6**	**7**	**10**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	77	2.4	1	1	1	2	3	3	4	6
20-34	446	2.3	1	1	1	2	3	4	4	5
35-49	18	2.3	1	1	1	2	3	3	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	136	3.1	2	1	2	3	4	5	6	7
20-34	779	3.3	2	1	2	3	4	5	6	7
35-49	52	3.5	3	1	2	3	4	6	7	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	157	2.4	1	1	1	2	3	3	4	6
20-34	813	2.5	1	1	1	2	3	4	4	6
35-49	45	2.6	1	1	2	3	3	4	4	7
50-64										
65+										
B. *Operated*										
0-19 YRS	569	3.4	3	1	2	3	4	6	6	9
20-34	3363	3.6	5	1	2	3	4	5	6	9
35-49	255	3.8	2	2	2	4	5	6	6	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	541	2.3	1	1	1	2	3	4	4	5
B. *Operated*	967	3.3	2	1	2	3	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	1015	2.5	1	1	1	2	3	4	4	6
B. *Operated*	4187	3.6	4	1	2	3	4	6	6	9
1. SINGLE DX	1508	2.9	2	1	1	3	4	5	5	7
2. MULTIPLE DX	5202	3.4	4	1	2	3	4	5	6	9
A. NOT OPERATED	1556	2.4	1	1	1	2	3	4	4	6
B. OPERATED	5154	3.5	4	1	2	3	4	5	6	9
TOTAL 0-19 YRS	939	3.1	2	1	2	3	4	5	6	8
20-34	5401	3.3	4	1	2	3	4	5	6	8
35-49	370	3.5	3	2	2	3	4	6	6	9
50-64										
65+										
GRAND TOTAL	**6710**	**3.3**	**4**	**1**	**2**	**3**	**4**	**5**	**6**	**8**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.2	2	1	1	2	3	4	4	4
20-34	59	2.3	1	1	1	2	3	3	4	5
35-49	6	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	52	3.2	2	1	2	3	4	5	6	6
20-34	255	3.7	3	1	2	4	5	6	6	7
35-49	27	4.5	3	2	2	5	5	6	7	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	2.3	4	1	1	2	2	4	8	9
20-34	82	2.6	2	1	1	2	3	4	5	8
35-49	11	2.3	1	1	1	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	105	4.4	5	2	2	4	5	7	8	13
20-34	876	4.3	6	2	2	4	5	6	7	10
35-49	91	4.3	3	2	2	4	5	6	7	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	70	2.3	1	1	1	2	3	3	4	5
B. *Operated*	334	3.7	3	1	2	4	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	107	2.5	2	1	1	2	3	4	5	8
B. *Operated*	1072	4.3	5	2	2	4	5	6	7	10
1. SINGLE DX	404	3.5	3	1	2	3	5	5	6	7
2. MULTIPLE DX	1179	4.1	5	2	2	4	5	6	7	10
A. NOT OPERATED	177	2.4	1	1	1	2	3	3	4	8
B. OPERATED	1406	4.1	5	2	2	4	5	6	7	10
TOTAL 0-19 YRS	176	3.8	4	1	2	4	5	6	7	11
20-34	1272	4.0	5	1	2	4	5	6	7	9
35-49	135	4.1	3	2	2	4	5	6	7	9
50-64										
65+										
GRAND TOTAL	**1583**	**4.0**	**5**	**1**	**2**	**4**	**5**	**6**	**7**	**9**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.8	3	1	1	2	4	5	5	5
20-34	69	2.3	1	1	1	2	3	3	4	5
35-49	7	2.6	1	1	1	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	168	4.3	1	3	3	4	5	5	6	8
20-34	3361	4.5	2	3	3	5	5	6	6	7
35-49	224	4.8	3	3	3	5	6	6	7	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.3	4	1	1	3	5	6	6	6
20-34	88	2.7	2	1	1	2	3	4	5	9
35-49	9	2.7	4	1	1	2	3	6	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	336	4.7	3	3	3	4	5	6	7	11
20-34	8472	4.8	3	3	3	5	5	6	7	9
35-49	902	5.2	12	3	4	5	6	7	7	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	80	2.4	1	1	1	2	3	4	4	5
B. *Operated*	3753	4.5	2	3	3	5	5	6	6	7
2. MULTIPLE DX										
A. *Not Operated*	101	2.7	2	1	1	2	3	5	6	8
B. *Operated*	9710	4.8	4	3	3	5	5	6	7	9
1. SINGLE DX	3833	4.5	2	3	3	4	5	6	6	7
2. MULTIPLE DX	9811	4.8	4	3	3	5	5	6	7	9
A. NOT OPERATED	181	2.5	2	1	1	2	3	4	5	8
B. OPERATED	13463	4.7	3	3	3	5	5	6	7	9
TOTAL 0-19 YRS	512	4.5	2	3	3	4	5	6	7	9
20-34	11990	4.7	3	3	3	5	5	6	7	9
35-49	1142	5.1	10	3	3	5	6	7	7	11
50-64										
65+										
GRAND TOTAL	**13644**	**4.7**	**3**	**3**	**3**	**5**	**5**	**6**	**7**	**9**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	89	2.7	7	1	1	2	3	3	4	18
20-34	727	2.4	1	1	1	2	3	3	4	6
35-49	42	2.4	1	<1	1	2	3	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	105	3.1	13	1	2	3	3	5	5	23
20-34	529	2.6	2	1	1	2	3	4	5	6
35-49	39	3.0	1	1	2	3	4	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	198	3.0	7	1	2	3	3	4	5	14
20-34	1200	2.6	2	1	1	2	3	4	4	7
35-49	80	2.8	1	1	1	3	3	4	5	7
50-64										
65+										
B. *Operated*										
0-19 YRS	503	3.5	9	1	2	3	4	5	6	12
20-34	3352	3.6	6	1	2	3	4	6	7	13
35-49	323	3.9	5	1	2	3	5	6	7	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	858	2.4	2	1	1	2	3	3	4	6
B. *Operated*	673	2.7	3	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	1478	2.7	3	1	1	2	3	4	5	8
B. *Operated*	4178	3.6	6	1	2	3	4	6	7	13
1. SINGLE DX	1531	2.5	2	1	1	2	3	4	5	6
2. MULTIPLE DX	5656	3.4	5	1	2	3	4	5	6	12
A. NOT OPERATED	2336	2.6	2	1	1	2	3	4	4	7
B. OPERATED	4851	3.5	6	1	2	3	4	5	7	12
TOTAL 0-19 YRS	895	3.3	9	1	2	3	4	5	6	13
20-34	5808	3.2	4	1	2	3	4	5	6	10
35-49	484	3.5	4	1	2	3	4	5	7	11
50-64										
65+										
GRAND TOTAL	**7187**	**3.2**	**5**	**1**	**2**	**3**	**4**	**5**	**6**	**10**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	236	2.0	1	1	1	2	2	3	3	4
20-34	2524	2.2	2	1	1	2	3	3	4	5
35-49	146	2.3	1	1	1	2	3	3	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	199	2.1		1	1	2	2	3	3	4
20-34	1116	2.2	1	1	1	2	3	3	4	5
35-49	68	2.4	1	1	1	2	3	3	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	358	2.2	1	1	1	2	3	3	4	5
20-34	2987	2.2	1	1	1	2	3	3	4	5
35-49	169	2.3	1	1	1	2	3	3	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	404	2.4	1	1	1	2	3	4	4	6
20-34	3422	2.7	1	1	1	3	3	4	5	6
35-49	273	3.1	2	1	2	3	4	5	5	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2906	2.2	2	1	1	2	3	3	4	5
B. *Operated*	1383	2.2	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	3514	2.2	1	1	1	2	3	3	4	5
B. *Operated*	4099	2.7	1	1	1	3	3	4	5	6
1. SINGLE DX	4289	2.2	2	1	1	2	3	3	4	5
2. MULTIPLE DX	7613	2.5	1	1	1	2	3	4	4	6
A. NOT OPERATED	6420	2.2	1	1	1	2	3	3	4	5
B. OPERATED	5482	2.6	1	1	1	2	3	4	4	6
TOTAL 0-19 YRS	1197	2.2	1	1	1	2	3	3	4	5
20-34	10049	2.4	1	1	1	2	3	3	4	5
35-49	656	2.6	1	1	1	3	3	4	5	6
50-64										
65+										
GRAND TOTAL	**11902**	**2.4**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**5**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	2.2	1	<1	1	2	3	3	3	4
20-34	568	1.9	1	<1	1	2	2	3	3	4
35-49	36	2.1	1	1	1	2	2	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	621	2.0	1	1	1	2	2	3	3	4
20-34	5250	2.0	1	1	1	2	2	3	3	4
35-49	403	2.0	1	<1	1	2	2	3	3	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	66	2.2	1	1	1	2	3	3	4	5
20-34	631	2.1	2	1	1	2	3	3	4	5
35-49	42	2.4	1	<1	1	2	3	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	839	2.2	2	1	1	2	3	3	4	6
20-34	7488	2.3	2	1	1	2	3	3	4	5
35-49	688	2.5	1	1	1	2	3	4	4	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	653	1.9	1	<1	1	2	2	3	3	4
B. *Operated*	6274	2.0	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	739	2.1	2	1	1	2	3	3	4	5
B. *Operated*	9015	2.3	2	1	1	2	3	3	4	5
1. SINGLE DX	6927	2.0	1	1	1	2	2	3	3	4
2. MULTIPLE DX	9754	2.3	2	1	1	2	3	3	4	5
A. NOT OPERATED	1392	2.0	1	<1	1	2	3	3	4	5
B. OPERATED	15289	2.2	2	1	1	2	3	3	4	5
TOTAL 0-19 YRS	1575	2.1	1	1	1	2	3	3	4	5
20-34	13937	2.1	2	1	1	2	3	3	4	5
35-49	1169	2.3	1	1	1	2	3	4	4	5
50-64										
65+										
GRAND TOTAL	**16681**	**2.2**	**2**	**1**	**1**	**2**	**3**	**3**	**4**	**5**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	2.1	1	1	1	2	3	3	3	3
20-34	188	2.3	1	1	1	2	3	3	4	4
35-49	10	2.2	1	1	1	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	607	2.2	2	1	1	2	3	3	4	5
20-34	2470	2.3	1	1	1	2	3	3	4	5
35-49	80	2.4	1	1	1	2	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	2.6	1	1	2	2	3	4	5	7
20-34	229	2.4	1	1	1	2	3	3	4	7
35-49	7	2.4	1	<1	<1	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	1018	2.4	2	1	1	2	3	3	4	6
20-34	3915	2.5	1	1	1	2	3	4	4	6
35-49	180	3.0	3	1	1	3	4	4	5	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	240	2.3	1	1	1	2	3	3	4	4
B. *Operated*	3157	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	287	2.4	1	1	1	2	3	3	4	7
B. *Operated*	5113	2.5	1	1	1	2	3	4	4	6
1. SINGLE DX	3397	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX	5400	2.5	1	1	1	2	3	4	4	6
A. NOT OPERATED	527	2.4	1	1	1	2	3	3	4	6
B. OPERATED	8270	2.4	1	1	1	2	3	4	4	5
TOTAL 0-19 YRS	1718	2.3	2	1	1	2	3	3	4	6
20-34	6802	2.4	1	1	1	2	3	4	4	5
35-49	277	2.8	3	1	1	3	3	4	5	8
50-64										
65+										
GRAND TOTAL	**8797**	**2.4**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	**5**

286: Other obstetrical trauma (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	2.4	1	1	1	2	3	3	4	5
20-34	152	2.1	1	1	1	2	3	3	3	5
35-49	9	2.3	2	<1	<1	2	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	166	2.3	2	1	1	2	3	3	4	10
20-34	784	2.2	1	1	1	2	3	3	4	5
35-49	38	2.2	1	1	1	2	3	3	4	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	2.5	2	1	1	2	3	3	4	11
20-34	227	2.2	1	1	1	2	3	3	4	5
35-49	6	1.8		1	1	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	338	2.5	9	1	1	2	3	3	4	8
20-34	1719	2.5	2	1	1	2	3	4	4	6
35-49	91	3.1	2	1	2	3	3	5	6	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	189	2.2	1	1	1	2	3	3	4	5
B. *Operated*	988	2.2	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	275	2.3	1	1	1	2	3	3	4	5
B. *Operated*	2148	2.5	3	1	1	2	3	4	4	7
1. SINGLE DX	1177	2.2	1	1	1	2	3	3	4	5
2. MULTIPLE DX	2423	2.5	3	1	1	2	3	4	4	7
A. NOT OPERATED	464	2.2	1	1	1	2	3	3	4	5
B. OPERATED	3136	2.4	2	1	1	2	3	4	4	6
TOTAL 0-19 YRS	574	2.4	6	1	1	2	3	3	4	9
20-34	2882	2.4	1	1	1	2	3	4	4	6
35-49	144	2.8	2	1	1	3	3	4	5	8
50-64										
65+										
GRAND TOTAL	**3600**	**2.4**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**6**

287: Miscellaneous complications of delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	528	2.2	1	1	1	2	3	3	4	5
20-34	3113	2.3	2	1	1	2	3	3	4	7
35-49	215	2.5	2	1	1	2	3	4	5	9
50-64										
65+										
B. *Operated*										
0-19 YRS	1191	2.5	2	1	1	2	3	4	5	8
20-34	6891	2.7	2	1	1	3	3	4	5	7
35-49	449	3.2	4	1	1	3	4	5	6	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	989	2.4	2	1	1	2	3	4	4	7
20-34	5579	2.4	2	1	1	2	3	4	4	7
35-49	414	2.7	3	1	1	2	3	4	5	9
50-64										
65+										
B. *Operated*										
0-19 YRS	3126	3.4	7	1	2	3	4	6	7	12
20-34	17536	3.5	7	1	2	3	4	6	7	13
35-49	1688	4.1	12	1	2	3	5	6	8	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3856	2.3	2	1	1	2	3	3	4	7
B. *Operated*	8531	2.7	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	6982	2.4	2	1	1	2	3	4	4	7
B. *Operated*	22350	3.5	8	1	2	3	4	6	7	13
1. SINGLE DX	12387	2.6	2	1	1	2	3	4	5	7
2. MULTIPLE DX	29332	3.3	7	1	1	3	4	5	7	12
A. NOT OPERATED	10838	2.4	2	1	1	2	3	4	4	7
B. OPERATED	30881	3.3	6	1	2	3	4	5	7	12
TOTAL 0-19 YRS	5834	3.0	5	1	1	3	3	5	6	11
20-34	33119	3.0	5	1	1	3	4	5	6	11
35-49	2766	3.6	9	1	2	3	4	6	7	14
50-64										
65+										
GRAND TOTAL	**41719**	**3.1**	**5**	**1**	**1**	**3**	**4**	**5**	**6**	**11**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	3.5	3	1	2	3	4	6	7	10
20-34	156	3.4	3	1	2	3	4	5	7	8
35-49	15	3.1	1	1	2	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	4	3.5	1	3	3	3	4	5	5	5
20-34	18	4.4	8	1	1	4	6	9	10	10
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	3.8	2	2	3	3	4	6	7	8
20-34	63	3.7	4	1	1	3	5	6	7	9
35-49	4	3.0	1	2	2	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	2	5.5	5	4	4	5	7	7	7	7
20-34	24	7.7	42	2	2	5	10	18	22	26
35-49	4	3.3	1	2	2	3	4	4	4	4
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	217	3.4	3	1	2	3	4	5	7	9
B. *Operated*	22	4.3	7	1	2	4	6	8	9	10
2. MULTIPLE DX										
A. *Not Operated*	84	3.7	3	1	2	3	5	6	7	9
B. *Operated*	30	7.0	36	2	2	5	9	17	20	26
1. SINGLE DX	239	3.5	3	1	2	3	4	6	7	10
2. MULTIPLE DX	114	4.5	14	1	2	4	5	8	10	22
A. NOT OPERATED	301	3.5	3	1	2	3	4	6	7	9
B. OPERATED	52	5.8	25	2	2	4	7	11	18	26
TOTAL 0-19 YRS	69	3.6	3	1	2	3	4	6	7	10
20-34	261	3.9	8	1	2	3	5	7	8	18
35-49	23	3.1	1	1	2	3	4	4	5	5
50-64										
65+										
GRAND TOTAL	**353**	**3.8**	**7**	**1**	**2**	**3**	**4**	**6**	**8**	**16**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	1.8		1	1	2	2	3	3	3
20-34	62	1.5	1	<1	<1	1	2	2	3	6
35-49	4	1.8	1	<1	<1	1	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	33	1.5		<1	<1	1	2	2	3	3
20-34	242	1.8	36	<1	<1	1	2	2	3	7
35-49	13	1.[illegible]	1	<1	<1	1	2	3	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.0	1	1	1	2	3	3	3	3
20-34	27	2.1	3	<1	1	2	3	4	5	8
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	18	2.0	2	1	1	2	2	4	6	6
20-34	165	2.4	4	<1	1	2	3	5	6	10
35-49	12	2.8	5	<1	1	2	3	7	8	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	75	1.5	1	<1	<1	1	2	2	3	6
B. *Operated*	288	1.7	30	<1	<1	1	2	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	34	2.1	2	1	1	2	3	4	5	8
B. *Operated*	195	2.4	4	<1	1	2	3	5	6	10
1. SINGLE DX	363	1.7	24	<1	<1	1	2	2	3	6
2. MULTIPLE DX	229	2.4	3	<1	1	2	3	5	6	9
A. NOT OPERATED	109	1.7	1	<1	<1	1	2	3	4	7
B. OPERATED	483	2.0	19	<1	<1	1	2	3	5	9
TOTAL 0-19 YRS	65	1.7	1	<1	1	1	2	3	3	6
20-34	496	2.0	19	<1	<1	1	2	3	5	9
35-49	31	2.1	3	<1	<1	2	3	4	6	8
50-64										
65+										
GRAND TOTAL	**592**	**2.0**	**16**	**<1**	**<1**	**1**	**2**	**3**	**5**	**9**

290: Other puerperal complications (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	4.0	7	1	1	4	5	7	9	12
20-34	101	3.6	6	1	1	3	5	7	9	12
35-49	9	5.9	13	2	2	4	9	11	12	12
50-64										
65+										
B. *Operated*										
0-19 YRS	27	2.2	3	<1	1	2	3	4	6	8
20-34	134	2.9	7	<1	1	2	3	7	8	13
35-49	11	3.5	11	<1	<1	2	5	8	12	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	4.5	14	1	2	3	5	10	14	15
20-34	91	5.0	16	1	1	4	7	11	12	21
35-49	10	3.6	4	<1	1	3	5	7	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	13	4.8	16	2	2	3	5	10	15	16
20-34	127	3.8	20	<1	1	2	4	8	12	28
35-49	11	3.5	6	<1	1	2	5	7	9	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	134	3.8	7	1	1	3	5	7	10	12
B. *Operated*	172	2.8	7	<1	1	2	3	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	115	4.8	15	1	1	4	6	11	12	19
B. *Operated*	151	3.8	19	<1	1	2	4	8	12	28
1. SINGLE DX	306	3.3	7	<1	1	2	4	7	9	12
2. MULTIPLE DX	266	4.3	17	1	1	3	5	9	12	23
A. NOT OPERATED	249	4.3	11	1	1	3	5	9	11	15
B. OPERATED	323	3.3	13	<1	1	2	4	7	9	19
TOTAL 0-19 YRS	78	3.6	9	1	1	3	4	7	10	16
20-34	453	3.7	13	1	1	3	5	8	10	19
35-49	41	4.0	9	<1	1	3	5	9	10	12
50-64										
65+										
GRAND TOTAL	**572**	**3.7**	**12**	**1**	**1**	**3**	**5**	**8**	**10**	**18**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	389	3.6	4	1	1	3	5	6	7	10
20-34	367	3.9	5	1	2	3	5	7	8	14
35-49	241	4.4	8	1	2	4	5	7	9	16
50-64	200	4.7	6	2	2	4	6	8	10	14
65+	201	6.1	14	2	2	6	8	11	13	19
B. *Operated*										
0-19 YRS	183	4.2	14	<1	1	3	6	9	10	19
20-34	213	5.6	17	1	1	5	8	11	13	26
35-49	129	5.3	36	<1	1	4	7	11	15	32
50-64	97	5.3	16	1	1	5	7	11	14	20
65+	83	8.9	102	1	2	6	10	18	24	59
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	439	4.2	6	2	2	4	5	7	9	14
20-34	591	4.8	12	2	2	4	6	9	11	19
35-49	535	6.0	14	2	2	5	8	11	13	18
50-64	704	7.4	36	2	3	6	9	14	18	33
65+	1034	8.4	42	2	3	7	10	15	20	32
B. *Operated*										
0-19 YRS	186	6.4	55	1	1	4	7	11	17	46
20-34	292	7.8	54	1	2	6	9	15	19	35
35-49	289	10.9	102	2	3	8	13	23	29	59
50-64	338	12.6	151	2	3	8	16	28	37	70
65+	401	15.2	174	3	4	11	20	32	44	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1398	4.3	8	1	2	4	5	7	9	16
B. *Operated*	705	5.5	31	<1	1	4	7	11	14	29
2. MULTIPLE DX										
A. *Not Operated*	3303	6.6	29	2	2	5	8	12	16	28
B. *Operated*	1506	11.3	127	2	3	8	14	24	33	62
1. SINGLE DX	2103	4.7	16	1	2	4	6	8	11	19
2. MULTIPLE DX	4809	8.1	64	2	2	6	9	16	22	44
A. NOT OPERATED	4701	5.9	23	2	2	5	7	11	14	24
B. OPERATED	2211	9.5	103	1	2	6	11	21	29	56
TOTAL 0-19 YRS	1197	4.4	15	1	1	4	5	8	10	17
20-34	1463	5.3	21	1	2	4	6	10	13	24
35-49	1194	6.8	42	2	2	5	8	13	18	33
50-64	1339	8.2	67	2	2	6	9	16	23	43
65+	1719	9.7	82	2	3	7	11	19	27	54
GRAND TOTAL	**6912**	**7.1**	**52**	**2**	**2**	**5**	**8**	**14**	**19**	**39**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	123	3.7	4	1	2	3	5	7	8	10
20-34	88	3.9	5	1	1	4	5	7	8	10
35-49	54	3.6	3	2	2	3	5	6	7	9
50-64	26	4.4	8	1	1	4	5	9	10	12
65+	20	5.1	17	<1	1	4	6	8	14	20
B. *Operated*										
0-19 YRS	91	3.2	10	<1	<1	2	4	7	9	17
20-34	109	4.4	16	<1	1	3	6	9	13	20
35-49	72	4.4	25	<1	1	3	5	9	12	28
50-64	41	4.5	26	<1	<1	3	6	10	14	27
65+	33	5.6	33	1	2	4	7	10	19	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	172	4.5	22	1	2	3	5	7	11	25
20-34	144	4.6	12	2	2	4	6	8	10	24
35-49	105	5.4	13	1	2	4	7	11	14	16
50-64	130	8.0	54	2	3	6	10	15	24	39
65+	192	8.0	42	2	3	6	10	16	20	35
B. *Operated*										
0-19 YRS	106	4.5	16	<1	1	3	7	9	13	19
20-34	127	8.2	81	1	1	6	9	17	30	69
35-49	111	8.0	62	1	2	5	10	15	21	48
50-64	82	9.6	92	1	2	7	12	19	25	56
65+	114	14.0	169	1	3	10	17	35	45	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	311	3.9	5	1	2	3	5	7	8	11
B. *Operated*	346	4.2	19	<1	<1	3	6	9	12	27
2. MULTIPLE DX										
A. *Not Operated*	743	6.2	32	2	2	5	7	12	16	30
B. *Operated*	540	8.9	94	1	1	6	11	19	30	54
1. SINGLE DX	657	4.1	13	<1	1	3	5	8	10	20
2. MULTIPLE DX	1283	7.3	60	1	2	5	9	15	22	45
A. NOT OPERATED	1054	5.5	25	1	2	4	7	10	14	27
B. OPERATED	886	7.1	70	<1	1	4	8	15	23	46
TOTAL 0-19 YRS	492	4.1	14	<1	1	3	5	8	10	17
20-34	468	5.4	33	1	1	4	7	10	13	35
35-49	342	5.8	32	1	1	4	7	12	15	28
50-64	279	7.6	60	1	2	5	10	16	24	40
65+	359	9.6	90	2	2	6	12	20	29	51
GRAND TOTAL	**1940**	**6.2**	**46**	**1**	**1**	**4**	**7**	**13**	**18**	**40**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.3	2	1	1	4	4	4	4	4
20-34	4	2.8	2	1	1	3	4	4	4	4
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	404	2.8	4	1	1	2	3	5	6	9
20-34	680	2.8	3	1	1	3	3	4	5	8
35-49	105	2.8	2	1	1	2	4	4	6	9
50-64	22	3.1	4	<1	1	3	4	6	7	8
65+	4	3.8	1	3	3	4	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.0	4	<1	<1	1	3	5	5	5
20-34	9	4.2	21	<1	<1	1	10	11	11	11
35-49	2	6.5	1	6	6	6	7	7	7	7
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	7.5	13	5	5	7	10	10	10	10
B. *Operated*										
0-19 YRS	48	3.9	8	1	2	3	5	7	8	19
20-34	127	3.6	7	1	2	3	4	5	9	16
35-49	34	5.8	65	1	1	3	6	11	25	42
50-64	15	4.9	22	<1	1	4	5	9	17	20
65+	5	4.6	18	2	2	3	6	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	3.0	2	1	1	3	4	4	4	4
B. *Operated*	1215	2.8	3	1	1	2	3	4	6	8
2. MULTIPLE DX										
A. *Not Operated*	18	4.2	15	<1	<1	2	7	10	11	11
B. *Operated*	229	4.1	17	1	2	3	4	7	10	22
1. SINGLE DX	1223	2.8	3	1	1	2	3	4	6	8
2. MULTIPLE DX	247	4.1	17	1	1	3	4	8	10	20
A. NOT OPERATED	26	3.8	11	<1	<1	3	5	10	10	11
B. OPERATED	1444	3.0	6	1	1	3	4	5	6	10
TOTAL 0-19 YRS	460	2.9	4	1	1	3	4	5	6	10
20-34	820	2.9	4	1	1	3	4	5	6	10
35-49	141	3.6	19	1	1	3	4	6	8	29
50-64	38	3.8	11	<1	1	3	4	7	9	20
65+	11	4.8	11	2	2	4	5	11	12	12
GRAND TOTAL	**1470**	**3.0**	**6**	**1**	**1**	**3**	**4**	**5**	**6**	**11**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	2	4.0	18	1	1	4	7	7	7	7
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	119	1.1		<1	<1	<1	1	2	2	3
20-34	122	1.5	1	<1	<1	1	2	2	3	7
35-49	81	1.7	10	<1	<1	1	2	2	3	21
50-64	62	1.6	2	<1	<1	<1	2	3	4	11
65+	25	2.0	2	<1	<1	2	2	3	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34										
35-49	4	2.8	12	<1	<1	<1	4	8	8	8
50-64	3	2.3	1	<1	<1	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	7	1.3		<1	<1	1	2	2	2	2
20-34	23	2.5	7	<1	<1	2	3	5	10	11
35-49	27	3.0	8	<1	<1	2	4	5	10	14
50-64	42	2.2	3	<1	<1	2	2	5	6	7
65+	24	4.1	25	<1	<1	2	5	10	17	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.5	9	<1	<1	1	4	7	7	7
B. *Operated*	409	1.5	3	<1	<1	1	2	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	10	2.1	5	<1	<1	1	3	6	8	8
B. *Operated*	123	2.8	9	<1	<1	2	3	5	9	17
1. SINGLE DX	413	1.5	3	<1	<1	1	2	2	3	7
2. MULTIPLE DX	133	2.7	9	<1	<1	2	3	5	9	16
A. NOT OPERATED	14	2.2	6	<1	<1	1	3	7	8	8
B. OPERATED	532	1.8	5	<1	<1	1	2	3	4	11
TOTAL 0-19 YRS	130	1.1		<1	<1	<1	1	2	2	3
20-34	147	1.6	2	<1	<1	1	2	3	4	10
35-49	113	2.1	10	<1	<1	1	2	4	5	20
50-64	107	1.9	3	<1	<1	1	2	4	5	9
65+	49	3.0	14	<1	<1	2	3	6	10	21
GRAND TOTAL	**546**	**1.8**	**5**	**<1**	**<1**	**1**	**2**	**3**	**5**	**11**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	141	3.6	9	<1	1	3	4	7	10	15
20-34	124	4.3	25	1	1	3	5	9	15	25
35-49	73	5.4	59	1	1	4	5	12	13	52
50-64	71	5.2	26	1	1	4	6	10	12	33
65+	98	7.1	40	2	2	6	8	14	18	36
B. *Operated*										
0-19 YRS	328	2.2	8	<1	<1	1	2	4	7	19
20-34	402	3.4	22	<1	<1	2	4	7	11	22
35-49	340	3.8	32	<1	<1	2	4	9	14	28
50-64	339	4.0	55	<1	<1	2	3	8	13	46
65+	263	6.1	52	<1	<1	3	8	18	21	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	207	3.8	9	1	1	3	5	8	9	16
20-34	221	5.5	56	<1	1	4	7	12	16	52
35-49	234	6.1	31	<1	1	4	8	12	19	26
50-64	325	8.4	77	1	2	6	11	17	25	55
65+	820	11.6	131	2	3	8	15	25	39	77
B. *Operated*										
0-19 YRS	184	5.7	88	<1	<1	2	4	21	27	43
20-34	479	11.3	254	<1	1	5	14	32	46	89
35-49	486	10.9	231	<1	1	5	15	29	43	81
50-64	593	10.3	191	<1	1	4	14	29	45	88
65+	885	19.0	392	1	2	12	27	50	69	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	507	4.9	30	1	1	3	6	10	14	30
B. *Operated*	1672	3.8	34	<1	<1	2	4	9	14	28
2. MULTIPLE DX										
A. *Not Operated*	1807	8.7	94	1	2	6	11	18	27	58
B. *Operated*	2627	13.2	289	<1	1	6	18	38	52	92
1. SINGLE DX	2179	4.1	33	<1	<1	2	4	9	14	29
2. MULTIPLE DX	4434	11.4	214	1	1	6	14	30	45	84
A. NOT OPERATED	2314	7.9	82	1	1	5	10	17	24	54
B. OPERATED	4299	9.6	211	<1	<1	3	11	27	43	81
TOTAL 0-19 YRS	860	3.5	27	<1	<1	2	4	7	11	28
20-34	1226	7.1	131	<1	1	3	7	16	29	65
35-49	1133	7.4	129	<1	<1	3	8	18	28	65
50-64	1328	7.9	126	<1	1	4	9	20	33	65
65+	2066	13.9	251	1	2	8	18	35	51	93
GRAND TOTAL	**6613**	**9.0**	**166**	**<1**	**1**	**4**	**10**	**23**	**37**	**77**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	5.1	5	3	3	5	6	9	9	9
20-34	31	4.7	8	1	1	4	6	9	10	13
35-49	26	6.7	34	2	2	5	8	15	18	27
50-64	17	5.0	10	1	2	4	7	9	12	13
65+	9	7.9	92	2	2	5	7	23	33	33
B. *Operated*										
0-19 YRS	8	15.1	204	<1	1	14	25	34	38	38
20-34	8	7.8	22	3	3	7	11	15	16	16
35-49	11	10.4	92	3	3	7	14	26	33	34
50-64	16	12.0	117	<1	1	10	18	30	33	34
65+	6	4.7	9	2	2	3	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	7.3	[illegible]	1	2	6	8	18	25	29
20-34	96	5.9	27	1	1	4	8	13	18	25
35-49	118	8.6	105	2	2	5	10	17	22	61
50-64	127	8.6	49	2	3	7	11	16	21	35
65+	82	9.2	55	2	3	7	11	17	25	39
B. *Operated*										
0-19 YRS	22	10.9	169	2	2	6	13	28	47	51
20-34	75	12.6	320	1	2	6	14	30	52	95
35-49	71	12.2	130	2	3	9	16	29	45	88
50-64	63	14.3	193	2	3	9	18	32	40	78
65+	64	16.6	230	2	3	13	21	36	58	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	92	5.7	23	1	2	4	7	10	15	30
B. *Operated*	49	10.6	100	1	2	8	14	27	34	38
2. MULTIPLE DX										
A. *Not Operated*	465	8.0	60	1	2	6	10	17	21	39
B. *Operated*	295	13.6	217	1	2	9	16	32	45	93
1. SINGLE DX	141	7.4	55	1	2	5	8	16	26	35
2. MULTIPLE DX	760	10.2	128	1	2	7	13	22	32	68
A. NOT OPERATED	557	7.6	55	1	2	5	9	15	20	38
B. OPERATED	344	13.2	201	1	2	8	16	31	45	88
TOTAL 0-19 YRS	81	8.8	93	2	2	6	9	23	28	49
20-34	210	8.2	139	1	1	5	9	17	23	73
35-49	226	9.6	106	2	2	6	11	20	32	58
50-64	223	10.2	99	2	2	8	12	21	30	49
65+	161	11.9	139	2	3	8	15	28	36	74
GRAND TOTAL	**901**	**9.7**	**118**	**1**	**2**	**6**	**12**	**21**	**31**	**59**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	4.2	8	1	1	4	6	8	10	13
20-34	28	6.0	28	1	1	4	9	12	18	24
35-49	56	6.6	19	2	3	5	9	13	16	21
50-64	112	6.3	21	1	2	5	9	12	16	23
65+	82	7.8	61	2	2	6	10	14	22	47
B. *Operated*										
0-19 YRS	13	6.1	48	<1	<1	4	7	18	23	24
20-34	51	8.3	59	1	2	5	10	19	28	34
35-49	135	7.5	48	1	2	5	10	15	24	34
50-64	279	9.2	74	2	2	6	13	20	26	42
65+	195	10.0	78	2	2	8	15	18	24	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	4.9	14	<1	1	4	7	9	12	18
20-34	42	6.5	35	1	2	5	9	12	15	35
35-49	85	7.2	37	1	2	6	9	12	20	33
50-64	290	7.3	44	1	2	5	10	14	19	30
65+	486	9.5	56	2	3	7	12	19	26	37
B. *Operated*										
0-19 YRS	6	9.3	57	1	1	9	15	19	20	20
20-34	54	12.3	333	2	2	6	14	25	37	95
35-49	107	8.5	76	1	2	5	11	21	26	41
50-64	347	11.6	140	2	3	8	15	26	36	56
65+	360	13.0	118	2	3	11	17	26	37	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	320	6.5	31	1	2	5	8	12	16	28
B. *Operated*	673	9.0	69	1	2	6	13	18	25	38
2. MULTIPLE DX										
A. *Not Operated*	930	8.3	50	2	2	6	10	17	22	34
B. *Operated*	874	11.8	136	2	2	8	15	25	36	56
1. SINGLE DX	993	8.1	58	1	2	6	11	17	23	35
2. MULTIPLE DX	1804	10.0	95	2	2	7	13	20	28	46
A. NOT OPERATED	1250	7.9	46	2	2	6	10	16	20	34
B. OPERATED	1547	10.6	109	2	2	7	14	22	30	50
TOTAL 0-19 YRS	88	5.0	19	<1	1	4	6	10	15	22
20-34	175	8.7	137	1	2	5	11	18	27	79
35-49	383	7.6	49	1	2	5	10	17	23	35
50-64	1028	9.2	86	2	2	6	12	19	27	46
65+	1123	10.6	83	2	3	8	14	20	28	45
GRAND TOTAL	**2797**	**9.4**	**82**	**2**	**2**	**7**	**12**	**19**	**27**	**43**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	6.0	7	3	3	6	8	9	9	9
20-34	4	5.8	57	1	1	2	10	17	17	17
35-49	16	5.1	8	1	2	5	7	9	10	11
50-64	48	4.1	9	<1	1	3	6	9	10	13
65+	114	5.7	23	1	2	5	7	11	14	25
B. *Operated*										
0-19 YRS	8	2.1	1	1	1	2	3	4	4	4
20-34	153	3.4	7	<1	1	2	4	7	9	11
35-49	369	5.0	20	<1	1	3	7	11	13	18
50-64	1224	8.1	32	1	2	8	12	15	18	26
65+	1843	12.2	35	2	4	12	15	19	22	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	13.0	333	1	1	4	26	34	34	34
20-34	9	5.8	27	<1	<1	5	8	14	17	17
35-49	36	5.9	26	<1	1	4	7	14	17	23
50-64	190	6.0	28	1	1	5	7	13	16	28
65+	811	7.0	32	1	2	5	9	15	18	30
B. *Operated*										
0-19 YRS	12	5.1	28	1	1	3	7	14	17	17
20-34	118	3.8	11	1	1	3	4	9	11	17
35-49	285	6.2	45	1	1	4	8	13	17	25
50-64	1089	9.2	47	1	2	8	13	17	22	30
65+	2295	14.5	79	2	4	13	18	24	30	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	186	5.3	18	1	1	4	7	9	13	18
B. *Operated*	3597	9.7	40	1	2	10	14	17	20	28
2. MULTIPLE DX										
A. *Not Operated*	1049	6.8	31	1	2	5	9	14	17	30
B. *Operated*	3799	12.0	76	2	2	11	16	22	27	42
1. SINGLE DX	3783	9.4	39	1	2	9	13	17	20	28
2. MULTIPLE DX	4848	10.9	71	1	2	10	15	21	26	40
A. NOT OPERATED	1235	6.6	30	1	2	5	9	14	17	29
B. OPERATED	7396	10.9	59	1	2	10	15	20	24	36
TOTAL 0-19 YRS	27	5.2	48	1	1	3	5	12	20	34
20-34	284	3.6	10	<1	1	3	4	8	10	17
35-49	706	5.5	30	1	1	4	8	12	14	23
50-64	2551	8.3	39	1	2	8	12	16	19	28
65+	5063	12.3	62	2	3	12	16	21	26	39
GRAND TOTAL	**8631**	**10.2**	**57**	**1**	**2**	**10**	**14**	**19**	**23**	**35**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	79	7.7	33	1	2	7	10	16	20	25
20-34	35	4.3	7	1	1	4	6	8	10	11
35-49	35	5.2	17	1	1	4	7	13	15	17
50-64	44	5.9	29	1	1	4	7	15	19	22
65+	50	5.4	14	1	1	4	8	10	12	18
B. *Operated*										
0-19 YRS	65	9.7	69	1	2	8	14	23	28	31
20-34	161	4.4	16	1	1	3	5	10	13	20
35-49	174	5.7	27	1	1	4	8	14	16	22
50-64	178	6.0	26	1	1	4	9	13	16	23
65+	107	9.4	45	2	2	8	12	19	21	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	10.2	52	2	2	10	15	21	22	34
20-34	63	6.4	32	1	2	5	8	11	19	30
35-49	70	7.1	60	1	2	5	9	14	19	50
50-64	92	6.3	21	2	2	5	8	14	16	21
65+	235	9.5	83	2	2	7	12	20	29	51
B. *Operated*										
0-19 YRS	69	13.8	108	2	3	12	18	25	35	52
20-34	156	6.2	37	1	1	4	8	15	20	31
35-49	169	7.3	72	1	2	4	8	17	22	41
50-64	203	11.3	154	1	2	7	14	27	41	57
65+	172	16.4	198	2	3	14	23	35	48	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	243	6.0	24	1	2	4	8	13	17	21
B. *Operated*	685	6.4	34	1	1	4	9	14	18	27
2. MULTIPLE DX										
A. *Not Operated*	505	8.2	62	2	2	6	10	16	23	45
B. *Operated*	769	10.8	133	1	2	6	15	25	34	58
1. SINGLE DX	928	6.3	32	1	1	4	9	14	17	26
2. MULTIPLE DX	1274	9.8	106	1	2	6	13	22	30	55
A. NOT OPERATED	748	7.5	50	1	2	5	10	15	21	34
B. OPERATED	1454	8.7	91	1	2	5	12	20	27	53
TOTAL 0-19 YRS	258	10.3	71	1	2	8	15	21	26	42
20-34	415	5.4	27	1	1	4	7	12	15	27
35-49	448	6.5	49	1	1	4	8	16	18	33
50-64	517	8.1	82	1	2	5	10	17	24	53
65+	564	11.2	118	2	2	8	14	24	33	59
GRAND TOTAL	**2202**	**8.3**	**77**	**1**	**2**	**5**	**11**	**18**	**25**	**48**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.1		<1	<1	1	1	2	2	2
20-34	26	2.5	4	<1	<1	2	4	5	7	10
35-49	8	2.1	1	1	1	2	3	4	4	4
50-64	10	2.6	3	<1	<1	2	4	5	6	6
65+	3	5.0	13	2	2	4	8	9	9	9
B. *Operated*										
0-19 YRS	928	2.3	2	<1	<1	2	3	4	5	8
20-34	2276	2.6	4	<1	<1	2	3	5	6	10
35-49	1124	2.4	3	<1	<1	2	3	5	6	8
50-64	551	2.8	5	<1	1	2	4	5	6	9
65+	169	3.3	9	1	1	2	4	6	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	1.2		<1	<1	1	1	2	3	3
20-34	56	1.7	8	<1	<1	1	1	2	3	19
35-49	31	2.2	14	<1	<1	1	2	4	6	21
50-64	22	2.2	3	<1	<1	1	4	5	5	6
65+	15	3.9	10	1	1	4	6	9	10	11
B. *Operated*										
0-19 YRS	531	2.8	7	<1	1	2	4	5	6	10
20-34	1640	3.0	6	<1	1	2	4	6	7	12
35-49	1058	2.9	7	<1	1	2	3	6	7	13
50-64	987	3.1	7	1	1	2	4	6	8	15
65+	417	4.0	11	1	1	3	5	8	9	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	2.4	4	<1	<1	2	3	4	6	10
B. *Operated*	5048	2.5	4	<1	<1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	142	2.1	8	<1	<1	1	2	4	6	19
B. *Operated*	4633	3.1	7	<1	1	2	4	6	8	14
1. SINGLE DX	5103	2.5	4	<1	<1	2	3	5	6	9
2. MULTIPLE DX	4775	3.0	7	<1	1	2	4	6	8	14
A. NOT OPERATED	197	2.2	7	<1	<1	1	2	4	6	16
B. OPERATED	9681	2.8	5	<1	1	2	4	5	7	12
TOTAL 0-19 YRS	1485	2.4	4	<1	<1	2	3	4	5	9
20-34	3998	2.7	5	<1	<1	2	4	5	7	11
35-49	2221	2.7	5	<1	<1	2	3	5	6	12
50-64	1570	3.0	6	<1	1	2	4	5	7	14
65+	604	3.8	11	1	1	3	5	7	9	17
GRAND TOTAL	**9878**	**2.8**	**5**	**<1**	**1**	**2**	**4**	**5**	**7**	**12**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	120	2.8	5	<1	1	2	3	5	8	10
20-34	63	3.1	6	<1	1	3	4	6	8	12
35-49	51	4.3	18	1	1	3	5	9	12	26
50-64	49	3.9	9	<1	1	3	5	10	11	12
65+	53	5.3	16	1	1	4	7	10	12	20
B. *Operated*										
0-19 YRS	1140	3.0	5	<1	1	3	4	5	6	9
20-34	1942	3.2	7	<1	1	3	4	6	7	9
35-49	530	3.2	5	<1	1	3	4	6	7	10
50-64	261	4.0	14	<1	1	3	5	8	12	19
65+	147	6.4	76	1	1	3	7	14	21	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	63	3.6	9	<1	1	3	5	9	10	14
20-34	125	4.1	17	<1	<1	3	5	8	12	22
35-49	107	4.4	20	<1	<1	3	5	10	14	22
50-64	131	7.0	84	1	1	4	8	16	19	52
65+	282	7.1	42	1	2	5	9	13	17	34
B. *Operated*										
0-19 YRS	446	3.3	6	1	1	3	4	6	8	14
20-34	912	4.0	18	1	1	3	5	7	9	19
35-49	422	4.5	27	1	1	3	5	8	12	23
50-64	325	5.9	56	1	1	4	6	14	19	54
65+	244	10.2	121	1	2	6	14	21	27	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	336	3.6	10	<1	1	3	4	8	10	14
B. *Operated*	4020	3.3	10	<1	1	3	4	6	7	14
2. MULTIPLE DX										
A. *Not Operated*	708	5.8	41	<1	1	4	7	12	16	31
B. *Operated*	2349	4.9	37	1	1	3	5	10	15	29
1. SINGLE DX	4356	3.3	10	<1	1	3	4	6	7	14
2. MULTIPLE DX	3057	5.1	38	1	1	3	6	10	15	30
A. NOT OPERATED	1044	5.1	32	<1	1	3	6	11	14	26
B. OPERATED	6369	3.9	20	<1	1	3	4	7	9	21
TOTAL 0-19 YRS	1769	3.1	6	<1	1	3	4	5	7	10
20-34	3042	3.5	11	<1	1	3	4	6	8	14
35-49	1110	3.9	16	<1	1	3	5	7	10	19
50-64	766	5.3	45	<1	1	3	6	11	16	30
65+	726	7.8	76	1	2	5	10	16	23	50
GRAND TOTAL	**7413**	**4.1**	**22**	**<1**	**1**	**3**	**5**	**7**	**11**	**22**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	7	5.6	4	4	4	5	7	9	9	9
35-49	9	4.3	7	1	1	5	5	8	10	10
50-64	5	10.0	46	4	4	10	13	21	21	21
65+	3	10.3	162	2	2	4	20	25	25	25
B. *Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	5.5	41	1	1	5	10	10	10	10
50-64	4	13.8	44	4	4	16	18	19	19	19
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	10	6.6	25	2	2	5	8	15	16	16
35-49	14	6.0	12	2	3	5	8	10	14	15
50-64	16	7.8	57	1	2	6	9	14	27	33
65+	19	9.3	74	2	3	8	11	17	31	40
B. *Operated*										
0-19 YRS										
20-34	5	10.0	24	3	3	11	13	16	16	16
35-49	5	14.4	318	4	4	9	18	46	46	46
50-64	6	16.3	177	6	6	14	16	39	42	42
65+	4	19.5	324	6	6	13	30	46	46	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	6.8	31	2	2	5	9	11	22	25
B. *Operated*	7	9.9	53	1	1	10	16	18	19	19
2. MULTIPLE DX										
A. *Not Operated*	61	7.6	45	2	2	6	9	14	17	39
B. *Operated*	20	14.9	181	3	4	11	15	44	46	46
1. SINGLE DX	32	7.5	36	1	2	5	10	17	21	25
2. MULTIPLE DX	81	9.4	87	2	3	7	11	16	36	46
A. NOT OPERATED	86	7.3	41	2	2	6	9	14	19	37
B. OPERATED	27	13.6	150	2	3	11	16	37	46	46
TOTAL 0-19 YRS	3	6.7	20	2	2	7	10	11	11	11
20-34	23	6.9	19	2	3	5	9	15	16	16
35-49	30	6.9	65	1	2	5	9	10	15	46
50-64	31	10.6	81	2	3	8	15	20	32	42
65+	26	11.0	119	2	3	8	12	24	41	46
GRAND TOTAL	**113**	**8.8**	**73**	**2**	**2**	**6**	**10**	**16**	**24**	**46**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	13	6.3	14	2	2	5	9	12	14	14
35-49	63	5.0	20	1	1	4	6	9	13	28
50-64	93	5.5	17	1	2	5	7	10	15	23
65+	111	6.1	18	1	2	5	8	13	15	21
B. *Operated*										
0-19 YRS	4	7.3	14	2	2	8	10	11	11	11
20-34	54	6.8	25	1	2	6	8	12	17	25
35-49	222	5.4	16	1	1	5	8	11	12	18
50-64	290	5.7	29	1	1	4	8	12	13	19
65+	142	7.5	43	1	1	6	10	15	22	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	27	4.4	6	1	1	4	6	8	9	9
35-49	114	6.9	33	1	2	6	9	12	16	35
50-64	355	6.4	24	1	2	5	8	11	15	26
65+	845	7.7	37	2	3	6	9	14	18	32
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	47	7.5	40	1	1	6	10	17	19	30
35-49	231	8.1	47	1	2	7	10	16	20	33
50-64	455	8.2	60	1	2	7	10	16	21	35
65+	394	12.8	136	2	2	10	17	26	35	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	282	5.6	18	1	2	5	7	10	14	21
B. *Operated*	712	6.1	28	1	1	5	9	12	15	26
2. MULTIPLE DX										
A. *Not Operated*	1342	7.2	33	2	2	6	9	14	17	31
B. *Operated*	1128	9.7	88	1	2	8	12	20	26	46
1. SINGLE DX	994	5.9	25	1	1	5	8	12	15	24
2. MULTIPLE DX	2470	8.4	60	1	2	7	10	16	22	41
A. NOT OPERATED	1624	6.9	31	2	2	6	9	13	16	30
B. OPERATED	1840	8.3	68	1	1	7	11	17	23	42
TOTAL 0-19 YRS	8	6.4	11	2	2	6	9	11	11	11
20-34	141	6.5	26	1	2	5	9	12	17	25
35-49	630	6.6	32	1	1	5	9	12	16	30
50-64	1193	6.8	40	1	1	6	9	13	17	27
65+	1492	8.9	68	2	2	7	11	17	23	45
GRAND TOTAL	**3464**	**7.7**	**51**	**1**	**2**	**6**	**10**	**15**	**20**	**35**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	6.2	15	1	2	6	7	12	14	17
20-34	600	6.2	14	1	2	6	8	11	13	18
35-49	793	6.5	17	1	2	5	8	11	14	20
50-64	472	7.3	22	1	2	7	9	14	17	20
65+	182	7.8	21	2	3	7	10	14	17	22
B. *Operated*										
0-19 YRS	108	5.7	15	1	1	5	8	11	13	15
20-34	2455	6.6	24	1	1	6	9	13	16	23
35-49	3453	7.2	27	1	1	7	10	14	16	22
50-64	1591	7.2	28	1	1	7	10	14	17	24
65+	359	8.5	42	1	1	8	12	17	20	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	6.7	22	1	1	5	10	15	16	16
20-34	366	6.4	21	1	2	5	8	11	16	23
35-49	598	7.4	37	1	2	6	10	14	18	27
50-64	607	7.4	21	2	2	7	10	13	16	25
65+	560	8.3	39	2	3	7	10	15	19	24
B. *Operated*										
0-19 YRS	27	7.4	33	1	1	6	10	17	32	99+
20-34	813	9.4	52	1	2	8	12	19	23	36
35-49	1514	9.7	57	1	2	8	12	18	23	37
50-64	1209	10.1	51	1	2	9	14	19	24	35
65+	611	13.1	88	2	2	11	17	25	29	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2070	6.7	18	1	2	6	9	12	15	20
B. *Operated*	7966	7.0	27	1	1	6	9	14	17	23
2. MULTIPLE DX										
A. *Not Operated*	2147	7.5	31	1	2	6	10	14	17	24
B. *Operated*	4174	10.2	60	1	2	9	13	20	25	38
1. SINGLE DX	10036	7.0	25	1	1	6	9	13	16	23
2. MULTIPLE DX	6321	9.3	52	1	2	8	12	18	22	35
A. NOT OPERATED	4217	7.1	25	1	2	6	9	13	16	22
B. OPERATED	12140	8.1	41	1	1	7	11	16	20	30
TOTAL 0-19 YRS	174	6.1	18	1	1	6	9	13	14	22
20-34	4234	7.0	29	1	1	6	9	14	17	26
35-49	6358	7.7	35	1	1	7	10	15	18	26
50-64	3879	8.2	35	1	2	7	11	16	19	29
65+	1712	10.0	61	1	2	8	13	19	24	37
GRAND TOTAL	**16357**	**7.9**	**37**	**1**	**1**	**7**	**10**	**15**	**19**	**28**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.8	4	2	2	4	5	6	6	6
20-34	75	5.2	7	2	2	5	7	9	10	13
35-49	158	5.6	13	1	2	5	7	10	12	17
50-64	111	5.9	19	1	2	5	8	12	14	21
65+	43	7.7	30	1	2	6	11	15	17	24
B. *Operated*										
0-19 YRS	14	5.4	9	1	1	6	7	8	11	12
20-34	284	5.5	22	1	1	4	8	11	14	19
35-49	748	6.0	21	1	1	5	8	12	15	20
50-64	438	6.2	22	1	1	6	8	11	14	24
65+	80	7.4	21	1	2	7	10	15	17	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	9.0	32	1	1	10	13	15	15	15
20-34	54	6.4	56	1	1	5	7	11	18	50
35-49	150	6.3	21	1	2	5	9	12	16	24
50-64	154	6.6	16	1	2	6	9	13	15	16
65+	180	7.3	26	2	3	6	10	13	17	28
B. *Operated*										
0-19 YRS	4	13.5	86	2	2	15	21	22	22	22
20-34	119	8.5	49	1	2	6	11	18	23	33
35-49	413	7.8	44	1	2	6	10	17	20	37
50-64	390	7.3	35	1	2	6	10	14	17	26
65+	125	13.0	179	1	2	9	17	33	41	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	391	5.8	16	1	2	5	8	11	13	20
B. *Operated*	1564	6.0	21	1	1	5	8	12	14	22
2. MULTIPLE DX										
A. *Not Operated*	543	6.7	25	1	2	6	9	13	15	24
B. *Operated*	1051	8.4	60	1	2	6	11	17	22	42
1. SINGLE DX	1955	6.0	20	1	1	5	8	11	14	22
2. MULTIPLE DX	1594	7.8	49	1	2	6	10	15	20	39
A. NOT OPERATED	934	6.4	21	1	2	5	8	12	15	23
B. OPERATED	2615	7.0	38	1	1	6	9	14	18	32
TOTAL 0-19 YRS	27	7.0	30	1	1	6	9	15	20	22
20-34	532	6.2	31	1	1	5	8	12	17	29
35-49	1469	6.5	27	1	1	5	9	13	17	25
50-64	1093	6.6	26	1	1	6	9	13	15	24
65+	428	9.0	77	2	2	7	11	17	25	43
GRAND TOTAL	**3549**	**[illegible].8**	**34**	**1**	**1**	**6**	**9**	**13**	**17**	**29**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	8.1	41	1	1	8	13	18	19	19
20-34	80	6.6	11	2	2	7	8	10	13	18
35-49	101	6.6	16	2	2	6	8	11	14	22
50-64	49	7.0	12	3	3	6	9	12	14	17
65+	12	5.2	17	1	1	4	6	13	14	14
B. *Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	85	5.2	23	1	1	3	8	12	12	21
35-49	77	6.1	26	1	1	5	9	12	18	21
50-64	21	8.0	73	1	2	5	10	17	29	38
65+	4	6.3	19	2	2	5	9	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	7.3	1	6	6	8	8	8	8	8
20-34	65	7.6	28	2	2	7	10	13	18	29
35-49	118	7.9	41	1	2	7	9	17	20	33
50-64	68	8.2	51	2	2	7	10	14	19	49
65+	71	7.5	24	2	3	6	10	13	18	27
B. *Operated*										
0-19 YRS	3	8.3	41	1	1	11	12	13	13	13
20-34	54	8.5	43	1	1	8	13	16	23	25
35-49	75	10.3	113	1	2	8	13	20	30	59
50-64	30	9.5	70	1	1	8	12	19	30	36
65+	10	25.3	1146	1	1	10	25	88	91	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	249	6.6	14	2	2	6	8	11	14	19
B. *Operated*	189	5.9	29	1	1	4	9	12	15	23
2. MULTIPLE DX										
A. *Not Operated*	325	7.8	36	2	2	7	10	14	18	30
B. *Operated*	172	10.5	149	1	1	8	13	20	28	80
1. SINGLE DX	438	6.3	21	1	1	5	8	12	14	22
2. MULTIPLE DX	497	8.7	77	1	2	7	11	17	21	43
A. NOT OPERATED	574	7.3	27	2	2	7	9	13	17	27
B. OPERATED	361	8.1	92	1	1	6	11	16	22	45
TOTAL 0-19 YRS	15	7.3	28	1	1	8	10	14	18	19
20-34	284	6.8	26	1	1	6	9	13	15	24
35-49	371	7.7	47	1	2	7	9	15	19	32
50-64	168	8.0	46	2	2	7	10	14	19	38
65+	97	9.0	159	2	2	6	10	14	19	88
GRAND TOTAL	**935**	**7.6**	**52**	**1**	**2**	**7**	**10**	**14**	**18**	**31**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	12.5	13	10	10	12	15	15	15	15
20-34	44	5.7	12	2	3	5	7	9	14	19
35-49	58	7.4	48	1	2	6	9	16	18	44
50-64	45	6.3	23	<1	<1	5	9	13	15	22
65+	30	8.3	19	3	4	7	9	13	16	24
B. *Operated*										
0-19 YRS	8	4.1	25	1	1	2	6	13	14	14
20-34	33	3.8	31	1	1	2	3	9	12	31
35-49	44	4.8	24	1	1	3	6	10	15	23
50-64	28	3.9	13	1	1	3	6	8	14	14
65+	9	4.2	15	1	1	2	7	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	8	3	3	5	7	7	7	7
20-34	39	6.1	17	1	2	6	7	10	14	23
35-49	81	7.6	23	1	2	7	10	14	17	24
50-64	77	7.1	13	2	3	7	9	12	14	15
65+	126	8.3	24	2	3	7	11	16	19	21
B. *Operated*										
0-19 YRS	2	5.0	32	1	1	5	9	9	9	9
20-34	22	8.3	48	1	1	8	11	21	22	22
35-49	40	6.2	28	1	1	5	8	13	17	25
50-64	20	8.7	55	1	2	6	13	21	24	25
65+	31	11.2	83	2	3	9	15	22	30	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	179	6.9	28	1	2	6	9	14	16	23
B. *Operated*	122	4.2	22	1	1	2	6	10	14	25
2. MULTIPLE DX										
A. *Not Operated*	325	7.6	21	2	3	7	10	14	16	21
B. *Operated*	115	8.4	54	1	1	7	11	18	23	35
1. SINGLE DX	301	5.8	27	1	1	4	8	12	15	23
2. MULTIPLE DX	440	7.8	29	1	2	7	10	15	18	25
A. NOT OPERATED	504	7.3	23	2	2	7	9	14	16	22
B. OPERATED	237	6.2	42	1	1	4	9	15	19	30
TOTAL 0-19 YRS	14	5.6	26	1	1	3	10	14	15	15
20-34	138	5.8	25	1	1	4	7	12	16	24
35-49	223	6.8	31	1	1	6	9	14	17	25
50-64	170	6.5	22	1	1	6	9	13	15	24
65+	196	8.6	34	2	3	7	11	16	19	28
GRAND TOTAL	**741**	**7.0**	**29**	**1**	**2**	**6**	**9**	**14**	**17**	**25**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	4.1	17	1	1	3	5	6	10	24
20-34	643	5.9	22	1	1	5	7	12	17	22
35-49	804	6.0	19	1	2	5	8	11	15	21
50-64	529	6.1	22	1	2	5	8	12	15	21
65+	265	6.0	18	1	1	5	8	11	14	20
B. *Operated*										
0-19 YRS	47	4.5	19	1	1	2	6	9	14	21
20-34	681	4.1	18	1	1	2	5	10	13	20
35-49	891	4.8	21	1	1	3	7	11	13	21
50-64	688	5.8	28	1	1	4	9	12	14	23
65+	357	8.9	50	1	1	8	12	17	23	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	3.7	12	<1	<1	3	5	8	10	19
20-34	740	7.3	41	1	2	5	9	16	19	26
35-49	1112	7.7	35	1	2	6	10	16	19	28
50-64	987	7.6	43	1	2	6	9	16	19	33
65+	1080	8.0	35	2	2	7	10	15	19	31
B. *Operated*										
0-19 YRS	34	5.9	45	1	1	3	7	12	21	33
20-34	552	5.8	37	1	1	4	8	12	15	30
35-49	891	7.8	54	1	1	6	10	16	21	37
50-64	976	9.1	70	1	2	8	12	18	24	39
65+	766	12.5	122	1	2	10	16	25	31	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2292	5.9	21	1	2	5	8	11	15	22
B. *Operated*	2664	5.4	28	1	1	3	8	12	15	25
2. MULTIPLE DX										
A. *Not Operated*	3976	7.6	38	1	2	6	10	16	19	30
B. *Operated*	3219	9.0	77	1	1	7	12	18	25	42
1. SINGLE DX	4956	5.7	25	1	1	4	8	12	15	24
2. MULTIPLE DX	7195	8.2	56	1	2	6	11	17	21	36
A. NOT OPERATED	6268	7.0	32	1	2	6	9	14	19	27
B. OPERATED	5883	7.4	58	1	1	5	10	15	21	37
TOTAL 0-19 YRS	189	4.4	21	1	1	3	6	9	13	23
20-34	2616	5.8	31	1	1	4	8	12	17	25
35-49	3698	6.7	34	1	1	5	9	14	18	30
50-64	3180	7.4	46	1	1	6	10	15	19	34
65+	2468	9.3	68	1	2	8	12	18	24	39
GRAND TOTAL	**12151**	**7.2**	**45**	**1**	**1**	**6**	**10**	**15**	**19**	**32**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	92	3.5	5	1	1	3	4	6	7	13
20-34	59	3.6	7	1	1	3	4	6	8	17
35-49	80	4.1	7	<1	1	4	6	8	9	14
50-64	75	4.0	7	1	1	3	6	8	10	13
65+	48	4.8	9	1	1	4	7	9	10	14
B. *Operated*										
0-19 YRS	283	2.2	6	<1	<1	2	3	4	6	14
20-34	644	2.5	5	<1	<1	2	3	4	5	10
35-49	803	2.5	4	<1	<1	2	3	4	5	10
50-64	725	2.6	5	<1	<1	2	3	5	7	12
65+	214	2.9	6	<1	<1	2	4	6	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	3.7	4	1	1	3	5	7	7	8
20-34	70	5.4	15	1	1	4	8	11	13	18
35-49	98	5.1	10	1	2	4	7	10	11	16
50-64	132	5.0	15	1	2	4	6	10	13	20
65+	197	6.3	20	1	2	6	8	11	15	25
B. *Operated*										
0-19 YRS	72	3.0	10	<1	1	2	3	6	8	19
20-34	343	3.8	38	<1	1	3	4	7	10	18
35-49	533	3.5	11	<1	1	3	4	6	9	16
50-64	586	3.8	9	1	1	3	4	7	9	15
65+	291	5.5	25	1	1	4	7	12	15	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	354	3.9	7	1	1	3	5	7	9	13
B. *Operated*	2669	2.5	5	<1	<1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	542	5.4	15	1	2	4	7	10	13	19
B. *Operated*	1825	4.0	18	<1	1	3	5	8	11	18
1. SINGLE DX	3023	2.7	5	<1	<1	2	3	5	7	12
2. MULTIPLE DX	2367	4.3	18	1	1	3	5	9	11	19
A. NOT OPERATED	896	4.8	13	1	1	4	6	9	11	18
B. OPERATED	4494	3.1	11	<1	<1	2	4	6	8	15
TOTAL 0-19 YRS	492	2.7	6	<1	<1	2	3	5	7	14
20-34	1116	3.1	16	<1	<1	2	4	6	8	16
35-49	1514	3.1	8	<1	<1	2	4	6	8	14
50-64	1518	3.4	8	<1	1	3	4	6	9	15
65+	750	4.9	19	<1	1	4	7	10	13	25
GRAND TOTAL	**5390**	**3.4**	**12**	**<1**	**<1**	**3**	**4**	**7**	**9**	**16**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	4	6.3	84	1	1	2	11	20	20	20
35-49	2	2.0		2	2	2	2	2	2	2
50-64	7	1.0		<1	<1	<1	1	1	1	1
65+	2	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	222	2.9	2	<1	1	3	4	5	6	7
20-34	415	2.9	4	<1	1	3	4	5	5	8
35-49	439	3.0	2	<1	1	3	4	5	6	7
50-64	607	3.2	3	1	1	3	4	5	6	8
65+	365	3.2	3	<1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	10	1.0		<1	<1	<1	<1	1	1	1
35-49	9	1.6	2	<1	<1	1	2	4	5	5
50-64	20	1.5	1	<1	<1	1	1	3	4	4
65+	14	1.9	3	<1	<1	1	2	4	6	7
B. *Operated*										
0-19 YRS	212	3.3	2	1	2	3	4	5	7	8
20-34	501	3.5	12	1	1	3	4	5	6	10
35-49	726	3.5	3	1	2	3	4	6	6	9
50-64	1373	4.0	12	1	2	4	5	6	8	11
65+	962	4.3	10	1	2	4	5	7	8	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	2.5	21	<1	<1	1	2	3	14	20
B. *Operated*	2048	3.0	3	<1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	56	1.5	1	<1	<1	1	1	3	4	7
B. *Operated*	3774	3.9	9	1	2	3	5	6	7	11
1. SINGLE DX	2065	3.0	3	<1	1	3	4	5	6	8
2. MULTIPLE DX	3830	3.9	9	1	2	3	5	6	7	11
A. NOT OPERATED	73	1.7	6	<1	<1	1	2	3	4	17
B. OPERATED	5822	3.6	7	1	1	3	4	6	7	10
TOTAL 0-19 YRS	439	3.1	2	1	1	3	4	5	6	7
20-34	930	3.2	9	<1	1	3	4	5	6	10
35-49	1176	3.3	3	1	1	3	4	5	6	9
50-64	2007	3.7	9	1	1	3	5	6	7	11
65+	1343	4.0	8	1	2	4	5	6	8	13
GRAND TOTAL	**5895**	**3.6**	**7**	**1**	**1**	**3**	**4**	**6**	**7**	**10**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	4	1.3		<1	<1	1	1	2	2	2
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	4	2.5	3	1	1	2	4	5	5	5
65+	4	3.5	2	2	2	3	4	5	5	5
B. *Operated*										
0-19 YRS	281	1.4	1	<1	<1	1	2	2	3	4
20-34	535	1.5	2	<1	<1	1	2	3	3	5
35-49	363	1.6	1	<1	<1	1	2	3	4	5
50-64	242	1.8	2	<1	<1	1	2	3	4	7
65+	91	2.1	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	10	2.7	11	<1	<1	<1	2	9	9	9
35-49	13	2.4	3	<1	<1	2	3	5	6	6
50-64	8	3.5	6	<1	<1	3	6	6	6	6
65+	4	5.5	9	<1	<1	7	7	7	7	7
B. *Operated*										
0-19 YRS	30	1.6	1	<1	<1	1	2	3	4	4
20-34	110	2.2	2	<1	<1	2	3	4	5	8
35-49	109	2.5	4	<1	<1	2	3	4	7	11
50-64	129	2.7	3	<1	<1	2	4	5	6	9
65+	83	4.2	23	1	1	3	5	7	10	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	2.2	2	<1	<1	2	3	5	5	5
B. *Operated*	1512	1.6	2	<1	<1	1	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*	36	3.0	7	<1	<1	2	5	7	8	9
B. *Operated*	461	2.7	7	<1	<1	2	3	5	7	11
1. SINGLE DX	1526	1.6	2	<1	<1	1	2	3	3	6
2. MULTIPLE DX	497	2.8	7	<1	<1	2	3	5	7	11
A. NOT OPERATED	50	2.8	6	<1	<1	2	5	7	7	9
B. OPERATED	1973	1.9	3	<1	<1	1	2	3	4	8
TOTAL 0-19 YRS	313	1.4	1	<1	<1	1	2	2	3	4
20-34	659	1.7	3	<1	<1	1	2	3	4	7
35-49	486	1.8	2	<1	<1	1	2	3	4	7
50-64	383	2.2	2	<1	<1	2	3	4	6	8
65+	182	3.2	13	<1	<1	2	4	6	7	11
GRAND TOTAL	**2023**	**1.9**	**3**	**<1**	**<1**	**1**	**2**	**3**	**5**	**8**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	92	13.4	71	3	4	10	20	26	28	36
20-34	23	9.4	65	2	3	7	11	22	27	34
35-49	22	9.1	94	2	2	5	12	22	31	43
50-64	34	11.1	69	2	3	10	14	27	29	33
65+	16	12.3	281	1	2	7	12	38	57	64
B. *Operated*										
0-19 YRS	91	15.7	146	1	2	13	23	34	42	44
20-34	92	10.4	111	1	1	7	14	23	37	44
35-49	63	13.2	134	1	2	10	18	31	44	93
50-64	55	11.5	176	<1	1	6	16	27	41	61
65+	30	10.8	92	2	2	8	15	27	45	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	14.5	119	1	2	11	22	30	35	43
20-34	45	9.4	71	<1	1	7	14	20	26	37
35-49	44	11.7	94	1	2	9	15	26	31	44
50-64	71	15.1	178	3	4	10	19	34	46	56
65+	67	14.4	184	2	3	10	20	32	45	62
B. *Operated*										
0-19 YRS	85	19.6	151	2	7	17	25	40	43	52
20-34	144	16.8	161	2	3	14	23	38	45	58
35-49	121	21.1	247	4	5	17	29	46	61	99+
50-64	186	21.8	313	3	5	17	31	52	67	99+
65+	203	22.1	364	2	4	16	31	50	65	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	187	11.9	91	2	3	9	17	24	29	42
B. *Operated*	331	12.6	137	1	2	9	17	30	42	54
2. MULTIPLE DX										
A. *Not Operated*	277	13.3	140	1	2	10	18	29	40	52
B. *Operated*	739	20.5	270	2	4	16	28	46	58	99+
1. SINGLE DX	518	12.3	120	1	2	9	17	28	39	52
2. MULTIPLE DX	1016	18.6	245	2	3	14	25	43	54	87
A. NOT OPERATED	464	12.8	121	2	3	9	18	28	34	51
B. OPERATED	1070	18.1	242	2	3	14	24	43	53	89
TOTAL 0-19 YRS	318	15.9	126	1	3	14	22	31	41	45
20-34	304	13.2	136	1	2	9	19	29	42	53
35-49	250	16.4	198	2	3	12	23	40	50	99
50-64	346	17.7	259	2	3	13	24	44	56	99+
65+	316	18.9	313	2	3	13	25	47	61	89
GRAND TOTAL	**1534**	**16.5**	**212**	**2**	**3**	**12**	**22**	**39**	**47**	**77**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	68	6.7	45	<1	<1	5	10	14	23	31
20-34	62	2.7	5	<1	1	2	4	5	6	13
35-49	91	2.8	5	<1	1	2	3	6	8	11
50-64	89	4.2	15	1	1	3	5	9	10	22
65+	176	7.0	28	2	2	6	9	14	17	26
B. *Operated*										
0-19 YRS	683	3.7	21	<1	1	3	4	7	10	20
20-34	895	4.0	13	1	1	3	5	8	10	18
35-49	428	4.9	29	1	1	3	6	10	13	23
50-64	303	5.9	20	1	1	5	9	12	15	21
65+	198	9.4	43	2	2	8	14	18	20	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	5.0	37	<1	<1	3	5	14	20	25
20-34	103	3.0	6	<1	<1	2	4	7	8	12
35-49	184	5.3	46	1	1	3	6	11	14	43
50-64	412	6.9	53	1	2	5	8	15	21	39
65+	1908	9.4	53	2	3	8	12	17	22	38
B. *Operated*										
0-19 YRS	252	4.8	42	1	1	3	5	10	16	33
20-34	465	6.5	88	1	1	4	7	13	19	50
35-49	350	7.4	75	1	1	5	9	16	21	33
50-64	509	11.3	129	1	2	8	15	25	32	59
65+	762	15.8	162	2	4	13	19	29	39	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	486	5.1	24	1	1	3	7	11	14	25
B. *Operated*	2507	4.7	23	1	1	3	6	10	14	22
2. MULTIPLE DX										
A. *Not Operated*	2648	8.4	53	1	2	7	11	17	21	37
B. *Operated*	2338	10.5	132	1	2	7	14	22	31	62
1. SINGLE DX	2993	4.8	23	1	1	3	6	10	14	22
2. MULTIPLE DX	4986	9.4	91	1	2	7	12	19	26	51
A. NOT OPERATED	3134	7.9	50	1	2	6	10	16	20	36
B. OPERATED	4845	7.5	84	1	1	4	10	17	23	49
TOTAL 0-19 YRS	1044	4.2	29	<1	1	3	5	9	13	25
20-34	1525	4.7	36	1	1	3	5	9	12	29
35-49	1053	5.6	47	1	1	4	7	11	16	31
50-64	1313	8.2	79	1	2	5	10	17	23	49
65+	3044	10.9	87	2	3	9	14	20	27	51
GRAND TOTAL	**7979**	**7.7**	**71**	**1**	**1**	**5**	**10**	**17**	**22**	**42**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	6.0	48	2	2	2	11	14	14	14
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	172	3.5	20	<1	<1	3	5	6	8	23
20-34	118	2.8	14	<1	<1	2	3	5	8	20
35-49	89	2.8	5	<1	<1	2	4	6	6	12
50-64	61	3.1	7	<1	<1	2	4	7	9	13
65+	19	3.6	16	<1	<1	2	4	9	13	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	1.0		<1	<1	<1	1	1	1	1
20-34	6	1.7	1	<1	<1	1	2	4	4	4
35-49	6	5.5	54	1	1	3	5	19	20	20
50-64	6	14.0	223	2	2	6	30	35	36	36
65+	12	13.1	254	1	2	6	17	45	45	45
B. *Operated*										
0-19 YRS	138	4.2	21	1	1	3	5	7	9	34
20-34	169	4.3	11	<1	1	3	6	8	11	17
35-49	97	4.2	10	1	1	3	5	9	11	16
50-64	133	5.8	34	1	1	4	7	10	12	33
65+	62	8.8	99	1	2	7	10	17	24	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	3.0	20	<1	<1	1	2	10	14	14
B. *Operated*	459	3.1	13	<1	<1	2	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	36	8.1	151	<1	<1	3	7	29	42	45
B. *Operated*	599	5.1	29	1	1	4	6	10	12	27
1. SINGLE DX	467	3.1	13	<1	<1	2	4	6	8	14
2. MULTIPLE DX	635	5.2	36	1	1	4	6	10	13	33
A. NOT OPERATED	44	7.1	130	<1	<1	2	6	22	39	45
B. OPERATED	1058	4.2	23	<1	<1	3	5	8	11	24
TOTAL 0-19 YRS	319	3.8	20	<1	<1	3	5	7	8	28
20-34	294	3.6	12	<1	<1	3	4	8	10	17
35-49	194	3.6	9	<1	<1	3	4	7	10	16
50-64	201	5.2	34	<1	1	4	6	10	12	33
65+	94	8.3	106	<1	1	5	10	17	25	59
GRAND TOTAL	**1102**	**4.3**	**28**	**<1**	**<1**	**3**	**5**	**8**	**11**	**29**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	21	6.7	24	1	1	7	10	14	17	19
35-49	31	6.5	21	1	2	6	8	10	18	23
50-64	20	5.3	18	1	1	4	7	11	15	17
65+	4	5.0	8	3	3	4	7	9	9	9
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	26	4.0	14	1	1	3	7	9	11	16
35-49	42	4.5	19	1	1	3	6	9	11	26
50-64	21	5.4	19	<1	1	5	8	12	13	14
65+	5	3.2	8	1	1	2	4	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	8.0	18	5	5	8	11	11	11	11
20-34	15	6.7	20	1	2	6	10	12	15	16
35-49	39	5.4	14	<1	1	5	7	9	12	20
50-64	48	7.0	27	1	2	5	9	16	19	20
65+	65	8.5	46	3	3	7	10	14	20	44
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	18	4.9	20	<1	1	3	5	12	16	18
35-49	33	7.8	28	1	1	8	11	15	18	19
50-64	42	10.5	89	1	2	8	14	21	29	49
65+	20	7.6	10	2	3	8	9	11	13	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	6.1	20	1	1	5	8	11	17	22
B. *Operated*	95	4.4	17	1	1	3	7	9	12	21
2. MULTIPLE DX										
A. *Not Operated*	169	7.2	32	1	2	6	9	14	17	25
B. *Operated*	114	8.2	49	1	2	7	10	16	19	38
1. SINGLE DX	172	5.2	19	1	1	4	7	10	14	22
2. MULTIPLE DX	283	7.6	39	1	2	6	10	15	19	30
A. NOT OPERATED	246	6.9	28	1	2	6	9	14	17	23
B. OPERATED	209	6.5	38	1	1	5	9	14	18	29
TOTAL 0-19 YRS	5	3.8	19	<1	<1	1	6	11	11	11
20-34	80	5.4	20	1	1	4	8	11	16	19
35-49	145	5.9	22	1	1	5	8	11	15	23
50-64	131	7.6	48	1	1	6	9	16	19	35
65+	94	7.9	36	2	3	7	9	14	17	37
GRAND TOTAL	**455**	**6.7**	**33**	**1**	**1**	**6**	**9**	**14**	**18**	**26**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	71	2.8	9	<1	<1	1	4	7	8	15
20-34	133	3.9	10	1	1	3	5	8	10	19
35-49	168	4.2	12	1	1	3	5	9	12	18
50-64	120	3.8	8	1	1	3	6	8	10	13
65+	88	5.3	27	1	1	4	6	10	15	28
B. *Operated*										
0-19 YRS	460	4.2	21	<1	<1	2	7	11	13	21
20-34	555	3.1	15	<1	<1	2	4	8	10	14
35-49	423	3.3	10	<1	<1	2	4	8	11	16
50-64	545	2.9	7	<1	1	2	3	5	8	14
65+	332	3.1	11	<1	1	2	3	6	9	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	77	3.2	7	<1	1	3	4	7	9	13
20-34	222	4.9	29	1	1	4	5	10	15	29
35-49	307	5.6	24	1	1	4	7	12	17	24
50-64	366	5.4	25	1	1	4	7	10	15	30
65+	534	6.7	38	1	2	5	8	13	18	32
B. *Operated*										
0-19 YRS	328	3.8	17	1	1	2	4	9	13	21
20-34	621	4.0	30	<1	1	2	5	9	12	22
35-49	502	5.2	44	1	1	3	6	11	16	30
50-64	598	5.7	64	1	1	3	7	11	17	45
65+	402	8.1	92	1	1	4	11	19	27	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	580	4.1	13	1	1	3	5	8	11	19
B. *Operated*	2315	3.3	13	<1	<1	2	4	8	11	17
2. MULTIPLE DX										
A. *Not Operated*	1506	5.7	30	1	1	4	7	12	16	26
B. *Operated*	2451	5.3	51	1	1	3	6	12	17	36
1. SINGLE DX	2895	3.5	13	<1	1	2	4	8	11	17
2. MULTIPLE DX	3957	5.4	43	1	1	3	7	12	17	32
A. NOT OPERATED	2086	5.3	26	1	1	4	7	11	15	24
B. OPERATED	4766	4.3	34	<1	1	2	5	10	14	27
TOTAL 0-19 YRS	936	3.9	17	<1	1	2	4	10	13	20
20-34	1531	3.8	23	<1	1	2	4	8	11	19
35-49	1400	4.6	26	<1	1	3	5	10	14	23
50-64	1629	4.5	34	1	1	3	5	9	13	27
65+	1356	6.1	50	1	1	4	8	14	19	36
GRAND TOTAL	**6852**	**4.6**	**31**	**<1**	**1**	**3**	**5**	**10**	**14**	**26**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	6.6	54	2	2	4	5	19	23	23
35-49	9	7.0	9	3	3	8	9	11	11	11
50-64										
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	2.0		2	2	2	2	2	2	2
35-49	4	2.0	1	1	1	2	3	3	3	3
50-64	2	2.5	1	2	2	2	3	3	3	3
65+	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	6.5	26	2	2	5	10	13	13	13
20-34	16	5.1	15	<1	1	4	6	11	14	16
35-49	20	5.1	7	<1	1	5	7	9	10	10
50-64	19	5.3	5	2	2	5	7	8	9	10
65+	12	4.8	11	1	2	4	7	10	11	11
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	8	6.9	19	2	2	6	10	13	14	14
35-49	8	9.5	3	7	7	9	10	12	13	13
50-64	7	4.0	2	2	2	5	5	5	5	5
65+	6	10.3	102	2	2	7	11	28	30	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	6.6	25	2	3	5	8	11	19	23
B. *Operated*	10	2.0		<1	<1	2	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	71	5.2	9	1	2	5	7	9	11	15
B. *Operated*	30	7.6	29	2	2	6	10	12	14	30
1. SINGLE DX	27	4.9	21	1	2	3	6	10	13	23
2. MULTIPLE DX	101	5.9	16	1	2	5	8	10	12	23
A. NOT OPERATED	88	5.5	12	1	2	5	7	10	11	20
B. OPERATED	40	6.2	28	1	2	5	9	11	13	30
TOTAL 0-19 YRS	6	5.7	21	<1	<1	5	8	12	13	13
20-34	32	5.8	23	1	2	4	6	12	16	23
35-49	41	6.1	11	1	2	6	9	10	11	13
50-64	28	4.8	4	2	2	5	6	8	8	10
65+	21	6.1	40	1	2	4	8	11	20	30
GRAND TOTAL	**128**	**5.7**	**17**	**1**	**2**	**5**	**8**	**10**	**12**	**25**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	2.6	3	<1	<1	2	4	5	6	6
20-34	4	2.8	8	<1	<1	1	4	7	7	7
35-49										
50-64	3	2.3	2	1	1	2	3	4	4	4
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	42	6.3	25	1	2	5	9	12	13	28
20-34	13	7.3	18	1	2	7	11	12	14	14
35-49	5	7.8	31	1	1	6	13	14	14	14
50-64	4	3.0	5	1	1	2	4	6	6	6
65+	1	69.0		69	69	69	69	69	69	69
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	3.9	10	1	1	3	5	8	9	15
20-34	8	12.9	203	2	2	6	23	36	37	37
35-49	5	5.2	16	1	1	3	9	10	10	10
50-64	2	5.0	18	2	2	5	8	8	8	8
65+	4	6.3	41	<1	<1	4	11	15	15	15
B. *Operated*										
0-19 YRS	66	8.0	52	1	1	7	10	15	19	43
20-34	22	12.2	161	2	3	8	15	31	41	55
35-49	12	8.7	23	1	2	9	12	15	16	16
50-64	12	13.2	105	1	2	12	18	30	31	31
65+	7	21.7	222	4	5	20	30	45	48	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	2.6	4	<1	<1	2	4	6	6	7
B. *Operated*	65	7.4	83	1	1	5	10	12	14	63
2. MULTIPLE DX										
A. *Not Operated*	70	5.2	39	1	1	3	7	10	15	36
B. *Operated*	119	10.2	93	1	2	7	13	20	31	50
1. SINGLE DX	85	6.2	68	1	1	4	8	12	13	55
2. MULTIPLE DX	189	8.3	78	1	1	6	10	18	30	48
A. NOT OPERATED	90	4.6	32	<1	1	3	6	9	14	35
B. OPERATED	184	9.2	91	1	2	7	11	18	29	53
TOTAL 0-19 YRS	171	6.0	33	1	1	5	8	12	15	27
20-34	47	10.1	120	1	2	7	11	28	34	55
35-49	22	7.7	23	1	1	8	11	14	15	16
50-64	21	8.9	86	1	1	5	15	23	30	31
65+	13	19.1	412	<1	1	14	27	52	66	69
GRAND TOTAL	**274**	**7.7**	**76**	**1**	**1**	**5**	**10**	**15**	**24**	**48**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	132	1.1		<1	<1	<1	<1	1	1	4
20-34										
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	457	1.8	1	<1	<1	1	2	3	4	7
20-34	124	2.1	2	<1	<1	2	2	3	5	10
35-49	53	2.2	2	<1	<1	2	3	3	4	10
50-64	87	2.3	2	<1	1	2	3	3	4	8
65+	80	2.1	1	<1	1	2	3	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	1.4	1	<1	<1	1	1	2	3	8
20-34	3	1.3		<1	<1	1	2	2	2	2
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+	2	10.5	5	9	9	10	12	12	12	12
B. *Operated*										
0-19 YRS	138	2.4	4	<1	<1	2	3	4	5	13
20-34	41	2.9	5	<1	1	2	3	4	9	11
35-49	40	2.5	3	1	1	2	3	4	6	11
50-64	68	2.2	1	1	1	2	2	3	4	5
65+	120	3.0	9	1	2	2	3	5	6	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	133	1.1		<1	<1	<1	<1	1	1	4
B. *Operated*	801	2.0	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	57	1.7	4	<1	<1	1	1	3	7	12
B. *Operated*	407	2.6	5	1	1	2	3	4	5	12
1. SINGLE DX	934	1.9	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX	464	2.5	5	<1	1	2	3	4	5	12
A. NOT OPERATED	190	1.3	2	<1	<1	<1	1	1	3	9
B. OPERATED	1208	2.2	3	<1	<1	2	3	4	5	9
TOTAL 0-19 YRS	776	1.8	2	<1	<1	1	2	3	4	8
20-34	168	2.3	3	<1	<1	2	3	4	5	11
35-49	94	2.3	3	<1	1	2	3	4	4	11
50-64	158	2.2	1	<1	1	2	3	3	4	7
65+	202	2.7	6	1	1	2	3	4	5	14
GRAND TOTAL	**1398**	**2.1**	**3**	**<1**	**<1**	**2**	**2**	**3**	**4**	**9**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	2.4	4	<1	<1	2	3	6	7	8
20-34	7	1.7	2	<1	<1	1	2	4	5	5
35-49	6	1.8	1	1	1	2	2	4	4	4
50-64	4	4.5	27	1	1	3	8	12	12	12
65+	2	7.5	61	2	2	7	13	13	13	13
B. *Operated*										
0-19 YRS	446	4.0	14	1	1	2	7	8	9	15
20-34	88	4.6	25	1	1	2	8	9	14	27
35-49	45	4.7	17	1	1	3	7	10	12	17
50-64	25	3.0	10	<1	1	2	3	6	12	14
65+	14	4.0	12	<1	1	2	7	9	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	132	3.8	15	<1	<1	2	5	9	13	19
20-34	33	4.7	54	<1	1	3	4	9	25	35
35-49	23	4.7	40	1	1	3	4	11	21	29
50-64	21	7.6	36	1	2	7	9	17	20	22
65+	32	7.3	50	1	1	5	8	16	26	29
B. *Operated*										
0-19 YRS	617	5.6	42	1	1	3	8	11	15	30
20-34	107	6.5	41	1	1	4	9	15	24	60
35-49	67	8.4	117	1	2	6	9	21	29	64
50-64	71	7.2	42	1	1	5	11	15	20	28
65+	72	12.0	226	2	2	8	15	28	53	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	2.7	8	<1	1	2	3	6	10	13
B. *Operated*	618	4.1	16	1	1	2	7	9	10	17
2. MULTIPLE DX										
A. *Not Operated*	241	4.8	31	<1	1	3	6	11	16	29
B. *Operated*	934	6.5	64	1	1	4	9	13	19	50
1. SINGLE DX	658	4.0	15	1	1	2	7	8	10	17
2. MULTIPLE DX	1175	6.2	58	1	1	3	8	13	18	36
A. NOT OPERATED	281	4.5	28	<1	1	3	5	10	15	29
B. OPERATED	1552	5.6	46	1	1	2	8	11	15	31
TOTAL 0-19 YRS	1216	4.8	29	1	1	2	7	10	13	22
20-34	235	5.4	36	1	1	2	8	12	18	32
35-49	141	6.3	71	1	1	3	8	14	23	34
50-64	121	6.3	36	1	1	3	10	14	16	27
65+	120	9.8	159	1	2	5	11	22	33	66
GRAND TOTAL	**1833**	**5.4**	**44**	**1**	**1**	**2**	**8**	**11**	**15**	**30**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	285	3.5	3	1	1	3	5	6	7	8
20-34	8	3.3	2	1	1	3	4	5	5	5
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	2.8	45	<1	<1	1	1	4	21	26
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	195	3.8	4	1	2	3	5	6	7	11
20-34	12	2.3	1	1	1	2	3	4	4	4
35-49	4	2.0	1	1	1	2	3	3	3	3
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.0		1	1	1	1	1	1	1
B. *Operated*	297	3.5	3	1	1	3	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	14	2.8	45	<1	<1	1	1	4	21	26
B. *Operated*	211	3.7	4	1	2	3	5	6	7	11
1. SINGLE DX	299	3.5	3	1	1	3	5	6	7	8
2. MULTIPLE DX	225	3.6	7	1	1	3	5	6	7	14
A. NOT OPERATED	16	2.6	39	<1	<1	1	1	1	19	26
B. OPERATED	508	3.6	4	1	1	3	5	6	7	9
TOTAL 0-19 YRS	495	3.6	5	1	1	3	5	6	7	10
20-34	20	2.7	2	1	1	3	4	5	5	5
35-49	7	2.1	1	1	1	2	3	4	4	4
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	**524**	**3.5**	**5**	**1**	**1**	**3**	**5**	**6**	**7**	**10**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	1.8	1	1	1	2	2	3	4	4
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	249	3.2	2	2	2	3	4	4	6	8
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	9.1	68	2	2	5	17	22	22	22
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	80	4.8	7	2	2	4	6	8	11	16
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	1.8	1	1	1	2	2	3	4	4
B. *Operated*	249	3.2	2	2	2	3	4	4	6	8
2. MULTIPLE DX										
A. *Not Operated*	7	9.1	68	2	2	5	17	22	22	22
B. *Operated*	80	4.8	7	2	2	4	6	8	11	16
1. SINGLE DX	264	3.1	2	1	2	3	4	4	5	8
2. MULTIPLE DX	87	5.1	13	2	2	4	6	9	12	21
A. NOT OPERATED	22	4.1	32	1	1	2	4	11	21	22
B. OPERATED	329	3.6	3	2	2	3	4	6	7	11
TOTAL 0-19 YRS	351	3.6	5	2	2	3	4	6	7	12
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**351**	**3.6**	**5**	**2**	**2**	**3**	**4**	**6**	**7**	**12**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	2.5	28	<1	<1	1	2	4	6	37
20-34										
35-49	8	3.8	6	1	1	4	6	7	7	7
50-64										
65+	4	2.0	2	<1	<1	1	3	4	4	4
B. *Operated*										
0-19 YRS	135	4.5	31	<1	<1	3	6	9	11	22
20-34	67	3.8	9	<1	<1	3	6	8	10	14
35-49	26	6.2	24	<1	1	6	9	13	16	17
50-64	17	4.6	18	<1	1	2	8	12	13	13
65+	10	7.4	82	<1	<1	3	13	23	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	3.7	14	<1	1	2	5	8	12	18
20-34	12	5.5	18	<1	1	5	7	12	15	15
35-49	7	4.1	9	1	1	2	7	8	8	8
50-64	11	5.6	37	1	1	4	7	14	21	22
65+	23	5.2	9	1	2	5	8	10	10	10
B. *Operated*										
0-19 YRS	147	7.6	65	<1	1	5	10	16	23	46
20-34	60	6.3	23	<1	1	6	9	11	15	25
35-49	48	7.2	25	1	1	7	10	14	17	20
50-64	30	9.9	41	1	2	9	13	16	20	33
65+	32	7.2	26	1	1	7	9	14	17	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	63	2.7	24	<1	<1	1	2	5	7	34
B. *Operated*	255	4.6	26	<1	<1	3	5	9	13	20
2. MULTIPLE DX										
A. *Not Operated*	115	4.4	15	<1	1	3	6	10	12	19
B. *Operated*	317	7.5	45	<1	1	6	10	15	20	37
1. SINGLE DX	318	4.2	26	<1	<1	2	6	9	12	22
2. MULTIPLE DX	432	6.7	39	<1	1	5	9	13	17	34
A. NOT OPERATED	178	3.8	19	<1	<1	2	5	8	11	21
B. OPERATED	572	6.2	39	<1	1	5	8	13	16	32
TOTAL 0-19 YRS	395	5.3	44	<1	<1	3	7	11	16	38
20-34	139	5.0	17	<1	<1	4	7	10	12	20
35-49	89	6.4	23	1	1	6	9	13	16	20
50-64	58	7.5	39	1	1	7	11	15	18	32
65+	69	6.2	28	1	1	5	8	13	17	25
GRAND TOTAL	**750**	**5.6**	**35**	**<1**	**<1**	**4**	**8**	**12**	**15**	**29**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	523	1.9	1	<1	1	2	2	3	4	5
20-34	49	2.6	4	1	1	2	3	5	6	12
35-49	15	2.4	3	1	1	2	3	4	6	7
50-64	3	2.3		2	2	2	3	3	3	3
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	1.0		<1	<1	<1	1	1	1	1
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	385	2.2	4	<1	<1	2	3	4	5	8
20-34	56	2.7	3	1	1	2	3	5	6	8
35-49	17	3.2	5	1	1	3	4	4	9	11
50-64	6	2.0	1	1	1	2	3	3	3	3
65+	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.0		1	1	1	1	1	1	1
B. *Operated*	590	2.0	1	<1	1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	29	1.0		<1	<1	<1	1	1	1	1
B. *Operated*	465	2.3	4	<1	<1	2	3	4	5	8
1. SINGLE DX	592	2.0	1	<1	1	2	2	3	4	6
2. MULTIPLE DX	494	2.2	4	<1	<1	2	3	4	5	8
A. NOT OPERATED	31	1.0		<1	<1	1	1	1	1	1
B. OPERATED	1055	2.1	2	<1	<1	2	3	4	5	7
TOTAL 0-19 YRS	938	2.0	2	<1	<1	2	2	3	4	7
20-34	105	2.6	3	1	1	2	3	5	6	10
35-49	33	2.8	4	1	1	2	3	4	7	11
50-64	9	2.1	1	1	1	2	3	3	3	3
65+	1	4.0		4	4	4	4	4	4	4
GRAND TOTAL	**1086**	**2.1**	**2**	**<1**	**<1**	**2**	**3**	**4**	**5**	**7**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	2.6	3	<1	<1	2	4	5	6	6
20-34	7	2.7	6	<1	<1	1	4	7	7	7
35-49	2	4.0		4	4	4	4	4	4	4
50-64	1	1.0		1	1	1	1	1	1	1
65+	4	3.0	4	2	2	2	4	6	6	6
B. *Operated*										
0-19 YRS	389	4.1	11	<1	<1	3	6	8	11	16
20-34	121	3.5	6	<1	<1	3	5	7	8	11
35-49	36	3.6	7	<1	1	3	5	7	10	11
50-64	29	4.6	14	<1	1	3	7	10	12	14
65+	14	4.9	17	<1	1	4	7	11	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	3.0	7	<1	<1	2	4	7	10	11
20-34	17	3.6	5	1	1	3	5	7	8	8
35-49	18	6.2	25	1	1	4	10	13	17	19
50-64	15	3.7	9	1	1	2	6	7	11	12
65+	15	4.3	9	1	2	3	7	10	73	99+
B. *Operated*										
0-19 YRS	349	5.1	24	<1	<1	4	7	11	15	21
20-34	180	5.0	11	<1	1	5	6	9	12	16
35-49	88	6.3	40	<1	1	5	7	13	19	36
50-64	59	8.5	78	1	2	6	10	16	29	47
65+	40	7.4	26	2	2	7	9	15	19	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	2.8	3	<1	<1	2	4	6	6	7
B. *Operated*	589	4.0	10	<1	<1	3	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	93	4.0	12	<1	1	3	5	10	12	64
B. *Operated*	716	5.6	28	<1	1	5	7	12	15	24
1. SINGLE DX	613	3.9	10	<1	<1	3	6	8	10	14
2. MULTIPLE DX	809	5.4	27	<1	1	4	7	11	15	24
A. NOT OPERATED	117	3.8	10	<1	1	3	5	9	11	45
B. OPERATED	1305	4.9	21	<1	1	4	7	10	13	21
TOTAL 0-19 YRS	776	4.5	17	<1	<1	3	6	9	12	19
20-34	325	4.3	10	<1	<1	4	6	8	10	14
35-49	144	5.6	30	<1	1	4	7	12	15	25
50-64	104	6.6	54	1	1	5	8	12	17	43
65+	73	6.0	22	1	2	5	9	13	18	81
GRAND TOTAL	**1422**	**4.8**	**20**	**<1**	**1**	**4**	**6**	**10**	**13**	**20**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.0		<1	<1	<1	1	1	1	1
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	252	2.9	2	1	1	3	4	5	6	8
20-34	19	4.4	5	1	2	4	6	8	9	9
35-49	13	2.4	2	<1	1	2	3	4	5	5
50-64	16	4.1	3	2	2	4	5	6	7	7
65+	3	3.7	5	1	1	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	1.1		<1	<1	1	1	1	2	2
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	151	3.5	2	1	2	3	4	6	6	8
20-34	48	3.6	2	2	2	3	5	5	6	9
35-49	33	3.7	2	2	2	3	4	6	7	8
50-64	41	5.5	61	1	2	4	5	8	13	51
65+	19	5.6	7	2	3	5	7	9	12	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.0		<1	<1	<1	1	1	1	1
B. *Operated*	303	3.1	3	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	22	1.1		<1	<1	1	1	2	2	3
B. *Operated*	292	4.0	11	1	2	3	5	6	7	13
1. SINGLE DX	308	3.0	3	<1	1	3	4	5	6	8
2. MULTIPLE DX	314	3.8	11	1	1	3	5	6	7	13
A. NOT OPERATED	27	1.1		<1	<1	1	1	1	2	3
B. OPERATED	595	3.5	7	1	1	3	4	6	7	9
TOTAL 0-19 YRS	427	3.0	2	<1	1	3	4	5	6	8
20-34	68	3.8	3	1	2	3	5	6	7	9
35-49	46	3.3	2	1	1	3	4	5	6	8
50-64	58	5.0	44	1	2	4	5	7	11	48
65+	23	5.1	8	1	2	5	6	8	11	14
GRAND TOTAL	**622**	**3.4**	**7**	**1**	**1**	**3**	**4**	**6**	**7**	**9**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	94	2.5	12	<1	<1	1	2	5	9	21
20-34	31	5.1	12	1	1	4	7	10	11	13
35-49	26	5.6	25	1	1	5	7	9	16	26
50-64	19	4.2	10	<1	1	4	6	9	11	12
65+	11	5.1	8	1	1	6	8	8	8	8
B. *Operated*										
0-19 YRS	892	3.7	19	<1	1	2	4	7	11	23
20-34	388	3.3	12	<1	<1	2	4	8	10	16
35-49	208	3.7	12	<1	<1	2	5	9	11	15
50-64	96	4.5	19	1	1	3	6	11	12	21
65+	34	6.6	41	1	1	4	9	18	20	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	128	3.6	42	<1	<1	2	4	8	11	27
20-34	49	5.3	37	<1	1	4	7	9	15	39
35-49	58	6.7	27	2	2	5	9	12	15	29
50-64	43	8.2	130	2	2	5	8	10	42	58
65+	57	7.3	35	2	2	6	10	15	21	27
B. *Operated*										
0-19 YRS	368	4.4	28	<1	1	3	5	9	13	35
20-34	203	5.3	22	<1	1	4	7	12	15	24
35-49	153	6.6	43	1	1	5	9	14	18	35
50-64	163	8.2	62	1	2	6	11	17	23	50
65+	91	8.6	70	1	2	5	11	19	30	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	181	3.7	15	<1	<1	2	6	8	11	21
B. *Operated*	1618	3.7	17	<1	<1	2	4	8	11	21
2. MULTIPLE DX										
A. *Not Operated*	335	5.6	51	<1	1	4	7	11	15	41
B. *Operated*	978	6.0	41	1	1	4	8	13	18	37
1. SINGLE DX	1799	3.7	17	<1	<1	2	4	8	11	21
2. MULTIPLE DX	1313	5.9	43	1	1	4	7	13	18	38
A. NOT OPERATED	516	5.0	39	<1	1	3	6	10	13	32
B. OPERATED	2596	4.5	27	<1	1	3	6	10	14	28
TOTAL 0-19 YRS	1482	3.8	23	<1	1	2	4	8	11	24
20-34	671	4.1	18	<1	<1	3	5	9	12	22
35-49	445	5.2	27	<1	1	3	7	11	14	26
50-64	321	6.9	58	1	1	5	9	14	20	49
65+	193	7.7	52	1	2	5	10	18	25	34
GRAND TOTAL	**3112**	**4.6**	**29**	**<1**	**1**	**3**	**6**	**10**	**14**	**28**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2999	2.6	8	1	1	2	3	4	5	13
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	41	10.4	416	<1	<1	3	8	22	64	94
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1135	5.8	69	1	1	3	6	14	22	51
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	99	11.5	220	1	2	6	13	33	47	70
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2999	2.6	8	1	1	2	3	4	5	13
B. *Operated*	41	10.4	416	<1	<1	3	8	22	64	94
2. MULTIPLE DX										
A. *Not Operated*	1135	5.8	69	1	1	3	6	14	22	51
B. *Operated*	99	11.5	220	1	2	6	13	33	47	70
1. SINGLE DX	3040	2.7	14	1	1	2	3	4	5	15
2. MULTIPLE DX	1234	6.3	84	1	1	3	6	15	24	55
A. NOT OPERATED	4134	3.5	27	1	1	2	3	6	10	26
B. OPERATED	140	11.2	275	<1	1	5	12	32	46	89
TOTAL 0-19 YRS	4274	3.7	37	1	1	2	3	6	11	31
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**4274**	**3.7**	**37**	**1**	**1**	**2**	**3**	**6**	**11**	**31**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	745	2.1	2	<1	1	2	3	4	5	8
20-34	424	2.5	4	<1	1	2	3	4	7	12
35-49	218	2.9	6	1	1	2	3	6	7	13
50-64	155	3.2	6	1	1	3	4	6	7	16
65+	159	3.0	4	1	1	2	4	5	6	9
B. *Operated*										
0-19 YRS	10	3.4	6	1	1	3	5	7	9	9
20-34	15	6.8	170	1	1	3	5	10	42	53
35-49	3	5.7	6	3	3	6	7	8	8	8
50-64	11	6.0	30	<1	1	4	8	14	19	20
65+	2	3.5	5	2	2	3	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1009	2.8	11	1	1	2	3	5	6	15
20-34	493	3.9	17	1	1	3	4	8	11	19
35-49	449	3.8	12	1	1	3	5	7	10	16
50-64	583	5.0	27	1	1	4	6	9	14	22
65+	893	5.9	26	1	2	4	7	12	16	28
B. *Operated*										
0-19 YRS	23	8.5	66	1	2	5	13	20	24	31
20-34	37	8.3	49	2	2	7	10	21	25	26
35-49	42	6.9	23	2	2	6	9	14	20	99+
50-64	55	8.7	67	2	2	6	10	21	29	97
65+	74	13.1	211	2	3	8	16	32	41	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1701	2.5	4	1	1	2	3	5	6	10
B. *Operated*	41	5.5	71	1	1	3	6	9	15	53
2. MULTIPLE DX										
A. *Not Operated*	3427	4.3	20	1	1	3	5	9	12	22
B. *Operated*	231	9.7	107	2	2	7	11	21	31	82
1. SINGLE DX	1742	2.6	6	1	1	2	3	5	6	10
2. MULTIPLE DX	3658	4.6	27	1	1	3	5	9	14	28
A. NOT OPERATED	5128	3.7	15	1	1	3	4	7	10	19
B. OPERATED	272	9.0	103	2	2	6	10	20	31	77
TOTAL 0-19 YRS	1787	2.6	8	1	1	2	3	4	6	14
20-34	969	3.5	16	1	1	2	4	7	10	19
35-49	712	3.7	12	1	1	3	5	7	10	17
50-64	804	4.9	27	1	1	3	6	9	14	27
65+	1128	6.0	39	1	2	4	7	12	16	34
GRAND TOTAL	**5400**	**4.0**	**21**	**1**	**1**	**3**	**5**	**8**	**11**	**23**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	273	2.6	2	1	1	2	3	4	5	9
20-34	81	3.6	8	1	1	3	4	7	9	16
35-49	45	3.6	4	1	2	3	4	6	7	12
50-64	57	4.4	11	1	2	3	6	8	11	17
65+	73	4.6	7	2	2	4	6	9	10	13
B. *Operated*										
0-19 YRS	8	4.0	22	<1	<1	3	4	12	15	15
20-34	7	15.1	164	1	2	12	29	31	31	31
35-49	6	7.2	17	3	3	6	11	13	13	13
50-64	8	10.4	73	1	1	11	14	23	27	27
65+	7	8.6	24	4	4	6	13	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	455	3.3	8	1	1	3	4	6	7	15
20-34	240	4.2	11	1	1	3	5	8	11	18
35-49	169	4.9	14	1	2	4	6	9	12	18
50-64	283	5.7	20	2	2	4	7	11	15	22
65+	586	6.7	34	2	2	5	8	13	16	24
B. *Operated*										
0-19 YRS	23	6.4	19	<1	1	5	10	13	14	14
20-34	37	11.1	131	3	3	8	13	17	28	68
35-49	45	9.0	36	2	3	8	12	16	19	34
50-64	68	13.2	171	2	3	8	18	27	34	78
65+	88	13.7	125	4	4	10	18	26	33	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	529	3.3	5	1	1	3	4	6	8	13
B. *Operated*	36	9.0	68	1	1	5	13	21	30	31
2. MULTIPLE DX										
A. *Not Operated*	1733	5.1	22	1	2	4	6	10	13	21
B. *Operated*	261	11.8	117	2	3	9	15	23	31	66
1. SINGLE DX	565	3.7	11	1	1	3	4	7	10	17
2. MULTIPLE DX	1994	6.0	39	1	2	4	7	12	16	29
A. NOT OPERATED	2262	4.7	19	1	1	3	6	9	12	20
B. OPERATED	297	11.4	112	2	3	8	14	22	30	66
TOTAL 0-19 YRS	759	3.1	7	1	1	3	4	5	7	14
20-34	365	5.0	31	1	1	4	5	10	13	29
35-49	265	5.4	19	1	2	4	7	11	13	21
50-64	416	6.8	52	2	2	5	8	15	21	34
65+	754	7.3	48	2	2	5	9	14	19	33
GRAND TOTAL	**2559**	**5.5**	**34**	**1**	**2**	**4**	**7**	**11**	**15**	**28**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	84	2.3	2	1	1	2	3	4	5	8
20-34	260	3.0	6	1	1	2	4	6	7	16
35-49	165	3.2	8	1	1	3	4	6	8	19
50-64	87	2.9	5	1	1	2	4	6	7	12
65+	40	3.6	12	1	1	2	4	8	12	16
B. *Operated*										
0-19 YRS	4	3.0	2	1	1	3	4	4	4	4
20-34	33	5.5	239	1	1	2	4	6	8	91
35-49	34	3.3	7	2	2	2	4	6	8	16
50-64	13	2.7	2	1	1	3	3	5	5	5
65+	7	2.4	4	<1	<1	1	4	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	101	2.6	3	1	1	2	3	5	6	9
20-34	400	4.2	13	1	1	3	5	9	12	20
35-49	324	4.8	21	1	1	3	6	10	17	22
50-64	226	4.9	17	1	1	4	6	10	13	22
65+	233	4.8	18	1	2	4	6	9	12	21
B. *Operated*										
0-19 YRS	5	4.8	17	2	2	4	6	12	12	12
20-34	60	5.3	22	1	1	4	7	11	15	24
35-49	37	5.4	35	1	2	4	6	10	17	33
50-64	39	7.2	59	1	1	6	8	13	27	36
65+	29	7.0	27	1	1	6	9	15	18	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	636	3.0	6	1	1	2	4	6	7	15
B. *Operated*	91	3.9	90	1	1	2	4	6	7	60
2. MULTIPLE DX										
A. *Not Operated*	1284	4.5	16	1	1	3	5	9	12	20
B. *Operated*	170	6.0	34	1	1	4	8	12	18	33
1. SINGLE DX	727	3.1	17	1	1	2	4	6	7	16
2. MULTIPLE DX	1454	4.6	18	1	1	3	6	9	12	22
A. NOT OPERATED	1920	4.0	13	1	1	3	5	8	11	19
B. OPERATED	261	5.3	54	1	1	3	7	10	15	33
TOTAL 0-19 YRS	194	2.6	3	1	1	2	3	5	5	10
20-34	753	3.9	22	1	1	3	5	7	11	19
35-49	560	4.3	17	1	1	3	5	9	12	20
50-64	365	4.6	19	1	1	3	6	9	12	23
65+	309	4.8	18	1	1	4	6	10	13	21
GRAND TOTAL	**2181**	**4.1**	**18**	**1**	**1**	**3**	**5**	**8**	**11**	**20**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	2.9	7	<1	1	2	4	5	9	12
20-34	38	2.8	3	<1	1	2	3	6	7	8
35-49	48	3.2	3	1	1	3	5	6	6	7
50-64	113	3.2	4	1	1	3	4	6	8	10
65+	133	2.9	3	<1	1	3	4	5	6	8
B. *Operated*										
0-19 YRS	26	1.2		<1	<1	<1	<1	2	2	3
20-34	39	3.7	5	1	1	3	5	7	8	10
35-49	42	3.6	4	<1	1	3	5	6	7	10
50-64	76	4.6	11	1	1	4	6	8	11	16
65+	50	3.7	6	1	1	3	5	7	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	2.8	3	1	1	2	4	4	7	9
20-34	32	3.6	8	1	1	3	4	7	11	12
35-49	58	4.3	7	1	1	4	5	7	10	15
50-64	162	3.9	10	<1	1	3	5	7	10	17
65+	369	4.0	12	1	1	3	5	8	11	17
B. *Operated*										
0-19 YRS	13	2.6	4	<1	<1	2	4	5	7	7
20-34	24	4.4	9	1	1	4	6	9	10	11
35-49	51	4.7	10	1	2	4	6	8	9	20
50-64	120	4.9	7	1	2	4	7	9	10	13
65+	137	5.7	15	1	2	5	7	9	13	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	352	3.0	4	1	1	3	4	6	7	9
B. *Operated*	233	3.7	7	<1	<1	3	5	7	8	15
2. MULTIPLE DX										
A. *Not Operated*	657	3.9	10	1	1	3	5	7	10	16
B. *Operated*	345	5.1	11	1	2	4	7	9	10	17
1. SINGLE DX	585	3.3	5	<1	1	3	5	6	7	11
2. MULTIPLE DX	1002	4.3	11	1	1	4	6	8	10	16
A. NOT OPERATED	1009	3.6	8	1	1	3	5	7	8	15
B. OPERATED	578	4.5	10	1	1	4	6	8	10	16
TOTAL 0-19 YRS	95	2.3	4	<1	<1	2	3	4	6	11
20-34	133	3.5	6	1	1	3	5	7	9	11
35-49	199	4.0	7	1	1	4	5	7	8	14
50-64	471	4.1	8	1	1	3	5	8	9	16
65+	689	4.1	11	1	1	3	5	8	10	16
GRAND TOTAL	**1587**	**3.9**	**9**	**1**	**1**	**3**	**5**	**7**	**9**	**15**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	3.2	3	<1	<1	3	4	6	7	8
20-34	15	4.0	10	1	1	3	5	8	12	13
35-49	15	2.9	9	<1	1	2	3	4	11	13
50-64	21	3.2	13	<1	<1	2	3	5	11	18
65+	15	1.9	1	<1	<1	2	2	3	4	4
B. *Operated*										
0-19 YRS	101	1.7	2	<1	<1	1	2	3	4	9
20-34	126	2.1	2	<1	<1	2	2	4	5	8
35-49	75	2.1	5	<1	<1	2	2	4	6	14
50-64	75	2.3	5	<1	<1	2	2	4	7	13
65+	34	2.2	2	<1	<1	2	2	4	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	3.2	2	1	1	3	4	5	6	7
20-34	46	3.1	4	<1	1	3	4	6	6	12
35-49	49	2.7	3	1	1	2	4	5	5	7
50-64	103	4.2	17	1	1	3	5	9	15	21
65+	143	6.0	38	1	1	4	8	13	20	42
B. *Operated*										
0-19 YRS	35	2.7	7	<1	<1	2	3	6	9	14
20-34	57	4.5	25	<1	1	3	5	11	13	30
35-49	45	6.6	97	<1	1	3	7	16	26	56
50-64	62	5.0	34	<1	1	3	5	13	20	26
65+	85	9.3	124	1	2	3	15	24	29	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	94	3.1	7	<1	1	2	4	5	8	16
B. *Operated*	411	2.1	3	<1	<1	2	2	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	374	4.5	22	1	1	3	5	9	14	30
B. *Operated*	284	6.2	70	<1	1	3	6	16	24	42
1. SINGLE DX	505	2.2	4	<1	<1	2	2	4	6	11
2. MULTIPLE DX	658	5.2	43	1	1	3	5	12	19	34
A. NOT OPERATED	468	4.2	19	1	1	3	5	8	13	24
B. OPERATED	695	3.7	35	<1	<1	2	3	8	15	28
TOTAL 0-19 YRS	197	2.4	4	<1	<1	2	3	4	6	10
20-34	244	2.9	9	<1	<1	2	4	5	8	13
35-49	184	3.5	30	<1	<1	2	3	6	13	27
50-64	261	3.8	18	<1	1	2	4	9	14	22
65+	277	6.3	64	1	1	3	7	16	24	44
GRAND TOTAL	**1163**	**3.9**	**28**	**<1**	**<1**	**2**	**4**	**8**	**14**	**27**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	<1	<1	2	4	4	4	4
20-34										
35-49										
50-64	2	7.0	50	2	2	7	12	12	12	12
65+	5	3.6	14	<1	<1	2	5	10	10	10
B. *Operated*										
0-19 YRS	10	6.3	63	<1	<1	2	13	19	22	22
20-34	13	7.2	102	<1	1	3	7	22	33	36
35-49	9	9.3	64	2	3	7	10	23	29	29
50-64	21	8.7	43	1	2	7	14	17	21	25
65+	49	13.5	154	1	2	11	19	32	49	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	3.0		3	3	3	3	3	3	3
35-49	2	4.5	5	3	3	4	6	6	6	6
50-64	16	10.4	60	1	1	7	16	23	25	25
65+	58	9.7	50	1	2	9	12	17	25	37
B. *Operated*										
0-19 YRS	17	7.5	61	<1	1	4	11	20	26	28
20-34	30	9.8	140	<1	1	4	15	26	28	54
35-49	50	15.1	214	1	1	9	20	45	51	99+
50-64	143	19.7	281	3	4	14	26	45	58	95
65+	429	21.2	315	4	6	16	27	42	57	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	4.1	17	<1	<1	2	6	11	12	12
B. *Operated*	102	10.6	113	1	1	8	16	22	35	80
2. MULTIPLE DX										
A. *Not Operated*	79	9.4	51	1	2	8	13	17	25	35
B. *Operated*	669	19.6	296	2	4	15	26	42	55	94
1. SINGLE DX	111	10.1	108	<1	1	7	14	22	34	76
2. MULTIPLE DX	748	18.5	280	2	3	14	24	40	53	92
A. NOT OPERATED	88	8.9	50	1	1	7	12	17	24	34
B. OPERATED	771	18.4	281	2	3	14	24	40	54	94
TOTAL 0-19 YRS	30	6.5	56	<1	<1	3	10	19	22	28
20-34	45	8.7	123	<1	1	3	14	26	30	54
35-49	61	13.9	191	1	2	9	18	42	49	94
50-64	182	17.5	249	2	4	13	23	36	51	88
65+	541	19.1	287	3	4	14	24	40	54	92
GRAND TOTAL	**859**	**17.4**	**265**	**2**	**3**	**13**	**23**	**38**	**51**	**92**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	2.3	2	<1	<1	2	3	4	5	5
20-34	347	2.3	3	<1	1	2	3	4	6	8
35-49	1196	2.4	3	1	1	2	3	4	5	8
50-64	1147	2.5	3	1	1	2	3	4	6	8
65+	576	3.0	11	1	1	2	4	5	7	12
B. *Operated*										
0-19 YRS	5	1.2		<1	<1	1	1	2	2	2
20-34	51	2.2	2	1	1	2	2	4	5	8
35-49	262	2.5	3	1	1	2	3	4	6	9
50-64	333	2.4	2	1	1	2	2	4	5	7
65+	107	3.3	18	1	1	2	4	7	8	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	3.0	8	1	1	2	4	7	8	13
20-34	476	3.0	8	<1	1	2	4	6	7	14
35-49	2198	3.1	6	1	1	2	4	5	7	12
50-64	3454	3.4	8	1	1	3	4	6	8	12
65+	2959	4.1	14	1	1	3	5	7	10	16
B. *Operated*										
0-19 YRS	6	3.8	6	1	1	4	6	7	7	7
20-34	75	3.4	5	1	1	3	4	7	9	11
35-49	496	3.7	11	1	1	2	5	7	10	19
50-64	946	3.7	12	1	1	2	5	8	10	17
65+	408	5.1	30	1	2	3	7	11	14	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3292	2.6	5	1	1	2	3	4	6	9
B. *Operated*	758	2.5	5	1	1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	9116	3.5	9	1	1	3	4	6	8	14
B. *Operated*	1931	4.0	16	1	1	2	5	8	11	20
1. SINGLE DX	4050	2.6	5	1	1	2	3	4	6	9
2. MULTIPLE DX	11047	3.6	11	1	1	3	4	7	9	15
A. NOT OPERATED	12408	3.3	8	1	1	3	4	6	8	13
B. OPERATED	2689	3.6	13	1	1	2	4	7	10	18
TOTAL 0-19 YRS	66	2.7	5	<1	1	2	3	6	7	12
20-34	949	2.8	6	<1	1	2	3	5	7	11
35-49	4152	2.9	6	1	1	2	3	5	7	12
50-64	5880	3.2	7	1	1	2	4	6	8	13
65+	4050	4.0	15	1	1	3	5	7	10	18
GRAND TOTAL	**15097**	**3.3**	**9**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

33 Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	208	2.3	5	<1	1	2	3	4	6	14
20-34	28	1.9	1	<1	<1	1	3	3	4	5
35-49	27	2.2	3	1	1	1	3	5	6	8
50-64	49	2.8	6	<1	1	2	3	7	8	13
65+	55	3.5	18	<1	1	3	4	5	8	28
B. *Operated*										
0-19 YRS	17	3.0	7	<1	1	2	4	6	9	11
20-34	23	2.7	3	<1	1	2	3	6	7	7
35-49	32	2.3	3	<1	<1	2	3	5	6	8
50-64	73	3.1	6	<1	<1	2	4	7	9	12
65+	90	3.5	12	<1	<1	2	4	8	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	240	3.8	15	1	1	2	4	9	12	21
20-34	80	3.8	22	<1	1	3	4	7	10	30
35-49	128	4.9	27	1	1	3	6	9	16	27
50-64	372	5.5	25	1	2	4	7	11	15	27
65+	722	6.5	29	1	2	5	8	12	16	28
B. *Operated*										
0-19 YRS	21	7.1	58	1	1	4	8	17	25	33
20-34	34	6.2	36	1	1	4	9	15	18	27
35-49	82	5.9	32	1	1	4	8	13	19	24
50-64	189	5.4	36	1	1	4	7	11	14	36
65+	235	7.8	115	1	1	4	9	17	21	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	367	2.5	7	<1	1	2	3	5	6	15
B. *Operated*	235	3.1	8	<1	<1	2	4	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	1542	5.5	26	1	1	4	7	11	15	26
B. *Operated*	561	6.6	70	1	1	4	8	14	19	48
1. SINGLE DX	602	2.7	7	<1	1	2	3	5	8	15
2. MULTIPLE DX	2103	5.8	38	1	1	4	7	12	16	29
A. NOT OPERATED	1909	5.0	24	1	1	3	6	10	14	25
B. OPERATED	796	5.6	54	<1	1	3	7	12	17	38
TOTAL 0-19 YRS	486	3.3	14	1	1	2	4	8	11	19
20-34	165	3.8	20	<1	1	3	4	7	12	26
35-49	269	4.6	25	1	1	3	5	10	14	25
50-64	683	5.0	26	1	1	4	6	10	13	26
65+	1102	6.4	47	1	1	5	8	13	17	31
GRAND TOTAL	**2705**	**5.1**	**33**	**1**	**1**	**3**	**6**	**11**	**15**	**27**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	2.1	2	<1	<1	2	3	4	5	5
20-34	88	1.7	1	<1	1	1	2	3	4	7
35-49	90	2.0	2	<1	<1	1	2	4	4	9
50-64	70	2.1	2	<1	1	2	3	4	5	6
65+	73	3.2	5	1	1	3	4	6	8	11
B. *Operated*										
0-19 YRS	47	1.3	1	<1	<1	1	1	2	3	6
20-34	18	3.3	4	<1	<1	3	5	7	7	7
35-49	30	3.7	7	<1	1	3	5	8	8	10
50-64	37	5.5	13	<1	1	5	8	10	13	15
65+	46	4.6	14	<1	<1	4	6	8	10	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	1.8	1	<1	<1	2	2	3	4	5
20-34	106	2.4	4	<1	1	2	3	5	6	11
35-49	100	2.9	7	<1	1	2	4	6	8	14
50-64	137	3.8	19	<1	1	3	5	8	11	21
65+	360	5.8	29	1	1	4	7	13	15	27
B. *Operated*										
0-19 YRS	62	2.3	10	<1	<1	1	2	4	10	20
20-34	32	5.3	17	1	1	4	7	9	14	19
35-49	54	5.0	13	1	1	4	7	9	12	18
50-64	109	7.3	32	2	3	6	9	13	17	37
65+	323	9.4	51	2	3	7	12	19	24	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	337	2.2	3	<1	1	2	3	4	6	8
B. *Operated*	178	3.6	10	<1	<1	2	5	8	9	15
2. MULTIPLE DX										
A. *Not Operated*	720	4.4	22	1	1	3	6	9	13	25
B. *Operated*	580	7.6	43	1	1	6	10	15	20	34
1. SINGLE DX	515	2.7	6	<1	1	2	3	6	8	11
2. MULTIPLE DX	1300	5.8	34	1	1	4	7	12	17	29
A. NOT OPERATED	1057	3.7	17	<1	1	2	5	8	11	23
B. OPERATED	758	6.7	38	<1	1	5	9	13	19	30
TOTAL 0-19 YRS	142	1.9	5	<1	<1	1	2	3	5	11
20-34	244	2.6	6	<1	1	2	3	6	7	11
35-49	274	3.1	8	<1	1	2	4	7	8	14
50-64	353	4.7	23	1	1	3	6	9	12	20
65+	802	6.9	39	1	2	5	9	14	20	30
GRAND TOTAL	**1815**	**4.9**	**28**	**<1**	**1**	**3**	**6**	**11**	**15**	**27**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1201	1.9	2	<1	1	1	2	3	4	7
20-34	1532	2.5	5	<1	1	2	3	5	6	11
35-49	880	3.0	9	1	1	2	4	6	8	12
50-64	534	3.0	6	<1	1	2	4	6	8	14
65+	429	3.4	5	1	1	3	5	7	8	12
B. *Operated*										
0-19 YRS	206	3.4	5	1	1	3	4	5	8	12
20-34	325	4.0	8	1	1	4	5	7	9	15
35-49	129	4.8	21	<1	1	3	6	10	15	23
50-64	79	4.9	11	1	1	4	7	10	11	12
65+	44	4.3	10	1	1	4	6	9	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	690	2.4	3	<1	1	2	3	5	6	10
20-34	1463	3.3	15	<1	1	2	4	6	9	15
35-49	1044	4.1	12	1	1	3	5	8	10	21
50-64	1129	4.3	12	1	1	3	5	8	10	19
65+	1660	5.1	19	1	2	4	6	9	12	21
B. *Operated*										
0-19 YRS	145	3.6	4	1	1	3	4	7	8	9
20-34	393	5.8	23	1	2	5	7	12	15	25
35-49	238	7.5	34	1	2	6	9	16	19	31
50-64	173	7.2	90	1	2	5	8	13	16	63
65+	212	8.7	80	1	2	7	11	18	22	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4576	2.6	5	<1	1	2	3	5	7	11
B. *Operated*	783	4.1	10	1	1	3	5	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	5986	4.0	15	1	1	3	5	8	10	18
B. *Operated*	1161	6.6	46	1	2	5	8	13	18	31
1. SINGLE DX	5359	2.8	6	<1	1	2	4	5	7	12
2. MULTIPLE DX	7147	4.4	20	1	1	3	5	9	11	21
A. NOT OPERATED	10562	3.4	11	1	1	2	4	7	9	16
B. OPERATED	1944	5.6	33	1	1	4	7	11	15	26
TOTAL 0-19 YRS	2242	2.3	3	<1	1	2	3	4	6	9
20-34	3713	3.3	12	<1	1	2	4	6	9	15
35-49	2291	4.1	15	1	1	3	5	8	10	20
50-64	1915	4.2	19	1	1	3	5	8	11	19
65+	2345	5.1	24	1	1	4	6	10	13	22
GRAND TOTAL	**12506**	**3.7**	**15**	**1**	**1**	**3**	**5**	**7**	**10**	**18**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	102	2.3	3	<1	1	2	3	5	6	10
20-34	78	2.7	4	<1	<1	2	4	5	7	9
35-49	57	2.5	4	<1	<1	2	3	6	6	11
50-64	51	3.2	11	<1	<1	2	4	7	9	17
65+	90	3.6	13	1	1	3	5	8	9	22
B. *Operated*										
0-19 YRS	5	3.4	3	1	1	3	4	6	6	6
20-34	37	3.5	5	<1	1	3	5	7	7	10
35-49	41	4.8	12	<1	1	4	6	10	12	15
50-64	33	2.8	5	<1	<1	2	5	6	7	8
65+	30	4.1	17	<1	<1	2	6	8	9	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	302	2.8	6	1	1	2	3	5	7	13
20-34	245	3.4	7	1	1	3	4	7	9	13
35-49	225	4.9	29	1	1	3	6	10	13	24
50-64	364	5.3	29	1	1	4	7	10	13	28
65+	856	5.8	26	1	2	4	7	12	16	25
B. *Operated*										
0-19 YRS	33	6.6	59	1	1	4	8	16	26	36
20-34	79	6.9	32	1	2	6	8	13	18	34
35-49	98	7.8	95	1	2	6	9	15	19	57
50-64	140	7.9	48	1	1	6	10	16	21	33
65+	198	9.7	84	1	2	7	13	20	28	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	378	2.8	7	<1	1	2	4	6	8	13
B. *Operated*	146	3.8	10	<1	<1	3	5	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	1992	4.9	23	1	1	3	6	10	13	24
B. *Operated*	548	8.3	69	1	1	6	10	17	23	43
1. SINGLE DX	524	3.1	8	<1	1	2	4	7	8	14
2. MULTIPLE DX	2540	5.6	35	1	1	4	7	12	16	28
A. NOT OPERATED	2370	4.5	21	1	1	3	6	9	12	24
B. OPERATED	694	7.4	60	1	1	5	9	15	21	39
TOTAL 0-19 YRS	442	3.0	10	1	1	2	3	5	8	16
20-34	439	3.9	13	<1	1	3	5	7	10	18
35-49	421	5.2	42	1	1	4	7	10	13	21
50-64	588	5.6	33	1	1	4	7	12	15	29
65+	1174	6.3	37	1	1	4	8	13	18	30
GRAND TOTAL	**3064**	**5.2**	**31**	**1**	**1**	**4**	**7**	**11**	**15**	**27**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	713	3.2	21	<1	1	2	3	6	8	21
20-34	347	3.1	19	<1	1	2	3	5	7	18
35-49	312	2.5	4	<1	1	2	3	4	6	10
50-64	408	2.9	9	<1	1	2	3	5	7	17
65+	697	3.8	18	1	1	3	4	7	10	18
B. *Operated*										
0-19 YRS	49	2.5	16	<1	<1	1	2	4	5	28
20-34	147	2.4	6	<1	<1	2	2	6	7	10
35-49	174	2.4	3	<1	<1	2	3	5	6	10
50-64	196	2.8	16	<1	<1	2	3	6	8	18
65+	113	3.7	24	<1	<1	2	4	8	14	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	814	4.3	24	1	1	3	5	9	11	26
20-34	682	3.7	17	1	1	3	4	7	9	19
35-49	920	3.9	14	1	1	3	5	7	10	20
50-64	2074	4.9	27	1	1	3	6	10	14	27
65+	5548	6.0	38	1	2	4	7	12	16	30
B. *Operated*										
0-19 YRS	82	9.4	223	<1	1	3	9	27	48	72
20-34	182	5.1	53	<1	1	2	6	10	18	39
35-49	254	4.3	18	<1	1	3	6	10	12	22
50-64	467	7.1	105	1	1	4	8	16	26	49
65+	759	10.2	142	1	2	7	12	22	35	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2477	3.2	16	<1	1	2	4	6	8	17
B. *Operated*	679	2.7	12	<1	<1	2	3	6	8	19
2. MULTIPLE DX										
A. *Not Operated*	10038	5.3	32	1	1	4	6	10	14	28
B. *Operated*	1744	7.9	114	1	1	4	9	18	28	71
1. SINGLE DX	3156	3.1	15	<1	1	2	4	6	8	18
2. MULTIPLE DX	11782	5.7	45	1	1	4	7	11	16	35
A. NOT OPERATED	12515	4.9	29	1	1	3	6	10	14	27
B. OPERATED	2423	6.5	90	<1	1	3	8	15	23	59
TOTAL 0-19 YRS	1658	4.0	34	1	1	2	4	8	11	34
20-34	1358	3.6	22	<1	1	2	4	7	9	27
35-49	1660	3.5	12	1	1	2	4	7	10	19
50-64	3145	4.9	37	1	1	3	6	10	15	31
65+	7117	6.2	49	1	2	4	7	12	17	37
GRAND TOTAL	**14938**	**5.1**	**40**	**1**	**1**	**3**	**6**	**10**	**15**	**33**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	128	2.0	2	1	1	1	2	4	5	8
20-34	13	2.6	3	1	1	2	4	5	6	6
35-49	4	2.8	2	1	1	3	4	4	4	4
50-64	2	2.5	5	<1	<1	2	4	4	4	4
65+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	32	3.9	7	1	1	3	5	7	9	12
20-34	13	4.8	11	<1	1	4	7	10	11	11
35-49	2	5.5	13	3	3	5	8	8	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	371	2.8	9	1	1	2	3	6	9	14
20-34	102	5.0	29	1	1	3	7	10	14	30
35-49	37	8.2	124	1	1	3	9	25	35	50
50-64	25	7.1	49	1	1	5	9	16	24	29
65+	33	9.1	82	1	1	6	11	22	29	39
B. *Operated*										
0-19 YRS	149	11.1	226	1	2	6	13	28	62	99+
20-34	122	14.6	271	1	2	9	22	44	69	99+
35-49	37	16.2	510	2	2	10	14	37	83	97
50-64	24	16.0	256	2	4	10	21	53	77	99+
65+	12	21.4	266	4	4	14	37	62	93	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	149	2.1	2	1	1	1	2	4	5	7
B. *Operated*	47	4.2	8	1	1	4	6	9	10	12
2. MULTIPLE DX										
A. *Not Operated*	568	4.1	30	1	1	2	4	9	13	29
B. *Operated*	344	13.6	279	1	2	8	17	40	73	99+
1. SINGLE DX	196	2.6	5	1	1	2	3	5	7	11
2. MULTIPLE DX	912	7.7	145	1	1	4	9	20	32	99+
A. NOT OPERATED	717	3.7	25	1	1	2	4	8	11	28
B. OPERATED	391	12.5	255	1	2	7	15	34	67	99+
TOTAL 0-19 YRS	680	4.5	67	1	1	2	5	10	15	84
20-34	250	9.5	169	1	1	5	10	26	44	99+
35-49	80	11.6	310	1	2	6	12	27	44	94
50-64	51	11.1	164	1	2	7	16	27	51	99
65+	47	11.9	154	1	1	9	15	35	42	99+
GRAND TOTAL	**1108**	**6.8**	**124**	**1**	**1**	**3**	**7**	**16**	**29**	**99**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	58	2.4	11	1	1	2	2	5	6	23
20-34	16	3.1	5	<1	1	2	5	6	7	8
35-49	5	4.8	19	1	1	2	9	10	10	10
50-64	6	2.5	3	1	1	2	4	5	5	5
65+	8	6.3	44	1	1	5	6	17	22	22
B. *Operated*										
0-19 YRS	12	5.4	11	1	2	5	6	12	12	12
20-34	9	5.3	17	1	1	3	9	11	12	12
35-49	5	9.6	26	4	4	9	13	17	17	17
50-64										
65+	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	262	3.8	20	1	1	2	5	8	11	20
20-34	185	4.5	15	1	1	3	6	9	13	19
35-49	63	6.3	37	1	2	4	8	13	16	32
50-64	39	7.2	43	1	1	5	9	18	19	29
65+	41	11.4	110	2	3	7	17	27	34	42
B. *Operated*										
0-19 YRS	87	10.9	168	1	2	6	11	34	47	84
20-34	123	15.1	315	1	2	9	18	36	56	90
35-49	41	11.9	231	1	1	6	12	34	48	63
50-64	22	18.4	233	2	3	16	28	47	78	99+
65+	24	16.7	338	2	3	11	20	41	64	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	93	3.0	13	1	1	2	3	6	8	24
B. *Operated*	27	6.4	18	1	2	5	10	12	14	17
2. MULTIPLE DX										
A. *Not Operated*	590	5.0	32	1	1	3	6	11	16	30
B. *Operated*	297	13.8	258	1	2	8	17	36	55	92
1. SINGLE DX	120	3.8	16	1	1	2	5	9	12	23
2. MULTIPLE DX	887	8.0	125	1	1	4	9	19	30	63
A. NOT OPERATED	683	4.8	30	1	1	3	6	10	15	29
B. OPERATED	324	13.2	242	1	2	8	16	34	54	89
TOTAL 0-19 YRS	419	5.2	58	1	1	3	6	10	19	51
20-34	333	8.4	152	1	1	4	9	18	30	71
35-49	114	8.4	111	1	1	5	9	17	32	62
50-64	67	10.4	132	1	1	6	16	27	34	94
65+	74	12.6	181	2	3	7	17	28	38	73
GRAND TOTAL	**1007**	**7.5**	**114**	**1**	**1**	**4**	**8**	**17**	**28**	**60**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	1.6	2	<1	<1	1	2	4	5	5
20-34	26	1.7	1	<1	<1	1	2	3	4	6
35-49	9	2.4	6	<1	<1	1	3	7	7	7
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	5	1.8	2	1	1	1	2	4	4	4
B. *Operated*										
0-19 YRS	350	1.7	2	<1	<1	1	2	3	4	7
20-34	419	2.1	9	<1	<1	2	2	4	5	7
35-49	114	2.1	2	<1	1	2	3	4	5	7
50-64	40	2.2	2	1	1	2	3	4	5	8
65+	22	3.3	11	<1	1	2	3	7	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	1.9	2	<1	<1	1	2	3	5	7
20-34	146	2.0	2	<1	<1	1	3	4	5	7
35-49	61	2.3	4	<1	1	2	3	4	6	11
50-64	44	3.8	14	<1	1	3	5	7	10	22
65+	95	5.2	27	1	1	4	7	9	13	32
B. *Operated*										
0-19 YRS	733	2.8	15	<1	1	2	3	5	7	12
20-34	1425	3.6	20	1	1	2	4	7	11	22
35-49	458	4.5	38	1	1	3	5	9	17	34
50-64	173	5.3	95	1	1	3	4	10	15	65
65+	125	8.3	77	1	2	6	11	16	20	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	1.8	2	<1	<1	1	2	4	6	7
B. *Operated*	945	2.0	5	<1	<1	2	2	4	4	7
2. MULTIPLE DX										
A. *Not Operated*	410	3.0	11	<1	1	2	4	6	8	17
B. *Operated*	2914	3.8	30	1	1	2	4	8	12	27
1. SINGLE DX	997	2.0	5	<1	<1	1	2	4	5	7
2. MULTIPLE DX	3324	3.7	27	1	1	2	4	7	11	25
A. NOT OPERATED	462	2.8	10	<1	<1	2	3	6	8	17
B. OPERATED	3859	3.4	24	<1	1	2	4	7	10	22
TOTAL 0-19 YRS	1157	2.4	10	<1	<1	2	3	5	6	11
20-34	2016	3.2	17	<1	1	2	3	6	9	20
35-49	642	3.9	29	1	1	2	4	7	13	30
50-64	259	4.5	67	1	1	3	4	8	14	39
65+	247	6.5	54	1	1	4	8	13	17	38
GRAND TOTAL	**4321**	**3.3**	**23**	**<1**	**1**	**2**	**4**	**7**	**10**	**22**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	64	4.4	8	1	1	4	6	8	11	12
20-34	138	4.5	11	1	1	4	6	10	12	15
35-49	88	6.1	63	1	1	4	8	11	14	51
50-64	74	6.6	20	1	2	6	9	11	13	24
65+	185	8.2	66	2	2	7	10	14	18	26
B. *Operated*										
0-19 YRS	15	9.2	23	1	2	10	13	14	17	18
20-34	27	10.9	43	3	3	10	15	21	22	25
35-49	15	15.9	274	1	3	10	14	45	52	55
50-64	10	9.2	32	2	3	8	14	16	18	18
65+	8	10.8	99	1	1	10	17	26	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	189	5.5	46	1	1	4	6	10	12	45
20-34	543	5.5	27	1	2	4	7	10	13	27
35-49	274	6.3	27	1	2	5	8	11	16	29
50-64	399	7.8	36	1	2	6	10	14	20	31
65+	1638	9.6	43	3	3	8	12	17	22	35
B. *Operated*										
0-19 YRS	68	13.0	107	2	3	11	16	27	36	92
20-34	240	15.4	238	3	4	11	18	33	50	87
35-49	103	14.2	127	3	4	12	17	29	46	76
50-64	71	15.3	171	3	5	13	18	29	33	84
65+	133	18.4	148	4	6	16	24	36	42	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	549	6.3	41	1	2	5	8	11	14	23
B. *Operated*	75	11.3	90	1	3	10	14	20	27	52
2. MULTIPLE DX										
A. *Not Operated*	3043	8.1	41	1	2	6	10	15	20	33
B. *Operated*	615	15.6	179	3	4	12	20	31	43	87
1. SINGLE DX	624	6.9	49	1	2	5	9	13	17	27
2. MULTIPLE DX	3658	9.3	72	2	2	7	12	18	24	45
A. NOT OPERATED	3592	7.8	41	1	2	6	10	15	19	32
B. OPERATED	690	15.1	171	3	4	12	19	31	41	86
TOTAL 0-19 YRS	336	7.0	60	1	1	5	8	14	22	56
20-34	948	8.0	98	1	2	5	9	16	24	57
35-49	480	8.2	75	1	2	6	10	16	25	51
50-64	554	8.7	57	1	2	7	11	16	23	34
65+	1964	10.0	57	2	3	8	12	19	23	40
GRAND TOTAL	**4282**	**9.0**	**70**	**1**	**2**	**7**	**11**	**18**	**23**	**44**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	5	22.8	875	1	1	5	45	68	68	68
35-49	1	21.0		21	21	21	21	21	21	21
50-64	1	9.0		9	9	9	9	9	9	9
65+	4	7.8	25	1	1	8	11	13	13	13
B. *Operated*										
0-19 YRS	4	9.3	35	1	1	10	13	15	15	15
20-34	7	9.1	62	4	4	5	10	23	26	26
35-49	5	16.8	72	6	6	15	23	28	28	28
50-64	2	13.0	98	6	6	13	20	20	20	20
65+	2	25.5	1	25	25	25	26	26	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	8.8	76	1	1	7	12	22	30	31
20-34	36	10.9	146	1	2	7	13	42	80	99+
35-49	12	9.2	474	<1	<1	3	5	28	71	78
50-64	16	8.1	100	2	2	4	8	19	35	41
65+	43	12.3	123	2	4	9	15	24	39	52
B. *Operated*										
0-19 YRS	17	38.9	702	9	11	40	73	99+	99+	99+
20-34	73	29.6	404	5	10	26	43	73	96	99+
35-49	19	23.2	483	2	3	20	46	99+	99+	99+
50-64	7	24.6	381	8	9	20	47	90	99+	99+
65+	17	35.8	676	11	14	32	67	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	14.7	396	1	1	8	17	47	65	68
B. *Operated*	20	13.1	74	2	4	11	21	26	27	28
2. MULTIPLE DX										
A. *Not Operated*	118	10.7	154	1	2	7	13	27	48	99+
B. *Operated*	133	30.4	493	6	9	26	54	93	99+	99+
1. SINGLE DX	32	13.7	186	1	1	10	20	27	37	68
2. MULTIPLE DX	251	21.1	430	2	3	15	33	71	99+	99+
A. NOT OPERATED	130	11.0	175	1	1	7	13	29	50	99+
B. OPERATED	153	28.2	472	5	8	23	44	85	99+	99+
TOTAL 0-19 YRS	33	24.2	619	1	2	16	51	84	99+	99+
20-34	121	22.6	398	2	4	18	36	65	90	99+
35-49	37	17.7	435	1	1	16	25	86	99+	99+
50-64	26	12.9	209	2	2	8	20	39	71	99+
65+	66	18.5	360	2	4	13	25	52	79	99+
GRAND TOTAL	**283**	**20.3**	**407**	**1**	**3**	**15**	**31**	**68**	**99**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.0	5	1	1	1	2	6	7	7
20-34	32	1.9	1	<1	<1	2	2	4	4	4
35-49	24	2.6	3	<1	1	2	3	6	6	7
50-64	30	4.7	16	1	1	3	6	11	13	16
65+	64	5.7	27	1	1	4	7	12	18	26
B. *Operated*										
0-19 YRS	3	4.3	4	2	2	5	6	6	6	6
20-34	5	7.8	16	2	2	8	10	13	13	13
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	2	5.0	18	2	2	5	8	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	4.5	57	<1	1	2	4	7	19	43
20-34	251	3.3	6	1	1	3	4	6	8	13
35-49	324	4.6	17	1	1	3	6	9	12	25
50-64	393	5.8	24	1	1	5	7	12	16	26
65+	927	7.2	31	1	2	6	9	14	18	27
B. *Operated*										
0-19 YRS	21	7.5	19	2	2	7	10	14	17	17
20-34	114	8.0	53	2	2	6	9	15	19	42
35-49	94	9.3	87	2	2	7	12	18	25	57
50-64	91	10.2	64	2	3	8	13	19	25	42
65+	109	16.5	161	3	4	12	21	34	45	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	158	4.1	17	1	1	3	5	10	12	20
B. *Operated*	12	5.3	15	<1	1	5	8	10	13	13
2. MULTIPLE DX										
A. *Not Operated*	1954	5.9	27	1	1	4	8	12	16	26
B. *Operated*	429	10.9	99	2	3	8	13	23	29	51
1. SINGLE DX	170	4.2	17	1	1	3	5	10	13	20
2. MULTIPLE DX	2383	6.8	43	1	2	5	9	14	19	31
A. NOT OPERATED	2112	5.8	26	1	1	4	7	12	15	26
B. OPERATED	441	10.7	98	2	2	8	13	23	28	50
TOTAL 0-19 YRS	91	4.9	44	1	1	3	6	10	17	40
20-34	402	4.6	24	1	1	3	6	9	12	23
35-49	444	5.5	35	1	1	4	7	11	14	27
50-64	516	6.5	33	1	2	5	8	13	17	30
65+	1100	8.0	52	1	2	6	10	16	22	39
GRAND TOTAL	**2553**	**6.6**	**42**	**1**	**1**	**5**	**8**	**13**	**18**	**31**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	5.5	24	<1	1	4	6	10	19	21
20-34	34	5.8	28	<1	1	5	6	11	14	29
35-49	15	5.9	7	1	3	6	7	9	11	12
50-64	31	8.7	91	1	2	5	10	23	30	43
65+	133	9.3	41	2	3	8	12	18	23	28
B. *Operated*										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	4	42.5	1711	3	3	34	73	98	98	98
35-49	3	15.3	389	2	2	6	30	38	38	38
50-64										
65+	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	149	7.1	51	1	2	5	9	14	21	42
20-34	227	10.2	102	2	2	7	12	20	35	53
35-49	118	10.7	103	2	3	8	12	21	30	58
50-64	187	11.7	115	2	3	9	14	22	30	50
65+	968	12.0	69	3	4	10	15	22	28	42
B. *Operated*										
0-19 YRS	72	21.1	346	2	3	14	32	47	57	84
20-34	112	24.1	388	4	5	17	33	55	67	81
35-49	53	25.7	401	6	8	18	37	57	69	99+
50-64	39	30.7	421	3	6	33	40	57	66	95
65+	97	24.5	275	6	7	20	34	52	60	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	240	8.1	43	1	2	6	11	16	21	31
B. *Operated*	9	27.4	944	2	2	17	40	78	98	98
2. MULTIPLE DX										
A. *Not Operated*	1649	11.2	81	2	3	9	14	21	28	46
B. *Operated*	373	24.5	358	4	6	19	35	53	63	93
1. SINGLE DX	249	8.8	85	1	2	6	11	17	23	43
2. MULTIPLE DX	2022	13.6	159	2	3	10	16	29	40	64
A. NOT OPERATED	1889	10.8	77	2	3	9	14	21	27	45
B. OPERATED	382	24.6	370	4	6	19	36	53	64	97
TOTAL 0-19 YRS	249	11.0	174	1	2	6	12	29	42	67
20-34	377	14.3	245	2	3	9	16	36	49	77
35-49	189	14.6	230	2	3	10	17	36	53	87
50-64	257	14.2	206	2	3	10	17	34	41	69
65+	1199	12.7	95	3	4	10	16	24	31	54
GRAND TOTAL	**2271**	**13.1**	**153**	**2**	**3**	**10**	**16**	**27**	**39**	**63**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	61	2.2	10	<1	<1	1	2	4	8	19
20-34	14	3.3	15	<1	1	2	4	9	14	15
35-49	15	4.2	9	1	1	4	5	7	11	13
50-64	48	3.6	7	1	1	3	5	8	8	11
65+	102	4.4	13	1	1	4	5	8	12	18
B. *Operated*										
0-19 YRS	434	3.3	17	1	1	2	3	8	13	20
20-34	60	3.8	10	1	1	3	5	7	9	19
35-49	43	6.2	155	<1	1	3	5	9	19	80
50-64	52	5.2	26	1	1	4	6	9	15	33
65+	99	6.0	20	1	2	5	8	13	15	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	121	4.0	34	<1	1	2	4	10	18	30
20-34	56	3.9	10	1	1	3	5	7	9	19
35-49	54	4.2	33	<1	1	2	5	8	11	38
50-64	115	5.9	34	1	1	4	7	12	17	32
65+	612	8.3	78	1	2	5	10	17	25	49
B. *Operated*										
0-19 YRS	656	4.3	27	1	1	2	5	11	16	25
20-34	198	7.2	55	1	1	5	8	16	21	40
35-49	121	7.3	105	1	1	5	8	17	21	51
50-64	192	9.0	102	1	2	6	10	21	29	54
65+	468	9.9	83	1	2	7	14	21	28	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	240	3.6	11	1	1	3	5	8	10	16
B. *Operated*	688	4.1	27	1	1	2	5	9	13	21
2. MULTIPLE DX										
A. *Not Operated*	958	6.9	64	1	1	5	8	15	21	42
B. *Operated*	1635	7.0	67	1	1	4	9	17	22	40
1. SINGLE DX	928	3.9	23	1	1	2	5	9	13	20
2. MULTIPLE DX	2593	7.0	65	1	1	4	9	16	22	41
A. NOT OPERATED	1198	6.3	55	1	1	4	8	13	19	40
B. OPERATED	2323	6.2	57	1	1	4	7	15	20	36
TOTAL 0-19 YRS	1272	3.9	24	1	1	2	4	10	15	22
20-34	328	5.8	40	1	1	4	7	12	19	36
35-49	233	6.2	93	1	1	4	7	13	19	46
50-64	407	7.0	66	1	1	5	8	14	25	39
65+	1281	8.4	73	1	2	6	10	18	25	47
GRAND TOTAL	**3521**	**6.2**	**56**	**1**	**1**	**4**	**8**	**14**	**20**	**36**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	1.2		<1	1	1	1	2	3	3
20-34	5	1.6		1	1	2	2	2	2	2
35-49	10	1.5	1	1	1	1	2	3	4	4
50-64	7	3.6	6	1	1	3	5	7	8	8
65+	19	4.1	10	1	1	3	6	9	11	12
B. *Operated*										
0-19 YRS	701	1.6	1	<1	<1	1	2	3	4	7
20-34	237	2.6	4	<1	1	2	3	5	6	9
35-49	180	2.3	3	<1	1	2	3	4	6	7
50-64	176	2.7	6	1	1	2	3	5	7	14
65+	224	3.1	8	1	1	2	4	6	8	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	81	1.8	1	<1	1	1	2	3	4	6
20-34	77	3.4	7	1	1	2	5	7	9	14
35-49	31	3.2	4	<1	1	3	5	6	6	9
50-64	53	4.9	16	1	1	3	8	11	13	16
65+	173	7.0	41	1	1	5	9	14	17	33
B. *Operated*										
0-19 YRS	1039	2.5	14	<1	1	1	3	4	7	20
20-34	644	4.6	44	1	1	3	5	8	14	44
35-49	372	4.8	54	1	1	3	5	10	13	39
50-64	459	4.4	30	1	1	3	5	8	14	27
65+	630	5.8	43	1	1	4	7	12	18	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	66	2.4	5	1	1	1	3	6	8	12
B. *Operated*	1518	2.2	4	<1	1	1	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	415	4.8	25	1	1	3	6	11	14	28
B. *Operated*	3144	4.1	35	1	1	2	4	8	13	31
1. SINGLE DX	1584	2.2	4	<1	1	1	3	4	6	10
2. MULTIPLE DX	3559	4.2	34	1	1	3	5	9	13	30
A. NOT OPERATED	481	4.4	23	1	1	3	6	10	13	25
B. OPERATED	4662	3.5	25	<1	1	2	4	7	10	25
TOTAL 0-19 YRS	1846	2.1	9	<1	1	1	2	4	5	13
20-34	963	4.0	32	1	1	3	4	7	10	35
35-49	593	3.9	36	1	1	3	4	7	11	30
50-64	695	4.0	23	1	1	3	5	8	12	21
65+	1046	5.4	36	1	1	3	6	11	17	31
GRAND TOTAL	**5143**	**3.6**	**25**	**1**	**1**	**2**	**4**	**7**	**11**	**25**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.1	1	<1	<1	2	3	4	4	4
20-34	7	2.0	1	1	1	2	3	3	3	3
35-49	4	3.8	5	1	1	4	5	6	6	6
50-64	7	3.3	8	<1	<1	3	4	8	9	9
65+	3	5.0	16	1	1	5	8	9	9	9
B. *Operated*										
0-19 YRS	276	1.5	1	<1	<1	1	2	2	3	5
20-34	402	1.7	2	<1	<1	1	2	3	4	7
35-49	128	1.8	2	<1	<1	1	2	3	4	10
50-64	61	2.1	3	<1	<1	2	2	4	6	11
65+	42	2.0	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	2.4	3	<1	<1	2	3	4	6	8
20-34	53	2.4	3	<1	1	2	3	4	6	8
35-49	21	3.0	5	<1	<1	2	5	6	7	8
50-64	24	4.3	14	1	1	3	6	10	13	14
65+	54	7.0	34	1	1	5	9	18	21	22
B. *Operated*										
0-19 YRS	375	2.1	4	<1	<1	1	2	4	6	9
20-34	669	2.6	9	<1	1	2	3	5	8	16
35-49	276	2.4	7	<1	<1	2	3	4	7	12
50-64	182	2.7	15	<1	1	2	3	6	8	21
65+	113	3.8	14	1	1	3	5	8	12	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	2.9	5	<1	1	2	4	6	9	9
B. *Operated*	909	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	184	4.1	17	<1	1	3	5	8	12	21
B. *Operated*	1615	2.6	9	<1	1	2	3	5	8	14
1. SINGLE DX	937	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	1799	2.7	10	<1	1	2	3	6	8	17
A. NOT OPERATED	212	3.9	16	<1	1	3	5	8	11	21
B. OPERATED	2524	2.3	6	<1	<1	1	2	4	6	12
TOTAL 0-19 YRS	690	1.9	3	<1	<1	1	2	3	5	8
20-34	1131	2.3	6	<1	<1	2	3	4	6	12
35-49	429	2.3	5	<1	<1	2	3	4	6	11
50-64	274	2.7	12	<1	1	2	3	6	9	19
65+	212	4.3	20	1	1	3	6	10	13	21
GRAND TOTAL	**2736**	**2.4**	**7**	**<1**	**<1**	**2**	**3**	**5**	**7**	**14**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	8.9	93	1	1	3	15	27	29	29
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	2	5.5	25	2	2	5	9	9	9	9
50-64	16	7.8	77	1	1	5	9	24	30	32
65+	87	8.6	51	1	2	7	11	18	22	35
B. *Operated*										
0-19 YRS	26	11.4	116	2	3	8	13	26	33	52
20-34	25	7.9	28	1	4	7	8	14	20	26
35-49	31	9.0	17	4	4	8	12	15	17	18
50-64	166	11.3	28	5	6	10	13	17	19	34
65+	1106	13.9	34	7	8	13	17	21	24	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	14.9	180	2	2	14	20	28	44	68
20-34	19	11.5	203	<1	2	6	10	40	48	48
35-49	17	13.1	362	1	1	8	14	22	62	83
50-64	67	9.4	96	1	1	6	11	19	24	53
65+	440	12.4	121	1	2	10	16	24	34	60
B. *Operated*										
0-19 YRS	87	16.1	171	2	5	13	21	34	40	69
20-34	145	17.4	212	5	6	13	21	38	56	74
35-49	188	15.4	122	5	6	12	19	30	36	62
50-64	742	14.6	82	6	7	12	17	24	32	54
65+	6588	16.9	95	7	9	15	19	27	35	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	122	8.4	58	1	1	7	11	19	26	34
B. *Operated*	1354	13.3	36	6	7	13	16	20	23	36
2. MULTIPLE DX										
A. *Not Operated*	589	12.3	133	1	2	9	16	24	34	62
B. *Operated*	7750	16.6	98	7	8	14	19	27	35	62
1. SINGLE DX	1476	12.9	40	4	6	12	16	20	24	36
2. MULTIPLE DX	8339	16.3	102	6	8	14	19	27	35	62
A. NOT OPERATED	711	11.6	122	1	2	9	15	23	31	58
B. OPERATED	9104	16.1	90	7	8	14	19	26	34	58
TOTAL 0-19 YRS	175	14.4	162	2	2	11	20	28	39	65
20-34	190	15.5	198	3	5	11	18	36	48	73
35-49	238	14.3	129	4	5	11	17	28	36	65
50-64	991	13.6	77	4	6	12	16	23	30	52
65+	8221	16.2	90	6	8	14	19	26	33	57
GRAND TOTAL	**9815**	**15.8**	**94**	**6**	**7**	**14**	**18**	**26**	**34**	**58**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	139	16.9	162	1	2	17	23	30	36	81
20-34	15	14.6	239	1	1	7	27	41	42	42
35-49	7	22.7	343	1	3	18	36	51	54	54
50-64	7	9.9	113	1	1	5	19	26	27	27
65+	29	20.1	465	1	2	13	26	52	62	91
B. *Operated*										
0-19 YRS	149	12.2	122	1	2	9	18	27	32	54
20-34	58	11.7	80	1	2	10	14	24	31	41
35-49	14	9.9	78	<1	<1	9	11	24	28	29
50-64	21	17.7	290	3	7	11	17	42	58	75
65+	66	17.5	137	6	8	14	19	32	43	64
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	298	18.0	165	1	2	18	25	33	40	59
20-34	37	19.0	445	<1	1	10	32	49	59	86
35-49	20	16.9	316	2	2	9	24	50	55	56
50-64	47	21.8	409	1	1	13	35	55	58	67
65+	180	18.9	328	3	4	12	25	49	58	97
B. *Operated*										
0-19 YRS	484	17.8	231	1	3	14	25	38	47	75
20-34	391	19.1	304	2	5	14	22	47	61	92
35-49	105	18.6	300	2	4	14	24	49	69	99+
50-64	122	19.7	234	3	6	16	25	47	62	99+
65+	408	21.7	208	7	9	18	26	43	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	197	17.2	217	1	2	16	23	35	46	85
B. *Operated*	308	13.5	132	1	2	11	18	27	35	59
2. MULTIPLE DX										
A. *Not Operated*	582	18.6	257	1	2	16	26	40	52	82
B. *Operated*	1510	19.4	250	2	4	15	25	41	56	98
1. SINGLE DX	505	14.9	168	1	2	12	21	30	40	65
2. MULTIPLE DX	2092	19.2	252	2	3	15	25	41	55	90
A. NOT OPERATED	779	18.3	247	1	2	16	25	40	52	82
B. OPERATED	1818	18.4	235	2	4	14	24	39	54	91
TOTAL 0-19 YRS	1070	17.0	192	1	2	15	24	35	43	69
20-34	501	18.1	291	2	3	13	22	42	58	89
35-49	146	17.7	285	1	3	13	23	47	57	99+
50-64	197	19.6	279	2	3	15	27	48	60	99+
65+	683	20.5	245	4	6	16	26	43	57	99+
GRAND TOTAL	**2597**	**18.4**	**238**	**2**	**3**	**15**	**24**	**39**	**53**	**89**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	108	2.1	3	<1	1	2	3	4	5	10
20-34	55	3.2	42	<1	1	2	3	4	8	46
35-49	32	4.4	11	1	1	4	6	10	11	12
50-64	34	5.9	14	1	1	4	8	11	13	16
65+	31	7.4	36	1	2	5	10	14	18	29
B. *Operated*										
0-19 YRS	285	4.2	19	1	1	3	5	8	11	31
20-34	259	5.1	14	1	1	4	7	9	12	20
35-49	128	5.7	23	1	2	5	7	11	14	26
50-64	81	6.4	38	1	2	5	7	11	17	39
65+	56	10.4	70	2	3	8	13	20	27	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	199	3.0	35	<1	1	2	3	6	7	13
20-34	155	4.1	15	1	1	3	5	8	10	18
35-49	109	4.2	8	1	1	3	6	8	10	13
50-64	115	6.4	26	1	2	5	8	12	16	30
65+	217	9.9	65	1	2	8	13	20	27	38
B. *Operated*										
0-19 YRS	596	5.8	72	1	1	4	7	11	17	48
20-34	747	9.4	134	2	2	6	10	20	31	61
35-49	415	9.3	135	1	2	5	10	19	34	66
50-64	354	10.3	123	2	3	7	11	20	29	65
65+	228	14.0	140	3	4	12	18	27	36	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	260	3.8	21	1	1	2	4	8	12	18
B. *Operated*	809	5.4	26	1	1	4	7	10	14	27
2. MULTIPLE DX										
A. *Not Operated*	795	5.7	42	1	1	4	7	12	16	33
B. *Operated*	2340	9.1	122	1	2	6	10	19	29	64
1. SINGLE DX	1069	5.0	25	1	1	4	6	10	13	27
2. MULTIPLE DX	3135	8.2	104	1	1	5	9	17	26	59
A. NOT OPERATED	1055	5.3	37	1	1	3	7	11	15	31
B. OPERATED	3149	8.1	100	1	2	5	9	17	26	59
TOTAL 0-19 YRS	1188	4.6	49	1	1	3	5	9	12	41
20-34	1216	7.5	95	1	1	5	8	15	23	58
35-49	684	7.6	93	1	2	5	8	14	23	47
50-64	584	8.7	89	1	2	6	10	16	23	53
65+	532	11.6	100	2	3	9	15	23	30	50
GRAND TOTAL	**4204**	**7.4**	**86**	**1**	**1**	**5**	**8**	**15**	**23**	**49**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	2.4	4	1	1	2	3	5	7	10
20-34	42	3.5	7	<1	1	3	4	7	10	13
35-49	35	3.9	17	1	1	3	4	7	12	23
50-64	35	4.1	14	1	2	3	4	7	10	21
65+	51	5.0	10	1	1	4	7	10	11	13
B. *Operated*										
0-19 YRS	354	3.0	5	1	1	3	4	5	7	9
20-34	575	3.9	9	1	1	3	5	7	9	15
35-49	395	4.2	7	1	2	4	5	8	10	13
50-64	317	5.2	11	1	2	4	6	9	11	19
65+	196	6.2	10	2	3	6	8	10	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	95	2.5	4	<1	1	2	3	5	6	11
20-34	193	3.8	11	1	1	3	5	8	10	17
35-49	119	4.0	12	1	1	3	5	7	10	23
50-64	141	5.6	14	1	1	4	7	10	12	19
65+	354	7.6	47	1	2	6	9	15	20	39
B. *Operated*										
0-19 YRS	726	4.3	30	1	1	3	5	7	10	31
20-34	1423	5.3	37	1	2	4	6	9	13	28
35-49	815	5.3	31	1	2	4	6	9	12	28
50-64	864	6.3	35	2	2	5	7	11	14	32
65+	660	10.2	83	3	3	8	12	19	25	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	205	3.8	11	1	1	3	4	8	10	17
B. *Operated*	1837	4.3	9	1	1	4	5	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	902	5.4	28	1	1	4	7	11	15	29
B. *Operated*	4488	6.1	44	1	2	4	7	11	15	34
1. SINGLE DX	2042	4.2	9	1	1	4	5	8	10	15
2. MULTIPLE DX	5390	5.9	42	1	2	4	7	11	15	33
A. NOT OPERATED	1107	5.1	25	1	1	4	6	10	14	26
B. OPERATED	6325	5.5	35	1	2	4	6	10	14	29
TOTAL 0-19 YRS	1217	3.7	20	1	1	3	4	6	9	23
20-34	2233	4.8	27	1	1	4	5	8	11	25
35-49	1364	4.9	22	1	2	4	6	9	11	20
50-64	1357	5.9	27	1	2	5	7	11	14	25
65+	1261	8.6	61	2	3	7	10	16	22	42
GRAND TOTAL	**7432**	**5.5**	**33**	**1**	**1**	**4**	**6**	**10**	**14**	**29**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	1.9	1	<1	<1	2	3	4	4	4
20-34	8	1.8	1	<1	<1	2	2	3	3	3
35-49	5	2.4	1	1	1	2	3	4	4	4
50-64										
65+	6	2.0	2	<1	<1	2	3	4	4	4
B. *Operated*										
0-19 YRS	10	2.0	1	<1	<1	2	2	4	4	4
20-34	25	3.4	23	<1	1	2	3	7	12	25
35-49	6	2.0	2	<1	<1	2	3	4	4	4
50-64	3	3.3		3	3	3	4	4	4	4
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	82	2.1	3	1	1	1	3	4	7	9
20-34	116	3.9	32	1	1	3	4	7	8	31
35-49	79	4.6	21	<1	1	3	5	11	16	22
50-64	66	6.3	38	1	2	4	8	14	17	32
65+	130	7.3	35	1	2	6	9	15	21	29
B. *Operated*										
0-19 YRS	51	4.3	26	1	1	2	5	10	15	25
20-34	82	4.3	25	1	1	3	5	9	13	29
35-49	35	7.5	36	1	2	5	12	18	20	21
50-64	21	6.3	31	1	2	4	7	15	21	22
65+	29	14.1	176	1	2	10	16	28	53	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	2.0	1	<1	<1	2	3	4	4	4
B. *Operated*	45	2.9	14	<1	1	2	3	4	7	25
2. MULTIPLE DX										
A. *Not Operated*	473	5.0	30	1	1	3	6	10	16	27
B. *Operated*	218	6.3	57	1	1	4	7	15	21	37
1. SINGLE DX	76	2.5	9	<1	1	2	3	4	5	21
2. MULTIPLE DX	691	5.4	39	1	1	3	6	12	17	29
A. NOT OPERATED	504	4.8	29	1	1	3	6	10	15	26
B. OPERATED	263	5.7	52	1	1	3	6	14	21	29
TOTAL 0-19 YRS	155	2.8	11	1	1	2	3	6	7	22
20-34	231	3.9	28	1	1	3	4	7	10	28
35-49	125	5.2	25	<1	1	3	6	14	17	21
50-64	90	6.2	35	1	2	4	7	13	18	31
65+	166	8.2	66	1	2	6	9	17	23	50
GRAND TOTAL	**767**	**5.1**	**37**	**1**	**1**	**3**	**6**	**12**	**17**	**28**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	19.3	954	1	1	2	42	55	55	55
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	3	6.7	6	4	4	7	8	9	9	9
35-49	1	6.0		6	6	6	6	6	6	6
50-64	3	2.7	4	<1	<1	2	4	5	5	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	3.2	7	<1	1	2	4	8	9	9
20-34	8	5.3	12	1	1	5	7	10	12	12
35-49	6	8.0	45	2	2	6	10	19	20	20
50-64	2	8.5	5	7	7	8	10	10	10	10
65+	11	7.1	25	1	2	6	11	15	17	17
B. *Operated*										
0-19 YRS	10	12.6	135	1	2	8	15	33	38	38
20-34	19	20.3	457	2	2	11	27	53	67	78
35-49	7	18.9	292	1	1	12	32	43	45	45
50-64	4	23.0	277	9	9	18	33	47	47	47
65+	6	18.2	119	3	4	17	30	31	31	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	15.0	711	1	1	2	29	55	55	55
B. *Operated*	8	4.8	7	<1	1	5	6	8	9	9
2. MULTIPLE DX										
A. *Not Operated*	45	5.4	20	1	1	4	7	12	14	20
B. *Operated*	46	18.3	292	2	2	12	30	45	52	78
1. SINGLE DX	12	8.2	224	<1	1	4	6	23	50	55
2. MULTIPLE DX	91	11.9	198	1	1	7	15	31	45	68
A. NOT OPERATED	49	6.2	69	1	1	4	7	12	17	55
B. OPERATED	54	16.3	272	1	2	10	20	43	50	77
TOTAL 0-19 YRS	32	7.7	138	1	1	4	8	19	37	55
20-34	30	14.9	339	2	2	7	17	47	54	78
35-49	15	12.5	181	1	2	9	18	33	42	45
50-64	9	13.0	201	<1	1	9	17	36	47	47
65+	17	11.0	83	1	2	8	15	28	31	31
GRAND TOTAL	**103**	**11.5**	**200**	**1**	**1**	**7**	**13**	**30**	**46**	**66**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	10	1.6	1	<1	<1	1	2	3	4	4
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	3	1.7	1	<1	<1	<1	2	3	3	3
65+	2	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	67	2.7	2	1	1	3	3	5	5	7
20-34	291	2.8	2	1	1	3	3	4	5	7
35-49	69	2.7	2	1	1	3	3	4	5	8
50-64	36	2.1	2	<1	<1	2	3	4	5	8
65+	35	3.0	11	<1	1	1	4	7	12	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	4.6	33	<1	<1	2	5	15	17	17
20-34	20	2.0	2	<1	1	2	2	4	5	5
35-49	12	2.6	3	<1	<1	3	4	5	6	6
50-64	10	3.7	16	<1	<1	2	6	10	12	12
65+	23	4.7	21	1	1	3	5	13	16	19
B. *Operated*										
0-19 YRS	52	3.0	12	<1	1	2	4	5	6	25
20-34	242	3.0	8	1	1	2	4	5	6	19
35-49	99	3.1	5	<1	1	3	4	6	7	13
50-64	37	4.1	24	1	1	3	5	6	17	24
65+	81	5.2	39	<1	1	3	7	14	20	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	2.2	9	<1	<1	1	2	4	10	14
B. *Operated*	498	2.7	3	1	1	3	3	5	5	8
2. MULTIPLE DX										
A. *Not Operated*	72	3.4	14	<1	1	2	4	7	13	19
B. *Operated*	511	3.5	15	1	1	3	4	6	9	24
1. SINGLE DX	516	2.7	3	<1	1	2	3	4	5	8
2. MULTIPLE DX	583	3.5	15	1	1	2	4	6	10	23
A. NOT OPERATED	90	3.2	13	<1	<1	2	4	6	13	18
B. OPERATED	1009	3.1	9	1	1	3	4	5	7	19
TOTAL 0-19 YRS	127	3.0	9	<1	1	2	4	5	6	19
20-34	563	2.8	5	1	1	3	3	5	5	12
35-49	182	2.9	4	1	1	3	4	5	6	10
50-64	86	3.1	14	<1	1	2	4	6	8	23
65+	141	4.5	30	<1	1	2	5	12	18	27
GRAND TOTAL	**1099**	**3.1**	**9**	**1**	**1**	**2**	**4**	**5**	**7**	**19**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	3.3	7	<1	<1	2	6	7	7	7
20-34	11	1.9	2	<1	<1	1	3	4	5	5
35-49	7	3.4	10	<1	<1	3	4	9	10	10
50-64	2	2.0		2	2	2	2	2	2	2
65+	2	9.0	2	8	8	9	10	10	10	10
B. *Operated*										
0-19 YRS	553	2.4	3	<1	<1	2	3	5	6	7
20-34	1277	2.4	3	<1	<1	2	3	5	6	8
35-49	639	2.5	3	<1	<1	2	3	5	6	8
50-64	348	2.7	4	<1	<1	2	4	5	6	9
65+	84	4.3	38	<1	1	3	5	6	12	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	1.4		<1	<1	1	2	2	2	2
20-34	31	1.7	2	<1	<1	1	2	4	5	6
35-49	13	1.2	1	<1	<1	1	1	2	4	4
50-64	15	7.7	170	<1	<1	3	5	39	40	40
65+	16	6.8	21	<1	1	5	11	14	15	16
B. *Operated*										
0-19 YRS	575	3.0	4	<1	1	2	4	5	7	11
20-34	1553	2.9	6	<1	<1	2	4	5	7	11
35-49	736	2.9	9	<1	<1	2	4	5	6	11
50-64	551	3.3	11	<1	<1	2	4	6	8	14
65+	197	4.0	18	<1	1	3	5	8	12	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	3.1	8	<1	<1	2	4	8	10	10
B. *Operated*	2901	2.5	4	<1	<1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	88	3.5	39	<1	<1	1	4	6	12	40
B. *Operated*	3612	3.0	8	<1	<1	2	4	6	7	13
1. SINGLE DX	2930	2.5	4	<1	<1	2	3	5	6	8
2. MULTIPLE DX	3700	3.0	9	<1	<1	2	4	6	7	13
A. NOT OPERATED	117	3.4	31	<1	<1	1	4	7	11	39
B. OPERATED	6513	2.8	6	<1	<1	2	4	5	6	11
TOTAL 0-19 YRS	1148	2.7	4	<1	<1	2	4	5	6	9
20-34	2872	2.6	4	<1	<1	2	3	5	6	10
35-49	1395	2.7	6	<1	<1	2	4	5	6	10
50-64	916	3.1	11	<1	<1	2	4	6	7	14
65+	299	4.2	24	<1	1	3	5	8	13	24
GRAND TOTAL	**6630**	**2.8**	**7**	**<1**	**<1**	**2**	**4**	**5**	**6**	**11**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	2.3	3	<1	<1	1	4	5	5	5
20-34	13	2.6	6	<1	<1	1	5	6	7	7
35-49	7	7.9	66	<1	<1	4	14	21	22	22
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	5	4.4	36	1	1	2	6	15	15	15
B. *Operated*										
0-19 YRS	89	3.3	20	<1	1	2	3	8	12	25
20-34	149	3.0	10	<1	1	2	4	6	10	18
35-49	59	4.0	22	1	1	2	4	11	16	21
50-64	30	2.5	4	<1	1	2	3	6	8	8
65+	33	6.2	54	<1	1	3	8	15	26	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	5.9	46	1	1	4	7	11	22	33
20-34	48	4.8	11	<1	1	4	7	9	10	16
35-49	22	10.1	96	1	2	6	15	25	35	37
50-64	30	6.8	133	1	1	4	7	10	20	64
65+	20	4.2	10	1	1	4	5	9	11	13
B. *Operated*										
0-19 YRS	174	4.8	51	1	1	3	5	9	16	34
20-34	243	5.8	60	<1	1	3	7	15	19	43
35-49	133	6.4	68	1	1	4	8	16	22	74
50-64	84	7.6	105	<1	1	4	8	18	30	88
65+	97	6.5	58	1	1	4	9	15	18	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	3.7	22	<1	<1	1	5	8	16	22
B. *Operated*	360	3.5	19	<1	1	2	4	8	13	23
2. MULTIPLE DX										
A. *Not Operated*	149	6.1	57	1	1	4	7	11	18	37
B. *Operated*	731	6.0	65	1	1	3	7	15	20	47
1. SINGLE DX	397	3.5	19	<1	1	2	4	8	13	23
2. MULTIPLE DX	880	6.0	63	1	1	3	7	14	20	45
A. NOT OPERATED	186	5.6	51	<1	1	4	7	11	17	36
B. OPERATED	1091	5.2	51	<1	1	3	6	12	18	40
TOTAL 0-19 YRS	302	4.4	40	<1	1	3	5	9	15	32
20-34	453	4.7	39	<1	1	3	6	11	16	31
35-49	221	6.2	60	1	1	4	8	16	21	46
50-64	146	6.3	92	<1	1	3	7	13	26	67
65+	155	6.1	50	1	1	4	8	15	18	38
GRAND TOTAL	**1277**	**5.2**	**51**	**<1**	**1**	**3**	**6**	**12**	**18**	**39**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	2.3	5	<1	<1	2	3	5	8	10
20-34	30	1.7	1	<1	<1	1	2	3	4	5
35-49	23	2.6	2	<1	1	2	4	4	6	7
50-64	8	4.0	5	2	2	4	6	7	7	7
65+	17	4.9	16	1	1	4	5	9	15	18
B. *Operated*										
0-19 YRS	224	3.1	4	<1	<1	3	4	6	7	10
20-34	375	3.1	4	<1	<1	3	4	6	7	10
35-49	91	3.1	4	<1	<1	3	4	6	7	8
50-64	28	4.8	26	1	1	3	5	8	14	27
65+	13	8.1	51	2	3	7	9	15	27	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	1.9	4	<1	<1	1	2	3	6	10
20-34	58	2.2	3	<1	<1	2	2	5	6	8
35-49	36	4.2	7	1	1	4	6	8	9	10
50-64	44	4.9	23	1	1	3	6	12	17	21
65+	88	6.5	38	2	3	5	8	12	18	38
B. *Operated*										
0-19 YRS	558	3.8	6	1	1	3	5	6	7	11
20-34	1072	3.9	7	1	1	4	5	7	8	12
35-49	354	4.0	9	<1	1	4	5	7	8	16
50-64	103	5.3	17	1	1	4	7	10	13	22
65+	35	7.1	31	1	2	7	9	15	20	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	97	2.8	6	<1	<1	2	4	5	7	14
B. *Operated*	731	3.2	6	<1	<1	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	260	4.4	22	<1	1	3	5	9	12	22
B. *Operated*	2122	4.0	8	1	1	4	5	7	9	13
1. SINGLE DX	828	3.2	6	<1	<1	3	4	6	7	10
2. MULTIPLE DX	2382	4.0	10	1	1	4	5	7	9	16
A. NOT OPERATED	357	3.9	18	<1	1	3	5	8	11	21
B. OPERATED	2853	3.8	8	<1	1	3	5	7	8	12
TOTAL 0-19 YRS	835	3.5	6	<1	1	3	5	6	7	11
20-34	1535	3.6	6	<1	1	3	5	6	8	11
35-49	504	3.8	7	<1	1	3	5	7	8	13
50-64	183	5.0	19	1	1	4	6	9	14	25
65+	153	6.6	35	1	2	5	8	12	18	35
GRAND TOTAL	**3210**	**3.8**	**9**	**<1**	**1**	**3**	**5**	**7**	**8**	**14**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	4.0	12	1	1	3	5	9	12	15
20-34	416	5.5	11	1	2	5	7	10	11	17
35-49	348	5.7	12	1	2	5	8	10	12	17
50-64	210	5.7	11	2	2	5	7	10	12	20
65+	66	5.7	19	2	2	5	6	9	16	26
B. *Operated*										
0-19 YRS	6	8.7	59	1	1	7	12	21	22	22
20-34	76	6.1	28	1	1	5	9	12	14	27
35-49	54	5.4	29	1	1	3	7	15	16	22
50-64	19	7.5	61	1	1	4	11	22	24	24
65+	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	3.7	7	1	1	3	5	8	11	12
20-34	630	6.0	17	1	2	5	8	11	14	21
35-49	714	6.6	18	2	3	6	8	11	14	21
50-64	510	6.8	18	2	3	6	9	12	14	23
65+	534	7.5	28	2	3	6	10	14	18	27
B. *Operated*										
0-19 YRS	9	7.9	22	1	2	8	10	15	17	17
20-34	93	7.7	34	1	1	7	11	16	18	26
35-49	119	9.9	80	2	2	7	12	21	26	48
50-64	46	8.4	37	2	2	8	11	13	22	32
65+	33	13.3	96	3	4	12	19	24	29	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1072	5.6	12	1	2	5	7	10	12	18
B. *Operated*	156	6.2	33	1	1	4	9	14	19	24
2. MULTIPLE DX										
A. *Not Operated*	2440	6.6	20	2	2	6	8	12	15	23
B. *Operated*	300	9.3	62	1	2	7	12	19	23	35
1. SINGLE DX	1228	5.6	15	1	2	5	7	10	13	21
2. MULTIPLE DX	2740	6.9	25	2	2	6	9	13	16	26
A. NOT OPERATED	3512	6.3	18	2	2	5	8	11	14	21
B. OPERATED	456	8.2	54	1	1	7	11	18	22	31
TOTAL 0-19 YRS	99	4.5	15	1	1	3	6	10	12	20
20-34	1215	5.9	17	1	2	5	8	11	14	21
35-49	1235	6.6	24	2	2	6	8	12	15	24
50-64	785	6.6	18	2	3	6	8	12	14	24
65+	634	7.6	33	2	3	6	10	15	18	30
GRAND TOTAL	**3968**	**6.5**	**22**	**1**	**2**	**5**	**8**	**12**	**15**	**23**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	3.0	6	<1	<1	2	4	7	9	11
20-34	327	4.8	10	1	1	4	7	9	10	14
35-49	286	5.4	16	1	2	5	7	10	12	20
50-64	112	5.9	16	1	2	5	8	11	15	19
65+	54	6.4	20	2	2	5	8	14	16	18
B. *Operated*										
0-19 YRS	4	3.8	12	1	1	3	6	8	8	8
20-34	84	5.3	18	1	1	4	8	11	14	20
35-49	65	5.3	20	1	1	4	8	11	12	24
50-64	12	6.2	32	1	1	4	10	16	17	17
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	176	3.0	12	<1	1	2	4	6	7	21
20-34	856	5.4	17	1	1	4	7	11	13	19
35-49	752	5.9	21	1	2	5	8	11	15	22
50-64	470	6.4	26	1	2	5	8	12	17	25
65+	473	6.8	33	2	2	5	9	13	15	31
B. *Operated*										
0-19 YRS	17	4.5	16	1	1	3	6	11	13	14
20-34	167	6.8	33	1	1	5	10	15	18	26
35-49	142	7.3	38	1	1	6	10	16	17	33
50-64	53	7.9	54	1	2	5	12	16	19	42
65+	36	16.6	185	2	4	12	20	38	44	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	842	5.1	14	1	1	4	7	10	12	18
B. *Operated*	165	5.3	19	1	1	4	8	11	14	21
2. MULTIPLE DX										
A. *Not Operated*	2727	5.8	23	1	1	5	8	11	15	23
B. *Operated*	415	7.8	57	1	1	6	11	16	20	42
1. SINGLE DX	1007	5.2	15	1	1	4	7	10	12	18
2. MULTIPLE DX	3142	6.1	28	1	1	5	8	12	16	25
A. NOT OPERATED	3569	5.6	21	1	1	5	7	11	14	22
B. OPERATED	580	7.1	48	1	1	5	10	15	18	37
TOTAL 0-19 YRS	260	3.1	11	<1	1	2	4	6	8	18
20-34	1434	5.4	18	1	1	4	7	11	14	20
35-49	1245	5.9	22	1	1	5	8	11	15	22
50-64	647	6.4	27	1	2	5	8	13	17	25
65+	563	7.4	47	2	2	6	9	14	17	41
GRAND TOTAL	**4149**	**5.8**	**25**	**1**	**1**	**5**	**8**	**11**	**15**	**24**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	2.9	5	<1	1	2	4	5	8	11
20-34	36	1.9	2	<1	<1	1	3	3	5	8
35-49	37	2.5	4	<1	1	2	3	5	7	8
50-64	22	3.4	5	<1	1	3	5	6	7	8
65+	19	5.2	12	1	2	5	5	12	13	13
B. *Operated*										
0-19 YRS	125	2.1	2	1	1	2	3	3	4	6
20-34	338	2.5	3	<1	<1	2	3	5	5	8
35-49	231	3.0	2	<1	1	3	4	5	6	8
50-64	272	4.1	4	1	2	4	5	6	8	11
65+	77	4.8	10	1	2	4	6	8	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	2.3	4	<1	1	2	3	5	7	9
20-34	111	3.1	11	<1	1	2	4	6	7	17
35-49	84	4.1	12	1	1	3	5	9	11	19
50-64	92	4.8	23	1	1	4	6	10	13	27
65+	224	6.0	19	1	2	5	8	11	14	20
B. *Operated*										
0-19 YRS	146	2.6	15	1	1	2	3	4	5	10
20-34	353	2.8	4	1	1	2	3	5	6	12
35-49	254	3.4	8	1	1	3	4	6	7	15
50-64	283	4.6	24	1	2	4	5	7	10	20
65+	170	6.0	19	2	2	5	7	10	16	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	143	2.9	6	<1	1	2	4	6	8	13
B. *Operated*	1043	3.1	4	<1	1	3	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	557	4.6	17	1	1	3	6	10	12	19
B. *Operated*	1206	3.8	14	1	1	3	4	7	9	18
1. SINGLE DX	1186	3.1	4	<1	1	3	4	6	7	11
2. MULTIPLE DX	1763	4.1	15	1	1	3	5	8	10	19
A. NOT OPERATED	700	4.3	15	1	1	3	6	9	11	18
B. OPERATED	2249	3.5	10	1	1	3	4	6	8	14
TOTAL 0-19 YRS	346	2.4	8	1	1	2	3	4	5	9
20-34	838	2.7	4	<1	1	2	3	5	6	9
35-49	606	3.3	7	1	1	3	4	6	7	13
50-64	669	4.4	15	1	2	4	5	7	10	17
65+	490	5.8	17	1	2	5	7	11	14	22
GRAND TOTAL	**2949**	**3.7**	**11**	**1**	**1**	**3**	**4**	**7**	**9**	**16**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	681	1.3	1	<1	1	1	1	2	3	5
20-34	201	1.9	2	<1	1	1	2	3	5	8
35-49	73	2.2	12	<1	<1	2	2	3	4	25
50-64	22	3.5	15	<1	<1	2	4	9	12	17
65+	23	3.2	11	1	1	1	5	8	12	12
B. *Operated*										
0-19 YRS	4	3.0	5	1	1	3	5	5	5	5
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2285	1.8	5	<1	1	1	2	3	4	10
20-34	1540	2.5	6	<1	1	2	3	5	7	11
35-49	544	3.1	11	1	1	2	4	6	9	20
50-64	362	3.5	11	1	1	2	4	7	11	19
65+	466	5.2	24	1	1	4	7	11	15	23
B. *Operated*										
0-19 YRS	353	3.9	46	<1	1	2	4	8	13	46
20-34	429	5.1	67	<1	1	3	6	12	17	52
35-49	151	6.8	129	1	1	3	9	16	24	86
50-64	105	7.0	147	<1	1	4	7	13	27	92
65+	110	6.5	52	1	1	4	8	17	24	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1000	1.6	2	<1	1	1	2	3	4	8
B. *Operated*	5	2.8	4	1	1	2	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	5197	2.6	9	<1	1	2	3	5	8	16
B. *Operated*	1148	5.3	76	<1	1	2	6	12	21	53
1. SINGLE DX	1005	1.6	2	<1	1	1	2	3	4	8
2. MULTIPLE DX	6345	3.1	22	<1	1	2	3	6	10	23
A. NOT OPERATED	6197	2.4	8	<1	1	1	3	5	7	15
B. OPERATED	1153	5.3	75	<1	1	2	6	12	21	53
TOTAL 0-19 YRS	3323	1.9	9	<1	1	1	2	3	5	12
20-34	2170	2.9	19	<1	1	2	3	6	9	21
35-49	769	3.8	37	1	1	2	4	8	12	29
50-64	489	4.3	42	<1	1	3	5	9	12	28
65+	599	5.3	29	1	1	4	7	12	17	28
GRAND TOTAL	**7350**	**2.9**	**20**	**<1**	**1**	**1**	**3**	**6**	**9**	**22**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	206	1.6	3	<1	1	1	1	3	5	10
20-34	60	2.6	8	<1	1	2	3	6	8	17
35-49	23	7.8	389	<1	1	2	5	14	44	96
50-64	6	4.8	37	1	1	2	5	16	17	17
65+	15	5.5	33	<1	1	3	9	12	19	21
B. *Operated*										
0-19 YRS	9	5.0	6	2	2	4	7	8	9	9
20-34	17	9.6	62	3	3	8	12	18	28	34
35-49	13	7.2	12	1	3	7	10	12	12	12
50-64	11	12.1	32	5	6	10	16	21	23	23
65+	20	10.5	41	3	3	9	13	17	24	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	654	2.9	34	<1	1	1	2	6	11	26
20-34	444	4.9	62	<1	1	2	5	10	16	46
35-49	162	4.3	31	<1	1	3	5	8	14	21
50-64	113	6.8	131	1	1	4	7	15	20	71
65+	208	6.8	55	1	1	4	9	15	24	43
B. *Operated*										
0-19 YRS	183	17.2	438	1	1	9	25	51	80	99+
20-34	248	17.5	389	1	1	10	28	55	86	99+
35-49	102	18.0	451	1	1	9	27	61	90	99+
50-64	61	16.9	166	1	4	14	26	41	99+	99+
65+	163	20.7	392	2	3	15	27	51	76	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	310	2.5	36	<1	1	1	2	5	9	17
B. *Operated*	70	9.2	38	3	3	8	12	17	19	33
2. MULTIPLE DX										
A. *Not Operated*	1581	4.4	54	<1	1	2	5	10	15	38
B. *Operated*	757	18.1	392	1	1	11	27	54	84	99+
1. SINGLE DX	380	3.8	43	<1	1	1	4	10	13	22
2. MULTIPLE DX	2338	8.8	204	1	1	3	10	26	46	99+
A. NOT OPERATED	1891	4.1	51	<1	1	2	4	9	14	36
B. OPERATED	827	17.4	368	1	2	11	26	51	80	99+
TOTAL 0-19 YRS	1052	5.1	128	<1	1	1	4	12	25	80
20-34	769	8.9	200	<1	1	3	9	27	48	99+
35-49	300	9.4	238	1	1	4	9	24	55	99+
50-64	191	10.3	154	1	1	7	14	26	39	99+
65+	406	12.5	234	1	2	8	15	31	51	98
GRAND TOTAL	**2718**	**8.1**	**185**	**1**	**1**	**3**	**9**	**23**	**39**	**97**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	2.3	1	1	1	2	3	4	4	4
20-34	14	3.6	5	<1	1	3	4	7	9	9
35-49	11	3.2	5	<1	<1	3	5	6	8	8
50-64	7	2.7	6	1	1	2	3	7	8	8
65+	5	6.6	16	1	1	7	9	12	12	12
B. *Operated*										
0-19 YRS	14	4.5	9	1	2	4	5	9	11	12
20-34	25	4.4	5	1	2	4	6	7	10	10
35-49	5	7.8	41	4	4	5	10	19	19	19
50-64	7	4.6	5	3	3	4	6	8	9	9
65+	2	4.5	25	1	1	4	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	3.5	6	1	1	3	5	6	8	12
20-34	131	4.3	10	1	1	3	6	8	10	16
35-49	63	5.4	26	1	2	4	6	10	13	31
50-64	65	5.2	17	1	1	4	6	11	15	17
65+	53	7.2	53	1	1	6	9	12	14	43
B. *Operated*										
0-19 YRS	101	9.4	106	2	3	6	11	19	33	89
20-34	287	9.6	114	2	3	7	10	18	31	65
35-49	115	8.5	31	3	3	7	12	16	22	56
50-64	69	10.6	95	2	3	7	13	20	34	52
65+	66	13.3	187	2	3	10	16	25	46	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	3.5	6	<1	1	3	4	8	8	12
B. *Operated*	53	4.8	10	1	2	4	6	8	10	19
2. MULTIPLE DX										
A. *Not Operated*	374	4.9	20	1	1	4	6	9	12	23
B. *Operated*	638	9.8	104	2	3	7	12	19	31	69
1. SINGLE DX	99	4.2	9	1	1	4	5	8	10	16
2. MULTIPLE DX	1012	8.0	79	1	2	6	9	15	22	56
A. NOT OPERATED	420	4.8	19	1	1	4	6	9	12	20
B. OPERATED	691	9.5	99	2	3	7	11	19	28	64
TOTAL 0-19 YRS	186	6.7	69	1	2	5	8	12	20	66
20-34	457	7.6	81	1	2	5	8	14	22	58
35-49	194	7.2	31	1	2	6	9	15	19	33
50-64	148	7.6	60	1	2	5	9	16	20	38
65+	126	10.3	130	1	2	8	12	19	29	62
GRAND TOTAL	**1111**	**7.7**	**74**	**1**	**2**	**5**	**9**	**15**	**22**	**55**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	71	3.3	6	1	1	2	5	8	9	9
20-34	59	2.9	6	1	1	2	3	7	9	11
35-49	17	2.7	3	1	1	2	4	6	6	6
50-64	4	2.3	2	1	1	2	3	4	4	4
65+	5	4.2	5	2	2	4	5	8	8	8
B. *Operated*										
0-19 YRS	62	6.7	12	2	4	6	8	10	15	19
20-34	51	5.9	14	1	1	6	8	9	10	24
35-49	15	7.6	18	2	4	7	9	14	17	18
50-64	4	7.3	11	5	5	6	9	12	12	12
65+	6	13.0	52	3	3	12	19	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	269	3.8	10	1	1	3	5	8	10	13
20-34	225	3.6	12	1	1	3	4	7	10	16
35-49	64	3.8	9	1	1	3	6	7	10	15
50-64	45	5.0	16	1	1	4	6	11	13	21
65+	26	5.0	17	1	1	4	7	11	15	18
B. *Operated*										
0-19 YRS	324	10.4	86	3	4	7	11	21	30	52
20-34	546	11.1	105	3	4	8	12	20	32	68
35-49	179	15.0	254	3	5	8	19	34	50	90
50-64	99	13.7	149	2	4	11	15	27	36	73
65+	65	16.3	156	3	5	13	20	29	45	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	156	3.1	5	1	1	2	4	7	8	10
B. *Operated*	138	6.8	16	1	2	6	8	10	16	23
2. MULTIPLE DX										
A. *Not Operated*	629	3.9	12	1	1	3	5	8	10	16
B. *Operated*	1213	12.0	132	3	4	8	13	23	35	70
1. SINGLE DX	294	4.8	14	1	1	4	7	9	10	19
2. MULTIPLE DX	1842	9.2	105	1	2	7	10	18	29	61
A. NOT OPERATED	785	3.7	11	1	1	3	5	8	10	14
B. OPERATED	1351	11.4	122	3	4	8	12	22	33	69
TOTAL 0-19 YRS	726	6.9	54	1	1	5	8	13	19	38
20-34	881	8.3	82	1	2	7	10	15	23	59
35-49	275	11.2	196	1	2	7	12	25	42	85
50-64	152	10.6	120	1	2	8	13	19	32	70
65+	102	12.6	133	2	2	10	17	24	38	60
GRAND TOTAL	**2136**	**8.6**	**95**	**1**	**2**	**6**	**10**	**17**	**27**	**58**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	2.8	9	1	1	1	4	8	10	10
20-34	5	2.0	1	1	1	2	3	3	3	3
35-49										
50-64	1	5.0		5	5	5	5	5	5	5
65+										
B. *Operated*										
0-19 YRS	73	2.2	3	<1	1	1	3	5	6	7
20-34	50	2.9	3	<1	1	3	4	5	6	8
35-49	20	2.7	2	<1	<1	3	4	4	6	7
50-64	9	2.9	2	<1	<1	3	4	5	5	5
65+	12	2.8	2	1	1	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	3.3	4	1	1	3	4	6	7	7
20-34	17	3.1	4	1	1	2	5	5	7	8
35-49	11	3.0	2	1	1	3	4	5	5	5
50-64	7	6.0	27	<1	1	5	6	15	17	17
65+	7	6.6	69	<1	<1	3	9	21	24	24
B. *Operated*										
0-19 YRS	200	3.1	9	1	1	2	4	7	8	15
20-34	185	4.2	20	1	1	3	5	8	11	27
35-49	69	3.6	7	1	1	3	5	7	10	14
50-64	41	4.5	17	1	2	3	5	11	16	17
65+	46	4.5	20	1	1	3	5	9	15	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	2.7	6	1	1	2	4	5	9	10
B. *Operated*	164	2.5	3	<1	1	2	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	56	3.9	15	1	1	3	5	6	9	24
B. *Operated*	541	3.8	14	1	1	3	5	7	10	21
1. SINGLE DX	179	2.5	3	<1	1	2	4	5	6	8
2. MULTIPLE DX	597	3.8	14	1	1	3	5	7	10	21
A. NOT OPERATED	71	3.7	13	1	1	3	5	6	10	23
B. OPERATED	705	3.5	12	1	1	3	4	7	9	19
TOTAL 0-19 YRS	296	2.9	7	1	1	2	4	6	7	12
20-34	257	3.8	15	1	1	3	5	8	10	25
35-49	100	3.4	6	1	1	3	4	6	7	13
50-64	58	4.4	16	1	1	3	5	7	16	17
65+	65	4.4	22	1	1	3	5	9	15	24
GRAND TOTAL	**776**	**3.5**	**12**	**1**	**1**	**3**	**4**	**7**	**9**	**19**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	2.2	2	<1	<1	2	3	4	5	7
20-34	25	2.8	7	<1	<1	2	4	5	8	14
35-49	18	1.9	1	<1	<1	2	3	4	4	4
50-64	4	2.5	4	1	1	2	4	5	5	5
65+	7	2.3	2	<1	<1	2	3	4	4	4
B. *Operated*										
0-19 YRS	98	1.7	2	<1	<1	1	2	3	5	8
20-34	54	2.8	12	<1	<1	2	3	6	9	21
35-49	30	4.3	56	<1	1	2	4	6	24	37
50-64	15	2.7	6	<1	<1	2	4	6	8	9
65+	8	2.3	4	<1	<1	2	3	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	169	2.2	4	<1	1	2	3	4	5	8
20-34	253	2.9	29	<1	<1	2	3	5	8	25
35-49	96	2.6	4	<1	1	2	3	5	7	10
50-64	89	3.4	10	1	1	2	4	7	9	17
65+	208	5.2	22	1	1	4	7	12	14	22
B. *Operated*										
0-19 YRS	465	2.7	9	<1	1	2	3	6	8	17
20-34	533	3.7	25	<1	1	2	5	8	10	26
35-49	225	3.9	23	<1	1	2	5	8	12	30
50-64	177	4.4	24	<1	1	3	5	11	14	25
65+	189	5.6	42	1	1	4	7	12	16	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	79	2.4	4	<1	<1	2	3	4	5	12
B. *Operated*	205	2.5	13	<1	<1	1	2	5	7	22
2. MULTIPLE DX										
A. *Not Operated*	815	3.4	18	<1	1	2	4	7	10	19
B. *Operated*	1589	3.7	23	<1	1	2	5	8	12	25
1. SINGLE DX	284	2.4	11	<1	<1	2	3	5	6	19
2. MULTIPLE DX	2404	3.6	21	<1	1	2	4	8	11	24
A. NOT OPERATED	894	3.3	17	<1	1	2	4	7	10	19
B. OPERATED	1794	3.6	22	<1	1	2	4	8	11	25
TOTAL 0-19 YRS	757	2.4	7	<1	<1	2	3	5	7	14
20-34	865	3.4	25	<1	1	2	4	7	10	25
35-49	369	3.5	20	<1	1	2	4	7	9	27
50-64	285	4.0	19	<1	1	2	5	9	12	23
65+	412	5.3	31	1	1	4	7	11	14	28
GRAND TOTAL	**2688**	**3.5**	**20**	**<1**	**1**	**2**	**4**	**8**	**11**	**23**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	1.6	1	<1	<1	1	2	3	3	3
20-34	63	2.2	3	<1	1	2	3	4	6	11
35-49	26	2.2	3	<1	<1	1	3	4	7	8
50-64	2	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	47	3.0	6	<1	<1	2	5	6	8	11
20-34	75	3.7	11	<1	<1	3	5	8	9	20
35-49	28	4.7	55	<1	1	2	6	9	12	40
50-64	6	2.8	11	<1	<1	1	4	8	9	9
65+	5	3.8	6	2	2	3	4	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	121	2.1	3	<1	1	1	3	4	6	10
20-34	255	2.6	8	<1	1	2	3	5	6	18
35-49	82	2.6	6	<1	1	2	3	5	7	14
50-64	32	4.1	31	<1	1	3	4	9	11	31
65+	21	5.8	24	1	2	4	8	11	17	23
B. *Operated*										
0-19 YRS	193	4.9	26	1	1	3	7	11	15	21
20-34	378	6.4	48	1	1	5	8	12	17	30
35-49	132	8.2	109	1	1	6	9	18	24	66
50-64	49	6.9	32	1	2	6	9	14	18	30
65+	22	10.5	109	1	2	8	13	20	32	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	121	2.1	3	<1	<1	2	2	4	5	9
B. *Operated*	161	3.6	16	<1	<1	3	5	8	9	21
2. MULTIPLE DX										
A. *Not Operated*	511	2.7	9	<1	1	2	3	5	7	17
B. *Operated*	774	6.5	55	1	1	5	8	13	18	37
1. SINGLE DX	282	3.0	11	<1	<1	2	4	6	8	13
2. MULTIPLE DX	1285	5.0	40	1	1	3	6	10	15	30
A. NOT OPERATED	632	2.6	8	<1	1	2	3	5	6	14
B. OPERATED	935	6.0	49	1	1	4	8	12	18	36
TOTAL 0-19 YRS	391	3.5	16	<1	1	2	5	8	11	19
20-34	771	4.5	31	<1	1	3	6	9	13	27
35-49	268	5.5	68	<1	1	3	7	11	19	46
50-64	89	5.5	32	1	1	3	8	11	18	31
65+	48	7.8	67	1	2	5	9	17	21	49
GRAND TOTAL	**1567**	**4.6**	**35**	**<1**	**1**	**3**	**6**	**9**	**14**	**28**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	2.4	2	<1	<1	2	3	5	5	6
20-34	62	2.1	3	<1	<1	1	3	4	6	8
35-49	22	2.8	4	<1	1	2	5	6	7	7
50-64	15	3.2	6	<1	1	3	4	6	9	10
65+	7	2.6	4	<1	<1	2	4	6	6	6
B. *Operated*										
0-19 YRS	359	2.3	6	<1	<1	1	2	4	8	14
20-34	489	2.3	6	<1	<1	1	3	5	7	14
35-49	204	2.1	5	<1	<1	1	2	4	7	13
50-64	99	2.3	4	<1	<1	2	3	4	7	12
65+	47	2.7	30	<1	1	1	2	4	7	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	113	2.7	4	<1	<1	2	3	5	6	10
20-34	259	3.8	28	<1	1	3	5	6	9	34
35-49	77	3.4	10	<1	1	3	4	6	9	18
50-64	56	4.8	24	1	1	4	5	11	14	30
65+	48	7.5	72	1	2	5	8	15	24	50
B. *Operated*										
0-19 YRS	788	2.5	9	<1	1	2	3	5	7	17
20-34	1376	3.1	14	<1	1	2	3	6	9	20
35-49	524	3.3	27	<1	1	2	4	7	11	26
50-64	310	3.7	38	<1	1	2	4	7	13	28
65+	166	3.9	27	<1	1	2	4	9	12	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	143	2.4	3	<1	<1	2	3	5	6	8
B. *Operated*	1198	2.3	7	<1	<1	1	2	4	7	14
2. MULTIPLE DX										
A. *Not Operated*	553	4.0	25	<1	1	3	5	7	10	30
B. *Operated*	3164	3.1	18	<1	1	2	3	6	10	22
1. SINGLE DX	1341	2.3	6	<1	<1	1	3	5	7	14
2. MULTIPLE DX	3717	3.2	19	<1	1	2	4	6	10	23
A. NOT OPERATED	696	3.7	21	<1	1	3	4	7	9	28
B. OPERATED	4362	2.9	15	<1	1	2	3	6	9	18
TOTAL 0-19 YRS	1297	2.5	7	<1	1	2	3	5	7	15
20-34	2186	2.9	14	<1	1	2	3	6	9	18
35-49	827	3.0	20	<1	1	2	3	6	10	19
50-64	480	3.6	29	<1	1	2	4	7	12	27
65+	268	4.3	37	1	1	2	4	10	15	34
GRAND TOTAL	**5058**	**3.0**	**16**	**<1**	**1**	**2**	**3**	**6**	**9**	**19**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	2.1	2	<1	<1	1	3	4	6	7
20-34	32	3.7	13	<1	<1	3	4	7	12	18
35-49	14	3.1	5	<1	<1	3	4	6	8	9
50-64	3	1.7		1	1	2	2	2	2	2
65+	5	5.8	63	2	2	2	7	20	20	20
B. *Operated*										
0-19 YRS	179	3.0	21	<1	<1	2	3	6	8	20
20-34	168	4.3	27	1	1	3	5	8	13	29
35-49	70	4.6	26	<1	1	3	5	10	18	25
50-64	32	4.0	17	<1	1	3	5	8	13	21
65+	25	9.5	72	<1	1	5	16	22	25	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	95	3.2	5	1	1	3	4	7	8	11
20-34	129	4.6	88	<1	1	3	5	7	10	53
35-49	60	4.7	13	1	2	4	6	8	10	20
50-64	48	5.9	24	1	1	4	9	12	16	24
65+	56	9.3	68	1	2	7	11	20	30	39
B. *Operated*										
0-19 YRS	377	5.3	65	<1	1	3	6	10	17	45
20-34	432	6.9	81	1	1	4	8	15	24	52
35-49	142	6.6	88	1	1	4	7	13	21	55
50-64	77	8.9	90	1	1	5	13	24	27	47
65+	88	12.2	149	1	2	8	19	26	38	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	88	3.0	10	<1	<1	2	4	6	9	19
B. *Operated*	474	4.1	28	<1	1	2	4	8	14	26
2. MULTIPLE DX										
A. *Not Operated*	388	5.1	49	1	1	3	6	10	13	33
B. *Operated*	1116	6.9	85	1	1	4	7	17	26	50
1. SINGLE DX	562	3.9	25	<1	1	2	4	8	13	26
2. MULTIPLE DX	1504	6.4	76	1	1	4	7	14	23	48
A. NOT OPERATED	476	4.7	42	<1	1	3	5	9	13	30
B. OPERATED	1590	6.0	70	1	1	3	7	14	22	47
TOTAL 0-19 YRS	685	4.2	43	<1	1	2	4	8	12	40
20-34	761	5.8	69	1	1	3	6	12	19	46
35-49	286	5.5	54	1	1	3	7	10	18	42
50-64	160	6.9	58	1	1	4	9	17	24	32
65+	174	10.7	111	1	2	7	14	24	34	51
GRAND TOTAL	**2066**	**5.7**	**64**	**1**	**1**	**3**	**6**	**13**	**21**	**42**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34										
35-49	1	12.0		12	12	12	12	12	12	12
50-64	1	5.0		5	5	5	5	5	5	5
65+	2	20.0	338	7	7	20	33	33	33	33
B. *Operated*										
0-19 YRS	4	1.5		<1	<1	1	2	2	2	2
20-34	13	5.3	19	<1	1	3	9	11	12	12
35-49	3	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	4.0	8	1	1	3	5	8	11	11
20-34	7	2.7	6	<1	<1	1	4	7	7	7
35-49	5	3.6	5	1	1	4	5	7	7	7
50-64	4	5.0	25	<1	<1	3	8	12	12	12
65+	4	10.0	78	4	4	6	15	23	23	23
B. *Operated*										
0-19 YRS	37	6.6	100	1	1	3	7	14	17	59
20-34	93	7.7	103	1	1	5	9	17	30	59
35-49	35	8.0	61	1	1	5	12	18	26	32
50-64	24	9.6	155	1	1	6	10	36	42	45
65+	7	19.1	318	2	2	10	37	44	45	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	13.8	125	5	5	12	17	33	33	33
B. *Operated*	20	3.9	16	<1	<1	2	8	10	11	12
2. MULTIPLE DX										
A. *Not Operated*	30	4.6	20	<1	<1	4	5	9	12	23
B. *Operated*	196	8.2	111	1	1	5	10	17	34	55
1. SINGLE DX	25	5.9	50	<1	<1	2	9	12	17	33
2. MULTIPLE DX	226	7.7	100	1	1	5	9	17	32	52
A. NOT OPERATED	35	5.9	43	<1	1	4	7	12	20	33
B. OPERATED	216	7.8	103	1	1	5	9	17	32	53
TOTAL 0-19 YRS	52	5.8	75	1	1	3	6	12	15	58
20-34	113	7.1	89	<1	1	4	9	14	19	56
35-49	44	7.1	54	<1	1	4	11	17	22	32
50-64	29	8.8	133	1	1	5	9	26	41	45
65+	13	16.5	227	2	3	9	25	43	45	45
GRAND TOTAL	**251**	**7.5**	**95**	**<1**	**1**	**4**	**9**	**16**	**32**	**50**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	11.5	790	<1	<1	1	3	58	81	81
20-34	15	5.0	25	<1	<1	3	6	12	17	19
35-49	8	2.0	1	1	1	2	3	3	3	3
50-64	9	4.3	6	1	1	5	6	7	8	8
65+	9	6.6	18	2	2	5	10	13	14	14
B. *Operated*										
0-19 YRS	129	3.9	20	<1	1	2	4	9	14	25
20-34	203	3.3	11	<1	<1	2	4	8	10	14
35-49	107	3.9	16	<1	<1	3	4	10	14	18
50-64	57	4.7	28	<1	1	3	5	11	17	25
65+	29	7.3	67	<1	<1	3	12	20	22	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	6.2	59	<1	1	4	7	16	27	31
20-34	90	6.6	66	1	1	4	8	14	19	48
35-49	70	8.4	174	1	1	5	10	16	21	80
50-64	51	8.8	60	1	1	7	12	19	22	40
65+	55	7.4	34	1	2	6	9	14	16	35
B. *Operated*										
0-19 YRS	165	4.0	21	<1	1	2	4	9	13	25
20-34	407	5.5	79	1	1	3	6	11	18	56
35-49	248	6.1	75	1	1	4	7	12	16	48
50-64	165	8.0	99	1	1	4	10	18	30	56
65+	94	11.9	162	1	2	8	16	28	42	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	5.7	135	<1	1	3	6	11	14	81
B. *Operated*	525	3.9	20	<1	1	2	4	9	14	24
2. MULTIPLE DX										
A. *Not Operated*	291	7.5	84	1	1	5	9	16	21	54
B. *Operated*	1079	6.4	83	1	1	3	7	14	21	53
1. SINGLE DX	574	4.1	30	<1	1	2	4	10	14	24
2. MULTIPLE DX	1370	6.6	84	1	1	4	8	14	21	54
A. NOT OPERATED	340	7.3	92	1	1	5	9	15	20	65
B. OPERATED	1604	5.6	64	<1	1	3	6	12	18	41
TOTAL 0-19 YRS	327	4.3	41	<1	1	2	4	9	15	27
20-34	715	5.0	58	<1	1	3	5	10	14	39
35-49	433	5.9	77	1	1	3	7	11	16	52
50-64	282	7.4	77	1	1	4	9	17	23	39
65+	187	9.6	107	1	2	6	13	20	30	69
GRAND TOTAL	**1944**	**5.9**	**69**	**1**	**1**	**3**	**7**	**13**	**18**	**44**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	71	3.7	3	1	1	4	5	6	6	9
20-34	51	3.7	3	1	1	4	5	6	7	8
35-49	4	4.0	4	3	3	3	5	7	7	7
50-64	5	4.2	1	3	3	4	5	6	6	6
65+	3	2.7	2	1	1	3	4	4	4	4
B. *Operated*										
0-19 YRS	4	7.5	51	2	2	6	13	17	17	17
20-34	3	4.3	16	2	2	2	7	9	9	9
35-49										
50-64	2	4.0	8	2	2	4	6	6	6	6
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	178	3.8	4	1	1	4	5	6	7	10
20-34	124	3.3	7	<1	1	3	5	6	7	15
35-49	28	3.1	9	1	1	2	4	5	8	16
50-64	25	3.3	6	<1	1	2	5	6	9	9
65+	30	5.7	17	2	2	5	6	13	16	18
B. *Operated*										
0-19 YRS	25	5.6	9	<1	1	5	8	10	11	11
20-34	23	3.8	8	<1	1	3	5	7	11	12
35-49	6	3.8	12	1	1	2	6	10	10	10
50-64	8	5.1	9	1	1	5	7	9	10	10
65+	7	4.6	7	1	1	4	6	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	134	3.7	3	1	1	4	5	6	6	9
B. *Operated*	9	5.7	27	2	2	2	9	14	17	17
2. MULTIPLE DX										
A. *Not Operated*	385	3.7	7	1	1	3	5	6	7	16
B. *Operated*	69	4.7	9	1	1	4	6	9	11	12
1. SINGLE DX	143	3.9	5	1	1	4	5	6	7	10
2. MULTIPLE DX	454	3.9	7	1	1	4	5	7	8	16
A. NOT OPERATED	519	3.7	6	1	1	3	5	6	7	15
B. OPERATED	78	4.8	11	1	1	4	7	10	11	16
TOTAL 0-19 YRS	278	4.0	5	1	1	4	5	7	8	11
20-34	201	3.5	6	<1	1	3	5	6	8	12
35-49	38	3.3	9	1	1	2	4	7	9	16
50-64	40	3.8	6	1	1	4	5	7	9	10
65+	40	5.3	15	1	2	4	6	10	15	18
GRAND TOTAL	**597**	**3.9**	**7**	**1**	**1**	**4**	**5**	**6**	**8**	**15**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	184	2.0	2	1	1	1	2	3	5	7
20-34	152	2.4	6	<1	1	2	3	4	5	16
35-49	71	2.1	2	<1	1	1	3	4	5	7
50-64	53	3.0	8	1	1	2	4	6	7	17
65+	85	4.5	15	1	1	4	5	10	14	19
B. *Operated*										
0-19 YRS	44	2.3	6	<1	<1	1	3	5	7	14
20-34	61	3.0	6	<1	<1	2	4	7	9	12
35-49	24	3.1	9	<1	1	2	4	9	10	11
50-64	16	6.4	60	<1	1	4	7	14	27	32
65+	20	6.1	42	1	1	4	6	13	22	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	851	1.9	2	<1	1	1	2	3	5	8
20-34	1007	2.5	6	<1	<1	2	3	5	7	12
35-49	518	3.3	12	1	1	2	4	7	9	19
50-64	505	4.5	22	1	1	3	6	9	14	23
65+	1540	6.5	34	1	2	5	8	13	17	32
B. *Operated*										
0-19 YRS	128	3.0	10	1	1	2	4	6	10	17
20-34	228	5.4	51	<1	1	3	6	13	21	37
35-49	92	4.9	25	<1	1	3	6	11	17	23
50-64	85	7.4	58	1	1	5	8	19	23	39
65+	139	11.0	135	1	2	8	14	22	31	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	545	2.6	7	1	1	2	3	5	7	15
B. *Operated*	165	3.5	17	<1	<1	2	4	8	10	27
2. MULTIPLE DX										
A. *Not Operated*	4421	4.1	21	<1	1	3	5	9	12	23
B. *Operated*	672	6.3	65	1	1	4	7	14	21	39
1. SINGLE DX	710	2.8	9	<1	1	2	3	6	8	16
2. MULTIPLE DX	5093	4.4	27	1	1	3	5	10	14	27
A. NOT OPERATED	4966	3.9	20	<1	1	2	5	9	12	22
B. OPERATED	837	5.7	57	<1	1	3	7	13	20	36
TOTAL 0-19 YRS	1207	2.0	3	<1	1	1	2	4	5	10
20-34	1448	3.0	14	<1	1	2	3	6	8	21
35-49	705	3.4	13	<1	1	2	4	7	10	19
50-64	659	4.8	28	1	1	3	6	10	15	28
65+	1784	6.7	42	1	2	5	8	14	18	33
GRAND TOTAL	**5803**	**4.2**	**25**	**<1**	**1**	**3**	**5**	**9**	**13**	**25**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	1.9	3	1	1	1	2	3	6	8
20-34	14	2.5	5	<1	1	2	3	4	9	10
35-49	3	2.0	1	1	1	2	3	3	3	3
50-64	7	1.6	1	1	1	1	2	4	4	4
65+										
B. *Operated*										
0-19 YRS	13	4.2	59	<1	<1	1	3	12	26	29
20-34	26	4.0	11	<1	<1	3	5	7	13	13
35-49	15	3.1	11	<1	1	2	4	7	11	13
50-64	11	6.7	97	<1	<1	2	9	24	30	31
65+	2	3.0	8	1	1	3	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	2.5	5	1	1	2	3	5	7	11
20-34	40	3.6	10	1	1	3	5	6	8	19
35-49	18	4.4	44	1	1	3	4	6	21	30
50-64	11	3.1	5	1	1	2	4	7	9	9
65+	12	11.9	254	3	4	7	10	30	57	61
B. *Operated*										
0-19 YRS	52	6.4	75	1	1	3	7	18	29	40
20-34	120	7.7	131	1	1	3	7	22	37	52
35-49	48	4.2	34	1	1	2	4	10	17	34
50-64	24	11.6	193	1	1	7	17	26	46	59
65+	8	15.6	551	1	1	7	16	57	71	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	2.0	3	1	1	2	2	3	5	10
B. *Operated*	67	4.3	33	<1	<1	2	5	10	14	31
2. MULTIPLE DX										
A. *Not Operated*	109	4.3	46	1	1	3	5	8	11	43
B. *Operated*	252	7.4	123	1	1	3	8	21	34	59
1. SINGLE DX	111	3.4	22	<1	<1	2	3	7	13	30
2. MULTIPLE DX	361	6.5	101	1	1	3	6	16	28	58
A. NOT OPERATED	153	3.6	34	1	1	2	4	7	9	30
B. OPERATED	319	6.7	106	<1	1	3	7	17	30	52
TOTAL 0-19 YRS	113	4.4	46	1	1	2	4	10	23	34
20-34	200	6.0	86	<1	1	3	6	13	25	48
35-49	84	4.0	30	1	1	2	4	7	14	33
50-64	53	7.5	122	<1	1	3	9	19	30	58
65+	22	12.5	329	1	2	6	9	35	65	71
GRAND TOTAL	**472**	**5.7**	**85**	**1**	**1**	**3**	**5**	**13**	**24**	**48**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.0		<1	<1	<1	1	1	1	1
20-34										
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	8	1.5	1	<1	<1	<1	1	3	4	4
20-34	3	2.0	3	<1	<1	1	3	4	4	4
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	2.0	1	<1	<1	2	3	3	3	3
35-49	3	1.0		1	1	1	1	1	1	1
50-64	3	2.3	2	1	1	2	3	4	4	4
65+										
B. *Operated*										
0-19 YRS	3	1.0		<1	<1	<1	1	1	1	1
20-34	6	2.7	4	1	1	2	4	6	6	6
35-49	5	8.0	82	3	3	4	10	24	24	24
50-64	3	3.7		3	3	4	4	4	4	4
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	1.0		<1	<1	<1	1	1	1	1
B. *Operated*	11	1.6	1	<1	<1	<1	2	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	11	1.7	1	<1	<1	1	2	3	4	4
B. *Operated*	17	4.1	29	<1	<1	3	4	6	18	24
1. SINGLE DX	20	1.4	1	<1	<1	<1	1	3	4	4
2. MULTIPLE DX	28	3.2	19	<1	<1	2	4	5	8	24
A. NOT OPERATED	20	1.4	1	<1	<1	1	2	3	3	4
B. OPERATED	28	3.1	19	<1	<1	2	4	5	8	24
TOTAL 0-19 YRS	19	1.2	1	<1	<1	<1	1	2	3	4
20-34	13	2.3	3	<1	<1	2	3	5	6	6
35-49	10	4.5	50	<1	<1	2	4	15	24	24
50-64	6	3.0	2	1	1	3	4	4	4	4
65+										
GRAND TOTAL	**48**	**2.4**	**12**	**<1**	**<1**	**1**	**3**	**4**	**6**	**24**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	261	1.2	1	<1	<1	1	1	2	2	7
20-34	41	1.2		<1	<1	1	1	2	3	3
35-49	46	1.3	1	<1	<1	1	1	2	3	5
50-64	53	1.3	1	<1	<1	1	1	2	3	7
65+	67	1.5	1	<1	<1	1	2	3	4	5
B. *Operated*										
0-19 YRS	85	1.7	2	<1	<1	1	2	4	5	7
20-34	21	2.5	6	<1	<1	1	3	6	8	10
35-49	8	2.8	7	<1	<1	1	4	7	8	8
50-64	10	1.8	2	1	1	1	2	4	5	5
65+	11	2.5	7	<1	<1	1	3	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	230	1.3	1	<1	<1	1	1	2	3	4
20-34	63	2.7	24	<1	<1	2	2	6	7	35
35-49	73	3.2	50	<1	<1	1	2	6	13	46
50-64	82	2.2	9	<1	<1	1	2	4	9	18
65+	164	3.2	15	<1	1	2	4	7	10	22
B. *Operated*										
0-19 YRS	100	2.5	10	<1	<1	1	2	5	8	18
20-34	22	4.0	13	<1	1	3	6	9	13	13
35-49	38	5.4	50	<1	<1	2	7	14	20	35
50-64	47	5.4	50	1	1	3	7	15	20	37
65+	84	7.3	97	1	1	4	9	16	19	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	468	1.3	1	<1	<1	1	1	2	3	5
B. *Operated*	135	2.0	3	<1	<1	1	2	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	612	2.3	14	<1	<1	1	2	4	7	19
B. *Operated*	291	4.8	50	<1	1	2	6	12	17	36
1. SINGLE DX	603	1.4	1	<1	<1	1	1	2	4	7
2. MULTIPLE DX	903	3.1	27	<1	<1	1	3	7	12	23
A. NOT OPERATED	1080	1.9	9	<1	<1	1	2	3	5	14
B. OPERATED	426	3.9	37	<1	<1	2	4	9	15	27
TOTAL 0-19 YRS	676	1.5	2	<1	<1	1	1	2	4	8
20-34	147	2.5	14	<1	<1	1	2	6	7	14
35-49	165	3.2	36	<1	<1	1	2	7	13	34
50-64	192	2.7	19	<1	<1	1	2	6	11	22
65+	326	3.9	37	<1	1	2	4	9	14	23
GRAND TOTAL	**1506**	**2.4**	**18**	**<1**	**<1**	**1**	**2**	**5**	**8**	**19**

380: Third degree burns (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	8.7	90	<1	<1	6	12	23	33	33
20-34	8	6.1	20	1	1	6	10	11	11	11
35-49	2	6.5	61	<1	<1	6	12	12	12	12
50-64	3	10.3	54	2	2	13	15	16	16	16
65+	2	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	33	8.0	27	1	1	8	12	15	16	21
20-34	23	7.4	29	2	2	6	11	18	45	99+
35-49	17	9.2	105	<1	<1	5	14	24	33	37
50-64	4	5.8	11	2	2	6	8	9	9	9
65+	11	11.5	75	2	2	9	15	26	29	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	7.7	206	1	1	4	7	13	30	86
20-34	30	5.6	28	<1	1	4	8	11	14	27
35-49	27	8.7	52	1	2	8	12	17	25	33
50-64	27	12.4	87	1	2	9	18	26	29	37
65+	18	10.8	97	2	2	8	15	17	34	45
B. *Operated*										
0-19 YRS	104	17.3	298	2	2	11	25	39	60	76
20-34	141	16.9	367	2	3	10	20	56	71	99+
35-49	67	20.2	384	2	3	14	32	56	87	99+
50-64	50	23.3	326	3	4	20	31	44	50	95
65+	58	23.6	328	3	5	18	35	51	56	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	7.6	49	<1	1	5	11	13	20	33
B. *Operated*	88	8.4	48	1	2	7	13	17	24	75
2. MULTIPLE DX										
A. *Not Operated*	144	8.7	107	1	1	6	11	18	27	47
B. *Operated*	420	19.2	347	2	3	13	28	50	65	99+
1. SINGLE DX	113	8.2	48	1	1	7	12	16	23	60
2. MULTIPLE DX	564	16.5	306	2	2	10	23	43	59	99+
A. NOT OPERATED	169	8.6	99	1	1	6	11	17	27	45
B. OPERATED	508	17.4	311	2	3	11	25	45	61	99+
TOTAL 0-19 YRS	189	13.1	239	1	2	7	15	33	44	79
20-34	202	13.7	287	1	2	8	17	41	65	99+
35-49	113	15.6	286	1	2	11	20	47	64	99+
50-64	84	18.5	258	2	3	15	27	42	46	83
65+	89	19.1	279	2	3	13	29	46	53	73
GRAND TOTAL	**677**	**15.2**	**273**	**1**	**2**	**9**	**19**	**39**	**56**	**99+**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	87	4.7	16	1	1	3	6	11	13	19
20-34	60	4.6	35	<1	1	2	6	11	15	35
35-49	19	7.2	66	<1	1	4	6	22	25	26
50-64	9	6.9	41	<1	<1	8	10	16	20	20
65+	7	7.4	8	2	3	8	9	11	11	11
B. *Operated*										
0-19 YRS	14	7.4	48	<1	1	4	13	18	21	22
20-34	12	9.9	34	1	2	10	14	18	18	18
35-49	17	9.9	83	<1	<1	8	16	22	28	32
50-64	8	4.6	12	1	1	4	6	10	12	12
65+	6	8.8	106	1	1	5	10	27	29	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	415	4.7	24	1	1	3	6	11	15	25
20-34	320	4.9	33	1	1	3	7	11	14	34
35-49	132	4.7	26	1	1	3	6	12	15	23
50-64	98	6.7	59	1	1	4	8	20	24	72
65+	112	10.6	111	1	2	7	15	21	29	56
B. *Operated*										
0-19 YRS	83	10.0	93	1	1	7	13	24	32	82
20-34	123	12.9	205	1	1	9	18	26	39	79
35-49	68	15.7	218	1	2	11	22	39	44	69
50-64	42	13.8	141	1	2	9	24	28	39	45
65+	26	22.5	350	2	3	16	35	53	60	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	182	5.1	29	1	1	3	7	11	16	25
B. *Operated*	57	8.4	56	<1	1	6	13	18	22	32
2. MULTIPLE DX										
A. *Not Operated*	1077	5.5	42	1	1	3	7	13	18	34
B. *Operated*	342	13.6	191	1	1	9	20	34	42	73
1. SINGLE DX	239	5.9	37	1	1	4	8	14	19	29
2. MULTIPLE DX	1419	7.5	90	1	1	4	9	19	25	47
A. NOT OPERATED	1259	5.5	40	1	1	3	7	13	18	34
B. OPERATED	399	12.9	175	1	1	8	18	30	39	67
TOTAL 0-19 YRS	599	5.5	37	1	1	3	7	13	18	29
20-34	515	6.9	86	1	1	4	9	17	22	43
35-49	236	8.5	110	1	1	5	11	21	34	47
50-64	157	8.5	87	1	1	5	11	24	27	45
65+	151	12.4	166	1	2	8	16	30	40	60
GRAND TOTAL	**1658**	**7.3**	**83**	**1**	**1**	**4**	**9**	**18**	**24**	**45**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	4.3	11	2	2	3	4	10	11	11
20-34	21	5.1	15	1	2	4	5	13	14	14
35-49	7	6.4	34	1	1	4	11	15	16	16
50-64	6	4.5	7	1	1	4	6	8	8	8
65+										
B. *Operated*										
0-19 YRS	44	2.8	19	<1	<1	2	3	5	5	30
20-34	90	1.8	1	<1	<1	1	2	3	4	7
35-49	40	3.9	90	<1	<1	2	3	3	23	47
50-64	16	2.2	1	<1	<1	2	3	4	4	4
65+	6	2.2	3	1	1	2	3	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	7.3	182	<1	1	3	7	13	40	64
20-34	72	5.4	55	1	1	4	6	9	14	47
35-49	35	4.7	13	1	1	3	7	10	13	15
50-64	27	6.4	21	1	1	6	9	14	16	18
65+	32	7.9	88	2	3	5	8	15	23	52
B. *Operated*										
0-19 YRS	82	3.3	24	<1	1	2	3	8	11	31
20-34	215	5.0	133	<1	1	2	4	9	17	84
35-49	72	4.5	70	<1	1	2	3	12	22	91
50-64	40	7.2	142	<1	1	3	7	18	37	58
65+	22	11.5	269	1	1	6	17	22	46	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	5.2	15	1	2	4	6	12	14	16
B. *Operated*	196	2.5	24	<1	<1	2	3	4	5	36
2. MULTIPLE DX										
A. *Not Operated*	192	6.1	65	1	1	4	7	11	16	51
B. *Operated*	431	5.1	112	<1	1	2	4	11	20	77
1. SINGLE DX	236	3.0	23	<1	<1	2	3	5	7	32
2. MULTIPLE DX	623	5.4	97	<1	1	2	5	11	19	63
A. NOT OPERATED	232	5.9	56	1	1	4	7	12	15	50
B. OPERATED	627	4.3	85	<1	<1	2	3	9	17	60
TOTAL 0-19 YRS	158	3.9	49	<1	<1	2	4	8	11	34
20-34	398	4.4	84	<1	<1	2	4	8	13	56
35-49	154	4.5	60	<1	1	2	4	10	18	59
50-64	89	5.9	73	<1	1	3	7	13	18	52
65+	60	8.7	150	1	1	5	10	20	24	74
GRAND TOTAL	**859**	**4.7**	**78**	**<1**	**1**	**2**	**4**	**10**	**16**	**57**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	89	2.0	4	<1	1	1	2	4	6	11
20-34	83	2.5	3	<1	1	2	3	4	6	8
35-49	29	3.1	5	1	1	2	4	6	8	10
50-64	15	3.8	15	<1	<1	3	4	9	14	16
65+	19	5.0	15	<1	1	4	6	12	14	15
B. *Operated*										
0-19 YRS	49	3.4	20	<1	<1	2	3	9	12	25
20-34	58	3.4	10	<1	<1	2	5	8	10	14
35-49	21	3.9	13	1	1	2	5	9	13	14
50-64	9	2.9	18	1	1	1	2	10	14	14
65+	10	4.0	19	<1	<1	2	6	11	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	228	2.4	4	<1	1	2	3	5	6	11
20-34	282	3.0	7	<1	1	2	4	6	7	11
35-49	161	4.5	40	1	1	3	5	9	12	31
50-64	114	4.6	13	1	1	4	6	9	12	18
65+	181	7.1	33	1	2	5	10	15	17	29
B. *Operated*										
0-19 YRS	103	7.6	144	1	1	3	9	18	26	73
20-34	206	7.2	74	1	1	4	9	19	24	38
35-49	79	7.2	69	1	1	5	10	14	26	85
50-64	64	9.2	89	1	1	6	12	23	33	39
65+	44	15.0	194	1	2	14	21	31	57	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	235	2.7	6	<1	1	2	3	5	8	13
B. *Operated*	147	3.5	15	<1	<1	2	5	8	13	16
2. MULTIPLE DX										
A. *Not Operated*	966	4.1	20	1	1	3	5	9	12	21
B. *Operated*	496	8.2	104	1	1	5	10	21	30	60
1. SINGLE DX	382	3.0	9	<1	1	2	4	6	9	15
2. MULTIPLE DX	1462	5.5	53	1	1	3	6	12	18	37
A. NOT OPERATED	1201	3.8	18	<1	1	3	5	8	11	20
B. OPERATED	643	7.1	88	1	1	4	9	17	25	55
TOTAL 0-19 YRS	469	3.6	41	<1	1	2	3	8	11	27
20-34	629	4.3	32	<1	1	3	5	9	14	29
35-49	290	5.1	44	1	1	3	6	11	14	46
50-64	202	5.9	42	1	1	4	7	13	17	34
65+	254	8.2	68	1	2	5	11	17	25	55
GRAND TOTAL	**1844**	**5.0**	**45**	**1**	**1**	**3**	**6**	**11**	**16**	**34**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	276	1.5	2	<1	<1	1	2	2	3	6
20-34	154	1.9	7	<1	<1	1	2	3	4	21
35-49	71	2.3	13	<1	<1	1	3	4	5	25
50-64	23	1.8	1	<1	<1	1	2	4	4	4
65+	25	3.6	10	1	1	2	4	8	11	12
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	17.5	421	3	3	17	32	32	32	32
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2070	2.3	15	<1	<1	1	2	4	6	18
20-34	2637	3.4	28	<1	<1	2	3	7	12	28
35-49	1420	3.8	27	<1	1	2	4	8	12	27
50-64	819	4.4	22	1	1	3	5	9	14	26
65+	1215	6.3	40	1	2	5	7	12	16	30
B. *Operated*										
0-19 YRS	15	6.2	29	1	2	4	7	14	19	21
20-34	64	9.2	83	1	1	6	13	22	34	91
35-49	40	12.5	269	1	1	8	13	33	53	75
50-64	50	12.2	143	2	3	8	15	24	34	61
65+	97	13.1	93	2	3	10	16	28	34	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	549	1.8	5	<1	<1	1	2	3	4	12
B. *Operated*	3	13.7	254	3	3	6	25	32	32	32
2. MULTIPLE DX										
A. *Not Operated*	8161	3.7	27	<1	1	2	4	8	12	27
B. *Operated*	266	11.5	125	1	2	8	14	25	34	74
1. SINGLE DX	552	1.9	7	<1	<1	1	2	3	4	16
2. MULTIPLE DX	8427	4.0	32	<1	1	2	4	9	13	29
A. NOT OPERATED	8710	3.6	26	<1	1	2	4	8	12	26
B. OPERATED	269	11.5	125	1	2	8	14	26	34	74
TOTAL 0-19 YRS	2361	2.3	14	<1	<1	1	2	4	6	17
20-34	2855	3.5	29	<1	<1	2	3	7	13	29
35-49	1531	3.9	34	<1	1	2	4	8	12	30
50-64	894	4.8	33	1	1	3	5	11	15	30
65+	1338	6.7	47	1	2	5	8	14	19	33
GRAND TOTAL	**8979**	**3.8**	**31**	**<1**	**1**	**2**	**4**	**8**	**13**	**29**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	164	1.6	7	<1	<1	1	2	3	3	7
20-34	147	1.7	2	<1	<1	1	2	3	4	7
35-49	40	1.6	1	1	1	1	2	3	4	7
50-64	23	1.9	2	<1	1	1	2	3	5	8
65+	18	1.8	1	1	1	2	2	3	4	4
B. *Operated*										
0-19 YRS	2	5.0	8	3	3	5	7	7	7	7
20-34	7	2.0	2	1	1	1	3	5	5	5
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	545	1.7	3	<1	<1	1	2	3	4	10
20-34	440	2.6	11	<1	1	2	3	5	8	18
35-49	239	2.5	6	<1	1	2	3	5	7	13
50-64	137	3.7	19	1	1	2	4	8	13	23
65+	117	4.1	32	1	1	2	5	9	12	35
B. *Operated*										
0-19 YRS	10	10.7	67	2	2	9	17	23	26	26
20-34	21	11.9	345	1	1	5	14	54	86	99+
35-49	16	11.8	398	1	1	7	11	14	64	85
50-64	8	9.8	86	4	4	5	12	26	31	31
65+	13	16.2	335	1	1	8	29	40	59	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	392	1.7	4	<1	<1	1	2	3	4	7
B. *Operated*	10	2.6	4	1	1	2	3	6	7	7
2. MULTIPLE DX										
A. *Not Operated*	1478	2.5	10	<1	1	1	3	5	7	17
B. *Operated*	68	12.3	274	1	1	7	13	34	64	97
1. SINGLE DX	402	1.7	4	<1	<1	1	2	3	4	7
2. MULTIPLE DX	1546	2.9	26	<1	1	1	3	6	9	23
A. NOT OPERATED	1870	2.3	9	<1	1	1	2	5	7	16
B. OPERATED	78	11.0	250	1	1	6	12	33	54	96
TOTAL 0-19 YRS	721	1.9	6	<1	<1	1	2	3	5	13
20-34	615	2.7	22	<1	<1	1	3	5	8	21
35-49	296	2.9	30	<1	1	2	3	5	8	16
50-64	168	3.8	22	1	1	2	4	8	13	29
65+	148	4.9	66	1	1	2	5	10	13	49
GRAND TOTAL	**1948**	**2.7**	**21**	**<1**	**1**	**1**	**3**	**5**	**8**	**20**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	149	1.7	4	<1	1	1	1	2	5	11
20-34	106	2.0	8	<1	<1	1	2	3	7	17
35-49	64	3.0	19	<1	1	2	3	5	14	26
50-64	52	2.1	5	<1	<1	1	3	4	6	13
65+	33	4.1	23	1	1	2	5	8	13	25
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	25.5	761	6	6	25	45	45	45	45
35-49	3	6.3	34	2	2	4	11	13	13	13
50-64	3	14.0	37	7	7	17	18	18	18	18
65+	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	329	2.6	22	1	1	1	3	5	7	18
20-34	306	2.9	10	<1	1	2	3	6	7	20
35-49	260	3.2	16	<1	1	2	4	6	9	20
50-64	325	4.2	21	1	1	3	5	9	14	20
65+	652	5.9	28	1	1	4	7	12	17	28
B. *Operated*										
0-19 YRS	13	9.5	112	1	1	6	11	30	32	33
20-34	33	6.2	81	1	1	4	7	16	20	48
35-49	39	12.3	282	1	1	6	17	35	71	99+
50-64	58	9.2	95	1	2	6	12	20	26	58
65+	84	13.0	227	2	2	8	15	31	55	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	404	2.2	9	<1	1	1	2	4	7	17
B. *Operated*	10	12.7	160	2	3	9	17	31	45	45
2. MULTIPLE DX										
A. *Not Operated*	1872	4.1	23	1	1	3	5	9	13	24
B. *Operated*	227	10.7	178	1	1	7	12	26	42	96
1. SINGLE DX	414	2.5	15	<1	1	1	2	5	8	21
2. MULTIPLE DX	2099	4.9	44	1	1	3	6	10	16	32
A. NOT OPERATED	2276	3.8	21	1	1	2	5	8	12	23
B. OPERATED	237	10.8	177	1	1	7	12	26	43	96
TOTAL 0-19 YRS	492	2.5	20	<1	1	1	2	5	7	22
20-34	447	3.0	20	<1	1	2	3	6	8	23
35-49	366	4.2	52	<1	1	2	4	8	14	41
50-64	438	4.7	33	1	1	3	5	12	15	26
65+	770	6.6	54	1	1	5	8	13	20	33
GRAND TOTAL	**2513**	**4.5**	**40**	**1**	**1**	**2**	**5**	**10**	**15**	**31**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	3.3	10	<1	<1	2	4	8	10	11
20-34	49	4.0	16	<1	<1	3	5	9	13	19
35-49	36	3.9	11	<1	<1	3	5	8	12	14
50-64	32	6.1	33	<1	<1	4	8	14	19	24
65+	46	4.8	18	<1	<1	4	7	11	13	20
B. *Operated*										
0-19 YRS	139	3.6	14	<1	<1	2	5	8	11	20
20-34	332	4.0	29	<1	<1	2	4	9	15	30
35-49	268	4.9	34	<1	<1	3	7	11	14	34
50-64	413	6.8	68	1	1	4	9	15	22	44
65+	686	7.5	64	1	1	4	11	16	22	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	3.4	11	<1	1	2	5	7	10	18
20-34	122	4.9	33	<1	1	3	6	10	14	32
35-49	113	7.6	113	<1	1	5	8	15	27	60
50-64	154	7.1	57	1	1	5	8	15	18	43
65+	241	7.3	52	1	1	5	10	15	23	35
B. *Operated*										
0-19 YRS	342	6.8	65	1	1	4	7	14	23	40
20-34	684	6.8	78	<1	1	4	8	16	25	43
35-49	801	7.5	98	1	1	4	9	17	23	58
50-64	1547	9.1	109	1	1	6	12	21	29	59
65+	2359	10.6	138	1	2	7	14	25	35	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	181	4.5	18	<1	<1	3	6	10	14	20
B. *Operated*	1838	6.0	53	<1	1	3	8	14	19	36
2. MULTIPLE DX										
A. *Not Operated*	681	6.6	58	1	1	4	8	14	19	43
B. *Operated*	5733	9.1	115	1	1	5	12	21	31	59
1. SINGLE DX	2019	5.9	50	<1	1	3	8	14	19	34
2. MULTIPLE DX	6414	8.8	110	1	1	5	11	21	30	57
A. NOT OPERATED	862	6.1	51	<1	1	4	8	13	18	38
B. OPERATED	7571	8.3	102	1	1	5	11	19	28	54
TOTAL 0-19 YRS	550	5.5	48	<1	1	4	6	11	18	38
20-34	1187	5.7	59	<1	1	3	6	13	21	40
35-49	1218	6.8	84	<1	1	4	8	15	21	47
50-64	2146	8.5	97	1	1	5	11	19	27	50
65+	3332	9.7	117	1	2	6	13	22	32	58
GRAND TOTAL	**8433**	**8.1**	**97**	**1**	**1**	**5**	**10**	**18**	**27**	**51**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	114	1.6	2	<1	<1	1	2	3	4	7
20-34	134	2.1	2	<1	1	2	3	4	6	8
35-49	76	2.5	3	1	1	2	3	5	6	8
50-64	76	2.8	2	1	1	3	4	5	6	6
65+	153	3.2	4	1	1	3	4	6	6	11
B. *Operated*										
0-19 YRS	127	1.6	1	<1	<1	1	2	3	3	6
20-34	193	2.4	3	<1	<1	2	3	5	6	10
35-49	87	2.3	5	<1	1	2	3	5	6	13
50-64	53	4.3	83	1	1	2	4	7	10	65
65+	56	4.4	16	1	1	3	6	8	10	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	1.9	2	<1	<1	1	2	4	6	8
20-34	124	3.0	7	1	1	2	4	6	8	14
35-49	82	2.9	5	<1	1	2	4	6	8	10
50-64	116	3.3	4	1	1	3	5	6	7	10
65+	234	4.2	11	1	1	4	5	7	9	18
B. *Operated*										
0-19 YRS	53	1.6	2	<1	<1	1	2	3	4	10
20-34	138	4.6	31	<1	1	3	6	10	14	24
35-49	78	4.4	26	1	1	3	4	12	19	22
50-64	85	5.4	27	1	1	4	7	12	15	27
65+	127	7.3	57	1	2	5	8	16	21	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	553	2.5	3	1	1	2	3	5	6	7
B. *Operated*	516	2.6	13	<1	1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	608	3.4	8	1	1	3	4	6	8	15
B. *Operated*	481	5.1	36	<1	1	3	6	12	17	29
1. SINGLE DX	1069	2.5	8	<1	1	2	3	5	6	10
2. MULTIPLE DX	1089	4.1	21	1	1	3	5	8	13	22
A. NOT OPERATED	1161	3.0	6	1	1	2	4	6	7	11
B. OPERATED	997	3.8	26	<1	1	2	4	8	12	23
TOTAL 0-19 YRS	346	1.7	2	<1	<1	1	2	3	4	8
20-34	589	3.0	11	<1	1	2	3	6	9	16
35-49	323	3.0	10	1	1	2	4	6	8	20
50-64	330	3.9	23	1	1	3	4	7	10	22
65+	570	4.6	22	1	1	3	6	8	13	25
GRAND TOTAL	**2158**	**3.3**	**15**	**<1**	**1**	**2**	**4**	**6**	**9**	**20**

Appendix

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2

290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	4.8	8	2	2	4	7	8	10	14
20-34	119	5.3	16	2	2	4	6	10	14	21
35-49	81	6.5	23	2	3	5	8	10	17	28
50-64	74	6.3	34	1	2	5	8	14	16	36
65+	54	8.5	67	2	3	6	10	13	30	45
B. *Operated*										
0-19 YRS	45	6.4	17	1	1	6	9	13	14	16
20-34	86	8.0	61	1	1	6	9	19	22	43
35-49	63	7.1	61	1	2	5	8	15	23	45
50-64	65	8.0	51	1	2	6	11	19	21	36
65+	41	9.3	62	1	2	8	12	18	25	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	6.0	23	2	2	4	7	13	15	24
20-34	183	6.2	36	2	2	5	8	11	14	32
35-49	131	6.7	17	2	2	6	9	12	13	22
50-64	167	8.2	39	2	3	6	10	17	22	31
65+	186	9.8	57	3	3	8	12	19	28	39
B. *Operated*										
0-19 YRS	73	8.6	79	1	2	7	11	15	21	58
20-34	186	11.1	99	1	2	8	15	27	30	45
35-49	169	12.2	147	1	2	8	15	28	36	54
50-64	211	13.6	178	2	3	9	19	32	40	74
65+	228	16.1	213	3	4	12	20	34	49	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	377	6.2	28	2	2	5	7	11	15	31
B. *Operated*	300	7.8	52	1	2	6	9	16	21	38
2. MULTIPLE DX										
A. *Not Operated*	734	7.6	39	2	2	6	9	14	19	32
B. *Operated*	867	13.0	160	2	3	9	16	29	37	66
1. SINGLE DX	677	6.9	39	1	2	5	8	14	19	32
2. MULTIPLE DX	1601	10.5	112	2	3	7	13	23	32	53
A. NOT OPERATED	1111	7.1	36	2	2	5	9	13	18	32
B. OPERATED	1167	11.7	138	1	2	8	15	26	34	58
TOTAL 0-19 YRS	234	6.6	38	1	2	5	8	13	15	26
20-34	574	7.9	61	1	2	5	9	17	24	42
35-49	444	8.8	81	2	2	6	10	19	27	47
50-64	517	10.1	105	2	2	7	12	22	32	45
65+	509	12.4	139	2	3	9	15	27	34	58
GRAND TOTAL	**2278**	**9.5**	**93**	**2**	**2**	**7**	**11**	**21**	**29**	**49**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	3.5	14	1	1	2	4	9	12	18
20-34	81	3.5	7	<1	1	3	4	7	9	13
35-49	64	5.0	11	1	1	4	6	10	11	17
50-64	65	5.3	18	1	1	4	7	9	11	27
65+	57	4.4	16	1	1	3	6	10	12	22
B. *Operated*										
0-19 YRS	43	4.7	60	<1	<1	2	5	8	15	48
20-34	116	5.0	32	<1	<1	3	6	10	15	33
35-49	110	4.9	21	<1	1	3	7	11	13	22
50-64	105	6.6	68	1	1	4	8	14	17	48
65+	134	5.1	28	<1	1	3	7	12	17	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	3.5	10	1	1	3	5	7	9	17
20-34	198	4.3	24	1	1	3	6	9	10	21
35-49	206	5.4	23	1	1	4	7	12	14	24
50-64	232	6.1	44	1	1	4	8	13	16	31
65+	267	7.2	53	1	1	5	9	15	21	44
B. *Operated*										
0-19 YRS	85	6.3	100	<1	1	3	7	13	23	59
20-34	286	6.7	49	1	1	5	9	13	17	31
35-49	295	9.7	142	1	2	7	11	19	34	68
50-64	404	10.5	138	1	2	7	12	24	38	68
65+	493	11.4	128	1	2	8	15	26	34	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	294	4.4	13	1	1	4	6	9	11	18
B. *Operated*	508	5.3	39	<1	1	3	7	12	16	34
2. MULTIPLE DX										
A. *Not Operated*	961	5.7	37	1	1	4	7	12	16	32
B. *Operated*	1563	9.7	120	1	1	6	12	22	31	63
1. SINGLE DX	802	5.0	29	<1	1	3	6	11	14	25
2. MULTIPLE DX	2524	8.2	92	1	1	5	10	17	26	54
A. NOT OPERATED	1255	5.4	32	1	1	4	7	11	14	30
B. OPERATED	2071	8.6	104	1	1	6	11	19	29	57
TOTAL 0-19 YRS	213	4.9	57	<1	1	3	5	10	14	50
20-34	681	5.3	35	1	1	4	7	11	14	27
35-49	675	7.2	78	1	1	5	9	14	20	54
50-64	806	8.3	97	1	1	5	10	17	28	56
65+	951	8.9	93	1	1	6	12	20	29	51
GRAND TOTAL	**3326**	**7.4**	**79**	**1**	**1**	**5**	**9**	**16**	**23**	**50**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.7	1	<1	<1	1	2	3	3	3
20-34	5	2.2	3	1	1	2	3	5	5	5
35-49	4	2.3	2	1	1	2	3	4	4	4
50-64	3	4.3	12	1	1	4	7	8	8	8
65+	4	3.0	11	1	1	2	5	8	8	8
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	7.5	36	1	1	7	12	15	15	15
35-49	3	8.7	4	7	7	8	10	11	11	11
50-64	3	4.0	12	2	2	2	7	8	8	8
65+	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	2.2	2	1	1	2	2	4	5	8
20-34	22	4.1	9	1	2	3	5	8	11	14
35-49	13	3.8	10	<1	<1	3	5	9	11	11
50-64	34	3.6	21	1	1	2	4	7	16	21
65+	40	5.2	32	1	1	3	7	12	14	31
B. *Operated*										
0-19 YRS	3	15.0	183	2	2	14	25	29	29	29
20-34	8	5.3	14	1	1	4	8	11	12	12
35-49	20	6.7	31	1	1	6	8	17	19	19
50-64	10	17.0	244	1	1	12	29	40	47	47
65+	10	18.4	690	1	1	6	16	67	71	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	2.5	5	<1	1	2	3	6	8	8
B. *Operated*	13	5.7	19	1	1	5	8	12	14	15
2. MULTIPLE DX										
A. *Not Operated*	135	3.9	18	1	1	3	5	8	13	22
B. *Operated*	51	11.3	221	1	1	7	13	29	46	71
1. SINGLE DX	35	3.7	12	1	1	2	5	8	10	15
2. MULTIPLE DX	186	5.9	84	1	1	3	7	13	20	58
A. NOT OPERATED	157	3.7	16	1	1	2	4	8	12	21
B. OPERATED	64	10.1	184	1	1	6	10	23	38	70
TOTAL 0-19 YRS	36	3.1	26	1	1	2	3	4	12	29
20-34	39	4.4	12	1	1	3	5	9	13	15
35-49	40	5.5	22	1	1	5	7	11	17	19
50-64	50	6.4	89	1	1	3	7	19	29	47
65+	56	7.3	164	1	1	4	8	13	26	71
GRAND TOTAL	**221**	**5.6**	**73**	**1**	**1**	**3**	**6**	**12**	**18**	**52**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	1.3		<1	<1	1	2	2	2	2
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	40	1.5	1	<1	<1	1	2	2	3	5
20-34	3004	1.4	1	<1	<1	1	1	2	3	4
35-49	1451	1.3		<1	<1	1	1	2	3	4
50-64	5	1.2		<1	<1	1	1	2	2	2
65+	4	1.3		<1	<1	<1	1	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	23	1.0		<1	<1	<1	1	1	1	1
35-49	26	1.2		<1	<1	<1	1	1	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	17	2.1	3	<1	<1	1	3	5	5	5
20-34	1118	1.9	2	<1	<1	1	2	4	5	8
35-49	612	1.8	4	<1	<1	1	2	4	5	7
50-64	1	4.0		4	4	4	4	4	4	4
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	1.3		<1	<1	1	2	2	2	2
B. *Operated*	4504	1.3	1	<1	<1	1	1	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	49	1.1		<1	<1	<1	1	1	2	3
B. *Operated*	1748	1.9	3	<1	<1	1	2	4	5	8
1. SINGLE DX	4512	1.3	1	<1	<1	1	1	2	3	4
2. MULTIPLE DX	1797	1.9	3	<1	<1	1	2	4	5	8
A. NOT OPERATED	57	1.1		<1	<1	<1	1	1	2	3
B. OPERATED	6252	1.5	1	<1	<1	1	2	3	3	6
TOTAL 0-19 YRS	57	1.7	1	<1	<1	1	2	3	5	5
20-34	4151	1.5	1	<1	<1	1	2	3	3	5
35-49	2091	1.5	1	<1	<1	1	2	3	3	6
50-64	6	1.7	1	<1	<1	1	2	4	4	4
65+	4	1.3		<1	<1	<1	1	2	2	2
GRAND TOTAL	**6309**	**1.5**	**1**	**<1**	**<1**	**1**	**2**	**3**	**3**	**6**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	1	16.0		16	16	16	16	16	16	16
1500-1749	4	21.8	21	17	17	21	25	27	27	27
1750-2499	1972	2.6	3	1	1	2	3	4	5	10
2500+	125835	2.3	1	1	1	2	3	4	5	6
B. *Operated*										
1-999 G										
1000-1499	1	56.0		56	56	56	56	56	56	56
1500-1749	1	31.0		31	31	31	31	31	31	31
1750-2499	5	11.2	93	2	2	11	15	27	27	27
2500+	48	4.0	13	<1	1	3	5	8	9	21
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	13	68.7	768	15	26	78	95	98	99+	99+
1000-1499	160	39.8	270	14	20	40	49	60	70	85
1500-1749	272	23.9	82	10	14	23	28	34	41	58
1750-2499	4721	6.4	34	1	2	5	8	14	18	28
2500+	56931	3.3	4	1	1	3	4	5	6	10
B. *Operated*										
1-999 G	57	65.8	358	38	43	75	99+	99+	99+	99+
1000-1499	209	49.4	368	20	28	48	66	82	99	99+
1500-1749	167	34.4	238	16	20	32	42	60	88	99+
1750-2499	707	15.8	137	3	5	14	20	28	37	72
2500+	1598	7.6	81	1	2	5	9	14	22	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	127812	2.3	2	1	1	2	3	4	5	6
B. *Operated*	55	6.1	92	<1	1	3	6	11	25	55
2. MULTIPLE DX										
A. *Not Operated*	62097	3.7	14	1	1	3	4	6	8	18
B. *Operated*	2738	15.8	331	2	2	9	20	44	66	99+
1. SINGLE DX	127867	2.3	2	1	1	2	3	4	5	6
2. MULTIPLE DX	64835	4.2	34	1	1	3	4	6	10	31
A. NOT OPERATED	189909	2.8	6	1	1	2	3	5	5	10
B. OPERATED	2793	15.6	328	2	2	8	20	43	66	99+
TOTAL 1-999 G	70	66.3	425	37	42	75	99	99+	99+	99+
1000-1499	371	45.2	348	16	22	44	57	74	86	99+
1500-1749	444	27.9	165	12	15	26	33	44	57	99+
1750-2499	7405	6.3	48	1	2	4	8	15	19	32
2500+	184412	2.7	3	1	1	2	3	5	5	8
GRAND TOTAL	**192702**	**3.0**	**13**	**1**	**1**	**2**	**3**	**5**	**6**	**15**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749	3	14.7	34	8	8	17	18	19	19	19
1750-2499	285	4.1	10	1	2	3	5	7	10	15
2500+	1123	3.5	3	1	2	3	5	5	6	9
B. *Operated*										
1-999 G										
1000-1499										
1500-1749	1	34.0		34	34	34	34	34	34	34
1750-2499	1	5.0		5	5	5	5	5	5	5
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	7	62.4	253	36	42	66	79	96	99+	99+
1000-1499	30	37.6	272	12	19	35	42	56	67	92
1500-1749	74	21.3	47	12	13	22	26	30	33	42
1750-2499	760	7.9	32	2	3	6	11	16	19	26
2500+	778	4.7	6	2	2	4	5	7	8	15
B. *Operated*										
1-999 G	7	60.4	396	24	36	76	99+	99+	99+	99+
1000-1499	41	47.3	284	24	27	49	57	88	99+	99+
1500-1749	33	31.2	96	19	19	30	40	43	51	55
1750-2499	122	15.7	55	5	7	14	21	27	30	53
2500+	42	8.6	39	2	3	7	10	18	22	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1411	3.7	5	1	2	3	5	6	7	11
B. *Operated*	2	19.5	421	5	5	19	34	34	34	34
2. MULTIPLE DX										
A. *Not Operated*	1649	7.8	67	2	3	5	8	16	22	42
B. *Operated*	245	23.1	313	4	6	19	31	55	73	99+
1. SINGLE DX	1413	3.7	5	1	2	3	5	6	7	11
2. MULTIPLE DX	1894	9.7	125	2	3	5	11	22	31	67
A. NOT OPERATED	3060	5.9	42	2	2	4	6	11	17	33
B. OPERATED	247	23.1	312	4	6	19	31	55	73	99+
TOTAL 1-999 G	14	61.4	301	29	40	69	87	99+	99+	99+
1000-1499	71	43.2	298	19	24	42	55	71	98	99+
1500-1749	111	24.1	83	12	14	23	29	27	42	53
1750-2499	1168	7.8	38	2	2	5	11	16	20	30
2500+	1943	4.1	6	2	2	4	5	6	7	13
GRAND TOTAL	**3307**	**7.2**	**83**	**2**	**2**	**5**	**6**	**15**	**24**	**55**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	14	3.0	4	1	1	2	5	6	7	8
2500+	308	1.7	1	<1	1	2	2	3	3	5
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	1	43.0		43	43	43	43	43	43	43
1500-1749	4	27.3	280	7	7	28	40	45	45	45
1750-2499	42	6.6	34	2	2	5	8	15	20	27
2500+	152	3.2	6	1	1	2	4	5	7	13
B. *Operated*										
1-999 G	3	56.0	823	23	28	87	99+	99+	99+	99+
1000-1499	4	71.0	315	54	54	67	82	96	96	96
1500-1749	1	32.0		32	32	32	32	32	32	32
1750-2499	9	12.3	40	2	4	15	17	20	20	20
2500+	12	6.1	17	1	2	5	8	13	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	322	1.8	1	<1	1	2	2	3	3	5
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	199	4.6	36	1	1	3	5	9	14	40
B. *Operated*	29	23.0	719	2	3	15	60	97	99+	99+
1. SINGLE DX	322	1.8	1	<1	1	2	2	3	3	5
2. MULTIPLE DX	228	6.9	158	1	1	3	6	16	36	99+
A. NOT OPERATED	521	2.8	16	<1	1	2	3	5	7	22
B. OPERATED	29	23.0	719	2	3	15	60	97	99+	99+
TOTAL 1-999 G	3	56.0	823	23	28	87	99+	99+	99+	99+
1000-1499	5	65.4	393	43	43	67	74	96	96	96
1500-1749	5	28.2	215	7	7	32	38	45	45	45
1750-2499	65	6.6	35	1	2	5	8	16	19	26
2500+	472	2.3	4	<1	1	2	3	4	5	12
GRAND TOTAL	**550**	**3.9**	**72**	**<1**	**1**	**2**	**3**	**6**	**13**	**70**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	1.5	1	<1	<1	1	2	3	4	4
20-34	18	1.4		<1	<1	1	2	2	3	3
35-49	5	2.2	7	<1	<1	1	3	7	7	7
50-64	5	2.2	3	<1	<1	<1	3	5	5	5
65+	2	2.5	5	<1	<1	2	4	4	4	4
B. *Operated*										
0-19 YRS	646	2.0	3	<1	<1	2	2	4	4	8
20-34	1119	2.0	2	<1	<1	2	2	4	5	9
35-49	487	2.2	3	<1	<1	2	3	4	5	9
50-64	318	2.4	3	<1	<1	2	3	4	6	10
65+	236	3.3	15	<1	<1	2	4	6	10	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	1.8	1	<1	<1	1	2	4	4	4
20-34	10	1.5	1	<1	<1	1	2	3	3	3
35-49	7	2.3	7	<1	<1	1	3	7	8	8
50-64	2	18.5	545	2	2	18	35	35	35	35
65+	5	3.4	9	1	1	2	6	8	8	8
B. *Operated*										
0-19 YRS	118	2.7	6	<1	<1	2	3	5	8	13
20-34	220	4.1	47	<1	1	3	4	8	12	32
35-49	104	3.9	27	<1	1	3	4	8	13	30
50-64	94	4.6	41	<1	1	3	5	10	14	37
65+	122	7.3	52	1	2	5	9	18	24	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	1.7	2	<1	<1	1	2	3	5	7
B. *Operated*	2806	2.2	4	<1	<1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	32	3.1	37	<1	<1	1	3	6	8	35
B. *Operated*	658	4.5	39	<1	1	3	5	9	14	29
1. SINGLE DX	2849	2.2	4	<1	<1	2	3	4	5	10
2. MULTIPLE DX	690	4.4	39	<1	1	3	5	9	14	33
A. NOT OPERATED	75	2.3	17	<1	<1	1	2	4	7	28
B. OPERATED	3464	2.6	11	<1	<1	2	3	5	7	15
TOTAL 0-19 YRS	785	2.1	3	<1	<1	2	2	4	5	10
20-34	1367	2.4	10	<1	<1	2	3	4	6	13
35-49	603	2.5	8	<1	<1	2	3	4	6	14
50-64	419	3.0	15	<1	<1	2	3	5	8	23
65+	365	4.6	31	<1	1	3	5	10	15	29
GRAND TOTAL	**3539**	**2.6**	**11**	**<1**	**<1**	**2**	**3**	**5**	**7**	**15**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49	4	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	12.0		12	12	12	12	12	12	12
35-49	4	3.5	4	1	1	4	5	5	5	5
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	2	15.0	242	4	4	15	26	26	26	26
20-34	21	2.4	13	<1	<1	<1	2	4	10	17
35-49	25	1.7	2	<1	<1	<1	2	4	5	5
50-64	48	2.9	8	<1	<1	1	4	7	8	15
65+	13	3.3	4	<1	<1	3	4	6	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	6	1.2		<1	<1	<1	1	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	6	4.5	17	1	1	4	5	11	12	12
B. *Operated*	109	2.8	12	<1	<1	1	4	5	8	21
1. SINGLE DX	6	1.2		<1	<1	<1	1	2	2	2
2. MULTIPLE DX	115	2.9	12	<1	<1	1	4	5	8	20
A. NOT OPERATED	6	4.5	17	1	1	4	5	11	12	12
B. OPERATED	115	2.7	12	<1	<1	1	4	5	8	20
TOTAL 0-19 YRS	2	15.0	242	4	4	15	26	26	26	26
20-34	22	2.8	16	<1	<1	1	3	7	14	17
35-49	33	1.8	2	<1	<1	<1	2	5	5	5
50-64	48	2.9	8	<1	<1	1	4	7	8	15
65+	16	2.9	4	<1	<1	3	4	5	7	8
GRAND TOTAL	**121**	**2.8**	**12**	**<1**	**<1**	**1**	**4**	**5**	**8**	**20**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	668	2.3	7	<1	<1	1	3	4	6	17
20-34	1291	2.2	9	<1	<1	1	2	4	6	12
35-49	446	2.2	7	<1	<1	1	3	4	6	14
50-64	441	2.6	11	<1	<1	1	3	5	7	19
65+	410	3.4	39	<1	<1	1	3	7	11	30
B. *Operated*										
0-19 YRS	427	3.1	18	<1	<1	2	3	7	10	22
20-34	1175	3.0	9	<1	<1	2	4	7	8	14
35-49	825	3.1	10	<1	<1	2	4	8	10	12
50-64	665	3.6	13	<1	1	2	5	8	10	15
65+	525	3.8	15	<1	1	2	6	10	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	891	3.4	35	<1	<1	2	4	5	9	45
20-34	1577	3.6	37	<1	1	2	4	6	11	32
35-49	1670	4.2	35	1	1	2	4	9	17	33
50-64	4055	4.0	34	1	1	2	5	7	12	33
65+	4035	5.5	60	1	1	3	6	12	20	43
B. *Operated*										
0-19 YRS	400	5.2	68	<1	<1	3	6	11	16	38
20-34	1256	4.7	54	<1	1	3	5	9	14	54
35-49	1201	4.8	36	<1	1	3	6	10	14	30
50-64	1612	5.6	52	1	1	3	7	11	17	38
65+	1486	8.2	128	1	1	5	10	18	30	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3256	2.4	12	<1	<1	1	2	5	7	17
B. *Operated*	3617	3.3	12	<1	<1	2	4	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	12228	4.4	44	1	1	2	5	9	16	38
B. *Operated*	5955	5.9	71	<1	1	3	7	12	19	48
1. SINGLE DX	6873	2.9	12	<1	<1	2	3	7	9	15
2. MULTIPLE DX	18183	4.9	53	<1	1	3	5	10	17	42
A. NOT OPERATED	15484	4.0	38	<1	1	2	4	8	14	34
B. OPERATED	9572	4.9	51	<1	1	3	6	10	14	40
TOTAL 0-19 YRS	2386	3.3	31	<1	<1	2	4	7	10	32
20-34	5299	3.4	29	<1	<1	2	4	7	11	25
35-49	4142	3.9	28	<1	1	2	5	8	12	27
50-64	6773	4.3	35	1	1	2	5	9	13	33
65+	6456	5.9	72	1	1	3	6	13	21	47
GRAND TOTAL	**25056**	**4.4**	**43**	**<1**	**1**	**2**	**5**	**9**	**14**	**36**

Index to the Length of Stay Tables

If a diagnosis does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 2, Diseases: Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The diagnosis group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – *see Appendicitis, acute*
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – *see Dependence*
	Adenocarcinoma – *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

DIAGNOSIS INDEX (continued)

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease — *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis — *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

DIAGNOSIS INDEX (continued)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer – *see Neoplasm, malignant*
	Carcinoma – *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

DIAGNOSIS INDEX (continued)

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs — *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

DIAGNOSIS INDEX (continued)

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital — *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

DIAGNOSIS INDEX (continued)

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

DIAGNOSIS INDEX (continued)

Group Number — Title

- 73 Diabetes mellitus, uncontrolled
- 72 Diabetic acidosis
- 73 Diabetic cataract
- 72 Diabetic coma
- 73 Diabetic gangrene
- 73 Diabetic nephropathy
- 73 Diabetic neuropathy
- 73 Diabetic retinopathy
- 73 Diabetic ulcer
- 397 Dialysis, peritoneal
- 397 Dialysis, renal
- 204 Diaphragmatic hernia
- 208 Diarrhea, except infectious and functional
- 211 Diarrhea, functional
- 1 Diarrhea, infectious
- 6 Diphtheria
- Disease
  - 199 Appendix, except acute appendicitis
  - 151 Arteriosclerotic cardiovascular
  - 168 Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
  - 13 Arthropod-borne
  - 79 Autoimmune
  - 6 Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
  - 218 Biliary ducts
  - 234 Bladder, except calculus and cystitis
  - 313 Bone, except osteomyelitis and osteoarthritis
  - 242 Breast, except fibrocystic
  - 241 Breast, fibrocystic
  - 221 Celiac
  - Central nervous system
    - 7 Enteroviral
    - 113 Inflammatory, except enteroviral
    - 117 Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
  - Cerebrovascular — *see Cerebrovascular accident*
  - 136 Chronic rheumatic heart
  - 296 Connective tissue, diffuse
  - 143 Coronary artery
  - 211 Crohn's
  - 75 Cushing's
  - 187 Dental
  - 209 Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer – *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

DIAGNOSIS INDEX (continued)

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

DIAGNOSIS INDEX (continued)

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer — *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

DIAGNOSIS INDEX (continued)

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve – *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes – *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

DIAGNOSIS INDEX (continued)

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

DIAGNOSIS INDEX (continued)

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease – *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

DIAGNOSIS INDEX (continued)

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

DIAGNOSIS INDEX (continued)

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease — *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer — *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

DIAGNOSIS INDEX (continued)

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma — *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

DIAGNOSIS INDEX (continued)

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

DIAGNOSIS INDEX (continued)

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever